


ENPRO Enviro Tech and Engineers Pvt. Ltd.			
Client	Colosperse Dyes & Intermediates (Unit-3)		
Project	Rapid EIA Report		
Report No	EP/REIA/17	Rev.	0
Title	Chapter 7 Additional Studies	Date	11/05/2020

CHAPTER 7

ADDITIONAL STUDIES

In order to support the Environment Impact Assessment and Environment Management Plan, following additional studies have been included in this report.

- Risk Assessment
- On-Site / Off-Site Emergency Plan
- Occupational Health Programme

7.1 INTRODUCTION TO RISK ASSESSMENT


M/s. Colosperse Dyes & Intermediates, Sachin, handles chemicals, some of which are hazardous in nature by virtue of their intrinsic chemical properties or their operating temperatures or pressures or a combination of them. Fire, toxic release or combinations of them are the hazards associated with industrial plants using hazardous chemicals. More comprehensive, systematic and sophisticated methods of Safety Engineering, such as, Hazard Analysis and Qualitative/Quantitative Risk Assessment have been developed to improve upon the integrity, reliability and safety of industrial plants, the same has been discussed in detail under their respective headings.

7.1.1 Objectives of Risk Assessment

Risk analysis follows an extensive hazard analysis. It involves the identification and assessment of risks the neighboring populations are exposed to as a result of hazards present. This requires a thorough knowledge of failure probability, credible accident scenario, vulnerability of population etc. Much of this information is difficult to get or generate. Consequently, the risk analysis is often confined to maximum credible accident studies.


Risk assessment is carried out for the following objectives:

1. To identify hazard and risk resulting from the hazards
2. To study and foresee the effects of such risks on the workers, public, property and environment and to find out necessary control measures to prevent or minimize risk.
3. To comply the legal requirement by various safety and environment laws of the country like...
 - The Factories Act, 1948 / The Gujarat Factories Act, 1963
 - The Environment Protection Act and Rules, 1986
 - Hazardous waste (Management & Handling) Rules, 1989
 - Public Liability Insurance Act & Rules, 1991
 - Chemical Accident, (Emergency, planning, preparedness and response) Rules, 1996.
4. To get the necessary information for Emergency planning and evacuation.

ENPRO Enviro Tech and Engineers Pvt. Ltd.			
Client	Colosperse Dyes & Intermediates (Unit-3)		
Project	Rapid EIA Report		
Report No	EP/REIA/17	Rev.	0
Title	Chapter 7 Additional Studies	Date	11/05/2020

7.1.2 Plant layout

FIGURE 7.1 - PLOT PLAN OF COLOSPERSE DYES & INTERMEDIATES




<u>ENPRO Enviro Tech and Engineers Pvt. Ltd.</u>				
Client	Colosperse Dyes & Intermediates (Unit-3)			
Project	Rapid EIA Report			
Report No	EP/REIA/17		Rev.	0
Title	Chapter 7 Additional Studies		Date	11/05/2020

TABLE 7.1 A - STORAGE DETAILS OF RAW MATERIALS

Sr. No	Name of the Raw Materials	Quantity stored, (kgs)	Mode of Storage	State	Possible type of hazards	Control Measures Provided
1	Tri Ethyl Amine	200	M.S. Drum	Liquid	<ul style="list-style-type: none"> Flammable Toxic 	<ul style="list-style-type: none"> Proper storage area is provided. PPEs like Splash goggles, Full suit, Vapor respirator or self-contained breathing apparatus, Boots, Gloves etc, are used while handling this chemical. Specialist will be consult, if required. For detailed control measures & firefighting facilities, refer section 7.5. Self-contained breathing apparatus are used.
2	Nitrobenzene	200	M.S. Drum	Liquid	<ul style="list-style-type: none"> Flammable Toxic 	

NOTES:

1. Size of the biggest storage drum is 200Kg, hence the 10% extra than tank capacity is not needed.
2. The unit is classified as Non-Major Accident Hazard (NMAH) unit based on the quantity of Hazardous Chemicals stored at site, as the quantity of these chemicals being stored within the factory premises are well within the threshold storage quantity as per schedules of Manufacture, Storage & Import of Hazardous Chemicals (MSIHC) Rules of major hazardous chemicals.



<u>ENPRO Enviro Tech and Engineers Pvt. Ltd.</u>				
Client	Colosperse Dyes & Intermediates (Unit-3)			
Project	Rapid EIA Report			
Report No	EP/REIA/17		Rev.	0
Title	Chapter 7 Additional Studies		Date	11/05/2020

TABLE 7.1 B - PROPERTIES OF HAZARDOUS CHEMICALS (i.e. HAZARDOUS CHARACTERISTICS & TOXICITY)

Sr. no	Chemical	Physical State	FP (°C)	BP (°C)	SP. GR @ 20°C	Vap. Den. vs air	Vap. Pr. @ 20°C	LEL %	UEL %	LD ₅₀ ORAL mg/ kgs	LD ₅₀ DERMAL mg/ kgs	LC ₅₀ mg/L	IDLH Value by ACGIH/ NIOSH	STEL by OSHA (PPM)	TLV-TWA by OSHA (PPM)
1	Tri Ethyl Amine	Liq.	-8.3	89	0.73	3.48	54 mm of Hg	1.2	8	460 mg/kg [Rat].	570 mg/kg [Rabbit]	LC ₅₀ 1425 ppm (mouse ,2 hrs)	200	3 ppm (ACGIH)	1 ppm (ACGIH)
2	Nitrobenzene	Liq.	88	211	1.99	4.25	0.3 mm of Hg	1.8	40	780 mg/kg (rat, oral)	760 mg/kg [Rabbit]	556 ppm	200	-	-

ENPRO Enviro Tech and Engineers Pvt. Ltd.			
Client	Colosperse Dyes & Intermediates (Unit-3)		
Project	Rapid EIA Report		
Report No	EP/REIA/17	Rev.	0
Title	Chapter 7 Additional Studies	Date	11/05/2020

7.2 RISK ASSESSMENT

Identification of hazards in the proposed project activity is of primary significance. Hazard states the characteristics of system/plant/process that presents potential for an accident. All the components of a system/plant/process are need to be thoroughly examined to assess their potential for initiating or propagating an unplanned event/sequence of events, which can be termed as an accident.

IDENTIFICATION OF HAZARDOUS AREAS

At **M/s. Colosperse Dyes & Intermediates**, major risks have been identified for the following areas:

- Raw Material Storage Area

As a conservative approach, **we have analyzed the risk qualitatively and quantitatively both.**

In this study, we have considered the following:

- Storage & Handling of hazardous chemicals like Tri Ethyl Amine and Nitrobenzene **have been considered for Consequence Analysis.** Their storage location has been shown in Figure-7.1. Hazardous (physical & chemical) properties of the chemicals have been summarized in **Table 7.2B.**
- Storage & Handling of Solid Chemicals, Caustic lye & Acids **have been considered for Qualitative Risk Assessment.**

Many a times Risk involved in various processes / process equipments cannot be addressed completely by Consequence Analysis. As a conservative approach, these risks have been considered separately under this topic. The approach is to identify hazards associated in operation of equipments as well as in processes, assessing its impacts, ranking the risk posed by it and finally to propose remedial actions/mitigation measures such that the risk is minimized to tolerable level.

The Risk Matrix presented below should be referred in evaluating this assessment.

In **Qualitative Risk Assessment**, risk has been analyzed using methodology called HIRA-Hazards Identification & Risk Assessment. In HIRA, major manual activities carried out by plant personnel as well as contract labors have been considered.

Qualitative Risk Assessment has been carried out for the following areas:

1. Storage and Handling of Solid Chemicals.
2. Storage and Handling of Acids.



<u>ENPRO Enviro Tech and Engineers Pvt. Ltd.</u>			
Client	Colosperse Dyes & Intermediates (Unit-3)		
Project	Rapid EIA Report		
Report No	EP/REIA/17	Rev.	0
Title	Chapter 7 Additional Studies	Date	11/05/2020

TABLE 7.2 - RISK MATRIX FOR QUALITATIVE RISK ASSESSMENT

LIKEHOOD/ PROBABILITY		SEVERITY				
		Catastrophic (Death/ System Loss)	Major/ Critical (Serious injury/ illness)	Moderate (Less Serious Injury/ illness)	Minor/ Marginal (Minor Injury/ illness)	Insignifican t/Negligible (No injury/ illness)
		5	4	3	2	1
Almost Certain	5	H	H	H	M	M
Likely	4	H	H	M	M	L
Possible	3	H	M	M	M	L
Unlikely	2	M	M	M	L	L
impossible	1	M	M	L	L	L

TABLE 7.3 - RISK ACCEPTABILITY CRITERIA


Risk Range	Risk Acceptability Criteria	Remarks
H	Unacceptable/ High	Management's Decision/Action Plan Required. Potential off-site Impact.
M	Medium	Generally Minor Impact. Acceptable with Management's Review. Specific monitoring or SOP to be followed.
L	Low	Acceptable without Review. Manage through Routine Procedure.

<u>ENPRO Enviro Tech and Engineers Pvt. Ltd.</u>				
Client	Colosperse Dyes & Intermediates (Unit-3)			
Project	Rapid EIA Report			
Report No	EP/REIA/17		Rev.	0
Title	Chapter 7 Additional Studies		Date	11/05/2020


7.2.1 STORAGE AND HANDLING OF SOLID CHEMICALS

[√] Risks and Recommendations:

SR. No.	PROCESS OR ACTIVITY	ASSOCIATED HAZARDS	HEALTH & SAFETY IMPACT (RISK)	INITIAL RISK			EXISTING MEASURES	RESIDUAL RISK			ADDITIONAL RECOMMENDATIONS
				SEVERITY	LIKELIHOOD	RISK		SEVERITY	LIKELIHOOD	RISK	
1.	Handling Chemical bags	<ul style="list-style-type: none"> Chemical Exposure. Dusting. 	<ul style="list-style-type: none"> Skin/Eye irritation. Ingestion & Inhalation of dust powder. 	2	3	M	<ul style="list-style-type: none"> PPEs like suitable protective clothing, gloves, face shield, dust and splash proof safety goggles, chemically resistant safety shoes, etc. are used. Standard Approved respirators are used. Eyewash station and safety showers are made available. Dust monitoring is carried out periodically. 	2	2	L	<ol style="list-style-type: none"> Operators/Workers to be trained for Safe Work Practices. Chemical handling bags & dusty area to be labeled properly for each chemicals.

<u>ENPRO Enviro Tech and Engineers Pvt. Ltd.</u>				
Client	Colosperse Dyes & Intermediates (Unit-3)			
Project	Rapid EIA Report			
Report No	EP/REIA/17		Rev.	0
Title	Chapter 7 Additional Studies		Date	11/05/2020


2.	Cleaning of Chemical Spillage.	<ul style="list-style-type: none"> • Fumes Inhalation. • Dust Exposure. 	<ul style="list-style-type: none"> • Severe irritation to eyes, skin. • Inhalation. 	3	3	M	<ul style="list-style-type: none"> • Certified Dust respirator is used. • PPEs are used. • Chemicals are stored in isolated storage rooms having provision for natural & forced ventilation. • Spillage is cleaned or neutralized with suitable media. • Fire fighting facilities is made available near storage locations, if required. 	2	2	L	
----	--------------------------------	---	---	---	---	----------	---	---	---	----------	--

<u>ENPRO Enviro Tech and Engineers Pvt. Ltd.</u>				
Client	Colosperse Dyes & Intermediates (Unit-3)			
Project	Rapid EIA Report			
Report No	EP/REIA/17		Rev.	0
Title	Chapter 7 Additional Studies		Date	11/05/2020


7.2.2 STORAGE AND HANDLING OF ACIDS

[√] Risks and Recommendations:

SR. No.	PROCESS OR ACTIVITY	ASSOCIATED HAZARDS	HEALTH & SAFETY IMPACT (RISK)	INITIAL RISK			EXISTING MEASURES	RESIDUAL RISK			ADDITIONAL RECOMMENDATIONS
				SEVERITY	LIKELIHOOD	RISK		SEVERITY	LIKELIHOOD	RISK	
1.	Loading & Unloading of Acids.	<ul style="list-style-type: none"> Exposure to Acid fumes due to leakage in pipe/container/valves etc. Spillage of liq. Acid. 	<ul style="list-style-type: none"> Skin/Eye irritation. Toxic Vapor inhalation etc. 	2	3	M	<ul style="list-style-type: none"> Loading & Unloading activity is carried out in well ventilated area. Neutralization media is made available in areas where acid is stored/handled/used. PPEs are used. 	2	2	L	
2.	Working in Storage Area.	<ul style="list-style-type: none"> Exposure to acid fumes. 	<ul style="list-style-type: none"> Severe irritation to eyes, skin. Body burns. 	2	3	M	<ul style="list-style-type: none"> Storage area is well ventilated. Dyke is provided. Neutralization is done immediately with soda ash/lime or spill shall be absorbed in sand or by suitable adsorbent. 	2	1	L	

<u>ENPRO Enviro Tech and Engineers Pvt. Ltd.</u>				
Client	Colosperse Dyes & Intermediates (Unit-3)			
Project	Rapid EIA Report			
Report No	EP/REIA/17		Rev.	0
Title	Chapter 7 Additional Studies		Date	11/05/2020

							• PPEs like face mask, gloves etc. are worn by concerned person.				
3.	Tank overflow/leakage from joints etc.	• Exposure to acid fumes.	• Severe irritation to eyes, skin.	3	3	M	• Same as Above.	2	1	L	3. Work Instruction for checking tank level to be prepared and followed.

ENPRO Enviro Tech and Engineers Pvt. Ltd.			
Client	Colosperse Dyes & Intermediates (Unit-3)		
Project	Rapid EIA Report		
Report No	EP/REIA/17	Rev.	0
Title	Chapter 7 Additional Studies	Date	11/05/2020

7.2.3 QUANTITATIVE RISK ASSESSMENT

Quantitative Risk Assessment (QRA) is a structured approach to identifying and understanding the hazards & risks associated with Storage and Handling of flammable/toxic chemicals. The assessment starts by taking into account an inventory of hazardous chemicals stored, likelihood of leakage/spillage associated with it and selecting the worst case scenario for consequence estimation.

Finally, suggesting the measures to minimize or mitigate risks to meet appropriate acceptability criteria. The planning for emergency evacuation shall be borne in mind whilst interpreting the results.

❖ CONSEQUENCE ANALYSIS

In a plant handling hazardous chemicals, the main hazard arises due to storage and handling of hazardous chemicals as mentioned above. If these chemicals are released into the atmosphere, it may cause damage due to resulting fires or vapour clouds. Blast Overpressures depend upon the reactivity class of material between two explosive limits.

❖ DAMAGE CRITERIA

In Consequence Analysis studies, in principle three types of exposure to hazardous effects are distinguished:

1. Heat radiation, from a pool fire, a flash fire or a BLEVE.
2. Explosion
3. Toxic effects, from toxic materials or toxic combustion products.

In the next three paragraphs, the chosen damage criteria are given and explained as per the Guidelines for QRA – Phast (Micro) Software (DNV) & Purple Book for QRA released by Centre for Chemical Process Safety (CCPS).

Heat Radiation

The consequence caused by exposure to heat radiation is a function of:

- The radiation energy onto the human body [kW/m^2];
- The exposure duration [sec];
- The protection of the skin tissue (clothed or naked body).

In this report following damage criteria has been considered for the effects due to Fire/Explosion.


<u>ENPRO Enviro Tech and Engineers Pvt. Ltd.</u>			
Client	Colosperse Dyes & Intermediates (Unit-3)		
Project	Rapid EIA Report		
Report No	EP/REIA/17	Rev.	0
Title	Chapter 7 Additional Studies	Date	11/05/2020

TABLE 7.4 - EFFECTS DUE TO INCIDENT RADIATION INTENSITY

INCIDENT RADIATION – kW/m ²	TYPE OF DAMAGE
37.5	Immediate ignition of wood (without flame Contact). 100 % fatal.
25	Minimum Energy required for igniting wood (Without flame contact). 100 % fatal in 1 min. Significant injury in 10 sec.
12.5	Minimum heat required to ignite wood (With flame contact). 1 % fatal in 1 min. First degree burn in 10 sec.
4	Pain after 20 sec. Blistering unlikely.
2	No discomfort for long exposure.

Explosion

In case of vapour cloud explosion, two physical effects may occur:

- * A flash fire over the whole length of the explosive gas cloud;
- * A blast wave, with typical peak over pressures circular around ignition source.

As explained above, 100% lethality is assumed for all people who are present within the cloud proper.


The following damage criteria may be distinguished with respect to the peak over pressures resulting from a blast wave:

TABLE 7.5 - DAMAGE DUE TO OVER PRESSURES

Peak Overpressure	Damage Type
0.40 bar	Ear Drum Rupture to humans 50 % probability of fatality inside 15% probability of fatality in open
0.21 bar	Structural Damage to buildings 20% probability of fatality to personnel inside 0% probability of fatality in the open
0.13 bar	Minor Structural Damage to nearby structures 10% probability of fatality to personnel inside 0% probability of fatality in the open
0.02 bar	Glass Damage
0.01 bar	Minor Damage

Intoxication

In this report, IDLH & LC₅₀ Concentrations have been considered for Consequence Analysis.

<u>ENPRO Enviro Tech and Engineers Pvt. Ltd.</u>			
Client	Colosperse Dyes & Intermediates (Unit-3)		
Project	Rapid EIA Report		
Report No	EP/REIA/17	Rev.	0
Title	Chapter 7 Additional Studies	Date	11/05/2020

❖ **ASSUMPTIONS FOR CONSEQUENCE ANALYSIS**

For Consequence Analysis, assumptions regarding Meteorological, Pasquil Stability Classes, Wind velocity, Ambient Temperature, Relative Humidity, Inventory, Ground Roughness, Model used etc. are very important. In this report, the following assumptions have been considered.

i. Meteorological Data

- Atmospheric Conditions: No Inversion
- Ambient Temperature: 30°C has been considered as MCA approach.
- Relative Humidity: As the site is not in rainy zone RH of 50% has been considered.

ii. Pasquil Stability Classes

- Pasquil Stability Category D/F is considered as conservative approach.

iii. Other assumptions:

- Ground Roughness: Ground Roughness has been considered as 0.3 M.
- Dispersion model of both Heavy Model and also Gaussian distribution have been used as applicable/appropriate.
- Inventory: Release of 100% of the inventory has been considered. For this, failure of the container has been considered from the bottom.
- Storage conditions: Storage conditions have been considered as they are practically stored at site.

Following Weather data has been used for the study:

TABLE 7.6 - WEATHER DATA USED FOR THE STUDY


WIND SPEED (M/S)	PASQUILL STABILITY
1.5	F
1.5	D
5	D

❖ **SOFTWARE USED FOR CALCULATIONS**

1. PHAST MICRO
2. ALOHA

❖ **SCENARIOS CONSIDERED FOR CONSEQUENCE ANALYSIS**

1. In this study, the scenarios for consequence analysis have been selected considering:
 - The physical and chemical properties of hazardous materials.
 - Storage conditions & Modes of Storage (Drums).

<u>ENPRO Enviro Tech and Engineers Pvt. Ltd.</u>			
Client	Colosperse Dyes & Intermediates (Unit-3)		
Project	Rapid EIA Report		
Report No	EP/REIA/17	Rev.	0
Title	Chapter 7 Additional Studies	Date	11/05/2020

- Hazards ranking by NFPA.
- Guidelines by OSHA (29 CFR).
- Operating and storage conditions of handling and storage of hazardous chemical.

2. This report considers the worst case scenario which is possible during any set of operation variable and production methodologies. The objective of the study is emergency planning, hence only holistic & conservative assumptions are used for obvious reasons. Hence though the outcomes may look pessimistic, the planning for emergency concept should be borne in mind whilst interpreting the results.

In this regard, **the failure cases which may lead to release of hazardous chemicals are as under, out of which maximum worst case shall be considered:**

- Possible Release/Leakage of drum or tilting of drum with open lid.
4. In this study, results of consequence analysis shall be used for;
- a. Emergency Planning
 - b. Deciding Evacuation Routes
 - c. Deciding Location of Assembly Points and ECC
 - d. Resource Allocation for mitigation


5. SCENARIOS IDENTIFIED FOR CONSEQUENCE ANALYSIS

Scenarios	Description of Scenario	Storage Pressure & Temp.	Scenarios considered
FIRE & Toxic SCENARIOS			
1	Release of Tri Ethyl Amine	Ambient	Flash Fire, UVCE, Late Pool Fire, Dispersion
2	Release of Nitrobenzene	Ambient	Flash Fire, UVCE, Late Pool Fire, Dispersion

Considerations Made:

- In **Case of Tri Ethyl Amine and Nitrobenzene** we have considered the maximum worst case scenario as Release of Inventory from 1" hole size due to damage or tilting of drum.
- In **Case of Tri Ethyl Amine**, we have considered the Possible Release/Leakage due to 1" damage to drum or tilting of drum with open lid.

Considering **LC₅₀ concentration –1000 ppm & IDLH concentration – 200 ppm**

ENPRO Enviro Tech and Engineers Pvt. Ltd.			
Client	Colosperse Dyes & Intermediates (Unit-3)		
Project	Rapid EIA Report		
Report No	EP/REIA/17	Rev.	0
Title	Chapter 7 Additional Studies	Date	11/05/2020

✓ Leak from 25 mm hole size.


- In **Case of Nitrobenzene**, we have considered the following scenarios:
Considering **LC₅₀ concentration – 786 ppm & IDLH concentration – 200 ppm**

✓ Leak from 25 mm hole size.

Note: Release of above chemicals from process equipments like Reactor or any other equipment is not possible as these chemicals will be in diluted/intermediate form in all process equipments and not in pure form.

• **Selection Criteria of Scenarios:**

- As per the relevant guidelines for consequence analysis, we have considered the maximum credible scenarios for all the above mentioned chemicals, which is the representative of all kinds of minor/major leakages for the respective chemicals.
- Modeling has been carried out for dispersion up to IDLH concentration, in case of toxic chemicals. Evacuation should be carried out in less than 30 min from the areas covered under IDLH in case of relevant leakage scenario. The purpose is to avoid irreversible health effects to persons inside the area of IDLH concentration.
- Based on the above considerations and the input parameters considered for worst case scenarios & maximum credible scenarios, the risk contours are plotted on the plant layout map clearly showing which of the facilities would be affected in case of an accident taking place. Based on the same the safety measures/recommendations are proposed and On-Site & Off-Site Emergency Plan shall be prepared as mentioned under the section 7.6. competency
- The worst-case scenario has taken into account the maximum inventory of storage at site at any point of time.

<u>ENPRO Enviro Tech and Engineers Pvt. Ltd.</u>			
Client	Colosperse Dyes & Intermediates (Unit-3)		
Project	Rapid EIA Report		
Report No	EP/REIA/17	Rev.	0
Title	Chapter 7 Additional Studies	Date	11/05/2020

SCENARIO # 1 – Release of Tri Ethyl Amine

Basis: Possible Release/Leakage due to 1" damage to drum or tilting of drum with open lid.

Input Data

Inventory	200 Kg
Release rate	2.432 Kg/sec
Drum Gets Empty In	82 secs
Pressure	Ambient
Temperature	30 deg C
Weather Condition	1.5/F, 1.5/D, 5/D
LFL	12000 ppm
UFL	80000 ppm

CASE:1 FLASH FIRE

			Distance (m)		
			Category 1.5/F	Category 1.5/D	Category 5/D
Furthest Extent	6000	ppm	5.13082	5.00322	4.47202
Furthest Extent	12000	ppm	3.48969	3.46588	3.00398

CASE:2 VAPOUR CLOUD EXPLOSION (OVERPRESSURE RESULTS)

Not Reached

CASE:3 LATE POOL FIRE

			Distance (m)		
			Category 1.5/F	Category 1.5/D	Category 5/D
RadiationLevel	4	kW/m2	16.3324	16.3325	16.5031
RadiationLevel	12.5	kW/m2	10.9067	10.9068	11.6919
RadiationLevel	25	kW/m2	7.5623	7.56238	9.0046
RadiationLevel	37.5	kW/m2	5.77756	5.77765	6.2174


<u>ENPRO Enviro Tech and Engineers Pvt. Ltd.</u>			
Client	Colosperse Dyes & Intermediates (Unit-3)		
Project	Rapid EIA Report		
Report No	EP/REIA/17		
Title	Chapter 7 Additional Studies	Rev.	0
		Date	11/05/2020

FIGURE 7.2 - RISK CONTOURS FOR FLASH FIRE:






FIGURE 7.3 - RISK CONTOUR FOR LATE POOL FIRE:



<u>ENPRO Enviro Tech and Engineers Pvt. Ltd.</u>			
Client	Colosperse Dyes & Intermediates (Unit-3)		
Project	Rapid EIA Report		
Report No	EP/REIA/17	Rev.	0
Title	Chapter 7 Additional Studies	Date	11/05/2020

SCENARIO # 2 – Release of Tri Ethyl Amine

Basis: Possible Release/Leakage due to 1" damage to drum or tilting of drum with open lid.

Input Data

Quantity Considered	3 kg
Temperature Considered	30 deg C
Pressure Considered	Atmospheric
Weather Condition	1.5/F, 1.5/D, 5/D
IDLH	200 ppm
LC50	1000 ppm

Result:

SR. No.	Concentration	Downwind Distance (meters)		
		Category 1.5/F	Category 1.5/D	Category 5/D
1	LC50 (1000 ppm)	4.7	5.35	1.9
2	IDLH (200 ppm)	4.5	3.1	NA

- **5.35 meters in downwind direction is considered as evacuation area.**


<u>ENPRO Enviro Tech and Engineers Pvt. Ltd.</u>			
Client	Colosperse Dyes & Intermediates (Unit-3)		
Project	Rapid EIA Report		
Report No	EP/REIA/17	Rev.	0
Title	Chapter 7 Additional Studies	Date	11/05/2020

FIGURE 7. 4 - RISK CONTOUR FOR LC50 CONCENTRATION:







FIGURE 7. 5 - RISK CONTOUR FOR IDLH CONCENTRATION:



ENPRO Enviro Tech and Engineers Pvt. Ltd.			
Client	Colosperse Dyes & Intermediates (Unit-3)		
Project	Rapid EIA Report		
Report No	EP/REIA/17	Rev.	0
Title	Chapter 7 Additional Studies	Date	11/05/2020

SCENARIO # 3 – Release of Nitrobenzene

Basis: Possible Release/Leakage due to 1" damage to drum or tilting of drum with open lid.	
Input Data	
Inventory	200 Kg
Release rate	1.87 Kg/sec
Drum Gets Empty In	91 secs
Pressure	Ambient
Temperature	30 deg C
Weather Condition	1.5/F, 1.5/D, 5/D
LFL	12000 ppm
UFL	300000 ppm
CASE:1 FLASH FIRE	
Not Reached	
CASE:2 VAPOUR CLOUD EXPLOSION (OVERPRESSURE RESULTS)	
Not Reached	
CASE:3 LATE POOL FIRE	
Not Reached	

<u>ENPRO Enviro Tech and Engineers Pvt. Ltd.</u>			
Client	Colosperse Dyes & Intermediates (Unit-3)		
Project	Rapid EIA Report		
Report No	EP/REIA/17	Rev.	0
Title	Chapter 7 Additional Studies	Date	11/05/2020

❖ CONSEQUENCE ANALYSIS SUMMARY

Flash Fire Scenarios:


SR. No.	Scenario	Concentration (ppm)	Distance (meters)		
			Category 1.5/F	Category 1.5/D	Category 5/D
1	Release of Tri Ethyl Amine	LFL Frac.6000	5.13	5.00	4.47
		LFL. 12000	3.48	3.46	3.00

Late Pool Fire Scenarios:

SR. No.	Scenario	Radiation Level (KW/m2)	Distance (meters)		
			Category 1.5/F	Category 1.5/D	Category 5/D
1	Release of Tri Ethyl Amine	4	16.33	16.33	16.51
		12.5	10.90	10.90	11.69
		25	7.56	7.56	9.00
		37.5	5.77	5.77	6.21

Toxic Scenarios:

SR. No.	Concentration	Downwind Distance (meters)		
		Category 1.5/F	Category 1.5/D	Category 5/D
Tri Ethyl Amine				
1	IDLH (200 ppm)	4.5	3.1	NA
2	LC ₅₀ (1000 ppm)	4.7	5.35	1.9

ENPRO Enviro Tech and Engineers Pvt. Ltd.			
Client	Colosperse Dyes & Intermediates (Unit-3)		
Project	Rapid EIA Report		
Report No	EP/REIA/17	Rev.	0
Title	Chapter 7 Additional Studies	Date	11/05/2020

7.3 COMMENTS / RECOMMENDATIONS BASED ON CONSEQUENCE ANALYSIS

Flash Fire and Late Pool Fire Scenarios:

- Of all the Scenarios considered above, vapour travels to the farthest distance (5.13 m) in case of release of Tri Ethyl Amine in 1.5/F weather condition.
- Evacuation plan to be designed considering the worst case scenario of Tri Ethyl Amine as mentioned above.
- It can be seen from the summarized table above that the risk of Late pool fire is in case of release of Tri Ethyl Amine is (16.51 mtr) in 5/D weather condition for 4 KW/m² radiation level.

Toxic Release Scenarios:

- Dispersion of Dimethyl Sulphate covers more distance in case of LC₅₀ concentration (1000 ppm) that is 5.35 mt.
- Evacuation plan to be designed considering the worst case scenario of the same.

Recommendations:


- Evacuation routes shall be planned such that alternate route is available from any corner in more than one direction.
- Extra precautions to be taken in unloading of flammable/toxic chemicals. The details of precautions during storage handling and transportation of chemicals have been given in separate paragraph.
- Firefighting arrangements shall be provided as per the guidelines of OISD.
- Details on hazard identification i.e. HAZOP, HAZAN, Fault tree analysis, Event tree analysis, Checklist Audit, safety audit and their compliance, etc. to be adopted for the safe operation of plant at appropriate stage.

7.4 OTHER SAFETY PRECAUTIONS / RECOMMENDATIONS


7.4.1 SAFETY/CONTROL MEASURES TO REDUCE the risk of fire, explosion and toxic release:

Following Mitigation Measures are followed /practiced and same shall be updated for expansion during transportation, unloading and handling of flammable & toxic chemicals, in order to ensure health & safety of workers involved in handling of hazardous chemicals and to avoid the human health impacts.

Sr.	ACTIVITY	SAFETY PRECAUTIONS
1	Transportation of Chemicals by road truck.	<ul style="list-style-type: none"> • Training is given to driver and cleaner regarding the safe driving, hazards of chemicals, emergency handling, use of SCBA sets. • TREM card is kept with TL. • SCBA set is kept with TL.

<u>ENPRO Enviro Tech and Engineers Pvt. Ltd.</u>			
Client	Colosperse Dyes & Intermediates (Unit-3)		
Project	Rapid EIA Report		
Report No	EP/REIA/17	Rev.	0
Title	Chapter 7 Additional Studies	Date	11/05/2020

Sr.	ACTIVITY	SAFETY PRECAUTIONS
		<ul style="list-style-type: none"> • Fire extinguishers are kept with TL. • Flame arrestor is provided to TL exhaust. • Instructions are given not to stop road tanker/truck in populated area. • Hazard Identification symbol and emergency telephone number are displayed as per HAZCHEM CODE. • Appropriate PPEs are kept with TL. <p>In case of leak or spill:</p> <ul style="list-style-type: none"> • Source of leakage are checked. • Damaged containers or spilled material are not attended without wearing appropriate protective clothing. • Leak is stopped, if possible, to do so without risk. • Water spray is used to reduce vapors (but do not put water directly on leak, spill area or inside container). • Combustibles (wood, paper, oil, etc.) are kept away from spilled material.
2	Unloading of Chemicals from Barrels/truck.	<ul style="list-style-type: none"> • Priority is given to Tanker/truck to immediately enter the storage premises at site and shall not be kept waiting near the gate or the main road. • Security person checks License, TREM CARD, Fire extinguisher condition; SCBA set condition, Antidote Kit, required PPEs as per SOP laid down. <p>Following precautions are taken during unloading:</p> <ul style="list-style-type: none"> • Wheel stopper is provided to TL at unloading platform. • Static Earthing is provided to road tanker. • Tanker unloading procedure is followed according to check list and implemented strictly. • Flexible SS hose connection is done at TL outlet line. • All TL valves are closed in TL. • Only daytime unloading is permitted.
3	Chemicals Storage Area safety.	<ul style="list-style-type: none"> • Pipes and equipment are inspected at regular intervals. • All storage areas are isolated from all sources of open flame and well posted with "Hazardous Chemical Storage", "No Smoking", "Hot work Restricted" and provided with adequate firefighting/extinguishing systems. • Spark-resistant tools are used. • Water spray is used to reduce vapours (but do not put water directly on leak, spill area or inside container). • Combustibles (wood, paper, oil, etc.) are kept away from spilled material. • Flame arrestors and breather valve has been provided for solvent storage tanks. • Dyke wall is provided to storage tanks. Separate area has been provided for drums storage. • Level transmitter is also available with low level/high level auto cut-off provision.

<u>ENPRO Enviro Tech and Engineers Pvt. Ltd.</u>			
Client	Colosperse Dyes & Intermediates (Unit-3)		
Project	Rapid EIA Report		
Report No	EP/REIA/17	Rev.	0
Title	Chapter 7 Additional Studies	Date	11/05/2020

Sr.	ACTIVITY	SAFETY PRECAUTIONS
		<ul style="list-style-type: none"> • Vents are connected to water trap and vent of water trap are provided with flame arrestor. • Fire hydrant monitor with foam attachment facility is available. • Dumping /Drain vessel/alternate vessel shall be made available to collect the spillage material inside the dyke wall. • FLP type pumps shall be provided. • Flame proof electrical fittings are available. • Double static earthing shall be provided to storage tank as well as day tank, as per the requirement. • Double Jumper clip shall be provided to all solvent handling pipeline flanges.
4	Chemicals transfer from storage areas to Process Plant.	<ul style="list-style-type: none"> • Double mechanical seal type FLP type pump shall be provided. • Flame arrestor with breather valve shall be provided on vent line. • Lightning arrestor is provided on the top of tallest structure. • Overflow system shall be provided for additional safety and it is connected to main storage tank. • NRV's shall be provided on pump discharge line. • Double Jumper clip shall be provided to all solvent handling pipelines.


7.4.2 FIRE CONTROL PLAN

M/s. Colosperse Dyes & Intermediates has considered fire prevention measures at the project planning stage to avoid any outbreak of fire by looking to the hazardous nature of process and the chemicals that are handled and processed, the chances of outbreak of fire cannot be totally ignored. Hence to tackle such a situation, company has planned to develop a well- resourced and adequate fire protection system/firefighting network.

The company has planned to keep the different types of fire extinguishers at various conspicuous locations.

Other details on Fire Control Plan and same shall be updated for expansion facility if required:

- Firefighting facilities comprising of two main pumps, two stand by pump, jockey pump and fire water reservoir has been installed as per the GFR and TAC guidelines, the same shall be updated after the expansion of new facilities, if required.
- Fire Extinguishers like DCP, Carbon Dioxide & Foam types has been provided as per the GFR and TAC guidelines, at conspicuous locations.
- Other Firefighting facilities like, fire monitor, foam trolley, fire hose boxes with hose pipe, sand buckets, fire blanket, Jumbo bags, Water Jet Fire Blanket, etc. have been provided within the company at conspicuous locations.
- Working staff is given training to operate DCP and CO2 extinguishers.
- The Fire Hydrant Network has been installed, capacity of the same shall be updated after the expansion of new facilities, if required.

<u>ENPRO Enviro Tech and Engineers Pvt. Ltd.</u>			
Client	Colosperse Dyes & Intermediates (Unit-3)		
Project	Rapid EIA Report		
Report No	EP/REIA/17	Rev.	0
Title	Chapter 7 Additional Studies	Date	11/05/2020

- Emergency Action Team members are working round the clock in all shifts.
- First aid are available round the clock in all shifts of all plants / sections.
- Rescue kits with SCBA sets are available at site to treat with any kind of chemical emergencies.
- Volume level indication with alarm and trips for high level are provided for vessels containing flammable materials.
- DG Set is available for power backup.

7.4.3 SAFETY PRECAUTIONS FOR AMMONIA

- In event of a spill or leak, escape-type respirator shall be used.
- Self contained breathing apparatus shall be used.
- Non-sparking ventilation systems and intrinsically safe electrical systems shall be used.
- An automatic leak detection system shall be used.
- Water Sprinklers shall be checked for its proper working condition.
- HCl torch shall be made available to be used for the detection of ammonia leakage.
- Safety warning postures/signs shall be displayed inside the area.
- A dead-end siding shall be provided to limit the movement of tankers while storage and handling.
- Excess-flow protection valves shall be provided in the distribution lines.
- Antidotes (Skin):Wash with Lactic Acid, Apply soframycin, (Eye) : Benoxynate , (Throat) : Smelling Ethanol or Ether.


7.4.4 DO'S & DON'TS

Management has listed some of the Do's & Don'ts activities to strengthen the SAFETY AT WORK, which will be followed strictly:

For Preventive Maintenance

Do's:

- Inspection of Storage Area, Earthing & Bonding system.
- Inspection of all Fire Fighting Facilities /Check Alarms operation.
- Ensuring that operators/workers etc. follows the SOPs, Safety procedures & standards, work permit system etc.
- Checking the availability of Spill Containment Kit.
- Make sure existing fire extinguishers are fully charged and ready for action.
- Inspections of plant, machinery, tools, equipment, premises, work practices, processes, procedures and general environment must be carried out for the health and safety of plant, people and surrounding.
- On-site and Offsite Emergency Plans shall be reviewed and updated, as per the requirement.

<u>ENPRO Enviro Tech and Engineers Pvt. Ltd.</u>			
Client	Colosperse Dyes & Intermediates (Unit-3)		
Project	Rapid EIA Report		
Report No	EP/REIA/17	Rev.	0
Title	Chapter 7 Additional Studies	Date	11/05/2020

Don'ts:

- Don't allow anyone who hasn't received specific safety and operational training to get indulge in any site activity.
- Don't perform your own maintenance.
- Don't compromise on Design and Engineering part.
- Don't perform any activity without proper permit.
- Don't panic if you are in a risky situation.
- Don't allow spilled chemicals to drain to sewers/gutters etc.

Strengthening of HSE (Applicable for Manufacturing Utility Staff)

Do's:


- Follow instructions. Do not take chances. If you don't know, ask.
- Correct or report unsafe conditions.
- Include a timeline for completion of each recommendation.
- Make recommendations that are measurable and track able.
- Ensure that each recommendation is assigned to an individual to oversee implementation.
- Help keep things clean & orderly. Keep gangways clear.
- Do not Horseplay. Do not run. Avoid distracting others. Avoid throwing things.
- Report all injuries. Get first aid promptly.
- Use adjust and repair equipment only, when authorized.
- Use right tools & equipments for the job, use them safely.
- Do not smoke in restricted areas. Do not flick cigarette / beedi in company.
- Use prescribed protective equipment; keep them in good working conditions.
- Respect signs / warnings. Abide by rules laid down for your safety.

Don'ts:

- No worker in a factory-
- Shall wilfully interfere with or misuse any appliance, convenience or other thing provided in the factory for the purpose of securing the Health, Safety or Welfare of the workers therein:
- Shall wilfully and without reasonable cause do anything likely to endanger himself or others; and
- Shall wilfully neglect to make use of any appliance or other thing provided in the factory for the purposes of securing the Health or Safety of the workers therein.
- Do not make vague statements, do not overrule supervisor, do not adopt shortcuts.

7.4.5 ANTIDOTES DETAILS:

The appropriate antidotes for the hazardous chemicals for the existing facility are available at site and the same shall be updated & kept available for the expansion facility also.

<u>ENPRO Enviro Tech and Engineers Pvt. Ltd.</u>			
Client	Colosperse Dyes & Intermediates (Unit-3)		
Project	Rapid EIA Report		
Report No	EP/REIA/17	Rev.	0
Title	Chapter 7 Additional Studies	Date	11/05/2020

Following Antidotes for major hazardous chemicals are kept available at the site.

Chemical	Antidote / Medical Treatment
Tri Ethyl Amine	<ul style="list-style-type: none"> • Methylene Blue
Nitrobenzene	<ul style="list-style-type: none"> • Wash the affected skin with plenty of water. • Administer Oxygen or shift to fresh air. • Diazepam 0.1 mg / kg. (iv), bed rest.

7.4.6 WAYS TO MINIMIZE THE MANUAL HANDLING OF THE HAZARDOUS CHEMICALS

1. Forklifts are used for unloading chemical barrels/carboys, their movements within plant, handling carboys, bulk chemical bags, etc.
2. Cranes, hoists, pallet trucks, conveyors, etc. are used as per the requirement, to eliminate manual handling.
3. Lifting tools & tackles are used, wherever required.
4. SOPs, work instructions are prepared and followed.
5. Trainings are provided to relevant staff, operators, workers for the risk associated with manual handling of hazardous chemicals, ways to overcome those risk, etc.

7.5 ON-SITE AND OFF-SITE EMERGENCY MANAGEMENT PLAN

M/s. Colosperse Dyes & Intermediates shall prepare the Proposed On-Site / Off-Site Emergency Plan which shall be followed from the project construction & erection phase.

The purpose of this plan is to provide M/s. Colosperse Dyes & Intermediates with the means to effectively utilize all the resources at its disposal for the protection of life, environment and property.

The details of the same are discussed in the following sections.


7.5.1 DEFINING THE NATURE/LEVEL OF EMERGENCY

THE LEVEL OF EMERGENCY CAN BE CLASSIFIED IN THREE CATEGORIES:

LEVEL - 1:

The leakage or emergency, which is confinable within the plant/area which may arise due to:

- a) Small pipe/valve rupture or similar leakages that do not affect outside premises.
- b) Release of toxic chemicals for short duration.
- c) Small fire in the plant.

ENPRO Enviro Tech and Engineers Pvt. Ltd.			
Client	Colosperse Dyes & Intermediates (Unit-3)		
Project	Rapid EIA Report		
Report No	EP/REIA/17	Rev.	0
Title	Chapter 7 Additional Studies	Date	11/05/2020

LEVEL - 2:

The emergency, which is confinable within the factory premises which may arise due to -

- Leakage of toxic chemicals for long duration.
- Medium scale explosion confined to the factory premises.
- Medium scale fire inside the factory premises.

LEVEL - 3:

The emergency, which is not confinable within the factory premises and general public in the vicinity are likely to be affected. It may arise due to -

- Heavy / Profuse leakage of toxic / flammable gases for a long duration.
- Explosion of high magnitude affecting the adjacent area.
- Major fire inside the factory premises.

7.5.2 OBJECTIVES OF EMERGENCY MANAGEMENT SYSTEM


The objectives of the emergency management system are summarized as under.

- To identify and assess types of emergencies due to different types of hazards.
- To work out plan with all provisions to handle emergencies and safeguard employees and people in the vicinity of the factory.
- To provide for emergency preparedness and the periodical rehearsal of the plan.
- To plan mode of proper communication and actions to be followed in the event of emergency.
- To keep all necessary information with respect to hazard/accident control and emergency contacts in one document for easy and speedy reference.
- To inform employees, general public and the authorities about the hazards/risk if any and the role to be played by them in the event of emergency.
- To control and contain the accident.
- To effect rescue and treatment of casualties.
- To inform and help relatives of casualties.
- To secure rehabilitation of affected area and restore normalcy.
- To provide information to media and government agencies.
- To preserve record, equipment etc. for investigating cause of emergency.
- To be ready for "mutual aid" if need arises to help neighboring units.

7.5.3 STRUCTURE OF EMERGENCY MANAGEMENT SYSTEM

M/s. Colosperse Dyes & Intermediates shall develop an Emergency Management Team. The management structure shall include the following personnel's;

- Site Main Controllers.
- Incident Controllers and Deputy Incident Controllers.
- Key Personnel's.

<u>ENPRO Enviro Tech and Engineers Pvt. Ltd.</u>			
Client	Colosperse Dyes & Intermediates (Unit-3)		
Project	Rapid EIA Report		
Report No	EP/REIA/17	Rev.	0
Title	Chapter 7 Additional Studies	Date	11/05/2020

- Essential Workers.

The other elements of Emergency Plan shall be:

- Assembly points.
- Emergency control center.
- Fire control arrangements.
- Medical arrangements.


❖ **SITE MAIN CONTROLLER**

Senior most Executives (i.e. Director & Supervisor) of the company shall be nominated as SMC. His task will be to co-ordinate all internal and external activities from the Emergency Control Centre at Main Security Gate, from where all operations will be directed. He shall:

- Immediately on being informed of the emergency and its location, will arrive at the site, review the situation and control further actions.
- Direct all Emergency Operations within the approved area with the following priorities:
 - a. Personnel Safety,
 - b. Plant, Property and Environment Safety and
 - c. Minimum loss of production.
- Co-ordinate to avail services from external agencies like fire brigade, hospitals etc, if called for, following the declaration of major emergency. If necessary, major installations in the vicinity may also be informed of the situation.
- Exercise direct operational control of the unaffected section of the plant.
- In consultation with the advisory team, expedite the shutting down of loading / unloading operations and if necessary, instruct the supervisor / security personnel to evacuate that area.
- Ensure that all employees are evacuated from the affected area and the casualties, if any, are given necessary medical attention. Instruct P & A Assistant / Security for rushing casualties to hospitals if required.
- Liaise with fire and police officials, pollution control board officials and other statutory bodies and advise them of all possible consequence effects outside the premises.
- Arrange for relief of personnel when emergency is prolonged.
- Issue authorized statement or press release to the news – media.
- Ensure preservation of evidence for enquiries to be conducted by statutory authorities.
- Authorize the sounding of "All Clear" and "Evacuation Siren".
- Arrange for obtaining the head – count of all personnel within the premises and cross-checking with the data from records available for no. of persons within the premises.
- Nominate a person from advisory team, to maintain chronological log of event during the entire period of emergency.

❖ **ROLE OF INCIDENT CONTROLLER AND DEPUTY INCIDENT CONTROLLER**

His primary duties shall be to take charge at the scene of the incident. In the initial stage he may be required to take decisions involving the operation of the other plants or to stop or continue any process and to take technical decisions to control the incident. The deputy incident controller will take the charge of incident controller, if he is not available due to any reason. They will be always available in each shift and can take charge of the incident.

ENPRO Enviro Tech and Engineers Pvt. Ltd.			
Client	Colosperse Dyes & Intermediates (Unit-3)		
Project	Rapid EIA Report		
Report No	EP/REIA/17	Rev.	0
Title	Chapter 7 Additional Studies	Date	11/05/2020

Responsibilities/Duties of Incident Controller and Deputy Incident Controller:


- Managers connected with Plants/the respective Plant-In-Charge from each shift have been designated as I.C.
- Two Production officers in each shift will be identified as Deputy Incident Controllers.
- He shall take charge at the scene of incident.
- He shall immediately assess the gravity of risk and alert panel and field operators to start controlling their respective section.
- He will work under the direction of the SMC, but till his arrival he may have to execute following responsibilities.
- He will ensure that all the Key Personnel are called.
- Direct for evacuation of plant and areas likely to be affected by the emergency.
- He shall communicate to the SMC the type of outside help needed.
- He shall direct all emergency operations within the affected area with the following priorities.
- Personnel safety, including of surrounding community.
- Minimum damage to Plant, Property and Environment.
- Appropriate actions to minimize loss of Production and Material.
- Give information to the head of fire fighting and rescue team and other emergency services.
- Depending on the incident, instruct partial or total shut down, isolations, depressurization, Nitrogen purging, fire fighting, rescue operations.
- Instruct upstream/downstream units to take emergency shutdown /cutting off supply and other appropriate actions and emergency evacuation help etc.
- Direct for search of casualties.
- Evacuate non-essential workers/visitors/contractors to safe assembly points.
- Brief site main controller and keep him informed about the developments.
- Preserve evidences. This will be necessary for investigation for cause and concluding preventive measures.

❖ KEY PERSONNELS

Senior officers of various departments like Fire, Security, Safety, Administration, Engineering, Project, Production, Transport, Pollution control, Technical Services and Stores shall be nominated as Key Personnel in their respective fields. As necessary, they shall decide the actions needed to shutdown plants, evacuate personnel, carryout emergency engineering work, arrange for supplies of equipments, utilities, carryout environment monitoring, provide catering facilities, liaise with police, fire brigade and other local authorities, relative of casualties, hospital, press & neighboring industries, action at assembly points, outside shelters and mutual aid center under the direction of the SMC. All the key personnel and other called in so to assist, shall report to the ECC. They are available at any time on duty or on call or on holidays.

❖ ESSENTIAL WORKERS

Essential Workers shall be those who shall be trained in Fire Fighting and First Aid. One Supervisor and two helpers from each shift will be Identified as E.W.'s & shall suppose to report at EMERGENCY SITE to take instructions from I.C. or Dy. I.C. Such work instructions will include:

<u>ENPRO Enviro Tech and Engineers Pvt. Ltd.</u>			
Client	Colosperse Dyes & Intermediates (Unit-3)		
Project	Rapid EIA Report		
Report No	EP/REIA/17	Rev.	0
Title	Chapter 7 Additional Studies	Date	11/05/2020

- Firefighting and spill control till a Fire Brigade takes the charge.
- To help the Fire Brigade and mutual aid teams, if it is so required.
- Shutting down plant and making it safe.
- Emergency engineering work e.g. isolating equipment, material process, providing temporary by-pass lines, safe transfer of materials, urgent repairing or replacement, electrical work, etc.
- Provision of emergency power, water, lighting, instruments, equipment, materials, etc.
- Movement of equipment, special vehicle and transport to or from the scene of the accident.
- Search, evacuation, rescue and welfare.
- The injured will be given First Aid.
- Carrying out atmospheric test and pollution control.
- Manning of assembly points to record the arrival of evacuated personnel. Manning for outside shelters and welfare of evacuated persons there.
- Assistance at casualties reception areas to record details of casualties.
- Assistance at communication centres to handle outgoing and incoming calls and to act as messengers if necessary.
- Manning of works entrances in liaison with the police to direct emergency vehicles entering the work, to control traffic leaving the works and to turn away or make alternative safe arrangements for visitors, contractors and other traffic arriving at the works.
- Informing surrounding factories and the public as well as directed by the Site Main Controller.
- Any special help required.

OTHER ELEMENTS OF DMP:


❖ **ASSEMBLY POINT**

In affected & vulnerable plants, all nonessential workers (who are not assigned any emergency duty) will be evacuated from the area & they shall report to specified Assembly Points. Assembly Point is marked at a safe place well away from area of risk and least affected by the down wind direction.

To ensure that workers do not have to approach the affected area to reach the Assembly Point, proper location and number shall be marked at Assembly Points. Each Assembly Point shall be manned by a nominated person to record the names and dept. At each Assembly Point, duties of Assembly Point In-charge are displayed in brief. Before reaching an Assembly Point or subsequently, if it is required to pass through an affected area or due to presence of toxic substances, suitable PPE's including respirators, helmet etc., shall be issued & made available with workers.

❖ **EMERGENCY CONTROL CENTER**

The Emergency Control Centre is the place or room from where the operations to handle the emergency are directed and coordinated. A safe room near security gate shall be earmarked /identified as the Emergency Control Room.

<u>ENPRO Enviro Tech and Engineers Pvt. Ltd.</u>			
Client	Colosperse Dyes & Intermediates (Unit-3)		
Project	Rapid EIA Report		
Report No	EP/REIA/17	Rev.	0
Title	Chapter 7 Additional Studies	Date	11/05/2020

Telephone and other facilities required with necessary documents shall be displayed in ECC for ready reference. Designated trained personnel shall operate ECC. In case of Major Emergency, the Site Main Controller will operate from ECC.

The ECC centre shall be equipped with the following facilities.

1. Internal and external telephone including STD facility
2. Telephone directory/ Telephone nos. of mutual aid centres
3. First Aid
4. Muster roll of Workers
5. Identity card register
6. Layout plan of the factory showing the location of hazardous materials, assembly point, first aid centres etc.
7. Map of surrounding area with Fire Extinguishers location
8. M.S.D.S

❖ **MEDICAL SERVICES**

The roles of Medical officers are as follows;


- a) He will report immediately to the SMC/IC.
- b) He will render necessary treatment, at Occupational Health Center.
- c) He will arrange for Hospitalization and Treatment at outside hospitals, if required.
- d) He will mobilize in getting the services of External medical agencies, other Para –medical services etc. and transportation services etc.
- e) He will arrange for extra medical assistance/antidotes, from out, if required.
- f) He will arrange for first-aid trained volunteers for necessary help.
- g) He will liaise with the Government Health Authorities for treatment of the affected persons nearby.

❖ **ROLE OF SECURITY IN-CHARGE (SECURITY OFFICER)**

- On hearing the emergency siren, he shall find out the location of the incident (fire / gas leak / spill / explosion) and inform the location of the same to the key personnel coming to the plant.
- He will depute the security guards for managing gates and traffic control at the incident site & send remaining guards to the site of incident.
- He will prevent unauthorized entry into the site
- He will render assistance as demanded by the safety in-charge.
- He will mobilize additional security force for help, if required.
- He will direct ambulance(s) and emergency vehicle(s) to the scene of incident.
- He will help evacuate persons within the scene of incident.
- As directed by the site main controller, he may be required to address the public of surrounding villages for warning / evacuation.

❖ **ROLE OF MUTUAL-AID MEMBERS**

- Company will have Mutual Aid with various nearby factories.
- On receiving the call, they shall proceed immediately with fire squad & fire tenders.

<u>ENPRO Enviro Tech and Engineers Pvt. Ltd.</u>			
Client	Colosperse Dyes & Intermediates (Unit-3)		
Project	Rapid EIA Report		
Report No	EP/REIA/17	Rev.	0
Title	Chapter 7 Additional Studies	Date	11/05/2020

- They will be guided to the place of the incident by the main gate security guard.
- The fire squad in-charge will report to the safety in-charge of the unit in which the incident has occurred.

❖ **OTHER ARRANGEMENTS**

Other arrangements include external transport (transport centre), heavy vehicles, lift/cranes, generator sets to supply emergency power, environment monitoring equipment, special instruments/equipments, rescue items etc. shall be made available (if required) from near-by Industries /locations, when available resources do not meet the requirements.

STANDARD OPERATING PROCEDURE (SHALL BE FOLLOWED DURING EMERGENCY)


- As soon as emergency alarm is heard, all essential workers shall report to IC or SMC.
- They shall carefully listen to the instructions given by IC or SMC
- According to the type of emergency/accident, they shall get equipped with PPE/Fire-fighting equipment and devices.
- The runner among the workers shall inform SMC/IC and key personnel if they are not at site.
- The messenger amongst the workers shall deliver messages to nearby units as per the instructions of SMC/IC.
- The in-charge of medical arrangements shall prepare first-aid and other required facilities for the injured.
- The other essential workers shall try to control the emergency as per the instructions given to IC.
- IC would keep SMC informed about the status of control measures being taken at the site and ask for other requirements eg. Mutual aid, equipment, etc if he finds necessary.
- SMC would co-ordinate with outside agencies regarding control measures being taken, need for external help, evacuation, medical treatment etc.

7.5.4 COMMUNICATION SYSTEM

Communication System is a Crucial Factor while handling emergency. Company has quick & effective Communication System through which, any situation, which can lead to emergency, can be informed or known to...

- All persons working inside the plant.
- Key Personnel outside during normal working hours & during off-duty hours.
- Outside emergency services, Statutory and Local Authorities and
- Neighbouring facilities and public leaving in vicinity.

Each and every section, Plant & Department of the Factory will be connected by internal telephones with SMC, Supervisor or IC's. External Phone at Office and Residence and Mobile shall also be made available with Key Personnel and top executive of the factory. The Communication System shall begin with raising the alarm declaring the emergency, Telephone messages and Procedure to communicate the emergency to other persons & General Public.

<u>ENPRO Enviro Tech and Engineers Pvt. Ltd.</u>			
Client	Colosperse Dyes & Intermediates (Unit-3)		
Project	Rapid EIA Report		
Report No	EP/REIA/17	Rev.	0
Title	Chapter 7 Additional Studies	Date	11/05/2020

❖ **RAISING THE ALARM**

As soon as incident takes place inside the factory and is noticed by someone, the first step shall be to raise the nearest manual emergency bell to alert the nearby people. Next, he/she shall inform the security persons to raise the emergency siren located at the factory gate. The security personnel sound the siren.

The alarm sound informs the I.C and the S.M.C that an emergency has been created and emergency organization is to be activated. The I.C. rushes to the site and shall takes charge of the scene.

❖ **DECLARING THE MAJOR EMERGENCY**

Major emergency is declared after sufficient and thorough check because the declaration of major emergency puts many agencies on action and it may disturb the running system, which may be Costly at, time or its Consequence may be Serious. Therefore, major emergency must not be decided on whims or immature judgment or without proper thought. Looking to all the above, we shall nominate the persons (SMC: Director & Incident Controllers) who can declare the emergency; we have selected them on the basis of their knowledge & experience. These persons will be technically qualified and experienced. The decision about major emergency shall be taken as early as possible and without wasting time so that control action can be started immediately.

❖ **TELEPHONE MESSAGES**


A Telephone operator who is precise, sharp, attentive and quick in receiving and noting the message and subsequently effective in further Communication, shall be appointed. A form to record emergency telephone calls will be available with telephone operator or Person available in Emergency Control Center, who shall record such calls during emergency. Telephonic messages shall be given out by the telephone operator to Site main Controller and key personnel as per the instructions of the Incident Controller. Telephonic messages will also be given to authorities and external agencies to describe the type of emergency. All details of emergency will be collected/delivered according to this format, available with the telephone operator.

❖ **COMMUNICATION OF EMERGENCY & STATUTORY INFORMATION**

Communication of Emergency

An effective system to communicate emergency shall be made to communicate about the emergency as mentioned below:

- Inside the factory i.e. workers including key personnel and essential workers, on duty & inside during normal working hours.
- To key personnel and essential workers not on duty and outside during normal working hours.
- To the outside emergency services and the Government authorities.

<u>ENPRO Enviro Tech and Engineers Pvt. Ltd.</u>			
Client	Colosperse Dyes & Intermediates (Unit-3)		
Project	Rapid EIA Report		
Report No	EP/REIA/17	Rev.	0
Title	Chapter 7 Additional Studies	Date	11/05/2020

- To the neighbouring factory & the General Public in the vicinity.

STATUTORY INFORMATION

a) Information to Workers

Set of Statutory information regarding types of hazards and their prevention and control as directed in the Factories Act shall be prepared by the unit. This information shall be printed in the local language and will be given in the form of booklet to all workers including contract workers.

b) To the outside emergency services and authorities

Statutory information in the form of booklet will be given to outside emergency services and authorities, if required.

c) To neighbouring firms and the general public

Statutory information in the form of booklet will be given to neighbouring units and the general public of the villages in the vicinity of the unit, if required.

❖ EMERGENCY TIME ACTIVITIES


The probable emergency situation that can arise in the unit and the corresponding control actions as described below shall be followed:

1. FLAMMABLE RELEASES

Source / Incident – Fire involving spilled combustible material near or in flammable storage areas.

Following Control actions shall be taken –

1. Anyone who notices fire shall sound emergency alarm.
2. SMC/IC who is at site, shall immediately rush to the scene and assess the situation. For fire due to spillage of combustible material, he activates the on-site plan as -
 - He cuts off electric supply to that area and evacuates all the persons to safe assembly points.
 - He calls in DIC (if DIC is not present there) and asks essential workers to fight fire with dry chemical / CO2 fire extinguisher or sand.
 - He informs fire brigade telling them in briefly about kind of fire and type of extinguishers required
 - He informs mutual aid teams and asks for necessary help.
 - He arranges first aid / hospitalization for the affected persons.
 - Fire officer on reaching the site, takes charge of the fire-fighting operations
 - Mutual aid teams are asked for help in the form of first-aid, transport etc.

ENPRO Enviro Tech and Engineers Pvt. Ltd.			
Client	Colosperse Dyes & Intermediates (Unit-3)		
Project	Rapid EIA Report		
Report No	EP/REIA/17	Rev.	0
Title	Chapter 7 Additional Studies	Date	11/05/2020

- If fire is growing, fire officer informs IC who alerts neighbouring units and through SMC gets more fire-fighting help.
- Firefighting shall be continued till fire is fully overcome
- After extinguishing fire, fire officer cools the entire area with water spray and checks that no re-ignition is likely to occur. After that, he declares the area safe.
- IC tells essential workers to sound all clear.
- The incident shall be recorded.
- SMC arranges to inform families / relatives of injured / dead.
- SMC issues authorized statement to press / media.
- SMC informs Factories Inspector about the incident and related information

2. TOXIC RELEASES


- Source / Incident – Pressure release due to failure of
 - Stuffing box gland packing
 - Pressure release valve
 - Vessel / pipeline failure

Following Control Actions will be taken –

1. Anyone who notices the release shall sound emergency alarm.
2. SMC/IC who is at site, shall immediately rush to the scene and assess the situation. For toxic release from a reactor, he activates the on-site plan as -
 - He evacuates all the persons to safe assembly point.
 - He calls in DIC (if DIC is not present there) and asks essential workers to wear self-breathing apparatus and if the reaction is exothermic, start cooling water flow in the reactor jacket and cool the reactor as soon as possible.
 - The essential workers stop all the charging pumps of that reactor and the nearby reactors.
 - He informs mutual aid teams and asks for necessary help.
 - He arranges first-aid / hospitalization for the affected persons.
 - Mutual aid teams shall be asked for help in the form of first-aid, transport etc.
 - When the leak stops and the air shall clear of toxic release, IC tells essential workers to sound all clear.
 - The vessel / rupture disc/gland packing will be attended by maintenance department.
 - The incident shall be recorded
 - SMC arranges to inform families / relatives of injured / dead.
 - SMC issues authorized statement to press / media.
 - SMC informs Factories Inspector about the incident and related information

3. CHEMICAL SPILL

Most of the chemicals will be stored in tank and is in separate isolated storage area. Neutralizing material is kept available. Spill containment kit is kept available. For dilution, water connection will be provided on all sides of Storage Area. Sand buckets shall be available for covering spillage of flammable / corrosive materials. Firefighting facilities shall be made available nearby.

ENPRO Enviro Tech and Engineers Pvt. Ltd.			
Client	Colosperse Dyes & Intermediates (Unit-3)		
Project	Rapid EIA Report		
Report No	EP/REIA/17	Rev.	0
Title	Chapter 7 Additional Studies	Date	11/05/2020

7.6 OCCUPATIONAL HEALTH & SAFETY PROGRAMME (Specific Program To Monitor Safety And Health Protection Of Workers)

M/s. Colosperse Dyes & Intermediates has prepared the Occupational Health Surveillance Program which shall be followed right from the project construction & erection phase and the same shall be updated for the upcoming new facility, if required.

The details of the same are described in the following sections.

7.6.1 OCCUPATIONAL HEALTH & DAMAGE CONTROL DURING DIFFERENT PHASES

Occupational health needs attention both during construction & erection and operation & maintenance phases. However, the problem varies both in magnitude and variety in the above phases.

7.6.2 HOSPITAL FACILITIES /FACTORY MEDICAL OFFICER & OHC

Company shall made formal agreements with nearby hospitals having facilities to attend fire and toxic effect cases, emergency cases, attending the affected persons in the emergency arising out of accidents, if any, etc.

All types of first aid related accessories, Medicines & Antidotes as prescribed by FMO, etc shall be made available at conspicuous locations.

7.6.3 Ambulance Van & First Aid Box


An Emergency Vehicle shall be made available round the clock to be used as an Ambulance during emergency.

First Aid Boxes will be made available at the different location in the plant. Training shall be given to employees for First Aid.

7.6.4 PLAN FOR PERIODIC MEDICAL CHECKUP

Periodic Medical Examination shall be conducted as per the following schedule;
Workers employed will be examined by a Qualified Medical Practitioner/ Factory Medical Officer, in the following manner:

- Before employment, to ascertain physical fitness of the person;
- During employment, every six months (blood & physical examination) as per Gujarat Factories Rules, to ascertain physical fitness of the person to do the particular job;

<u>ENPRO Enviro Tech and Engineers Pvt. Ltd.</u>			
Client	Colosperse Dyes & Intermediates (Unit-3)		
Project	Rapid EIA Report		
Report No	EP/REIA/17	Rev.	0
Title	Chapter 7 Additional Studies	Date	11/05/2020

7.6.5 DETAILS OF OCCUPATIONAL HEALTH IMPACTS AND SAFETY HAZARDS

Occupational Hazards Identification

- Exposure to Toxic Chemicals.
- Exposure to Flammable Solvents.
- Fire due to Static charge generation
- Slip/trip, fall, electric shock, etc.
- Spillage/leakage,
- Overflow,
- Exposure to Corrosive Chemicals.

Occupational Health Impacts

- Toxication, Irritation,
- Fall Injury, Electrocution,
- Body Injury, Burns, Skin sensitization,
- Severe irritation to eyes & skin,
- Respiratory disorder,
- Damage to nearby equipments,
- Fatality, etc


Mitigation measures/Safety Measures proposed to avoid the human health hazards are mentioned under **section 7.4**. In addition to these safety measures, personal protective equipment (IS approved) like safety Helmet, Safety shoes/ Gumboots Hand gloves, Gas Mask / Nose Mask, PVC apron, SCBA Set, PVC pressure suit, goggles, hood, etc. will also be provided to the required personnel.

7.6.6 DETAILS OF WORK PLACE AMBIENT AIR QUALITY MONITORING PLAN

Work zone monitoring will be carried out by independent competent third party every month. Records will be kept in Form No. 37 as per Gujarat Factories Rules. Location for samplings shall be identified. Ambient Air & Noise Monitoring shall be done every 3 months as per GPCB CCA requirements. Following information will be incorporated in the format for maintaining records of work zone monitoring:

Location/Operation monitored

- Identified contaminant
- Sampling instrument used
- Number of Samples
- Range of contaminant concentration as measured in sample
- Average concentration
- TWA concentration of contaminant (As given in Second Schedule of Factories Act)
- Reference method used for analysis
- Number of workers exposed at the location being monitored
- Signature of the person taking samples
- Other relevant details

ENPRO Enviro Tech and Engineers Pvt. Ltd.			
Client	Colosperse Dyes & Intermediates (Unit-3)		
Project	Rapid EIA Report		
Report No	EP/REIA/17	Rev.	0
Title	Chapter 7 Additional Studies	Date	11/05/2020

7.6.7 MONITORING OF THE OCCUPATIONAL INJURY & IT'S IMPACT ON WORKERS

Following action plan will be prepared & followed to monitor the occupational injury to workers:

- Each workplace will be evaluated for the existing work conditions.
- Unsafe Act & Unsafe Practices will be identified.
- Unsafe equipment, unsafe areas, etc., will be identified.
- Area will be checked for proper Ventilation and Illumination.
- Air-borne concentration of toxic chemicals will be measured, and records will be kept.
- Evaluation of training & on the job work.


Impact of the above-mentioned unsafe conditions on workers will be studied and remedial measures for the same will be adopted.

7.6.8 PROVISION OF INDUSTRIAL HYGIENIST & HEALTH EVALUATION OF WORKERS

1. It is proposed that management will device a plan to check and evaluate the exposure specific health status evaluation of workers.
2. Workers will be checked for physical fitness with special reference to the possible health hazards likely to be present, where he/she is being expected to work before being employed for that purpose. Complete medical examinations including PFT, Urine and Blood examination, Liver Function tests, chest X-ray, Audiometry, Spirometry Vision testing, ECG, etc. shall be carried out. However, the parameters and frequency of such examination will be decided in consultation with Factory Medical Officer and Industrial Hygienists.
3. While in work also, all the workers will be periodically examined for the health with specific reference to the hazards which they are likely to be exposed to during work. Again, the parameters and frequency of such examination will be decided in consultation with Factory Medical Officer and Industrial Hygienists. Plan of monthly and yearly report of the health status of workers with special reference to Occupational Health and Safety, will be maintained.

7.6.9 SAFETY TRAININGS & MOCK DRILLS

Safety trainings (on Safe Material Handling, First Aid, & all Safety Aspects) shall be provided every 15 days by the Safety Officers with the assistance of faculty members called from other Professional Safety Institutions and Universities. In addition to regular employees, limited contractor labors will also be given safety training. To create safety awareness, safety films shall be shown to workers and leaflets are distributed.

<u>ENPRO Enviro Tech and Engineers Pvt. Ltd.</u>			
Client	Colosperse Dyes & Intermediates (Unit-3)		
Project	Rapid EIA Report		
Report No	EP/REIA/17	Rev.	0
Title	Chapter 7 Additional Studies	Date	11/05/2020

MOCK DRILLS

To evaluate the effectiveness of emergency preparedness and to spread the awareness among employee's mock drill will be carried out at the interval of every six months.

After completion of the mock drill, summary report shall be made, and corrections will be done if any weakness has been observed.

FREQUENCY OF mock DRILLS:

- On-site emergency: Once every 6 months
- Off-site emergency: Once every year

7.6.10 Plan to curb release of VOCs in the air:

Leak Detection and Repair (LDAR) Program

Leak Detection and Repair (LDAR) is a program implemented to comply with environmental regulations for reducing the fugitive emissions of targeted chemicals into the environment. In addition to control fugitive emissions, LDAR Program also helps the industries to reduce unwanted losses of chemicals and thereby conserving energy & increasing their profitability.

Following steps shall be followed for effective implementation of LDAR Program:

1. Identification of volatile chemicals which may contribute in VOCs:


In existing plant, following are the list of chemicals which may contribute in VOCs.

- Methanol
- Toluene
- Ammonia
- DMS
- M-Xylene/ O-Xylene
- Ethyl Acetate

2. Identification of all the probable sources of leakage; such as valves, pumps, and connectors.

List of the sources of probable leakage is as follows:

- Valves/Flanges
- Pump glands handling above chemicals
- Open vents from the tank top
- Pump seals
- Compressor seals
- Pressure relief devices
- Process drains
- LPDs (Low Point Drains)

ENPRO Enviro Tech and Engineers Pvt. Ltd.			
Client	Colosperse Dyes & Intermediates (Unit-3)		
Project	Rapid EIA Report		
Report No	EP/REIA/17	Rev.	0
Title	Chapter 7 Additional Studies	Date	11/05/2020

- HPVs (High Point Vents)

3. A list of all such items shall be made and same shall be incorporated in the checklist for LDAR.

Selection of appropriate method for leak detection:

Considering the nature of the chemical; appropriate method shall be selected for leak detection of individual chemicals from the list given below:


- Visual Checks
- LEL meter
- VOC meter
- Gas Detector
- Ammonia torch
- Etc.

4. Scheduling and checklist for Leak Detection:

All points shall be checked as per the checklist given below.

5. Methods for rectification of identified leaks:


For all identified leaks, closure shall be ensured with the help of maintenance department and records for the same shall be maintained.

<u>ENPRO Enviro Tech and Engineers Pvt. Ltd.</u>				
Client	Colosperse Dyes & Intermediates (Unit-3)			
Project	Rapid EIA Report			
Report No	EP/REIA/17		Rev.	0
Title	Chapter 7 Additional Studies		Date	11/05/2020

Checklist for implementation of LDAR Program to reduce emissions of VOCs.

Sr. No.	List of Source leakage	Name of Chemical	Method of leak check	Frequency Weekly/Monthly / Quarterly	Checked on	Checked by	Observations/Remarks	Leak to be attended by (Repair to be done within 5 working days)	Leak attended on	Closure Note

Records of leak detection have been maintained by client and are available at site.

ENPRO Enviro Tech and Engineers Pvt. Ltd.			
Client	Colosperse Dyes & Intermediates (Unit-3)		
Project	Rapid EIA Report		
Report No	EP/REIA/17	Rev.	0
Title	Chapter 7 Additional Studies	Date	11/05/2020

7.7 Proposed methodology for unloading of Oleum from tanker to storage tank.

- Loading & Unloading activity shall be carried out in well ventilated area.
- Vapor balancing hose will be provided (i.e. tanker top shall be connected with the vent of storage of tank) to ensure close loop unloading and to avoid release of oleum fumes in atmosphere.
- Tanker will be placed at the designated place for unloading and wheel chokes shall be provided to prevent movement of tanker / vehicle during unloading.
- Key of the engine will be kept with the operator and it will be returned to the driver only when unloading operation is over.
- Before starting the unloading process, level of the storage tank shall be measured by level indicator. The level of the storage tank must be sufficiently low for tanker unloading.
- Unloading will be done by Oleum Pump.
- Flexible hose connection (SS braided) shall be done from tanker bottom line to pump suction line.
- Complete unloading shall be ensured by level indicator and pump discharge pressure.
- PPEs like face mask, gloves etc. will be worn by concerned person during unloading.

7.7.1 Proposed preparedness for First Aid & Anti dotes:

Eye contact

Arrangement shall be done to flush eyes with running water for a minimum of 20 minutes holding eyelids open during flushing. Eyewash stations will be provided near the storage & handling area. It will be ensured that fresh potable water is available with sufficient pressure and at a temperature of 20-30 oC in the eye washer. If required, the supply lines of eye washer will be insulated to prevent it from heating due to direct sunlight.

Skin contact


Affected are of skin will be flushed with running water for a minimum of 20 minutes. Contaminated clothing shall be removed. Cold water will be made available at site which can be used for flushing if medication treatment is delayed. Vomiting shall not be induced. Training for first aid in case of eye contact, skin contact, or ingestion shall be given to operational staff.

Anti-dotes:

There is no specific anti-dote for oleum. However, for acids ingestion; following anti-dotes are applicable:

- - 4% solution of Sodium Hydro carbonate
- - Milk
- - Lime Water
- - Milk of Magnesia

Site shall ensure that such anti-dotes are available in sufficient quantity.

ENPRO Enviro Tech and Engineers Pvt. Ltd.			
Client	Colosperse Dyes & Intermediates (Unit-3)		
Project	Rapid EIA Report		
Report No	EP/REIA/17	Rev.	0
Title	Chapter 7 Additional Studies	Date	11/05/2020

7.7.2 Proposed Safety Measures for storage of Oleum (23%)

- Oleum will be stored in MS tanks of 15KL capacity. Tank shall be provided with silica gel breather to avoid ingress of moisture and consequential formation of sludge.
- Dyke shall be provided considering 110 % volume of the storage tank.
- Flooring of dyke shall be made impervious and acid proof.
- Neutralization media (hydrated lime) shall be made available in designated place near storage tank.
- Appropriate personal protective equipment (PPE) such as goggles, full-body suit, safety shoes and gloves shall be used during handling of oleum.
- SCBA set or a full-face airline respirator shall be made available at site to avoid inhalation of oleum in case of leakage.
- Eye wash station will be made available in vicinity to storage location.

7.7.3 Proposed safe procedure and measures for transfer of Oleum from storage tank to reactor/process plant.

- Oleum shall be transferred from storage tank to reactor by Oleum pump.
- Transfer lines will be permanent piping (not flexible hoses)
- Flange guards shall be provided in all flange joints.
- Inspection (for pumps, flange joints etc.) shall be carried out on regular basis.
- Proper trainings shall be provided to the operators/workers.
- Complete transferring shall be done in close supervision and monitoring of level.
- PPEs like face mask, gloves etc. will be worn by concerned person during unloading.