File No.JKEIAA?2021/558

Goverment of India

State Level Environment Impact Assessment Authority

Jammu and Kashmir

***

To,

M/s J & K STATE INDUSTRIAL DEVELOPMENT CORPORATION LTD. (SIDCO)
4th Floor, Jawaharlal Nehru Udyog Bhawan,,
Jammu-180004
Jammu and Kashmir

Tel.No.-; Email:cetpsidco@gmail.com

Sub. Terms of Reference to the 0.5 MLD Common Effluent Treatment Plant (CETP) at Industrial Complex Bari Brahmana, Location-4 near Rotary No. 1, EPIP, Kartholi, Jammu & Kashmir, Jammu Division by J&K State Industrial Development Corporation Ltd. (SIDCO), 4th Floor, Jawaharlal Nehru Udyog Bhawan,

Dear Sir/Madam,

This has reference to the proposal submitted in the Ministry of Environment, Forest and Climate Change to prescribe the Terms of Reference (TOR) for undertaking detailed EIA study for the purpose of obtaining Environmental Clearance in accordance with the provisions of the EIA Notification, 2006. For this purpose, the proponent had submitted online information in the prescribed format (Form-1) along with a Pre-feasibility Report. The details of the proposal are given below:

1. Proposal No.:	SIA/JK/MIS/63460/2021
2. Name of the Proposal:	0.5 MLD Common Effluent Treatment Plant (CETP) at Industrial Complex Bari Brahmana, Location-4 near Rotary No. 1, EPIP, Kartholi, Jammu & Kashmir, Jammu Division by J&K State Industrial Development Corporation Ltd. (SIDCO)
3. Category of the Proposal:	INFRA-2
4. Project/Activity applied for:	7(h) Common Effluent Treatment Plants (CETPs)
5. Date of submission for TOR:	26 May 2021

Date : 30-06-2021

Dr. Neelu Gera
(IFS(Pr.CCF/Director) Ecology)

Office : **Department of Ecology Environment & Remote Sensing, SDA Colony Bemina, Srinagar/Paryavaran Bhawan Transport Nagar, Gladni, Narwal Jammu**
Phone No : Mobile : **9419109824**
Email id : **dirjkers@gmail.com**

Note : This is auto tor granted letter.

In this regard, under the provisions of the EIA Notification 2006 as amended, the Standard TOR for the purpose of preparing environment impact assessment report and environment management plan for obtaining prior environment clearance is prescribed with public consultation as follows:

7(h): STANDARD TERMS OF REFERENCE FOR CONDUCTING ENVIRONMENT IMPACT ASSESSMENT STUDY FOR COMMON EFFLUENT TREATMENT PLANTS (CETPs) INFORMATION TO BE INCLUDED IN EIA/EMP REPORT

1) Reasons for selecting the site with details of alternate sites examined/rejected/selected on merit with comparative statement and reason/basis for selection. The examination should justify site suitability in terms of environmental angle, resources sustainability associated with selected site as compared to rejected sites. The analysis should include parameters considered along with weightage criteria for short-listing selected site.

2) Details of the land use break-up for the proposed project. Details of land use around 10 km radius of the project site.

3) Details of member units, its production capacity, waste generation, characteristic and details of primary treatment provided by the member units.

4) Details on present treatment and disposal systems

5) Details of effluent collection system from member units level.

6) Examine and submit details of inlet characteristics.

7) Details of the CETP with design parameters. Layout plan of CETP. And open spaces.

8) Details of the adequate power back up facility, to meet the energy requirement in case of power failure from the grid.

9) Details of the usage of treated effluent for green belt development and horticulture.

10) Submit a copy of MoU made between the Member units.

11) Details of storage facility available at the CETP.

12) Examine and submit details of sludge / solid waste generated and method of disposal.MoU in this regard.

13) Details of water requirement, source and water balance chart .

14) Details of green belt

15) Details of performance monitoring , lab facility with technical persons

16) Details of water meters for inflow and outflow monitoring etc

***