Submission — 22 - 11 - 17

(6) COPY FOR LESSEE (427)

MINE PLAN

AND

PROGRESSIVE MINE CLOSURE PLAN
(Submitted under Rule 34 of U.P. MMCR-1963)

FOR
BRICK EARTH

AT
Village- Narayanpur, Udaha &Khaira, Tehsil- Ghanghata,
District- SantKabir Nagar, Uttar Pradesh.

KHASRA/ GATA NOs.:– 657 Sa, 658 Sa, 593/2, 75, 91 Ka 68, 148, 129, 133, 135, 110, 54, 70, 36, 33, 259, 252, 327 Kha, 328, 147

AREA –2.13713HA OR 21,371.3SQM (Category B2)

PROPOSED PERIOD OF MINE PLAN — 05 YEARS

Directorate of Geology and Mining, U.P.
APPROVED
with / condition vide letter No. 1682/MP/17 dated 30/11/17
30-11-17
DIRECTOR

APPLICANT
M/s STAR BRICK FIELD
VILLAGE: UDAHA, TEHSIL- GHANGHATA,
DISTRICT- SANT KABIR NAGAR, UTTAR PRADESH

Jamil Ahmad S/o Haqimullah
R/o – Village- Kaira, Post-Govindganj, Tehsil- Ghanghata,
District- SantKabir Nagar, Uttar Pradesh.

18-11-17

(अनिल कुमार शर्मा)
ज्ये० खान अधिकारी
भूतत्व एवं खनिकर्म निदेशालय,
उ०प्र०, लखनऊ

PREPARED BY
DR. ABDUL RAHMAN
RQP/BNG/282/2011/A
(VALID UPTO 28-04-2021)
R/o-A-8/3 PR, WALIBADAR APARTMENT
SITAPUR ROAD, LUCKNOW
MOBILE NO-08765588495

Dr. ABDUL RAHMAN
RQP/BNG/282/2011/A

भूतत्व एवं खनिकर्म निदेशालय,उ0प्र0,
खनिज भवन, लखनऊ।

संख्याः /ख0यो0 ईट मि0/2016 दिनांकः 30/11/ 2017

खनन योजना अनुमोदन का आदेश

मे0 स्टार ब्रिक फील्ड के प्रो0/पा0 श्री जीमल अहमद द्वारा जनपद–संत कबीर नगर, तहसील–धनघटा, ग्राम–खैरा, उदहा, शिवापार, नरायनपुर, गाटा सं0–657स, 658स, 593/2, 593/2 75, 91क, 68, 148, 129, 133, 135, 110, 54, 70, 36, 33, 259, 252, 327ख, 328, 147, क्षेत्रफल–2.13713 हे0, में उपखनिज ईट मिट्टी के खनन हेतु प्रस्तुत खनन योजना का अनुमोदन उ0प्र0 उपखनिज (परिहार) नियमावली 1963 के प्राविधानों के अन्तर्गत **05 वर्ष** के लिए निदेशक, भूतत्व एवं खनिकर्म के आदेश दिनांक–30.11.2017 के द्वारा निम्नलिखित अतिरिक्त शर्तों के अधीन कर दिया गया है :–

1. खनन योजना का अनुमोदन 6925.06 घन मी0 प्रतिवर्ष ईट मिट्टी के उत्पादन हेतु अनुमन्य किया गया है।
2. ईट मिट्टी खनन की गहराई, सतह से 02 मी0 से अधिक नही होगी।
3. खनन कार्य ग्राउन्ड वाटर लेबल से कम से कम 02 मी0 ऊपर तक ही सीमित रखा जायेगा।
4. प्रस्तावित खनन की गहराई के आधी दूरी के बराबर बर्म सन्निकट खेतों की सीमा से छोड़ी जायेगी।
5. खनन कार्य बेंच बनाकर किया जायेगा, जिसकी अधिकतम ऊँचाई 01 मी0 एवं चौड़ाई कम से कम 03 मी0 होनी चाहिये।
6. खनन कार्य के दौरान निकाले गये टॉप स्वायल को व्यवस्थित रूप से एकत्रित कर रखा जायेगा, जिसे खनन कार्य समाप्त होने के उपरान्त उसी क्षेत्र में फैला दिया जायेगा।
7. खनन योजना में वर्णित भूमि के स्वामित्व तथा भूस्वामियों की सहमति से सम्बन्धित अभिलेखों की पुष्टि जनपद स्तर से भी किया जाना अपेक्षित होगा।
8. खनन अदेयता के सम्बन्ध में ज्येष्ठ खान अधिकारी/खान अधिकारी/खान निरीक्षक यह सुनिश्चित करें कि उक्त प्रस्तावक के ऊपर कोई भी खनन देय बकाया नही है, यदि बिना खनन अदेयता प्रमाण पत्र के पर्यावरण स्वच्छता प्रमाण पत्र निर्गत किया जाता है तो उसके लिए ज्येष्ठ खान अधिकारी/खान अधिकारी/खान निरीक्षक उत्तरदायी होंगे।

(अनिल कुमार शर्मा)
ज्येष्ठ खान अधिकारी
कृते निदेशक।

संख्याः– 1682 /ख0यो0 ईट मि0/2016 तद्दिनांक।

निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतुः–

1. जिलाधिकारी/खान अधिकारी, संत कबीर नगर।
2. प्रस्तावक मे0 स्टार ब्रिक फील्ड के प्रो0/पा0 श्री जीमल अहमद, नि0– ग्राम– खैरा तह0 धनघटा, जनपद–सन्त कबीर नगर ।

(अनिल कुमार शर्मा)
ज्येष्ठ खान अधिकारी
कृते निदेशक।

भूतत्व एवं खनिकर्म निदेशालय,उ0प्र0,
खनिज भवन, लखनऊ।

संख्याः /ख0यो0 ईट मि0/2016 दिनांक: 30/11/ 2017

खनन योजना अनुमोदन का आदेश

मे0 स्टार ब्रिक फील्ड के प्रो0/पा0 श्री जीमल अहमद द्वारा जनपद–संत कबीर नगर, तहसील–धनघटा, ग्राम–खैरा, उदहा, शिवापार, नरायनपुर, गाटा सं0–657स, 658स, 593/2, 593/2 75, 91क, 68, 148, 129, 133, 135, 110, 54, 70, 36, 33, 259, 252, 327ख, 328, 147, क्षेत्रफल–2.13713 हे0, में उपखनिज ईट मिट्टी के खनन हेतु प्रस्तुत खनन योजना का अनुमोदन उ0प्र0 उपखनिज (परिहार) नियमावली 1963 के प्राविधानों के अन्तर्गत **05 वर्ष** के लिए निदेशक, भूतत्व एवं खनिकर्म के आदेश दिनांक–30.11.2017 के द्वारा निम्नलिखित अतिरिक्त शर्तो के अधीन कर दिया गया है :–

1. खनन योजना का अनुमोदन 6925.06 घन मी0 प्रतिवर्ष ईट मिट्टी के उत्पादन हेतु अनुमन्य किया गया है।
2. ईट मिट्टी खनन की गहराई, सतह से 02 मी0 से अधिक नही होगी।
3. खनन कार्य ग्राउन्ड वाटर लेबल से कम से कम 02 मी0 ऊपर तक ही सीमित रखा जायेगा।
4. प्रस्तावित खनन की गहराई के आधी दूरी के बराबर बर्म सन्निकट खेतों की सीमा से छोड़ी जायेगी।
5. खनन कार्य बेंच बनाकर किया जायेगा, जिसकी अधिकतम ऊँचाई 01 मी0 एवं चौड़ाई कम से कम 03 मी0 होनी चाहिये।
6. खनन कार्य के दौरान निकाले गये टॉप स्वायल को व्यवस्थित रूप से एकत्रित कर रखा जायेगा, जिसे खनन कार्य समाप्त होने के उपरान्त उसी क्षेत्र में फैला दिया जायेगा।
7. खनन योजना में वर्णित भूमि के स्वामित्व तथा भूस्वामियों की सहमति से सम्बन्धित अभिलेखों की पुष्टि जनपद स्तर से भी किया जाना अपेक्षित होगा।
8. खनन अदेयता के सम्बन्ध में ज्येष्ठ खान अधिकारी/खान अधिकारी/खान निरीक्षक यह सुनिश्चित करें कि उक्त प्रस्तावक के ऊपर कोई भी खनन देय बकाया नही है, यदि बिना खनन अदेयता प्रमाण पत्र के पर्यावरण स्वच्छता प्रमाण पत्र निर्गत किया जाता है तो उसके लिए ज्येष्ठ खान अधिकारी/खान अधिकारी/खान निरीक्षक उत्तरदायी होंगे।

(अनिल कुमार शर्मा)
ज्येष्ठ खान अधिकारी
कृते निदेशक।

संख्याः– 1682 /ख0यो0 ईट मि0/2016 तद्दिनांक।

निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतुः–

1. जिलाधिकारी/खान अधिकारी, संत कबीर नगर।
2. प्रस्तावक मे0 स्टार ब्रिक फील्ड के प्रो0/पा0 श्री जीमल अहमद, नि0– ग्राम– खैरा तह0 धनघटा, जनपद–सन्त कबीर नगर ।

(अनिल कुमार शर्मा)
ज्येष्ठ खान अधिकारी
कृते निदेशक।

CONTENTS

Dr. ABDUL RAHMAN
RQP/BNG/26... 11/A

Sr. No	LIST OF PLATES	PLATE NO.
1	LOCATION MAP	1
2	GOOGLE IMAGE SHOWING 5 KM BUFFER MAP	2
3	TYPICAL PLAN & SECTION OF BRICK EARTH MINING	3

Sr. No	LIST OF ANNEXURES	ANNEX.NO.
1	CONSENT LETTER FROM APPLICANT	I
2	CERTIFICATE FROM APPLICANT	II
3	R.Q.P. CERTIFICATE WITH VALIDITY DATE	III
4	COPY OF AGREEMENT PAPERS, KHASARA MAP&KHATAUNI	IV

Dr. ABDUL RAHMAN
RQP/BNG/282/2011/A

INTRODUCTION

M/s Star Brick Field, Mr. Jamil Ahmad S/o Haqimullah, R/o – Village- Kaira, Post-Govindganj, Tehsil- Ghanghata, District- SantKabir Nagar, Uttar Pradesh shall applied for from KHASRA/ GATA NOs.:- 657 Sa, 658 Sa, 593/2, 75, 91 Ka 68, 148, 129, 133, 135, 110, 54, 70, 36, 33, 259, 252, 327 Kha, 328, 147 ,Village- Narayanpur, Udaha&Khaira, Tehsil- Ghanghata, District- SantKabir Nagar, Uttar Pradesh for the extraction of minor mineral brick earth comprising total area of Area – 2.13713 Ha. on agricultural land as per agreement made for a period of Five years. (Agreement, kahtauni&Khasra Maps)

So, Partner shall approve Mining Plan with Progressive Mine Closure Plan from The Director, Directorate of Geology & Mining U.P for getting **"Environmental Clearance Certificate"** from the **DEAC/ DEIAA as per Gazette Notification dated 15 January 2016.**

Hence, for the compliance of orders the Mining Plan with Reclamation/ Rehabilitation Plan is being submitted under rules 34 (1) of U.P. Minor Mineral (Concession) Rules1963 for the approval to fulfill the requirement of **"Environmental Clearance Certificate"** from the **DEAC/ DEIAA.**

The history of lease area grant, ownership etc. is as below:

S. No.	Particular	Details
1.	Letter no/date of execution &agreementperiod	KHASRA/ GATA NOs.:- 657 Sa, 658 Sa, 593/2, 75, 91 Ka 68, 148, 129, 133, 135, 110, 54, 70, 36, 33, 259, 252, 327 Kha, 328, 147 , Village- Narayanpur, Udaha&Khaira, Tehsil- Ghanghata, District- SantKabir Nagar, Uttar Pradesh for the extraction of minor mineral brick earth comprising total area of Area – 2.13713 ha. on agricultural land as per agreement made for a period of Five years. (Agreement, kahtoni&Khasra Maps)
2.	Date of first opening	Yet to open, after environment clearancefrom the DEAC/ DEIAA.
3.	Status of Environmental clearance	As per Notification dated 15 January 2016of MoEFPartnerwill submit the application to DEAC/ DEIAA for environment clearance after the approval of Mining Plan with Progressive Mine Closer Plan

Dr. ABDUL RAHMAN
RQP/BNG/282/2011/A

1.0 GENERAL:

A) **NAME OF THE PARTNER WITH COMPLETE ADDRESS:**

M/s Star Brick Field

Jamil Ahmad S/o Haqimullah

R/o – Village- Kaira, Post-Govindganj, Tehsil- Ghanghata,

District- SantKabir Nagar, Uttar Pradesh.

B) **Location of Brick Kiln:** Village- Udaha, Tehsil- Ghanghata, District- SantKabir Nagar, Uttar Pradesh.

C) **STATUS OF PARTNER:** Private Individual.

D) **MINERAL WHICH ARE OCCURRING IN THE AREA & WHICH PARTNER INTENDS TO MINE:** Brick Earth

E) **Period for which the mining is proposed:** Five years as per agreement **(Agreement, kahtoni&Khasra)**

F) **Name of R.Q.P. preparing the Mining Plan:**

DR. ABDUL RAHMAN
RQP/BNG/282/2011/A
(VALID UPTO 28-04-2021)
R/o A-8/3 PR, WALIBADAR APARTMENT
SITAPUR ROAD, LUCKNOW
MOBILE NO- 08765588495.

G) **Name of prospecting agency:**

Partner / land owner has given the consent for extraction of mineral.

Dr. ABDUL RAHMAN
RQP/BNG/282/2011/A

2.0 LOCATION AND ACCESSIBILITY:

Details of area (with location map):	Applied area is 26.0 km towards North-West Direction from khalilabad on MDR-81E, Further a right turn towards West Direction from gagargarh on SH-72 about 6.5 & turn further towards south from kharagpur, paraseer about 3.5 leads to the area.**(Plate No. 1 &2)**
District and State:	Sant Kabir Nagar, Uttar Pradesh.
Village &Khasra No.	KHASRA/ GATA NOs.:- 657 Sa, 658 Sa, 593/2, 75, 91 Ka 68, 148, 129, 133, 135, 110, 54, 70, 36, 33, 259, 252, 327 Kha, 328, 147 , Village- Narayanpur, Udaha&Khaira, Tehsil- Ghanghata, District-SantKabir Nagar, Uttar Pradesh.
Lease Area (Hact.):	**2.13713 Ha.**
Whether the area is recorded to be in forest (please specify whether protected, reserved etc.)	The land is owned by the owners & has given their consent for the exploitation soil. The area is free from forest land.
Ownership/Occupancy:	
Existence of public road / railway line, if any nearby and approximate distance:	Applied area is 26.0 km towards North-West Direction from khalilabad on MDR-81E, Further a right turn towards West Direction from gagargarh on SH-72 about 6.5 & turn further towards south from kharagpur, paraseer about 3.5 leads to the area.
Toposheet No. with latitude and longitude:	Topo Sheet No is 63J/14. The GPS reading of Excavation Site is given below:

Dr. ABDUL RAHMAN
RQP/BNG/282/2011/A

Table No.2

Gata No	Latitude	Longitude
593/2	26°32'43.92"N	82°56'4.05"E
657 sa, 658 sa	26°32'41.83"N	82°56'5.61"E
148	26°32'50.89"N	82°55'53.68"E
135	26°32'51.90"N	82°55'55.05"E
133	82°55'55.88"E	82°55'55.88"E
129	26°32'52.52"N	82°55'56.46"E
110	26°32'53.50"N	82°55'58.29"E
91 Ka	26°32'52.19"N	82°55'59.51"E
75	26°32'50.40"N	82°55'58.39"E
70	26°32'49.86"N	82°56'0.00"E
68	26°32'49.23"N	82°56'1.17"E
54	82°56'4.55"E	82°56'4.55"E
147	26°32'54.62"N	82°56'4.07"E
327 Kha, 328	82°55'57.96"E	82°55'57.96"E
252	26°32'54.63"N	82°56'0.23"E
259	26°32'55.38"N	82°56'1.05"E
33	26°32'56.84"N	82°56'3.98"E
36	26°32'57.11"N	82°56'5.63"E

Land use Pattern (Forest agricultural, Barren,

The existing land use pattern is tabulated as below

Table No.3

Sr. No.	**Land use**	**Agriculture land (Ha.)**	**Forest Land** (Ha.)	**Barren land** (Ha.)	**Grazing Land** (Ha.)
1	Mining pits Quarry	Nil	-	-	-
2	Approach Road	-	-	-	-
3	Dumps	Nil	-	-	-
4	Office, Rest Shelter etc.	Nil	-	-	-
5	Balance undisturbed land	2.13713	-		-

Dr. ABDUL RAHMAN
RQP/BNG/282/2011/A

	Total	**2.13713**	-	-	-

b) Attach a general location map and vicinity map showing area boundaries and existing proposed routes. It is preferred that the area be marked on a Survey of India topographical map or a cadastral map or forest map as the case may be. However, if none of these are available the area should shown on an accurate sketch map. Location map attached showing lease **(Plate No. 1)**

INFRASTRUCTURAL – FACILITIES:

i) **Roads:**

Applied area is 26.0 km towards North-West Direction from khalilabad on NH-81E, Further a right turn towards West Direction from gagargarh about 6.5 & turn further towards south from kharagpur, parasemal leads to the area.

ii) **Power:**

Surrounding villages already receiving electricity power. About 90% villages in 5 Km. buffer zone are electrified but project area has no electricity.

iii) **Water:**

Surrounding villages have numbers of wells & bores, which shall provide drinking water to workers.

iv) **Land Use:** The land use of the mine area is agricultural and there will be no change in land use after operation. The ultimate land use of the mine lease area will not be change. The cultivation is rain fed and other source of irrigation is tube wells & canals are available in the area.

v) **Health Facilities:** Primary health centre (PHC) Medical shops and private clinics & Govt. Hospital are in khalilabad which is about 16.20 km (NE)from the area.

viii) **Education facilities:** For higher education students go to khalilabad.

ix) **Post Office:**The nearest Post Office is situated in Shiva par.

x) **Rail head**:Nearest railway station is khalilabad Railway Station –36.0 km (N).

Dr. ABDUL RAHMAN
RQP/BNG/282/2011/A

PART-A

3.0 GEOLOGY AND EXPLORATION:

a) **Briefly describe the topography & general geology & local mine geology of the mineral deposit including draining pattern.**

3.1 PHYSIOGRAPHY:

PhysiographicallyThe district, in spite of its apparent uniformity, could be divided topographically into several distinct tract namely, the low valley of the Ghaghra in the south, extending from that river to its tributary, the Kunwano; the central upland, between Kunwana river and the Rapti; and the low and ill-drained paddy belt between the Rapti and Manwa. The average elevation of the area is 83mRl& general slope of the area is from south to north directions. 0.5 Km. buffer zone lies in Survey of India's Topo sheet No. **63J/14.**

3.2 REGIONAL GEOLOGY:

The area is located within Zone-3 (Moderate Zone) of seismic zone of India. The district is underlain by quaternary sediments consisting clays, silt, kankar, and sand of different grades. The thickness of these quaternary sediments over the district increases gradually towards north. The general geological sequence of the formation is given below-

Group	Age	Formation	Lithology
Quaternary	Recent to Upper Pleistocene.	Newer Alluvium	Fine Sand, Silt & Clay
	Upper Pleistocene to Lower Pleistocene	Older Alluvium	Clay with Kankar and of different grades
Purana	Pre- Cambrian	Vindhyan	Sand stones & Shale and Lime stone

The sediments of newer alluvium are mainly arenaceous in nature and are found in topographically lower region. These sediments are loose, unconsolidated, flood plain deposits or back swamp deposits and are confined in narrow strips all along the present drainage system i.eGhaghra River comprises mainly micaceous minerals while in northern part along the bed of the river Senegar, the younger alluvium material resembles minerologically to older alluvium. The younger alluvium occupying extreme southern parts of the district differs in composition.

b) GEOLOGY OF THE AREA:

3.3 Local/ Mine Geology -

Dr. ABDUL RAHMAN
RQP/BNG/282/2011/A

The facieses of the deposits are sandy, silty, and clayey. The sandy older alluvium is located at an elevation of 10-20 m above the River level and makes the higher interfluves areas. It is free from frequent flooding and therefore most suitable for settlement and agriculture. This terrace is not suitable for settlement but can be used for agriculture. The soil of area is loamy type. pH ranges from neutral to slight alkaline with all general characteristic of Indo Gangetic plain viz alluvial in nature, low conductivity and less carbon content suitable for brick making.

Dr. ABDUL RAHMAN
RQP/BNG/282/2011/A

4. RESERVE ESTIMATION

Method of estimation of reserves:

- i The bulk density of soil 1.4 for tonnage factor.
- ii The geological reserves have been computed up to 2.0 mt..depth forgatas.
- iii 20cm top soil layer on the top of brick clay have been excluded as it shall be removed & stacked separately for back filling on the bottom of excavated pits.

Geological Reserve Estimation:

Since the proposed mining lease area is 2.13713 Ha is multiplied by the proposed depth of 2.0 mt.bgl, to get geological reserve. The detailed breakup has been given in Table No.4.

Table-4

Gata No.	Total Area (Ha.)	Depth (M)	Volume of Geological Reserve (Cum)
657 Sa, 658 Sa, 593/2, 75, 91 Ka 68, 148, 129, 133, 135, 110, 54, 70, 36, 33, 259, 252, 327 Kha, 328, 147	2.13713	2.0	42742.6
Total	**2.13713**	**2.0**	**42742.6**

Quantity of Brick Earth in Tonnes= Volume of Mineable Reserve x Bulk Density

= 42,742.6x 1.4 =59,839.64Tonne

4.1 MINEABLE RESERVE:

Bench height and width has been proposed to calculate the mineable reserves. The area of each bench level has been calculated & multiplied by its bench height to get the volume. The mineable reserve is given in Table No.3 below as per Gata wise area in (Ha.), depth as per agreement, proposed depth of mining, area of berm left around the Gata, volume of top soil, Total available quantity of soil after

Dr. ABDUL RAHMAN
RQP/BNG/282/2011/A

leaving berm, volume of blockage maintaining 70 degree slope between next level & finally Mineable quantity of soil. The detailed breakup has been given in Table-5.

Table-5

Gata No.	Total Area (Ha.)	Area left for Berm (Ha.)	Area taken during Mining(Ha)	Depth of top soil (M)	Volume of Top Soil (Cum)	Depth Consider During Mining(M)	Volume of Mineable Reserve (Cum)
657/Sa, 658 Sa, 593/2	0.1135	0.0113	0.1022	0.2	204.4	1.8	1839.6
75, 91 Ka, 68	0.372	0.0372	0.3348	0.2	669.6	1.8	6026.4
148, 129, 133, 135	0.01212	0.0012	0.01092	0.2	21.84	1.8	196.56
110, 54	0.2215	0.0221	0.1994	0.2	398.8	1.8	3589.2
70	0.8232	0.0823	0.7409	0.2	1481.8		1333[illegible]
36, 33, 259, 252	0.221	0.0221	0.1989	0.2	397.8	1.8	358[illegible]
327 Kha, 328	0.10113	0.0101	0.09103	0.2	182.06	1.8	163[illegible]
147	0.27268	0.0272	0.24548	0.2	490.96	1.8	4418.64
Total	**2.13713**	**0.2135**	**1.92363**	**0.2**	**3847.26**	**1.8**	**34625.34**

Quantity of Brick Earth in Tonnes= Volume of Mineable Reserve x Bulk Density

= 34,625.34 x 1.4 =48,475.476 Tonne

Dr. ABDUL RAHMAN
RQP/BNG/282/2011/A

5.0 DEVELOPMENT AND PRODUCTION PROGRAMME

a) Briefly describe the existing/proposed method for developing/working the deposit with all design parameters:

5.1 MINING:

Methodology of Mining:/Proposed Mining Method

- The proposed project is to mine Brick Clay from gata(s) as per agreement sustainably and scientifically. Mining will be opencast/Semi-mechanised mining in the allotted gatas keeping the nearby plot(s) unaffected. Following geo-scientific methods are proposed to carry out the mining activity:
- Mining will be confined to allotted gata(s) only up to a maximum depth of 2.0mt.from the surface in 1m. high and 3m wide working bench parameters provision of MCR-1960 and MMR 1961will be followed strictly.
- The mining shall be done during daytime only in order to avoid environmental pollution or any accidental hazards.
- Only 225 working days in a year have been assumed for calculation purpose.
- Before start mining the topsoil of each gatas up to 20 centimeter depth shall be scraped & preserved to spread it after mining activity is completed to restore the fertility of land.
- The width and height of final benches shall be 3m x 1m.
- 3m wide haul road shall be made at 1:16 gradient to the next level.
- No drilling and blasting is required.
- The operation will remain Opencast/Semi-mechanized using JCB machines such as Backhoe/Mechanical Excavator and other hand tools.
- Total minable reserve is calculated 34,625.34 m³ which shall be extracted 6925.068 cubic meter/ annum for the period of Five years (Table No.3)
- The water required for casting for bricks will be arranged at excavated sites and only casted bricks will be carried to kiln through cart/ tractor or by hand loads. The water will be required either for drinking purposes or for casting of bricks.
- 17 laborers will be required for the proposed project.
- Soil mining shall strictly be undertaken as per rules & regulation/ permissions obtained from District Administration/ Mining Department.

Dr. ABDUL RAHMAN
RQP/BNG/282/2011/A

The project Partner is also required to comply with following stipulations as per MoEF, GOI OM No. 11011/47/2011-1A.II (M) dated 24.06.2013

i) The borrowing/ excavation activity shall be restricted to a maximum depth of 2m. below general ground level at the site.

ii) The borrowing/excavation activity shall be restricted to 2m. above the ground water table at the site.

iii) The borrowing/excavation activity shall not alter the nature drainage pattern of the area.

iv) The borrowing/excavated pit shall be restored by the project Partner for useful purpose(s).

v) Appropriate fencing all around the borrowed/excavated pit shall be made to prevent any mishap.

vi) Measures shall be taken to prevent dust emission by covering of borrowed/excavated earth during transportation.

vii) Safeguards shall be adopted against health risks on account of breeding of vectors in the water bodies created due to borrowing/excavation of earth.

viii) Workers/ labourers shall be provided with facilities for drinking water and sanitation.

ix) A berm shall be left from the boundary of adjoining field having a width equal to at least half the depth of proposed excavation.

x) A minimum distance of 15 m from any civil structure shall be kept from the periphery of any excavation area.

5.2 YEAR WISE PRODUCTION & DEVELOPMENT;- The year wise production & development have been tabulated as Below in Table-6

Table-6

Year	Extracted volume m^3	Bricks Proposed(Only 500 Nos of Bricksmolded from $1m^3$Brick Earth)
FIRST YEAR	6,925.068	34,62,534 Nos
SECOND YEAR	6,925.068	34,62,534 Nos
THIRD YEAR	6,925.068	34,62,534 Nos
FOURTH YEAR	6,925.068	34,62,534 Nos

Dr. ABDUL RAHMAN
RQP/BNG/282/2011/A

FIFTH YEAR	6,925.068	34,62,534 Nos
Total	**34,625.34**	**1,73,12,670 Nos**

Attach supporting composite plan & section showing pit layouts, dumps, stacks of sub grade mineral, if any etc.

The composite plan/ conceptual plan & section showing layout of benches are shown in **Plate No. 3.** All the gatas having brick earth cover with top soil. The top soil shall be used to spread it after mining activity is completed to restore the fertility of land. All quantities of brick clay to be exploited & shall be used for making bricks on site which shall be supplied to the brick kiln for backing.

Indicate rate of production when the mine fully developed & expected life of mine & the year from which effected.

It shall be a fresh grant for mining of brick earth. Total minable reserve is calculated 34,625.34 m3 which shall be extracted 6925.068 cubic meter/ annum for the period of Five years.

5.3 CONCEPTUAL PLAN:

Time Frame of Completion of Exploration:

(a) Conceptual Development:

Mining will be done by opencast/Semi-mechanized means confined within ultimate pit limit demarcated of particular gata. Road, habitation etc. will require diversion from mining area for the safety of workings. Size by the end of conceptual period after leaving berm shall be 0.2135 Ha. same as to plan period within berm left in all the gatas having 2.0mt.depth with 1m hight bench formations.

The minor mineral exists within the entire area shall be used in making bricks therefore generation of waste shall be nil. Worked out area will matured for rehabilitation & excavated area shall be made arable by spreading top soil over.

5.4 Anticipated life of mine

Total minable reserve is calculated 34,625.34 m3 which shall be extracted 6925.068 cubic meter/ annum for the period of Five years.

Dr. ABDUL RAHMAN
RQP/BNG/282/2011/A

5.0 STACKING OF MINERAL REJECTS AND DISPOSAL OF WASTE:

a) Indicate briefly the nature and quantity of top soil, overburden/waste and mineral rejects likely to be generated during the next Five years:

As stated earlier that All the gatas having brick earth cover with top soil. The top soil 3,847.26 M3 for 5 Year or 769.452M3 for per year shall be scraped & preserved for short period on the berm to spread it after mining activity is completed to restore the fertility of land. All quantities of brick clay to be exploited shall be used in making bricks & will be send to brick kiln. Therefore, generation of waste shall be nil & no proposal has been envisaged for its separate dumping at mine side. Therefore, waste, sub grade mineral rejects shall not be generated during the course of mining.

b) Land chosen for disposal of waste with proposed justification.

No waste shall be generated during mining activities; Hence, no proposal has been envisaged for its separate dumping at mine side.

c) Attach a note indicating the manner of disposal, and configuration sequence of build up of dumps along with the proposals for the stacking of sub grade ore, to be indicated item wise.

As stated earlier that All the gatas having brick earth cover with top soil. The top soil **3847.26 M3 for 5 Year and 769.452 M3 for per year** shall be scraped & preserved for short period on the berm to spread it after mining activity is completed to restore the fertility of land. All quantities of brick clay to be exploited shall be used in making bricks & will be send to brick kiln. Therefore, generation of waste shall be nil & no proposal has been envisaged for its separate dumping at mine side. Therefore, waste, sub grade mineral rejects shall not be generated during the course of mining.

6.0 RECLAMATION/ REHABILITATION PLAN:

Modern mine rehabilitation aims to minimize and mitigate the environmental effects of modern mining. Rehabilitation management is an ongoing process, often resulting in open pit mines being backfilled.After mining finishes, the mine area must undergo rehabilitation.Although it would be a challenging task to restore the original landscape of the area once it has been excavated but, it would be worth efforts to restore the fertility of land by spreading the top soil over the excavated area to make the land arable. The top soil shall be scraped & preserved to spread it after mining activity is completed to restore the fertility of land.

Dr. ABDUL RAHMAN
RQP/BNG/282/2011/A

7.1 Post Mining Land use: Land form, land use and land ownership

Land Form: Area is flat agricultural land.

Land Use: Land use shall be restored as AgriculturalLand after mining by spreading top soil over completed bench to restore the fertility of land.

The existing land use pattern of the area is agricultural and the pattern of the area as per requirement during mining will be as tabulated below in Table-6

Table-6

Category	Area in Ha
Area Left in Berm	0.2135
Quarrying	1.92363
Total Mining Area	2.13713

Land Ownership: Private Land

The proposed activity shall take place in the gata(s) as per agreement and hence there will be no change in land use as after completion of mining top soil 3,847.26 M3 shall be spread it on completed gatas to restore the fertility of land..

8. STRATEGY FOR PROTECTION OF RIVER COURSE, NALA, WATER TANKS, VILLAGE, IMPORTANT MONUMENTS, IF ANY

a) **MINE DRAINAGE**:

i) Likely depth of water table based on observations from nearby wells and water bodies: One dug well is situated at east of the applied area 1.0 Km away along road side. The top ground level of the surface is 83mRL& water table encountered in the well is about 20 m. deep and the expected depth of water table in the region is about 63mRL.

ii) Working expected to be about 18.0 m above the water table during plan period. During plan period, the mine working will be confined up to 81.0mRL. Water table will not be intersected by the mining operations.

iii) The mining operations will be limited in the upper levels & the lowest bench will be formed at 81.0mRL at plan & conceptual period, hence water table will be not be encountered by mining activities during plan & conceptual period.

Indicate quantity (cu.m.per day) of water required for mining and processing and sources of supply or water. Disposal of water and extent of recycling.

Dr. ABDUL RAHMAN
RQP/BNG/282/2011/A

No water is required for mining and processing, only water sprinkling on road to suppress the dust in peak hours, hence no disposal of water and extent for recycling is required. About 3.0 KLD Total Water is Required.

b) **RIVER COURSE** – KuwanoRiver 4.0 Km towards North-East Direction, Ghaghara River 5.0 Km towards South Direction.

c) **NALA** – There is drainage occure.

d) **WATER TANKS-** No water tank/ over head tank is within 0.05 Km.

e) **VILLAGE-** No satellite habitate is within 0.05Km.

f) **IMPORTANT MONUMENTS-** No historical monuments exist in surrounding within 0.05Km radias.

Dr. ABDUL RAHMAN
RQP/BNG/282/2011/A

PART-B

PROGRESSIVE MINE CLOSURE PLAN

1. **Introduction:**

a) **Name of Lessee/Applicant:** **M/S Star Brick Field**

Jamil Ahmad S/o Haqimullah, R/o – Village- Kaira, Post-Govindganj, Tehsil- Ghanghata, District- SantKabir Nagar, Uttar Pradesh.

b) **Status of Lessee:** IndividualFirm

c) **Location:** Applied area is 26.0 km towards North-West Direction from khalilabad on MDR-81E, Further a right turn towards West Direction from gagargarh on SH-72 about 6.5 & turn further towards south from kharagpur, paraseer about 3.5 leads to the area. The location plan is enclosed as **Plate No. 1**

d) **Extent of Lease area:** **2.13713Ha.**

e) **Type of lease area:** The land applied for mining lease agricultural land.

f) **Land use Pattern:**

It falls under agricultural land. The existing land use pattern

Sr. No.	Land use	Agriculture land (ha)	Forest Land (ha)	Waste Land (ha)	Grazing Land (ha)
1	Mining pits Quarry	-	-	-	-
2	Approach Road	-	-	-	-
3	Water tank	-	-	-	-
4	Human Settlement	-		-	-

Dr. ABDUL RAHMAN
RQP/BNG/282/2011/A

5	Chimney	-			
6	Balance undisturbed land	2.13713	-	-	-
	Total	2.13713	-	-	-

i) **Method of mining and mineral processing:**

The operation will remain Opencast/Semi-mechanized using JCB machines such as Backhoe/Mechanical Excavator and other hand tools

1.1 **Reasons for Closure:**

It is an existing mining lease presently no specific reasons have been observed for the closure of mining operation. The mining plan is being submitted as per MoEF& CC Notification No.- S.O.141 (E) Dated 15 Jan, 2016 & under Rule 34 of UP Minor Mineral Concession rule [illegible]

1.2 **Statutory Obligations:**

No statutory obligations have been imposed by any Govt. agency.

1.3 **Closure plan preparation:**

a). **Name and address of the Lessee/Applicant:**

M/s Star Brick Field

Jamil Ahmad S/o Haqimullah

R/o – Village- Kaira, Post-Govindganj, Tehsil- Ghanghata,

District- SantKabir Nagar, Uttar Pradesh.

No.- Fax & email address facilities is available with lessee.

No telephone, Fax & email address facilities is available with lessee.

b). **Name, address & Registration No of R.Q.P.:**

DR. ABDUL RAHMAN
RQP/BNG/282/2011/A
(VALID UPTO 28-04-2021)
R/o A-8/3 PR, WALIBADAR APARTMENT
SITAPUR ROAD, LUCKNOW
MOBILE NO- 08765588495.

Dr. ABDUL RAHMAN
RQP/BNG/282/2011/A

c). **Name of the executing agency:**

The lessee himself shall execute the provisions of mine closure plan. Presently no decision has been taken in this regard to closure of mine. Therefore copy of resolution of the executing agency has not been given.

2.0 Mine Description:

2.1. Geology:

Physiography:

PhysiographicallyThe district, in spite of its apparent uniformity, could be divided topographically into several distinct tract namely, the low valley of the Ghaghra in the south, extending from that river to its tributary, the Kunwano; the central upland, between Kunwana river and the Rapti; and the low and ill-drained paddy belt between the Rapti and Manwa. The average elevation of the area is 83mRl& general slope of the area is from south to north directions. 0.5 Km. buffer zone lies in Survey of India's Topo sheet No. 63J/14.

Regional Geology:

The area is located within Zone-3 (Moderate Zone) of seismic zone of India. The district is underlain by quaternary sediments consisting clays, silt, kankar, and sand of different grades. The thickness of these quaternary sediments over the district increases gradually towards north. The general geological sequence of *the formation is given below-*

Group	Age	Formation	Lithology
Quaternary	Recent to Upper Pleistocene.	Newer Alluvium	Fine Sand, Silt & Clay
	Upper Pleistocene to Lower Pleistocene	Older Alluvium	Clay with Kankar and of different grades
Purana	Pre- Cambrian	Vindhyan	Sand stones & Shale and Lime stone

The sediments of newer alluvium are mainly arenaceous in nature and are found in topographically lower region. These sediments are loose, unconsolidated, flood plain deposits or back swamp deposits and are confined in narrow strips all along the present drainage system i.e Ghaghra River comprises mainly micaceous minerals while in northern part along the bed of the river Senegar, the younger alluvium material resembles minerologically to older alluvium. The younger alluvium occupying extreme southern parts of the district differs in composition.

Dr. ABDUL RAHMAN
RQP/BNG/282/2011/A

Geology Of The Area:Local/ Mine Geology -

The facieses of the deposits are sandy, silty, and clayey. The sandy older alluvium is located at an elevation of 10-20 m above the River level and makes the higher interfluves areas. It is free from frequent flooding and therefore most suitable for settlement and agriculture. This terrace is not suitable for settlement but can be used for agriculture. The soil of area is loamy type. pH ranges from neutral to slight alkaline with all general characteristic of Indo Gangetic plain viz alluvial in nature, low conductivity and less carbon content suitable for brick making.

2.2. Mining Method:

It shall be open cast manual & semi-mechanized mine. The approach road from surface to bottom will be provided with 1 in 16 gradients. The length and depth of the road will depend on the depth of excavation.

- The proposed project is to mine Brick Clay from gata(s) as per agreement sustainably and scientifically. Mining will be opencast/Semi-mechanized mining in the allotted gatas keeping the nearby plot(s) unaffected. Following geo-scientific methods are proposed to carry out the mining activity:
- Mining will be confined to allotted gata(s) only up to a maximum depth of 2.0mt.from the surface in 1m. high and 3m wide working bench parameters & provision of MCR-1960 and MMR 1961will be followed strictly.
- The mining shall be done during daytime only in order to avoid environmental pollution or any accidental hazards.
- Only 225 working days in a year have been assumed for calculation purpose.
- Before start mining the topsoil of each gatas up to 20 centimeter depth shall be scraped & preserved to spread it after mining activity is completed to restore the fertility of land.
- The width and height of final benches shall be 3m x 1m.
- 3m wide haul road shall be made at 1:16 gradient to the next level.
- No drilling and blasting is required.
- The operation will remain Opencast/Semi-mechanized using JCB machines such as Backhoe/Mechanical Excavator and other hand tools.
- Total minable reserve is calculated 34,625.34 m^3 which shall be extracted 6925.068 cubic meter/ annum for the period of Five years (Table No.3)

Dr. ABDUL RAHMAN
RQP/BNG/282/2011/A

- The water required for casting for bricks will be arranged at excavated sites and only casted bricks will be carried to kiln through cart/ tractor or by hand loads. The water will be required either for drinking purposes or for casting of bricks.
- 17 laborers will be required for the proposed project.
- Soil mining shall strictly be undertaken as per rules & regulation/ permissions obtained from District Administration/ Mining Department

2.3. Mineral Beneficiation:

No mineral beneficiation will be under taken for next five years. The Soil produced from mine shall be transported to chimney for making bricks.

3.0 Review of implementation of mining plan / scheme of mining including five years progressive closure plan up to the final closure of mine:

Mining plan of the area under reference is yet to be approved; it is therefore premature to make any comments about review of implementation.

Dr. ABDUL RAHMAN
RQP/BNG/282/2011/A

4.0 **Closure Plan:**

4.1 **Mined out land:**

The mining has been proposed from top to downward. Mining faces will advance from west to east direction.

4.2. **Water Quality Management:**

No surface or ground water bodies exists within the area. The mining is being carried out in upper levels. The problem of ground water pumping will not be there. Only rain water will have to be channelised in such a way it does not carry suspension to natural streams. However water quality monitoring shall be carried out periodically from MP Pollution Control Board or from any NABL laboratory.

However, proposal have been furnished for the protection of siltation, sedimentation etc during heavy showers. Before commencement of mining operation the mined out area shall be backfilled/reclaimed and put is use for agriculture land. Therefore no water shall be accumulated in the pit.

Hydro geological Study: In general, the ground water occurs at depth of 21m below the ground level. Water table aquifer in the area is unconfined & is controlled by the joints, fractures and shear zone. Hydro geological studies of the area have not been carried out.

The water balance Chart: The mining operations do not require water, except watering the planted areas and for the workforce employed at the mine site.

For these purpose approximately 3.0 KL water/ day will be consumed at the area.

4.3 **Air Quality Management:**

Though, no air sample for ascertaining the air quality has been drawn. But it can be well understood that air quality of the region can be considered normal, because the region not consist any industry to pollute the air. However air monitoring shall be carried out once in a season during dry spell of months to assess the air quality with in the area.It has already been explained that mining shall be carried out manually with limited account of drilling and blasting. One of the most crucial elements for air pollution is vehicular transport. Due limited movement tippers, air quality will not undergo any significant change. It is proposal that water sprinkling on approach road shall be carried out two times a day during dry spell of months to suppress the dust during vehicular movement.

Dr. ABDUL RAHMAN
RQP/BNG/282/.J11/A

No chemical or toxic effluents are made/discharged in the area during mining operations. Therefore, question of air pollution does not arise.

4.4 Waste Management:

No waste shall be generated during course of mining. All quantities of soil shall be used for making bricks therefore no such proposal has been envisaged for waste dump management.

4.5 Top Soil Management:

All quantities of top soil to be generated shall be used for making bricks. Therefore no proposal of top soil management has been envisaged.

4.6 Tailing Dam Management:

Neither any chemical or toxic effluents will be discharged from the mine. Nor will any toxic substances be utilized in the mining or allied activities. Therefore there is no question of tailing dam management.

4.7. Infrastructure:

No infrastructure facilities like aerial ropeway, conveyor belts, power line, water treatment plant, transport & water supply sources are present with in the lease area. Therefore no utilization & their physical stability & maintenance will be required. Also no infrastructure facilities like electric transmission, telephone line, water pipe line, sewer line, gas pipe line, electrical cables, culvert, bridges are not existing with in the applied area. So question does not arise for their restoration. The approach road passed with in the lease area & lessee shall maintain it during PMCP period.

4.8. Disposal of Mining Machinery:

It will be an opencast manual mine without adoption of drilling & blasting. The broken pieces of tools will be disposed off. This is existing mine and mining is being carried out without deployment of any kind of machineries. Therefore their is no question of disposal of mining machineries at this stage.

4.9. Safety and Security:

The haul roads will be provided to open the mining faces. Theymaintenance of haul roads will be under taken periodically. Following provisions will be made.

Dr. ABDUL RAHMAN
RQP/BNG/282/2011/A

i) Helmets to all workers will be provided.

ii) Disposable respirators, will be provided to all those working in dusty area where dust concentration is very height.

iii) One pair of safety shoes will be provided to all the workers.

iv) Safety belts will be provided to all those working at height.

v) Warming boards & working hours shall be displaced at conspicuous places.

vi) There will be one opening entry of mine which will have a manual gate & barricade under supervision of one chowkidar.

An experience permit manager/Mines Foreman will be employed for the supervision of mining operation.

vii) The mining area shall be property fenced to avoid any inadvertent entry of any live stock.

During opencast working, all the precautions are to be observed as per Reg. 106 of MMR, 1961 for safety and security.

4.10. Disaster Management and Risk Assessment:

Maximum depth of working has been concentrated 2.0m (average) and after reaching maximum depth the mined out pit shall be backfilled/reclaimed. No causes of disaster have been apprehended during mining activity, but possibility of disaster can not be ruled out. Therefore all the statutory precautions shall be undertaken into account as per mines Act. 1952, mines rules 1955, MMR 1961 and MCDR 1988.

Disaster Management plan is a comprehensive and structured system for ensuring the prevention of risks / disasters involved. The principles used to priorities work are as follows.

- *Priority must be given to human safety and health, where it is seriously threatened.*
- Acute problems must be addressed before long-term problems.
- Measures affecting a large population must be given priority over measures benefiting a smaller number of people.

4.11 Care and Maintenance during Temporary Discontinuance: At the time of temporary discontinuance of mine, notice the office of Directorate General of Mine Safety as well to District administration. All precautionary steps shall be taken into account in respect of care & maintenance.

Dr. ABDUL RAHMAN
RQP/BNG/282/2011/A

5.0 **Economic Repercussions of Closure of mine and manpower retrenchments:**

5.1. About 20 local residents were employed in the mine. The present occupation is mostly forming. There is not going to be affected due to their employment in the mine. They can change over to their present jobs after cessation of the mining operation.

5.2. As per industrial & disputes (Amendments) Act 1976 & also based on further amendments in the year 1984, the following issued are to be considered while closure of any establishment. The provisions of this act are applicable to all industrial establishments employing 100 or more workmen. Therefore the same will be applicable to the mine when more than 100 person are employed.

Total numbers of persons employed in the mine shall be 108, therefore no retrenchment compensation is envisaged.

5.3. Not applicable

5.4. Mining is not going to effect.

5.5. Mine site does not process facilities & infrastructure (i.e. power, water supply etc. on the expectation of society. Besides it mine site is not a centre for community development. Therefore the envisaged repercussions on the expectations of society are out of question.

The repercussion seen due to mine closure is that employees may became unemployed. However there basic occupation will not effect due to mining & hence the question of repercussion not expected at this stage.

6.0 **Certificate:**

Given separately & enclosed.

Dr. ABDUL RAHMAN
RQP/BNG/282/2011/A

7.0 **Plan & Sections:**

All the plans are enclosed.

Date: 07/11/2017

Place:Lucknow

PLATE NO. 01,

LOCATION MAP



PLATE NO. 02

Google Image Showing 5 Km Buffer Map



Dr. ABDUL RAHMAN
RQP/BNG/282/2011/A

PLATE NO. 03:
TYPICAL PLAN & SECTION OF EARTH MINING



Annexure -I

CONSENT LETTER FROM APPLICANT

An area of about **2.13713 ha** will be used to excavate brick earthupto a depth of 2.0 mt. as per agreements discussed in the report and attached herewith. The area falls at**KHASRA/ GATA NOs.:- 657 Sa, 658 Sa, 593/2, 75, 91 Ka 68, 148, 129, 133, 135, 110, 54, 70, 36, 33, 259, 252, 327 Kha, 328, 147 , Village- Narayanpur, Udaha&Khaira, Tehsil- Ghanghata, District- SantKabir Nagar, Uttar Pradesh.**

A Mining plan is prepared for the excavation of brick earth under U.P. minor mineral concession rule 1963. The mine plan in respect of above area has been prepared by DR. ABDUL RAHMAN, RQP/BNG/282/2011/A

(VALID UPTO 28-04-2021.

I request to make further correspondence regarding the modification if any in mining plan with the said recognized person on his following address:

DR. ABDUL RAHMAN

RQP/BNG/282/2011/A

(VALID UPTO 28-04-2021)

R/o A-8/3 PR, WALIBADAR APARTMENT

SITAPUR ROAD, LUCKNOW

MOBILE NO- 08765588495

I hereby undertake that all the modifications so made in mine plan by the Recognized Person may be deemed to have been made with my knowledge and consent and shall be acceptable to me and binding on me in all respect. I have understood the content of this mine plan and agree to implement the same.

Date: 07/11/2017

Place: SantKabir Nagar

Dr. ABDUL RAHMAN
RQP/BNG/282/2011/A

जमील अहमद

[Jamil Ahmad]

32

ANNEXURE-III
Certificate of RQP

खनन योजना तैयार करने के लिए अर्हता प्राप्त व्यक्ति के रूप में मान्यता प्रमाण-पत्र
CERTIFICATE OF RECOGNITION AS QUALIFIED PERSON TO PREPARE MINING PLANS
(खनिज रियायत नियमावली, 1960 के नियम 22 सी के अन्तर्गत)
(Under Rule 22 C of Mineral Concession Rules, 1960)

स्वर्गीय मुहम्मद खालिद का पुत्र डा.अब्दुल रहमान
Dr.Abdul Rahman, S/O Late Mohammed Khalid
ज़ेड - 1, सी.पी.डब्ल्यू.डी. क्वार्टर्स, विजयनगर, बेंगलूर - 560 040, कर्नाटक राज्य
Z-1, CPWD Quarters, Vijayanagar, Bangalore 560 040, Karnataka State

को उनकी योग्यताओं तथा अनुभवों के संतोषजनक प्रमाण देने के पक्ष में एतद्द्वारा खनिज
having given satisfactory evidence of his qualifications and experience is hereby
रियायत नियमावली, 1960 के नियम 22 सी के अन्तर्गत खनन योजनाएं तैयार करने के लिए
granted recognition under Rule 22 C of the Mineral Concession Rule, 1960 as a
अर्हता प्राप्त व्यक्ति के रूप में मान्यता दी जाती है ।
qualified person to prepare Mining Plans.

उनका पंजीकरण क्रमांक

अप्रव्यू / बेंगलूर /282/2011/ए RQP /BNG/282/2011/A

His Registration No. is

यह मान्यता दस वर्ष की अवधि के लिए वैध है जो कि दिनांक 28.04.2021 को समाप्त होगी ।
This Recognition is valid for a period of ten years ending 28.04.2021.

स्थान / Place : बेंगलूर / Bangalore
दिनांक / Date : 29/04/2011

(बी. राम मोहन / B.RAM MOHAN)
क्षेत्रीय खान नियंत्रक
REGIONAL CONTROLLER OF MINES

Dr. ABDUL RAHMAN
RQP/BNG/282/2011/A

LAND DOCUMENTS

ANNEXURE-IV
COPY OF AGREEMENT
PAPERS,KHATAUNI&KHASARA MAP

Dr. ABDUL RAHMAN
RQP/BNG/282/2011/A

भारतीय गैर न्यायिक

भारत

दस रुपये

ES

NOTARIAL NOTARIAL

रु.10

Rs.10

सत्यमेव जयते

INDIA

INDIA NON JUDICIAL

उत्तर प्रदेश UTTAR PRADESH

29AD 145192

शपथ पत्र / इकरारनामा

सुरजा, कमरुन निशा पुत्र / पत्नी हबीब मोहम्मद निवासी उवैरा तहसील धनघटा जिला संतकबीर नगर

प्रथम पक्ष

जमील अहमद पुत्र हबीबुल्लाह प्रोपराइटर / पार्टनर स्टार ब्रिक फील्ड स्थित उवैरा जिला संतकबीर नगर

द्वितीय पक्ष

प्रथम पक्ष ने अपने निम्नलिखित गाटे / भूमि को मिट्टी की खुदाई करने के लिए द्वितीय पक्ष को निम्न शर्तों पर दिया है।

1. यह कि उपरोक्त प्रथम पक्ष अपने गाटा नं0 147 रकबा 1.0970 रकबा स्थित ग्राम उवैरा का मालिक व काबिज हूँ।
2. यह कि हम उपरोक्त प्रथम पक्ष अपने गाटा सं0 147 के रकबा 1.0970 में से 0.27268 को मिट्टी खुदाई हेतु द्वितीय पक्ष को देने हेतु सहमत हूँ।
3. यह कि द्वितीय पक्ष उपरोक्त गाटा नं0 से 2 मी0 की गहराई तक ही मिट्टी खुदाई करेगा।
4. यह इकरारनामा आज की तिथि से मान्य है
5. द्वितीय पक्ष प्रथम पक्ष को उपरोक्त कार्य हेतु वार्षिक रु0 300/- प्रति वर्ष की अदायगी करेगा।

अतएव यह इकरारनामा हम उभय पक्ष सोच समझकर बिना किसी और दबाव या नाजायज आग्रह के पूर्ण होशो हवास मे समक्ष लिख दिया है। जो कि सनद रहे और समय पर काम आवें।

...rn and Verified before me

3/10/17

...PRAKASH...

...dvocate & Notary

...know, U.P.

Dr. ABDUL RAHMAN
RGP/BNG/282/2011/A

प्रथम पक्ष सुरजा कमरुन निशा।

द्वितीय पक्ष जमील अहमद

[illegible] 183252 [illegible] [illegible] [illegible] [illegible] 1421-1426 [illegible]

1	2	3	4	5	6	7-12	13
[illegible]	[illegible]						
00004	[illegible]	1392	147	1.0970			
[illegible]	[illegible]		1	1.0970	₹26.65	0	0

Dr. ABDUL RAHMAN
RQP/BNG/282/2011/A

Data Digitally Signed by: Nandlal

[illegible] DINESH KUMAR

[illegible] 10-2017 [illegible]

0.27268

भारतीय गैर न्यायिक

भारत

दस रुपये

रु.10

Rs.10

INDIA

सत्यमेव जयते

NOTARIAL NOTARIAL

INDIA NON JUDICIAL

उत्तर प्रदेश UTTAR PRADESH

29AD 145189

शपथ पत्र / इकरारनामा

तीरथराज पुत्र / पत्नी विदेशी निवासी नरायनपुर तहसील धनघटा जिला सन्तकबीरनगर

प्रथम पक्ष

जमील अहमद पुत्र हकीमुल्लाह प्रोपराइटर / पार्टनर स्टार ब्रिक फील्ड स्थित उघरा जिला सन्तकबीर नगर

द्वितीय पक्ष

प्रथम पक्ष ने अपने निम्नलिखित गाटे / भूमि को मिट्टी की खुदाई करने के लिये द्वितीय पक्ष को निम्न शर्तों पर दिया है।

1. यह कि, उपरोक्त प्रथम पक्ष अपने गाटा नं० 657स, 658द, 593/2 रकबा 0.0760, 0.2260 रकबा 0.3790 स्थित ग्राम नरायनपुर का मालिक व काबिज हूँ।
2. यह कि हम उपरोक्त प्रथम पक्ष अपने गाटा सं० 657स, 658द, 593/2 के रकबा 0.6810 में से 0.1135 को मिट्टी खुदाई हेतु द्वितीय पक्ष को देने हेतु सहमत हूँ।
3. यह कि द्वितीय पक्ष उपरोक्त गाटा नं० से 2 मीटर की गहराई तक ही मिट्टी खुदाई करेगा।
4. यह इकरारनामा आज की तिथि से मान्य है

द्वितीय पक्ष प्रथम पक्ष को उपरोक्त कार्य हेतु वार्षिक रु० 2000 प्रति वर्ष की अदायगी करेगा।

अतएव यह इकरारनामा हम उभय पक्ष सोच समझकर बिना किसी जोर दबाव या नाजायज आग्रह के पूर्ण होशो हवाश मे समझ लिख दिया है। कि सनद रहे और समय पर काम आवें।

दिनांक:- 30/10/19

प्रथम पक्ष तीरथराज

द्वितीय पक्ष जमील अहमद

Dr. ABDUL RAHMAN
RQP/BNG/282/2011/A

उद्धरण खतौनी

[illegible] : 183322 ... [illegible] 1410-1424 [illegible]

[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
1	2	3	4	5	6	7-12	13
00004	[illegible]	1384 1384 1384	657ग 658ग 893/2	0.0760 0.2260 0.3790		1420फसली H0707/17-01-13/028-01-13फसली [illegible] 0.076,658ग/0.226,893/1/0.379[illegible]	
			3	0.6810	₹8.95	2	0

Data Digitally Signed by: Nandlal

Dr. ABDUL RAHMAN
RQP/BNO/282/2011/A

0·1135

भारतीय गैर न्यायिक

भारत

दस रुपये

रु.10

:ES

Rs.10

NOTARIAL NOTARIAL

सत्यमेव जयते

INDIA

INDIA NON JUDICIAL

उत्तर प्रदेश UTTAR PRADESH 29AD 145190

शपथ पत्र / इकरारनामा

पृथ्वीनाथ पुत्र / पत्नी रामआधारे निवासी सिहापार तहसील घनघटा जिला संतकबीर नगर प्रथम पक्ष

जमील अहमद पुत्र हकीमुल्लाह प्रोपराइटर / पार्टनर स्टार ब्रिक फील्ड स्थित उदहा जिला संतकबीर नगर द्वितीय पक्ष

प्रथम पक्ष ने अपने निम्नलिखित गाटे / भूमि को मिट्टी की खुदाई करने के लिए द्वितीय पक्ष को निम्न शर्तों पर दिया है।

1. यह कि उपरोक्त प्रथम पक्ष अपने गाटा नं० 148, 129, 133, 135 रकबा 0.1270, 0.0120, 0.0100, 0.1420 रकबा स्थित ग्राम का मालिक व काबिज हूँ।
2. यह कि हम उपरोक्त प्रथम पक्ष अपने गाटा सं० 148, 129, 133, 135 के रकबा 0.2910 मी से 0.2910 को मिट्टी खुदाई हेतु द्वितीय पक्ष को देने हेतु सहमत हूँ।
3. यह कि द्वितीय पक्ष उपरोक्त गाटा नं० से 2 मीटर की गहराई तक ही मिट्टी खुदाई करेगा।
4. यह इकरारनामा आज की तिथि से मान्य है

द्वितीय पक्ष प्रथम पक्ष को उपरोक्त कार्य हेतु वार्षिक रू० 3000 प्रति वर्ष की अदायगी करेगा।

अतः यह इकरारनामा हम उभय पक्ष सोच समझकर बिना किसी जोर दबाव या नाजायज असर के पूर्ण होशो हवाश मे समझ लिख दिया है। जो कि सनद रहे और समय पर काम आवें।

30/10/17

SRIVASTAVA

Advocate

दिनांक

प्रथम पक्ष पृथ्वीनाथ

द्वितीय पक्ष जमील अहमद

Dr. ABDUL RAHMAN
KOP/BNG/282/2011/A

[illegible] 183315 [illegible] 1421-1420 [illegible] 1

1	2	3	4	5	6	7-12	13
00078	[illegible]	1379	148	0.1270			
	[illegible]	1379	103	0.0120			
	[illegible]	1379	140	0.0100			
	[illegible]	1379	135	0.1420			
			4	0.2910	₹3.40	0	0

Dr. ABDUL RAHMAN
RQP/BNG/282/2011/A

Data Digitally Signed by: Nandlal

0.01212

भारतीय गैर न्यायिक

दस रुपये

भारत

रु.10 Rs.10

NOTARIAL NOTARIAL

INDIA

INDIA NON JUDICIAL

उत्तर प्रदेश UTTAR PRADESH

29AD 145191

शपथ पत्र / इकरारनामा

बलिराम दयाराम, जगीराम पुत्र / पत्नी रामनौकर निवासी उदहा तहसील धनघटा जिला संतकबीर नगर प्रथम पक्ष

जमील अहमद पुत्र हकीमुल्लाह प्रोपराइटर / पार्टनर स्टार ब्रिक फील्ड स्थित उदहा जिला संतकबीर नगर द्वितीय पक्ष

प्रथम पक्ष ने अपने निम्नलिखित गाटे / भूमि को मिट्टी की खुदाई करने के लिये द्वितीय पक्ष को निम्न शर्तों पर दिया है।

1. यह कि उपरोक्त प्रथम पक्ष अपने गाटा नं० 75, 91क, 68 रकबा 0.4640, 0.0950, 0.3090 स्थित ग्राम उदहा का मालिक व काबिज है।
2. यह कि हम उपरोक्त प्रथम पक्ष अपने गाटा सं० 75, 91क, 68 के रकबा 0.372 को मिट्टी खुदाई हेतु द्वितीय पक्ष को देने हेतु सहमत हूँ।
3. यह कि द्वितीय पक्ष उपरोक्त गाटा नं० से 2 मीटर की गहराई तक ही मिट्टी खुदाई करेगा।
4. यह इकरारनामा आज की तिथि से मान्य है
द्वितीय पक्ष प्रथम पक्ष को उपरोक्त कार्य हेतु वार्षिक रु० 1000/- प्रति वर्ष की अदायगी करेगा।
अतएव यह इकरारनामा हम उभय पक्ष सोच समझकर बिना किसी जोर दबाव या नाजायज आग्रह के पूर्ण होशो हवाश में समझ लिख दिया है। जो कि सनद रहे और समय पर काम आवें।

Sworn and Verified before me

दिनांक

प्रथम पक्ष बलिराम दयाराम जगीराम

Dr. ABDUL RAHMAN
RQP/BNG/282/2011/A

द्वितीय पक्ष जमील अहमद

30/10/17

[illegible] 219609 [illegible] 1421-1426

1	2	3	4	5	6	7-12	13
00086	[illegible]	1371	75	0.4640		[illegible]	
		1371	919	0.0950			
		1371	86	0.3090			
			3	0.8680	₹ 28.80	1	0

Dr. ABDUL RAHMAN
RQP/BNG/282/2011/A

Data Digitally Signed by: [illegible]

[illegible] 25-05-2017 [illegible]

0.372

भारतीय गैर न्यायिक

भारत

दस रुपये

TEN RUPEES

रु.10

Rs.10

INDIA

सत्यमेव जयते

INDIA NON JUDICIAL

उत्तर प्रदेश UTTAR PRADESH

29AD 145252

शपथ पत्र / इकरारनामा

राम फेर पुत्र / पत्नी ______ निवासी उघई तहसील धनघटा जिला संत कबीर नगर

प्रथम पक्ष ______

जमील अहमद पुत्र हकीमुल्लाह प्रोपराइटर / पार्टनर स्टार ब्रिक फील्ड स्थित उघई जिला संत कबीर नगर

द्वितीय पक्ष ______

प्रथम पक्ष ने अपने निम्नलिखित गाटे / भूमि को मिट्टी की खुदाई करने के लिए द्वितीय पक्ष को निम्न शर्तों पर दिया है।

1. यह कि उपरोक्त प्रथम पक्ष अपने गाटा नं० 110, 54 रकबा 0.3000, 0.1430 स्थित ग्राम उघई का मालिक व काबिज हूँ।
2. यह कि हम उपरोक्त प्रथम पक्ष अपने गाटा सं० 110, 54 के रकबा 0.4430 में से 0.2215 को मिट्टी खुदाई हेतु द्वितीय पक्ष को देने हेतु सहमत हूँ।
3. यह कि द्वितीय पक्ष उपरोक्त गाटा नं० से 2 मीटर की गहराई तक ही मिट्टी खुदाई करेगा।
4. यह इकरारनामा आज की तिथि से मान्य है

द्वितीय पक्ष प्रथम पक्ष को उपरोक्त कार्य हेतु वार्षिक रू० 2000 प्रति वर्ष की अदायगी करेगा।

अतएव यह इकरारनामा हम उभय पक्ष सोच समझकर बिना किसी जोर दबाव या नाजायज आग्रह के पूर्ण होशो हवास में समझ लिख दिया है। जो कि सनद रहे और समय पर काम आवें।

Sworn and Verified before me

27/6/17

SATYA PRAKASH SRIVASTAVA
Advocate & Notary
Lucknow, U.P. India

Dr. ABDUL RAHMAN
RQP/BNG/282/2011/A

प्रथम पक्ष राम फेर

द्वितीय पक्ष जमील अहमद

उद्धरण खतौनी

उद्धरण क्रमांक : 21950920171010

ग्राम क्रमांक : 219609 ग्राम का नाम / परगना : [illegible] तहसील : [illegible] जनपद : [illegible] फसली वर्ष : 1421-1426 भाग : 1

खाता खतौनी का संख्या	खातेदार का नाम / पिता पति संरक्षक का नाम / निवास स्थान	मौलिक अधिकार प्राप्त होने का वर्ष	खाते के प्रत्येक गाटे की खसरा संख्या	प्रत्येक गाटे का क्षेत्रफल (हे.)	खातेदार द्वारा देय मालगुजारी या लगान	परिवर्तन सम्बन्धी आज्ञा या उसका सारांश उसकी संख्या तथा दिनांक सहित और आज्ञा देने वाले अधिकारी का पद	टिप्पणी
1	2	3	4	5	6	7-12	13
श्रेणी : 1-क / [illegible]							
00058	[illegible] / [illegible] / [illegible] [illegible] / [illegible] / नि. ग्राम	1379 1379	110 54	0.3000 0.1430		प्रपत्र सं. 11922-3-17 [illegible]	
			2	0.4430	₹17.80	1	0

कुल गाटे- टी [illegible]

Data Digitally Signed by: Nandlal

[illegible] http://upbhulekh.gov.in Website [illegible]

[illegible] GIRIJESH KUMAR

[illegible]

[illegible] 13-10-2017 01:47:57

[illegible]

Dr. ABDUL RAHMAN
ROP/BNG/Z8/2011/A

0.1500

भारतीय गैर न्यायिक

भारत

दस रुपये

TEN RUPEES

रु.10

सत्यमेव जयते

INDIA

NOTARIAL NOTARIAL

INDIA NON JUDICIAL

उत्तर प्रदेश UTTAR PRADESH

29AD 145253

शपथ पत्र / इकरारनामा

फरीदा खातून, जमीलअहमद, तौफीक अहमद, पुत्र / पत्नी हकीमुल्लाह निवासी उघही तहसील धनघटा जिला सन्त कबीर नगर

प्रथम पक्ष

जमीलअहमद पुत्र हकीमुल्लाह प्रोपराइटर / पार्टनर स्टार ब्रिक फील्ड स्थित उघही जिला सन्त कबीर नगर

द्वितीय पक्ष

प्रथम पक्ष ने अपने निम्नलिखित गाटे / भूमि को मिट्टी की खुदाई करने के लिए द्वितीय पक्ष को निम्न शर्तों पर दिया है।

1. यह कि उपरोक्त प्रथम पक्ष अपने गाटा नं० 70 रकबा 1.3720 स्थित ग्राम उघही का मालिक व काबिज हूँ।
2. यह कि हम उपरोक्त प्रथम पक्ष अपने गाटा सं० 70 के रकबा 1.3720 में से 0.2720 को मिट्टी खुदाई हेतु द्वितीय पक्ष को देने हेतु सहमत हूँ।
3. यह कि द्वितीय पक्ष उपरोक्त गाटा नं० से 2 मीटर की गहराई तक ही मिट्टी खुदाई करेगा।
4. यह इकरारनामा आज की तिथि से मान्य है

द्वितीय पक्ष प्रथम पक्ष को उपरोक्त कार्य हेतु वार्षिक रु० 2000 प्रति वर्ष की अदायगी करेगा।

अतएव यह इकरारनामा हम उभय पक्ष सोच समझकर बिना किसी जोर दबाव या नाजायज आग्रह के पूर्ण होशो हवास में समझ लिख दिया है। जो कि सनद रहे और समय पर काम आवें।

प्रथम पक्ष — जमील अहमद

द्वितीय पक्ष — जमील अहमद

Dr. ABDUL RAHMAN
RQP/BNG/282/2014/A

Sworn and Verified before me

27/10/17

YA PRAKASH SRIVASTAVA
Advocate & Notary
...onw, U.P. India

NOTARY ... GOVT. OF U.P. INDIA

खतौनी

[illegible] : 219609201711[illegible]

[illegible] : 219609 [illegible] : 1421-1426 [illegible] : 1

[illegible]	[illegible]	[illegible]	[illegible]	[illegible] (है.)	[illegible]	[illegible]	[illegible]
1	2	3	4	5	6	7-12	13
[illegible] 1-क / [illegible]							
00055	[illegible]	1378	70	1.3720		[illegible] /10-10-14[illegible] [illegible] 1422[illegible] 5012815/18-12-2014[illegible] 31-12-2014 [illegible] 70/1.372 [illegible]	[illegible] 37 [illegible]
			1	1.3720	₹43.85	3	1

[illegible]

Dr. ABDUL RAHMAN
RQP/BNG/282/2011/A

Data Digitally Signed by: Nandlal

[illegible] http://upbhulekh.gov.in Website [illegible]

[illegible] GIRJESH KUMAR

[illegible] 13-10-2017 01:46:59

[illegible]

0.22867

भारतीय गैर न्यायिक

भारत

दस रुपये

रु.10

TEN

NOTARIAL NOTARIAL

INDIA

INDIA NON JUDICIAL

उत्तर प्रदेश UTTAR PRADESH

29AD 145298

शपथ पत्र / इकरारनामा

जमील अहमद पुत्र / पत्नी हकीमुल्लाह निवासी छैरा तहसील घनघटा जिला सन्त कबीर नगर प्रथम पक्ष

जमील अहमद पुत्र हकीमुल्लाह प्रोपराइटर / पार्टनर हटार ब्रिक फील्ड स्थित उदहा जिला सन्त कबीर नगर द्वितीय पक्ष

प्रथम पक्ष ने अपने निम्नलिखित गाटे / भूमि को मिट्टी की खुदाई करने के लिए द्वितीय पक्ष को निम्न शर्तों पर दिया है।

यह कि उपरोक्त प्रथम पक्ष अपने गाटा नं० 327 व 323 रकबा 0.9170, 0.6000 रकबा स्थित ग्राम छैरा का मालिक व काबिज हूँ।

यह कि हम उपरोक्त प्रथम पक्ष अपने गाटा सं० 327 व 323 के रकबा 1.5170 मे से 0.1015 को मिट्टी खुदाई हेतु द्वितीय पक्ष को देने हेतु सहमत हूँ।

यह कि द्वितीय पक्ष उपरोक्त गाटा नं० से 2 मीटर की गहराई तक ही मिट्टी खुदाई करेगा।

यह इकरारनामा आज की तिथि से मान्य है

द्वितीय पक्ष प्रथम पक्ष को उपरोक्त कार्य हेतु वार्षिक रु० 3000 प्रति वर्ष की अदायगी करेगा।

अतएव यह इकरारनामा हम उभय पक्ष सोच समझकर बिना किसी जोर दबाव या नाजायज आग्रह के पूर्ण होशो हवाश मे समझ लिख दिया है। जो कि सनद रहे और समय पर काम आवें।

दिनांक:-

प्रथम पक्ष जमील अहमद

द्वितीय पक्ष

Dr. ABDUL RAHMAN
RQP/BNG/282/2011/A

rn and Verified
before me

27/10/17

PRAKASH SRIVASTAVA
vocate & Notary
Lucknow, U.P. India

उद्धरण खतौनी

उद्धरण क्रमांक : 1832522017107

[illegible] : 183252 [illegible] [illegible] [illegible] फसली वर्ष : 1421-1426 भाग : 1

खाता खतौनी क्रम संख्या	खातेदार का नाम / पिता पति संरक्षक का नाम / निवास स्थान	मौरूसिक अधिकार प्राप्त होने का वर्ष	खाते के प्रत्येक गाटे की खसरा संख्या	प्रत्येक गाटे का क्षेत्रफल (है.)	खातेदार द्वारा देय मालगुजारी या लगान	परिवर्तन सम्बन्धी आज्ञा या उसका संदर्भ उसकी संख्या तथा दिनांक सहित और आज्ञा देने वाले अधिकारी का पद	टिप्पणी
1	2	3	4	5	6	7-12	13
श्रेणी : 1-क / [illegible]							
00037	[illegible] / [illegible] / [illegible] / [illegible] / [illegible] / [illegible] / [illegible]	1379 1379	327म 328	0.9170 0.6000		[illegible] 4036 [illegible] 1422[illegible] [illegible] /21-11-14[illegible]022-11-14[illegible] [illegible] [illegible] दर्ज है।	
			2	1.5170	₹ 36.00	3	0

कुल गाटे- दो कुल क्षेत्रफल- [illegible] (हेक्टेयर) कुल भू-राजस्व - [illegible]

Data Digitally Signed by: Nandlal

[illegible] http://upbhulekh.nic.in Website [illegible]

[illegible] अधिकारी: GIRJESH KUMAR

[illegible]

दिनांक [illegible]: 13-10-2017 01:51:38

[illegible]

Dr. ABDUL RAHMAN
RCP/BNG/282/2011/A

0.10/13

भारतीय गैर न्यायिक

भारत

दस रुपये

रु.10

TEN RUPEES

NOTARIAL NOTARIAL

सत्यमेव जयते

INDIA

INDIA NON JUDICIAL

उत्तर प्रदेश UTTAR PRADESH

29AD 145297

शपथ पत्र / इकरारनामा

शकील अहमद पुत्र / पत्नी हकीमुल्लाह निवासी औरा तहसील धनघटा जिला सन्तकबीर नगर

प्रथम पक्ष

जमील अहमद पुत्र हकीमुल्लाह प्रोपराइटर / पार्टनर स्टार ब्रिक फील्ड स्थित औरा पौउदाहा जिला संत कबीर नगर

द्वितीय पक्ष

प्रथम पक्ष ने अपने निम्नलिखित गाटे / भूमि को मिट्टी की खुदाई करने के लिए द्वितीय पक्ष को निम्न शर्तों पर दिया है।

1. यह कि उपरोक्त प्रथम पक्ष अपने गाटा नं० 36, 33, 259, 252 रकबा 0.0990, 0.1740, 0.1960, 0.4150 रकबा स्थित ग्राम औरा का मालिक व काबिज हूँ।
2. यह कि हम उपरोक्त प्रथम पक्ष अपने गाटा सं० 36, 33, 259, 252 के रकबा 0.8840 मे से 0.881 को मिट्टी खुदाई हेतु द्वितीय पक्ष को देने हेतु सहमत हूँ।
3. यह कि द्वितीय पक्ष उपरोक्त गाटा नं० से 2 मीटर की गहराई तक ही मिट्टी खुदाई करेगा।
4. यह इकरारनामा आज की तिथि से मान्य है

द्वितीय पक्ष प्रथम पक्ष को उपरोक्त कार्य हेतु वार्षिक रू० 2,000 प्रति वर्ष की अदायगी करेगा।

अतएव यह इकरारनामा हम उभय पक्ष सोच समझकर बिना किसी जोर दबाव या नाजायज आग्रह के पूर्ण होशो हवास में समझ लिख दिया है। जो कि सनद रहे और समय पर काम आवें।

दिनांक:-

प्रथम पक्ष शकील अहमद

द्वितीय पक्ष

Dr. ABDUL RAHMAN
RQP/BNG/282/2011/A

Sworn and Verified before me

27/07/17

JAYA PRAKASH SRIVASTAVA
Advocate & Notary
... U.P. India

उद्धरण खतौनी

उद्धरण क्रमांक : 1032522017106

ग्राम क्रमांक : 183252 ग्राम का नाम / परगना : [illegible] तहसील : [illegible] जनपद : संतकबीर नगर फसली वर्ष : 1421-1426 भाग : 1

खाता खतौनी क्रम संख्या	खातेदार का नाम / पिता पति संरक्षक का नाम / निवास स्थान	मौरूसी अधिकार प्रारम्भ होने का वर्ष	खाते के प्रत्येक गाटे की खसरा संख्या	प्रत्येक गाटे का क्षेत्रफल (हे.)	खातेदार द्वारा देय मालगुजारी या लगान	परिवर्तन सम्बन्धी आज्ञा या उसका सारांश उसकी संख्या तथा दिनांक सहित और आज्ञा देने वाले अधिकारी का पद	टिप्पणी
1	---2---	3	4	5	6	7-12	13
श्रेणी 1-क / भूमि जो संक्रमणीय भूमिधरों के अधिकार में हो।							
00040	तैयबअहमद, [illegible] / [illegible] / नि. ग्राम मोहम्मद असलम, / . / . मोहम्मद कैसर / तैयबअहमद / नि. ग्राम	1396 1388 1396 1388	36 33 259 252	0.0990 0.1740 0.1960 0.4150			
			4	0.8840	₹ 31.05	0	0

कुल गाटे- चार कुल क्षेत्रफल- [illegible] (हेक्टेयर) कुल भू-राजस्व - [illegible]

Data Digitally Signed by: Nandlal

उपरोक्त उद्धरण खतौनी का सत्यापन http://upbhulekh.gov.in Website पर जाकर किया जा सकता है।

सम्बंधित अधिकारी: GIRIJESH KUMAR

तहसील: [illegible] जनपद: संतकबीर नगर

दिनांक एवं समय: 13-10-2017 01:30:10

[illegible]

Dr. ABDUL RAHMAN
RQP/BNG/23[illegible]/A

0.821


भूचित्र
शिवापार
जिला - बस्ती
छितौनी
मखदूम पुर
Dr. ABDUL RAHMAN
RQP/BNG/282/2011/A


Dr. ABDUL RAHMAN


Dr. ABDUL RAHMAN

UPVAT - XI

Department of Commercial Taxes, Government of Uttar Pradesh
(See sub-rule (8) and (10) of Rule - 32 of the UPVAT Rules, 2007)

Certificate of Registration and Allotment of TIN

09818800770

M/S STAR BRICK FIELD whose principal place of business is situated at **UDAHA POST-SHIVA PAR SKN,SKN** located in Commercial Tax Circle/Sector **Gorakhpur (A) / Sant Kabir Nagar Sector-1 , AC** subject to provisions of the Uttar Pradesh Value Added Tax Act, 2007, is hereby registered as a dealer and **09818800770** is allotted as its Taxpayer's Identification Number [TIN]

This Registration Certificate is valid with effect from **04-Jan-2005** till the business is discontinued

Nature of Business	WholeSaler, Retailer, Processor, Manufacturer
Place of branches in U.P. & outside U.P	NIL
Description of Trade/Commodity	1 . Ceramic building bricks, flooring blocks, support or filler tiles and the like
Prop./Partner/Director Name & Address	1 . JAMEEL AHMAD KHAIRA POST-GOVIND GANJ SKN

Registering Authority
Signature and seal .

Place: Sant Kabir Nagar
Date: 21-Dec-2009

Dr. ABDUL RAHMAN
RQP/BNG/282/2011/A

प्रपत्र–एम.एम. 8

खनन अनुज्ञा–पत्र के लिए प्रार्थना–पत्र (नियम–52) देखिये

(तीन प्रतियों में देना है)

स्थान .... दिनांक .... 20 .... समय .... बजे

दिनांक .... को प्राप्त हुआ

पाने वाले अधिकारी के हस्ताक्षर

सेवा में,

श्री मान् जिलाधिकारी

महोदय

[illegible] नगर

महोदय,

मैं/हम निवेदन करता हूं/करते हैं कि मुझे/हमें उत्तर प्रदेश उप खनिज (परिहार) नियमावली, 1963 के अधीन खनन अनुज्ञा–पत्र दिया जाये।

(2) इस प्रार्थना पत्र के सम्बन्ध में देय शुल्क 2000/- रु. जमा कर दिया गया है।

(3) अपेक्षित विवरण नीचे दिये गये हैं :–

(1) प्रार्थी का नाम और पूरा पता जमील अहमद पुत्र हबीबुल्लाह [illegible]

(2) क्या प्रार्थी अशासकीय व्यक्ति/निजी कम्पनी/सार्वजनिक कम्पनी/ फर्म या संघ है ....

(3) यदि प्रार्थी

(क) व्यक्ति विशेष है तो उसकी राष्ट्रीकता भारतीय

(ख) निजी कम्पनी है, तो कम्पनी के सभी सदस्यों की राष्ट्रियता और उसके निबंधन का स्थान

(ग) सार्वजनिक कम्पनी है तो निदेशकों की राष्ट्रियता, भारतीय राष्ट्रिकों द्वारा धृत अंश पूंजी का प्रतिशत तथा उसके निगमन का स्थान

(घ) फर्म या संघ है तो फर्म के सभी भागीदारों या संघ के सभी सदस्यों की राष्ट्रियता

(4) प्रार्थी का व्यवसाय या उसके कारोबार का प्रकार ईंट भट्ठा

Dr. ABDUL RAHMAN
RQP/BNG/282/2011/A

(5) खनिज, जिसे/जिन्हें प्रार्थी खनन करना चाहता हो :

(क) खनिज का नाम मिट्टी

(ख) जितना खनन किया जाना हो उसकी कुल मात्रा 34625.34 घन मीटर

(6) अवधि जिसके लिए खनन अनुज्ञा–पत्र अपेक्षित है 5 वर्ष

(7) उस क्षेत्र का ब्यौरा, जिसके सम्बन्ध में अनुज्ञा–पत्र अपेक्षित है :

जिला	तहसील	ग्राम	खसरा संख्या	क्षेत्रफल	क्या रिक्त है या किसी द्वारा धृत है और यदि धृत है तो उसके ब्यौरे
[illegible] नगर	[illegible]	[illegible]	658, 59, 59 / 75, 9105 / 148, 128, 133, 135	0.1135 / 0.3700 / 0.0212 / 0.9232	ग्राम– क्षेत्रों की दशा में ग्राम का नाम,और यदि ग्राम के केवल एक भाग के लिए प्रार्थना–पत्र दिया गया हो तो खसरा (ग्राम) संख्या

*प्रत्येक ऐसे खेत या उसके भाग की, जिसके लिए प्रार्थना पत्र दिया गया हो हेक्टर में क्षेत्रफल. 2.13713 हे०

(8) वन क्षेत्रों की दशा, में कार्यवृत्ति (वार्किंग सर्किल) का नाम, वनराजि (range) और पातन श्रेणियों (felling series) यदि कोई हों, वन में ज्ञात और सीमांकित क्षेत्रों के सम्बन्ध में क्षेत्र का विवरण तथा एकड़ों में विस्तार (लगभग)।

(9) भू–कर सर्वेक्षण के अन्तर्गत आने वाले क्षेत्र की दशा में, धरातल मानचित्र में निश्चित स्थानों के हवाले से क्षेत्र के प्रारम्भिक स्थल का विवरण और सीमा–रेखा की रेखीय दूरियां और उसके धरातल मानचित्र में दिए गये क्षेत्र के तदनुरूप यथासम्भव ठीक–ठीक दिक्स्थिति (4" =1 मील पैमाना)।

(10) रीति जिसके अनुसार संग्रह किय गए खनिज का उपयोग किया जाएगा।

(11) प्रार्थी के वित्तीय संसाधन।

(12) ऊपर 2 पर उल्लिखित धनराशि के लिए संलग्न रसीद वाले कोषागार चालान आदि के विवरण ।

(13) कोई अन्य विवरण या रेखा मानचित्र जो प्रार्थी द्वारा प्रस्तुत करना चाहें।

मैं/हम एतद्द्वारा घोषणा करता हूँ/करते हैं कि ऊपर दिए गये विवरण ठीक हैं और मैं/हम कोई अन्य ब्यौरे देने को तैयार हूँ/हैं, जो आपके द्वारा अपेक्षित है।

स्थान ....

दिनांक ....

उस्मान मेहन्दी

भवदीय,

प्रार्थी के हस्ताक्षर

अवधेय :– यदि प्रार्थना–पत्र पर प्रार्थी के प्राधिकृत अभिकर्ता द्वारा हस्ताक्षर किए जायें तो अभिकरण पत्र (power of Attorney) संलग्न किया जाना चाहिये।

Dr. ABDUL RAHMAN
RQP/BNG/282/2011/A

कोषागार प्रपत्र 209(1)
वित्तीय नियम संग्रह खण्ड-5 भाग-2
प्रपत्र संख्या-43ए(1)
(प्रस्तर 417 एवं 478 देखिये)
धनराशि जमा करने का चालान फार्म

	उप कोषागार/बैंक का नाम व पता	भारतीय स्टेट बैंक, शाखा खलीलाबाद सन्त कबीर नगर।
1	उस व्यक्ति (पदनाम यदि आवष्यक हो) व संस्था का नाम जिसके नाम से धनराशि जमा की जा रही है	मेसर्स स्टार ब्रिक फिल्ड उदहा तहसील घनघटा सन्त कबीर नगर।
2	पता	उदहा तहसील घनघटा सन्त कबीर नगर।
3	पंजीकरण संख्या/पक्ष का नाम व वाद सं0 (यदि आवष्यक हो)	श्री जमील अहमद पुत्र श्री हकीमुल्लाह खैरा तहसील घनघटा सन्त कबीर नगर।
4	जमा की जा री धनराशि का पूर्ण विवरण	आवेदन शुल्क रू0 2000-00
5	चालान की सकल धनराशि	रू0 2000-00
6	चालान की निबल धनराशि	
7	लेखाशीर्षक का पूर्ण विवरण	0853-अलौह खनन धातुकर्म 800-खनिज रियायत शुल्क किराया और स्वत्व शुल्क 01-खनिज रियायत शुल्क और स्वत्व शुल्क
8	लेखाशीर्षक का 13 डिजिट कोड-	

मुख्य लेखा शीर्षक				उप मुख्य शीर्षक		लघु शीर्षक			ब्यौरेवार शीर्षक		धनराशि अंकों में
0	8	5	3	0	0	8	0	0	0	1	रू0 2000-00

धनराशि शब्दों में- रू0 दो हजार रूपये मात्र ।

जमा कर्ता का नाम व हस्ताक्षर

चालान की पुष्टि करने वाले विभागीय अधिकारी के हस्ताक्षर मुहर सहित

केवल उपकोषागार/बैंक के प्रयोगार्थ

चालान सं0- KB2039 दिनांक .... रू0(अंकों में) 2000

(षब्दों में)........ प्राप्त किया।

प्राप्त कर्ता के हस्ताक्षर/ बैंक की मुहर सहित

Dr. ABDUL RAHMAN
UP/BNG/282/201..A

कार्यालय जिलाधिकारी,संत कबीर नगर।

(खनन अनुभाग)

संख्या 29 /खनन लिपिक दिनाँक 26 सितम्बर, 2019

मेसर्स स्टार ब्रिक फील्ड उदहा, तहसील घनघटा,
प्रो0 जमील अहमद पुत्र श्री हबीबुल्लाह,
ग्राम खैरा, तहसील घनघटा, संत कबीर नगर।

प्रमाणित किया जाता है कि मे0 स्टार ब्रिक फील्ड उदहा, तहसील घनघटा, प्रो0 जमील अहमद पुत्र श्री हबीबुल्लाह, ग्राम खैरा तहसील घनघटा, संत कबीर नगर के प्रार्थना पत्र दिनाँक 01.06.2019 के अन्तर्गत ग्राम खैरा के गाटा संख्या 147 रकबा 0.2726 हे0, 36, 33, 259, 252 रकबा 0.2210 हे0, ग्राम नरायनपुर के गाटा संख्या 697स, 658स, 593/2 रकबा 0.1135हे0 तथा ग्राम उदहा के गाटा संख्या 148, 129, 133, 135 रकबा 0.0121हे0, 75, 91क, 68 रकबा 0.3700 हे0, 110, 54 रकबा 0.221हे0, 70 रकबा 0.8232हे0, 327ख, 328 रकबा 0.1011हे0 कुल रकबा 2.1345हे0 के सम्बन्ध मे स्थलीय निरीक्षण किया गया। ओ0ए0 नम्बर 186/216 सतेन्द्र पाण्डेय बनाम् पर्यावरण वन एवं जलवायु परिवर्तन मंत्रालय, भारत सरकार व अन्य मे मा0 राष्ट्रीय हरित न्यायिकरण द्वारा पारित आदेश दिनाँक 13.09.2018 एवं पर्यावरण वन एवं जलवायु परिवर्तन भारत सरकार द्वारा जारी ओ0एम0 संख्या एल–11011/175/2018–1ए–।।(एम) दिनाँक 12.12.2018 के अनुसार प्रश्नगत खनन क्षेत्र की स्थिति निम्नवत है:-

प्रश्नगत खनन क्षेत्र की परिधि से 500 मीटर की दूरी मे वर्तमान मे कोई खनन क्षेत्र/खनन पट्टा/खनन अनुज्ञा नही है, परन्तु भविष्य मे स्थिति परिवर्तित होती है तो इसकी सूचना फर्म द्वारा इस कार्यालय को दी जायेगी, सम्बन्धित प्रकरण 0 से 5 हेक्टेयर तक है। अतः बी-2 से आच्छादित होता है।

Kumar 26/09/19

खान निरीक्षक,
संत कबीर नगर।
खनन निरीक्षक
संत कबीर नगर