

Government of India
Ministry of Environment, Forest and Climate Change
(IA Division – Industry - 1)

Indira Paryavaran Bhawan,
Jor Bagh Road, Ali Ganj,
New Delhi - 110 003

Dated: 30th June, 2017

To
As per list enclosed.

Subject: 20th Meeting of the Expert Appraisal Committee on Industry – 1 projects to be held on 10th to 12th July, 2017 New Delhi.

Sir,

The undersigned is directed to inform you that the project proposals, as mentioned in the enclosed Agenda for 20th meeting of the Expert Appraisal Committee for Industry - 1 Projects, scheduled to be held on **10th to 12th July, 2017** will be considered for appraisal. Venue shall be at Conference Hall (Teesta), 1st Floor, Vayu Block, Indira Paryavaran Bhawan, Jor Bagh, New Delhi -110003.

2. For the purpose, the documents such as Form-1, Pre-feasibility report, Environment Impact Assessment Report, public hearing report, queries subsequently raised by the Ministry, if any, and your para-wise comments thereto etc., in accordance with Environment Impact Assessment Notification, 2006 are required to be forwarded to the Chairman/Members of the Expert Appraisal Committee including details of the court matters/Orders of the Court pertaining to the project, if any. Accordingly, it is requested to forward a copy of each of these documents - Hard and Soft Copies (CD) to the Chairman/members of the Expert Appraisal Committee by speed post so as to reach the members well in time. Names and addresses of the Chairman/Members are enclosed for necessary action. All the documents including the hard copy of the presentation material should be legible and printed on both sides on ordinary paper. It is also requested to indicate the item number of the agenda while circulating the documents.

3. Please avoid delivery of documents by hand and seeking meeting with Chairman/Members in this regard. A copy of this letter may be enclosed as a reference while mailing the documents to the Chairman/Members.

4. It may be ensured that the Members receive the requisite documents pertaining to the projects latest by **05.07.2017** positively. **Failing which the Committee will not consider the project.**

5. Further, it is requested that the project proponent or his/her authorized representative should attend the presentation meeting of EAC. You may also depute your senior officers from the company in the capacity who can decisions (preferably not more than two representatives) who can make a presentation on your behalf on the salient features of the project, the related environmental issues, proposed Environmental Management Plan and respond to the queries/suggestions which Committee may raise during the discussions.

6. Any changes/modification with respect to the Agenda, Venue etc., would be indicated in the Ministry's website. You are also requested to keep track of the status of your project from the Ministry's Website i.e., www.envfor.nic.in.

7. A line in confirmation regarding participation of your representative in the meeting will be appreciated. It may be noted that only the EIA Coordinator who has already been accredited with Quality Council of India and his name is in the latest list can only accompany the proponent in the meeting.

8. It is requested that one hard copy of the documents such as Form-1, Pre-feasibility report, Environment Impact Assessment Report, Public Hearing Report, queries subsequently raised by the Ministry, if any, and your para-wise comments thereto etc., in accordance with Environment Impact Assessment Notification, 2006 shall be hand over at the time meeting.

9. Kindly send a **brief write up (Format enclosed as Annexure - 1) of project/executive summary of the project (maximum two page, paragraphs in word format) and the name of the consultant with the Sl. No. in the QCI list in a week's time by e-mail to the following addresses:**

sharath.kr@gov.in

rs.ratti@gov.in

Yours faithfully,
Sd/-
(Sharath Kumar Pallerla)
Scientist 'F'

Encl: As above.

LIST OF MEMBERS OF THE EXPERT APPRAISAL COMMITTEE (INDUSTRY-1) FOR CIRCULATION OF HARD COPIES

S.No	Name and Address	Position
1	Dr.Chhavi Nath Pandey , IFS(Retired), 726 B, Sector 8, (Behind Gandhinagar Samachar), Gandhinagar, Gujarat, Pin: 382008 Email:- cnpandey@iitgn.ac.in and cnpandey@gmail.com	Chairman
Members		
2.	Director, Central Pulp and Paper Research Institute Paper Mill Road, P.B.No.174, Saharanpur-247 001, Uttar Pradesh.	Member
3.	Director, Central Leather Research Institute , (Council of Scientific & Industrial Research), Adyar, Chennai- 600 020, Tamil Nadu.	Member
4.	Dr. Siddhartha Singh , Scientist – D (Air Quality Monitoring & Ozone Unit) Environmental Monitoring & Research Centre, Indian Meteorological Department, Lodhi Road, New Delhi - 110003	Member
5.	Representative of Central Ground Water Board Bhujal Bhawan, NH-IV, Faridabad, Haryana- 121001.	Member
6.	Dr. G. Bhaskar Raju Flat No.2H, ASV Sunrise Apartments, No.3, Padmavathi Avenue, Tirumalainagar Annex, Perungudi, Chennai-600 096. Email:- gbraju55@gmail.com	Member
7.	Dr. Jagdish Kishwan , IFS(Retired) Flat No.702-B, True Friends Apartments, Sector 6, Plot No.29, Dwarka, New Delhi-110075. Email:jkishwan@gamil.com	Member
8.	Dr. G.V.Subrahmanyam C-22, Kendriya Vihar, Sector – 51, Noida, Uttar Pradesh, Email:sv.godavarthi@gamil.com	Member
9.	Prof. Arun Pandey Department of Botany, University of Delhi, Delhi-110007. Email: arunpandey79@gmail.com	Member
10.	Shri Santosh Raghunath Gondhalekar 'Shree', 22, Tukaram Society, Santnagar, Pune -411009, Maharashtra. Email: santoshgo@hotmail.com	Member
11.	Shri Ashok Upadhyay B10/7052, Vasant Kunj, New Delhi-110 070. Email: ahupadhy@rediffmail.com	Member
12.	Sharath Kumar Pallerla Scientist 'F'/Director, Indira Paryavaran Bhawan Jor Bagh Road, AliGanj, New Delhi, email: sharath.kr@gov.in	Member Secretary

AGENDA

20th MEETING OF THE EXPERT APPRAISAL COMMITTEE (INDUSTRY - 1) BEING HELD DURING 10th to 12th JULY, 2017

VENUE: Conference Hall (Teesta), 1st Floor, Vayu Block, Indira Paryavaran Bhawan, Jor Bagh, New Delhi -110003
DATE: 10th to 12th July 2017
TIME: 10:00 AM

19.1 Opening Remarks of the Chairman

19.2 Confirmation of the Minutes of the 19th Expert Appraisal Committee (Industry-1) held during 8th to 9th June, 2017.

CONSIDERATION OF PROPOSALS:

10th July, 2017 Monday (Teesta)

- 20.1. Expansion in production capacity (47850 to 1,13,850 TPA) of existing cement manufacturing plant (Only Grinding unit) by addition of ball Mill having capacity 200 TPD at Village Pathrala, Rural Focal Point, Tehsil & District Bathinda, Punjab by **M/s New Century Cement Company** - [Online Proposal No. **IA/PB/IND/65681/2017**, MoEF&CC File No. **J-11015/622/2010-IA.II (I)**] – **Terms of Reference**.
- 20.2. Proposed Expansion of Integrated Cement Plant - Clinker (2 x 2.6 to 3 x 4.5 Million TPA), Cement (2 x 3.0 to 3x 5.5 Million TPA), Captive Power Plant (25 to 125 MW) and Waste Heat Recovery Power Plant (30 to 100 MW) at Village: Khapradih, Tehsil: Simga, District: Balodaabazar- Bhatapara (Chhattisgarh) by **M/s. Shree Raipur Cement Plant** (A unit of Shree Cement Ltd.)- [Proposal No. **IA/CG/IND/65209/2017**. MoEF&CC File No. J-11011/235/2008-IA II (I)] - **Terms of Reference for Expansion**
- 20.3. Mini Blast Furnace (1 X 65 m³) and Sinter Plant (1 X 12 m²) of **M/s Purulia Metal Casting Private Limited**, located at Village Bongabari, P.O. Vivekanandanagar, District Purulia, West Bengal [Online proposal No. IA/WB/IND/65443/2016, MoEF&CC File No. J-11011/236/2016-IA.II(I)] – **Environmental Clearance based on ToR**.
- 20.4. Expansion of Steel Plant – DRI Kilns (Sponge Iron from 60,000 to 2,70,000 TPA); Induction Furnace (MS Billets from 48,000 to 3,51,000 TPA); New Rolling Mill (Structural Steel & Rolled products -3,00,000 TPA); WHRB based power plant (from 4 to 24 MW); FBC based power plant (from 4 to 20 MW); Submerged Electric Arc Furnaces (SiMn – 28,800 TPA OR FeMn – 28,800 TPA OR FeSi – 14,000 TPA) at Village Gourmudi, Tehsil Tamnar, District Raigarh, Chhattisgarh by **N R Ispat and Power Private Limited**. [Online Proposal No. IA/CG/IND/65703/2008, MoEF&CC File No. J-11011/225/2008-IA.II(I)] – **Terms of Reference for expansion**.

- 20.5. Setting up of SiMn (14,400 TPA) or FeMn (25,200 TPA) or FeCr (15,000 TPA) or FeSi (7,000 TPA) or Pig Iron (25,200 TPA) in the proposed 1 x 9 mVA SEAF in the existing 7.5 MW power plant premises at Khamhardih Village, Pathariya Tehsil, Mungeli District, Chhattisgarh by **M/s Real Power Private Limited** [Proposal No. **IA/CG/IND/65639/2004**, Earlier EC No. **4874/TS/CECB/2004**; MoEF&CC File No. **IA-J-11011/347/2017-IA-II(I)**] – **Terms of Reference for Expansion.**
- 20.6. Expansion of Ferro Alloys unit – Enhancement in production capacity of Ferro Alloys from 16500 TPA to 33,000 TPA by installing additional 1x9.6 MVA Submerged Arc Furnace with the existing steel plant at plot No.428/2, Phase-I, Industrial Area, Siltara, Raipur by **M/s Godawari Power and Ispat Ltd-** [Online Proposal No. **IA/CG/IND/65739/2017**, MoEF&CC File No. J-11011/326/2005-IA.II(I)] – **Terms of Reference for Expansion.**
- 20.7. Expansion cum modification of its existing 6 x 9 MVA Submerged Arc Furnace (9312.08 TPM) to 9x9 MVA Submerged Arc Furnace (13,968 TPM) and addition of production of Fe-Cr and Fe-Si to its existing Fe-Mn & Si-Mn (4 products) by **M/s Modern India Concast Ltd** at Bhuniaraichhak, Haldia, Dist. Purba Midinipur, West Bengal – [Online Proposal No. **IA/WB/IND/65567/2017**, F.No. J-11011/1297/2007-IA.II(I)] - **Terms of Reference for Expansion.**
- 20.8. Proposed Integrated Steel Plant of 5.26 MTPA capacity with coal based Captive Power Plant of 450 MW at K.B.Hali, Chaganuru, Siriwara, Bevinahalli villages, Bellary Taluka, Bellary district, Karnataka by **M/s Vedanta Limited** –[Online Proposal No. **IA/KA/IND/65405/2017**, MoEF&CC File No. **IA-J-11011/330/2017-IA.II (I)**] – **Terms of Reference for new project.**
- 20.9. Setting up Coal based Captive Power plant of 18 MW within the existing Cement Plant located at Mattapalli village, Matampally Mandal, Suryapet District, Telangana State by **M/s Sagar Cements Limited** – [Proposal No. **IA/TG/IND/65063/2017**, MoEF&CC File No. **J11011/379/2006-IA II (I)**] – **Terms of Reference for expansion.**
- 20.10. Proposed Expansion of Cement Plant by Installation of Line- II (Clinker -1.6 MTPA, Cement 2.6MTPA & D.C. Set - 2.5 MW) at Villages - Bhavaliya & Mangrol, Tehsil - Nimbahera, District Chittorgarh (Rajasthan) by **M/s. Nuvoco Vistas Corp. Ltd.** (Formerly Lafarge India Ltd.)- [Online Proposal No. **IA/RJ/IND/23558/2014**, F.No. J-11011/134/2014-IA-II(I)] - **Change of the Name of the Company and Extension of Validity of ToR.**
- 20.11. Expansion of Steel Plant (0.3 to 1.0 MTPA) at Village Jumbulapadu, Mandal Tadipatri, Anantapur, Andhra Pradesh by **M/s Kalyani Gerdau Steel Ltd.** (Formerly, M/s SJK Steel Plant Ltd.) [Proposal No. **IA/AP/IND/4225/2010**, F. No. J-11011/322/2008-IA.II(I)- **(Extension of validity of Environmental Clearance) – Reconsideration based on ADS.**
- 20.12. Proposed Integrated Cement Plant - Clinker (1.0 MTPA), Cement (1.371 MTPA), Captive Power Plant (18 MW) and D.G. Set (5 MW) at Village: Ghorawat, Tehsil: Bhopalgarh, District: Jodhpur (Rajasthan) by **M/s. Marwar Cement Limited** (Formerly Vedanta Industries Limited). [Online Proposal No. **IA/RJ/IND/2884/2010**; MoEF&CC File No. **J-11011/154/2009-IA.II(I)**] – **Validity extension of EC**

11^h July, 2017 Tuesday (Teesta)

- 20.13. Proposed expansion of Aluminum melting from 20,000 TPA to 30,000 TPA, Propane Storage from 50 MT to 100 MT and power back up from 4.9 MW to 37.3 MW at plot no SPL-1, Tapukara Industrial Area, Tehsil Tijara, District Alwar, Rajasthan by **M/s Honda Cars India Ltd.**- [Online Proposal No. IA/RJ/IND/5996/2013, MoEF&CC File No. J-11011/64/2013-IA-II(I)] - Environmental Clearance based on ADS reply submitted on 8th June 2017.
- 20.14. Expansion of Pig Iron Plant (from 0.21 MTPA to 0.587); Integrated Steel Plant comprising of 0.387 MTPA TMT Rods, Angles, & Channels and 0.2 MTPA DI Pipes; located at Raturia Industrial Area, Angadpur, Durgapur, District Bardwan by **M/s KIC Metaliks Ltd.**, [Online Proposal No. IA/WB/IND/65103/2016, MoEF&CC File No. J-11011/556/2009-IA-II-(I)] - Amendment in ToR for proposed 22 MW AFBC, increase MBF configuration from 215 m³ to 245 m³ and an additional 1 x 25 m² Sinter plant
- 20.15. Proposed green field Integrated Steel Plant Complex of 7 MTPA capacity with 1320 MW Captive Power Plant and Associated facilities at Kalmi, Gorkha, Dhangarh, Bhaganpur, Jorapali, Parsada, Chiraipani, Khairpur, Patrapali, Gejamuda villages, Raigarh Tehasil and District, Chhattisgarh by **M/s. Jindal Steel and Power Ltd.** [Online Proposal No. **IA/CG/IND/56216/2014**, MoEF&CC File. No. J-11011/73/2009-IA.II (I)] – **Extension of validity of ToR.**
- 20.16. Expansion of Integrated Steel Plant of **M/s Nalwa Steel & Power Ltd.**, at village Taraimal, Tehsil Gharghoda, Dist. Raigarh, Chattisgarh. [Proposal No. IA/CG/IND/23753/2007, F.No. J11011/1108/2007-IA-II(I)]- Reconsideration for Environment Clearance.
- 20.17. Expansion of Existing Sponge Iron Plant into an Integrated Steel Plant of **M/s M.P.S. Steel Castings (P) Ltd.**, located at Wise Park, Kanjikode, Palakkad, Kerala. [Online proposal No. IA/KL/IND/26375/2015, MoEF&CC File No-J-11011/02/2015-IA.II(I)] – **Environmental clearance based on reply to ADS submitted on 12th June, 2017.**
- 20.18. Expansion of Total Production Capacity and augmentation of integrating melting and rolling facility (from 54000 TPA to 92500 MT/Annum) at Vil: Baliana, Post: Barotiwala, Tehsil: Baddi, Dist: Solan, State: Himchal Pradesh by **M/s. Kundlas Loh Udyog** [Online proposal No. IA/HP/IND/65822/2017 MoEF&CC File No. IA-J-11011/350/2017-IA-II(I)] – **Terms of Reference.**
- 20.19. Modification -Cum-Expansion Of 1.6 MTPY Stainless Steel Plant (1.6 MTPA) located at Kalingnagar Industrial Complex, Dangadi, Jajpur, Odisha by **M/s Jindal Stainless Limited** [Online proposal No. IA/OR/IND/20365/2007, MoEF&CC File No. J-11011/281/07-IA-II (I)] - De-merger of present company Jindal Stainless Limited (JSL) into three companies on Composite Scheme of Arrangement among Jindal Stainless Limited (JSL), Jindal United Steel Limited (JUSL) and Jindal Coke Limited (JCL).

- 20.20. Expansion of Integrated Steel Plant (from 10 MTPA to 16 MTPA) along with Captive Power Plant (600 MW) of **M/s JSW Steel Ltd.**, located near village Tornagallu, District Bellary in Karnataka. [Online Proposal No. IA/KA/IND/31502/2010, MoEF&CC File No. J-11011/489/2009-IA.II(I)]- **Amendment in Environment Clearance** regarding optimization of existing facilities in product mix in rolling mill area and other minor changes in the operating units; Cost of CSR Plan; Greenbelt and Partial Transfer EC of some of existing units – Based on ADS reply dated 28.06.2017
- 20.21. Expansion of integrated Steel Plant from 5 MTPA to 10 MTPA and Power Plant from 300 MW to 600 MW (Gas Based) at Geethapuram, Village Dolvi, Tehsil Pen, District Raigarh in Maharashtra by M/s JSW Steel Limited. [F. No. J-11011/76/2013-IA.II(I)]. [Online Proposal No. IA/MH/IND/18771/2012 for Partial transfer of clinker grinding unit to **M/s JSW Cement Ltd.**; Proposal No. IA/MH/IND/41055/2015 for **Partial transfer of Coke Plant M/s Dolvi Coke Projects Ltd and amendment in EC regarding Greenbelt Development and Cost of CSR Plan.**
- 20.22. Expansion of Steel Plant by installation of Coke Oven (1.2 MTPA Recovery type) located at Hazira , Choryasi, Surat, Gujarat by **M/s. Essar Steel India Limited (ESIL)** [Online proposal No. IA/GJ/IND/4155/2010; J-11011/313/2009-IA.II(I)] – **Extension of Validity of EC**
- 20.23. Aswan Silica sand beneficiation plant with throughput capacity of 0.6 MTPA of **M/s Mangalore Minerals Pvt. Ltd.**, village Chattara, Allahabad, Uttar Pradesh. Online proposal No. IA/UP/IND/59480/2011; J-11015/188/2011-IA. II(M) – **corrigendum EC**
- 20.24. Setting up for manufacturing of Clinker (5,40,000 TPA), Portland Slag Cement (9,37,500 TPA), Portland Pozzolana Cement (1,80,000 TPA) and Captive Power plant (20 MW) with captive railway siding at Village Hansda, District Saraikela Kharsawan in Jharkhand by **M/s Jupiter Cement Industries** Online Proposal No. IA/JH/IND/6147/2010 MoEF File No. J-11011/692/2008-IA.II(I) – **Extension of validity of Environmental Clearance**
- 20.25. Proposed Enhancement in Clinker Production Capacity (8.4 to 8.9 MTPA) by Process Optimization at Village: Sawa-Shambupura, Tehsil & District: Chittorgarh (Rajasthan) by **M/s. UltraTech Cement Ltd.** (Unit: Aditya Cement Works) Online Proposal No. IA/RJ/IND/53064/2016; MoEF&CC File No J-11011/405/2011-IA-II(I) – **Environmental clearance under clause 7(ii) of EIA Notification, 2006 – Based on reply of the PP dated 7th February, 2017.**

Format for Brief Write-Up (Environment Clearance)

The of M/s located in Village, Tehsil, District, State..... was initially received in the Ministry on20... for obtaining Terms of Reference (ToR) as per EIA Notification, 2006. The project was appraised by the Expert Appraisal Committee (Industry) [EAC(I)] during itsth meeting held on, 20.... and prescribed ToRs to the project for undertaking detailed EIA study for obtaining environmental clearance. Accordingly, the Ministry of Environment, Forest and Climate Change had prescribed ToRs to the project on20.... vide Lr. No.

2. Based on the ToRs prescribed to the project, the project proponent submitted an application for environmental clearance to the Ministry online on201..... vide Online Application No.

3. The project of M/s.....located inVillage ,Tehsil ,District ,State is for setting up of a new for production ofmillion tones per annum (million TPA) of/ enhancement of production of from..... tomillion tonnes per annum (million TPA). The existing project was accorded environmental clearance vide lr.no.dated.....The Status of compliance of earlier EC was obtained from Regional Office, Bangalore/Bhubaneshwar/Bhopal/Chennai/Chandigarh/Dehradun/Laknow/Nagpur/Ranchi/Shilong vide Lr. No., dated.....There is no non-compliances reported by Regional officer. The proposed capacity for different products for new site area as below:

Name of unit	No. of units	Capacity of each Unit	Production Capacity

4. The total land required for the project isha, out of whichha is an agricultural land,ha is grazing land andha is others (.....Government Land). No /forestland involved. The entire land has been acquired/ not acquired for the project. The River passes through the project area (p./c). It has been reported that no water body/ water body exist around the project and modification/diversion in the existing natural drainage pattern at any stage has not been proposed.

5. The topography of the area is.....(flat/undulated) and reported to lies between⁰.¹..” to ..⁰.¹..” N Latitude and ..⁰.¹..” to ..⁰.¹..” E Longitude in Survey of India topo sheet No., at an elevation ofm AMSL. The ground water table reported to ranges between below the land surface during the post-monsoon season and below the land surface during the pre-monsoon season. Based on the hydro-geological study, it has been reported that the radius of influence of pumped out water will bem. Further, the stage of groundwater development is reported to be....% and ...% in core and buffer zone respectively and thereby these are designated as safe/critically exploited areas.

6. The National Park/WL etc are located at a distance of KM from the site/No national park/wildlife sanctuary/biosphere reserve/tiger reserve/elephant reserve etc. are reported to be located in the core and buffer zone of the project. The area also does not report to form corridor for Schedule-I fauna. The authenticated list of flora and fauna provided through thereporting presence of no /schedule-I fauna in the study area (Annexure-... of EIA).

7. The process of project showing the basic raw material used and the various processes involved to produce the final output, waste generated in process.
8. The targetted production capacity of theismillion TPA. The ore for the plant would be procured from(linkages.....). The ore transportation will be done through(Rail/Road/Conveyor/Slurry Pipeline).
9. The water requirement of the project is estimated asm³/day, out of whichm³/day of fresh water requirement will be obtained from the and the remaining requirement ofm³/day will be met from theThe permission for drawl of groundwater / surface water is obtained from vide Lr. No.date.....
10. The power requirement of the project is estimated asMW, out of whichMW will be obtained from the
11. Baseline Environmental Studies were conducted during -----season i.e. fromto, 20.....Ambient air quality monitoring has been carried out at 8 locations duringto and the data submitted indicated: PM10 (.....µg/m³ toµg/m³), PM2.5 (..... toµg/m³), SO₂ (..... to µg/m³) and NO_x (..... to µg/m³). The results of the modeling study indicates that the maximum increase of GLC for the proposed project is µg/m³ with respect to the PM10, µg/m³ with respect to the SO₂ µg/m³ with respect to the NO_x.
12. Ground water quality has been monitored inlocations in the study area and analysed. pH:to....., Total Hardness:to..... mg/l, Chlorides: to mg/l, Fluoride:to mg/l. Heavy metals are within the limits. Surface water samples were analysed from locations. pH:to; DO:to..... mg/l and BOD:mg/l. COD from.....to.....mg/l.
13. Noise levels are in the range ofto..... dBA for daytime andto..... dBA for nighttime.
14. It has been reported that there are people in the core zone of the project. No/ R&R is involved. It has been envisaged that families to be rehabilitated, which will be provided compensation and preference in the employment.
15. It has been reported that a total of tons/m³ of waste will be generated due to the project, out of which will be used in And...will be dumped in the earmarked dump yard. It has been envisaged that an area ofha will be developed as green belt around the project site to attenuate the noise levels and trap the dust generated due to the project development activities.
16. It has been reported that the Consent to Establish / Consent to Operate from the State Pollution Control Board / Pollution Control Committee obtained vide Lr. No.....dated.....and consent is valid up to
17. The Public hearing of the project was held on20.. at.....under the chairmanship of(designation) for production ofmillion TPA of/ setting up ofplant, under the The issues raised during public hearing are..... An amount ofLakhs (.....% of Project cost) has been earmarked for Enterprise Social Commitment based on public hearing issues.

18. The capital cost of the project is Rs.....Crores and the capital cost for environmental protection measures is proposed as Rs.....Lakhs. The annual recurring cost towards the environmental protection measures is proposed as Rs.....Lakhs . The detailed CSR plan has been provided in the EMP in its page No.to.....The employment generation from the proposed project / expansion is

19. Greenbelt will be developed in Ha which is about% of the total acquired area. A 100 m wide greenbelt, consisting of at least 3 tiers around plant boundary will be developed as greenbelt and green cover as per CPCB/MoEF&CC, New Delhi guidelines. Local and native species will be planted with a density of 2500 trees per hectare. Total no. of saplings will be planted and nurtured in a in years.

20. The proponent has mentioned that there is no court case or violation under EIA Notification to the project or related activity.

Format for Brief Write-Up (ToR)

- 1.0 M/s.proposes to install a new/expansion of existing manufacturing unit for It is proposed to set up the plant for based ontechnology. The project proponent submitted an application in the prescribed format along with Form-1 and other reports to the Ministry online on201..... vide Online Application No.
- 2.0 The existing project was accorded environmental clearance vide Ir.no.dated.....Consent to Operate was accorded byState pollution Control Board vide Ir. no.validity of CtO is up to
- 3.0 The proposed unit will be located at..... Village:, Taluka:, District:, State:
- 4.0 The land area acquired for the proposed plant isHa out of which ha is an agricultural land,ha is grazing land andha is others (.....Government Land). No /forestland involved. The entire land has been acquired/ not acquired for the project. Of the total area Ha (.....%) land will be used for green belt development.
- 5.0 The National Park/WL etc are located at a distance of KM from the site/No national park/wildlife sanctuary/biosphere reserve/tiger reserve/elephant reserve etc. are reported to be located in the core and buffer zone of the project. The area also does not report to form corridor for Schedule-I fauna.
- 6.0 Total project cost is approx Crore rupees. Proposed employment generation from proposed project will be direct employment and indirect employment.
- 7.0 The targetted production capacity of theismillion TPA. The ore for the plant would be procured from (linkages.....). The ore transportation will be done through(Rail/Road/Conveyor/Slurry Pipeline). The proposed capacity for different products for new site area as below:

Name of unit	No. of units	Capacity of each Unit	Production Capacity

- 8.0 The electricity load of MW will be procured from Company has also proposed to install DG Set.
- 9.0 Proposed raw material and fuel requirement for project are Requirement would be fulfill by as well as Fuel consumption will be mainly
- 10.0 Water Consumption for the proposed project will be and waste water generation will be Domestic waste water will be treated and industrial waste water generated will be treatedand reused
- 11.0 The proponent has mentioned that there is no court case or violation under EIA Notification to the project or related activity.

Format for Brief Write-Up (Amendment proposals/Extension of validity of EC/ToR)

1. Kindly provide details of earlier project along with details of EC/ToR granted for the project with letter no and date of issue.
2. Compliance status of the EC from the Regional Office of MoEF&CC
3. Amendment required. (In case of amendment)

Additional Format for Brief Write-Up (Violation Cases)

1. Details of Violation.
2. Period of Violation
3. Details of mitigation plan
4. Details of community augmentation plan