

235th meeting of Expert Appraisal Committee to be held on 26th May, 2020 for Projects related to Infrastructure Development, Industrial Estate/Parks/Complexes/Areas, Export Processing Zones, Special Economic Zones, Biotech Parks, Leather Complexes and National Highways

REVISED AGENDA

Venue: Through Video Conferencing only, in wake of COVID19 epidemic.

Please Check MoEF&CC website at <https://parivesh.nic.in> for details and updates.

Instructions: Project Proponents are requested to strictly follow the following instructions:

1. Brief and presentations and other requisite documents (Annexures as applicable) are advised to email to the EAC/Ministry so that the EAC shall examine before start of EAC meeting, scheduled to be held on 26th May, 2020 through Video Conferencing only.

2. It is requested that the project proponent or his/her authorized representative should participate the presentation meeting of EAC through Video Conferencing only (preferably not more than two representatives) who can make a presentation on their behalf on the salient features of the project, the related environmental issues, proposed Environmental Management Plan and also respond to the queries/suggestions of the Committee.

3. NIC, MoEFCC will moderate the Video Conferencing meeting. The Guidelines related to connecting VC is annexed herewith (Annexure III). PP will be ready before 10 minutes of the slot allowed to them. If any problem faced please contact Mr. Kamal, Moderator, NIC (Mobile No. 8800225087, email- support-ipb@nic.in).

4. Kindly prepare/make the presentation before the EAC. Copy of Presentation, Brief and Annexure in word format as applicable shall be forwarded to the EAC/Ministry **latest by 20th May, 2020** through email, failing to this, Committee will not consider the project. Soft copies of above shall also be emailed at kodali.rk@gov.in, ashish.k@nic.in and mefcc.ia3@gmail.com

5. Proponent shall also forward a hard copy (along with a Soft Copy in Pen drive) of above mentioned documents to the Member secretary, Infra-1 (**Note: Not by Name**) through speed post so as to reach well in time, i.e., at least 4 days prior to the day of scheduled EAC meeting

Day: 26th May, 2020

Time: 11:00 AM to 5:30 PM

1. Opening remarks of the Chairman:
2. Confirmation of the minutes of the 234th meeting held on 27th April, 2020 at Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi.
3. Consideration of Proposals:

Sl. No.	Proposal
3.1 Time Slot (11:00 AM to 12:00 AM)	Proposed additional high altitude roads of Toong-Partem PT 4865 under Phase-II in the State of Sikkim by M/s Border Road Project Division-I, CPWD, Sikkim - Environmental Clearance [Proposal No. IA/SK/NCP/124404/2019] [F. No. 10-31/2020-IA.III]

<p>3.2</p> <p>Time Slot (12:00 PM to 12:45 PM)</p>	<p>Developmental expansion of Industrial park over an area of 1415.25 ha in addition to existing Developed area of 290.37 ha within total permitted area of 1705.62 ha in respect of Khed City Industrial Park at Khed Taluka, District Pune, Maharashtra by M/s Khed Economic Infrastructure Pvt. – Terms of Reference</p> <p>[Proposal No. IA/MH/NCP/152981/2020] [F. No. 21-944/2007-IA.III]</p>
<p>3.3</p> <p>Time Slot (12:45 PM to 1:30 PM)</p>	<p>Proposed development of Industrial Park (Area 631.108 ha) at Therkuveerapandiyapuram & Silanatham villages of Ottapidaram Taluk and Meelavittan village of Thoothukudi Taluk, Thoothukudi District, Tamil Nadu by M/s State Industries Promotion Corporation of Tamil Nadu Limited (SIPCOT) - Terms of Reference</p> <p>[Proposal No. IA/TN/NCP/152025/2020] [F. No. 21-37/2020-IA.III]</p>
<p>Time Slot (1:30 PM to 2:30 PM)</p>	<p>Lunch Break</p>
<p>3.4</p> <p>Time Slot (2:30 PM to 3:00 PM)</p>	<p>Development of Industrial Estate Rai Sector-38 Phase-II and Sector 39 at Rai, District Sonapat, Haryana by M/s Haryana State Industrial and Infrastructure Development Corporation Limited (HSIIDC) – Further consideration of Terms of Reference</p> <p>[Proposal No. IA/HR/NCP/142015/2020] [F. No. 21-31/2020-IA.III]</p>
<p>3.5</p> <p>Time Slot (3:00 PM to 3:30 PM)</p>	<p>Up-gradation to 2/4 Lane with paved shoulder NH configuration starting from junction with NH-316 near Konark connecting to Digha project stretch starts at Basudevpur, Chandipur, Chandaneshwar in the state of Odisha and terminating at Digha in the state of West Bengal under Bharatmala project (Length 108.66 km) by M/s National Highways Authority of India – Amendment to Terms of Reference</p> <p>[Proposal No. IA/OR/MIS/88571/2018] [F. No. 10-12/2019-IA.III]</p>
<p>3.6</p> <p>Time Slot (3:30 PM to 4:30 PM)</p>	<p>Development of proposed new National Highway NH-754K greenfield alignment Sanchore - Santalpur section (Economic Corridor-3) starting from Vantdau in Banaskantha district to Ranmalpura in Patan district in the State of Gujarat (125.185 km) by M/s National Highways Authority of India – Further consideration for Environmental Clearance</p> <p>[Proposal No. IA/GJ/MIS/75732/2018] [F.No. 10-60/2018-IA.III]</p>
<p>3.7</p>	<p>Any other item with the permission of Chair.</p>

List of the Members

1. Dr. Deepak ArunApte, (Chairman-EAC), Director, Bombay Natural History Society(BNHS), Hornbill House, Shahid Bhagat Singh Road, Lion Gate, Fort, Mumbai – 400 001; **E-mail: director@bnhs.org**
 2. Dr. V.K Jain, Professor of Chemistry, School of Sciences, Gujarat University, C-101, Pruthvi Tower, Jodhpur Gam Road Satellite, Ahmedabad - 380 015; **E-mail: drvkjain@hotmail.com**
 3. Dr. M.V. Ramana Murthy, Project Director, National Institute of Ocean Technology, Velachery – Tambaram Main Road, Narayanapuram, Palikaranai, Chennai - 600 100; **E-mail: ramana2865@gmail.com**
 4. Shri Rajesh I. Shah, VIKAS Centre for Development, Ishavasyam, Opp. Lajpatnagar, Eeshita Towers Road, Navrangpura, Navjeevan, Ahmedabad - 380 014; **E-mail: rishah51@gmail.com**
 5. Dr. N.K Verma, Former AD, CPCB, 602, SkytechMagadh, Vaishali, sector 3, Ghaziabad (U.P.); **E-mail: nawalkishor.verma11@gmail.com**
 6. Dr.ManoranjanHota, Former Advisor, MoEF&CC, G, K-184, Gulshan Ikebana, Ikebana, Sector-143, Noida, GautamBudh Nagar (Uttar Pradesh) 201 301; **E-mail: hota_m@yahoo.com**
 7. Dr. Anil Kumar Singh, IFS (Retd), Ex PCCF Assam, Tower F, Float No. 103 Grand Anjara Heritage, Sector-74 Noida (UP); **E-mail: ageans@gmail.com**
 8. Shri Prabhakar Singh, Retd. Director General, C.P.W.D., Flat No. C-4, Tower No. 8, New Moti Bagh, New Delhi - 23; **E-mail: prabhakardelhi@yahoo.com**
 9. Shri Narendra Surana, Managing Director, Bhagyanagar India Limited and Surana, Telecommunication and Power Limited, 5th Floor, Surya Towers, Sardar Patel Road, Sikandarabad - 500 003 (AP); **E-mail: narender@surana.com**
 10. Dr. Mohan Singh Panwar, Associate Professor, Deptt. of Geography (School of Earth Science), H.N.B. Garhwal Central University, Srinagar, Garhwal - 246 174 (Uttarakhand); **E-mail: mohanpanwar310@yahoo.in**
 11. Dr.Anuradha Shukla, Member (EAC), Central Road Research Institute (CRRI), CRRI, Mathura Road, New Delhi-110 025; **E-mail: anuradha.crri@gmail.com**
 12. Shri R Debroy, Member (EAC), Scientist E& In-charge (ESS), Central Pollution Control Board, PariveshBhawan, CBD-Cum Office Complex, East Arjun Nagar, Delhi -110 032; **E-mail: rajeshdebroy.cpcb@nic.in**
 13. Dr. D. Chakraborty, Scientist, CGWA, West Block-II, Wing-3 (Ground Floor), Sector-1, R K Puram, New Delhi - 110 066; **E-mail: durjoy.09@gmail.com**
 14. Smt. BinduManghat, Director, Western Printing Group, Survey of India, Near Palam Railway Crossing, Palam village Road, Delhi Cantt. New Delhi – 110 010;**E-mail: bindu.manghat soi@gov.in**
 15. Shri Raghu Kumar Kodali, Member Secretary (EAC), Scientist F, Ministry of Environment, Forest and Climate Change, Indira ParyavaranBhawan, Room No. 503,5thFloor, Vayu Wing, JorBagh Road, Aliganj, NewDelhi- 110 003; **E-mail:kodali.rk@gov.in**
- Please send hard copy documents at address given below:**
16. Section Officer, IA-III Section, Ministry of Environment, Forest and Climate Change, Indira Paryavaran Bhawan, 6th Floor, Akash Wing, Jor Bagh Road, Aliganj, New Delhi – 110 003.

Annexure-I

1. The proponent shall avoid delivery of documents by hand and seeking meeting with the Chairman/Members in this regard.
2. It may be ensured that the Members receive the requisite soft copy of documents pertaining to the projects one week prior to the meeting positively. In case the members of the **Expert Appraisal Committee do not receive the documents, the Committee will not consider the project.**
3. Further, the project proponent or his/her authorized representative should attend the meeting of EAC.
4. A copy of work order issued by the project proponent in favour of QCI/NABET accredited consultant appointed for carrying out EIA study and EMP preparation for this project.
5. The Consultant shall include an **undertaking in the EIA report that the prescribed TOR have been complied with and that the data submitted is factually correct** and also an undertaking shall be submitted owning the contents (information and data) of the EIA report.
6. Proponent is required to submit the Compliance Report from concerned Regional Office, MoEF&CC (Applicable for projects already having EC).
7. Any changes/modification with respect to the Agenda, Venue etc., would be indicated in the Ministry's website. You are also requested to keep track of the status of your project from the Ministry/s Website i.e., <https://parivesh.nic.in>
8. A line in confirmation regarding participation of your representative in the meeting will be appreciated. It may be noted that only the EIA Coordinator who has already been accredited with Quality Council of India and his name is in the list can accompany the proponent in the meeting.
9. EIA Co-coordinator who has prepared EIA/EMP report, shall present before EAC during presentation.
10. As per the compliance to the recommendations of CAG vide OM No. J-11013/71/2016-IA.I (M) dated 25th October, 2017, the following shall be ensured by the proponent:
 - (i) Break-up of the capital and recurring cost of the EMPs along with the timeline for incurring the capital cost.
 - (ii) Details of the name and number of posts to be engaged by the project proponent for implementation and monitoring of environmental parameters should be submitted.
 - (iii) An undertaking as part of the EIA report from Project proponent, owning the contents (information and data) of the EIA report with the declaration about the contents of the EIA report pertaining to a project have not been copied from other EIA reports.

Details required for EC Proposals

Information in respect of each item shall be provide in brief. No annexure/enclosure shall be referred. If required list of annexure/enclosures may be provided in the end.

1. Brief description of the Proposal :
2. Nature of project (New/Expansion/Amendment/Extension etc.):
3. Whether the proposal was considered in earlier meetings of EAC: If yes, provide date of EAC meeting and reasons for deferment, if any:
4. Whether proposal is part of interlinked project: If yes, provide details in brief :
5. Address of project site (Plot No./Village/ Tehsil/ District/State):
6. Geo-coordinates of project site:
7. Area (ha)/Length (km) of the proposed project:
8. Connectivity to the site:
9. Investment/Cost of the project (Rs. in Lakh):
10. Item of Schedule to the EIA Notification, 2006:
11. Why appraisal/ approval is required at the Central level :
12. Applicability of General/Specific Conditions as per EIA Notification, 2006:
13. Whether project involves any violation under notification S.O 804(E) dated 14.03.2017:
14. Landuse/Landcover of project site in tabular form:

S.No.	Landuse/Landcover	Area (ha)	%	Remarks, if any
-------	-------------------	-----------	---	-----------------

15. Landuse/Landcover around 10 km radius of project site (1 km in case of Highway projects):

S.No.	Landuse/Landcover	Area (ha)	%	Remarks, if any
-------	-------------------	-----------	---	-----------------

16. List to industries to be housed with the proposed project site, only for projects covered under 7(c) category of EIA Notification, 2006:
17. Right of Way (RoW), only for projects covered under 7(f) category of EIA Notification, 2006:
18. Terrain and topographical features:
19. Details of water bodies, impact on drainage, if any:
20. Water requirements, sources (during construction and operation phases) and NOC:
21. Groundwater extraction/usage and NOC/Clearance from CGWA/State Ground Water Department:

22. Whether the project is in Critically Polluted area (Yes or No. If yes, provide brief details in Not more than 100 words):

23. ToR details: Provide Date of ToR issued and details of earlier appraisals and information sought by the EAC along with the response given, if any:

(a) Public Hearing Details:

(b) Date(s) and Location(s):

24. Summary of issues raised and response/commitments by Proponent (Not more than 50 words for each category of issues:

S.No.	Category of Issue raised by Public	Response/Commitment by Proponent	Remarks, if any

25. If the project involves expansion copy of certified compliance report issued by concerned regional office:

26. Whether the project involves diversion of forest land: If yes, provide the extent of the forest land involved and status of the forest clearance.

27. Whether the project is located within 10 km of Protected Areas (PA) including National Parks, Sanctuaries and Tiger Reserves etc.: If yes, provide details of the PA, distance from project site and status of clearance from National Board for wild life.

28. Whether the project is located within the Eco-Sensitive Zone (ESZ) or Eco-Sensitive Area (ESA) notified by the MoEF&CC: If yes, provide the status of recommendation of the Monitoring Committee of ESZ/ESA.

29. Waste Management: Provide details of waste water quantity, treatment capacity, recycling/reuse of treated water and disposal, Solid Waste Management, and Hazardous Waste Management.

30. CETP: Provide details including type and quantity of effluent, effluent conveyance system from the member units to CETP with CETP's Capacity.

31. STP: Provide details of treatment and usage of treated sewage with STP's capacity.

32. Details of tree cutting and Green belt development.

33. Energy conservation measures with estimated saving.

34. Parking requirement with provision made.

35. Details of Rain Water Harvesting.

36. Whether the project is in CRZ area: If yes, provide details of components in CRZ area, layout on CRZ map of 1: 4000 scale prepared by an authorised agency and appraisal by State Coastal Zone Management Authority (SCZMA) and copy of their recommendations.

37. Whether the project involves foreshore facilities. If yes, provide details of shoreline study, dredging details, disposal of dredge material, reclamation, cargo handling with dust control measures and oil Spill Contingent Management Plan.

38. Whether the project involves Marine disposal: If yes, the provide copy of NOC from Pollution Control Board in case of marine disposal, details of modelling study – details of outfall diffusers, number of dilutions expected, distance at which the outlet will reach ambient parameters, location of intake/outfall, quantity, and detail of monitoring at outfall.
39. Brief description of Socio-economic condition of local people and R&R issues involved, if any (Not more than 200 words):
40. Employment potential, No. of people to be employed:
41. Benefits of the project:
42. Brief summary of specialised Studies carried out for the project as per the ToR, if any:
43. Details of Court cases, if any:
44. List of Undertakings, if any:
45. List of annexure/enclosures, if any:

Details required for ToR Proposals

Information in respect of each item shall be provide in brief. No annexure/enclosure shall be referred. If required list of annexure/enclosures may be provided in the end.

1. Brief description of the Proposal :
2. Nature of project (New/Expansion/Amendment/Extension etc.):
3. Whether the proposal was considered in earlier meetings of EAC: If yes, provide date of EAC meeting and reasons for deferment, if any:
4. Whether proposal is part of interlinked project: If yes, provide details in brief:
5. Address of project site (Plot No./ Village/ Tehsil/ District/State):
6. Geo-coordinates of project site:
7. Site alternatives under consideration:
8. Area (ha)/Length (km) of the proposed project:
9. Connectivity to the site:
10. Investment/Cost of the project (Rs. in Lakh):
11. Item of Schedule to the EIA Notification, 2006:
12. Applicability of General/Specific Conditions as per EIA Notification, 2006:
13. Why appraisal/ approval is required at the Central level:
14. Whether project involves any violation under notification S.O 804(E) dated 14.03.2017:
15. Landuse/Landcover of project site in tabular form:

S.No.	Landuse/Landcover	Area (ha)	%	Remarks, if any
-------	-------------------	-----------	---	-----------------

16. Landuse/Landcover around 10 km radius of project site (1 km in case of Highway projects):

S.No.	Landuse/Landcover	Area (ha)	%	Remarks, if any
-------	-------------------	-----------	---	-----------------

17. List to industries to be housed with the proposed project site, only for projects covered under 7(c) category of EIA Notification, 2006:
18. Right of Way (RoW), only for projects covered under 7(f) category of EIA Notification, 2006:
19. Terrain and topographical features:
20. Details of water bodies, impact on drainage, if any:
21. Water requirements, sources (during construction and operation phases) and NOC:

22. Groundwater extraction/usage and NOC/Clearance from CGWA/State Ground Water Department:
23. Whether the project is in Critically Polluted area :
24. Tree cutting, types, numbers, girth size etc.:
25. Whether the project involves diversion of forest land: If yes, provide the extent of the forest land involved and status of the forest clearance.
26. Whether the project is located within 10 km of Protected Areas (PA) including National Parks, Sanctuaries and Tiger Reserves etc.: If yes, provide details of the PA, distance from project site and status of clearance from National Board for wild life.
27. Whether the project is located within the Eco-Sensitive Zone (ESZ) or Eco-Sensitive Area (ESA) notified by the MoEF&CC: If yes, provide the status of recommendation of the Monitoring Committee of ESZ/ESA.
28. Whether project site is in CRZ area if yes furnish the CRZ map:
29. CETP: Provide details type and quantity of effluent, effluent conveyance system from the member units to CETP with CETP's Capacity.
30. STP: Provide details of treatment and usage of treated sewage with STP's capacity.
31. R&R issues involved, if any (Not more than 200 words):
32. Employment potential, No. of people to be employed:
33. Benefits of the project :
34. Details of Court cases, if any:
35. List of annexure/enclosures, if any:

Quick User Manual to use Desktop Videoconference

NIC, MoEFCC will moderate the Video Conferencing meeting. The Guidelines related to connecting VC is annexed herewith. PP will be ready before 10 minutes of the slot allowed to them. If any problem faced please contact Mr Kamal, Moderator, NIC (Mobile No. 8800225087, email- support-ipb@nic.in).

- PP/Consultant who want to make presentation during EAC, they have to download/install Vidyo App on desktop/Laptop.
- A web Link will be shared by Moderator before the EAC meeting. It is requested to be ready before 10 minutes as per slot provided to you.
- Joining from Mobile devices : Click on the link on your mobile device. It will asked you to join the conference. It may asked installed Mobile App (VidyoMobile). Installed the VidyoMobile and click on link to join VC.
- Please see the control menu to manage the conference. Keep your microphone muted and unmute only when you speak. You can chat or share desktop screen.
- User should have minimum Internet connection of 2 Mbps from any service provider (Broadband/4G etc)
- A Desktop/Laptop working in windows (Recommended).
- Wired Earphone/Headphones with Microphone (Strongly recommended) or External USB camera & Speaker cum microphone