



**Government of India**  
**Ministry of Environment, Forest and Climate Change**  
**(Impact Assessment Division)**



**Agenda of Expert Appraisal Committee**

**Meeting ID** : IA/IND2/13313/23/08/2022  
**Meeting Venue** : Ministry of Environment, Forest and Climate Change, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi-110003  
**Meeting Type** : Video Conference  
**Agenda Generation Date** : 16-08-2022

The following proposals are being considered for deliberation in the Expert Appraisal Committee as per the schedule given below :

**Meeting Schedule :**

S.No	Meeting date	Time (From)	Time (To)
1	23 Aug 2022	10:30 AM	17:30 PM
2	24 Aug 2022	10:30 AM	17:30 PM

**Date of Meeting : 23-08-2022**

S.No	Proposal No.	File No.	Proposal Name	Company Name	Location	Proposal Type
1	IA/MH/IND2/271141/2022	IA-J-11011/28/2021-IA-II(I)	Establishment of 105 KLPD Grain distillery with Electricity Generation of 3 MW by Kailasbapu Agro Industries Producer Company Ltd.	KAILASBAPU AGRO INDUSTRIES PRODUCER COMPANY LTD. (KAIPCL)	Tehsil: Chalisgaon District: Jalgaon State: Maharashtra	EC
2	IA/KA/IND2/278384/2022	J-11011/191/2007-IA II(I)	Modification in Configuration of distillery plant for the inclusion of grain as one of the feed stock for the production of 200 KLD ethanol along with 400 KLD ethanol production using B Heavy molasses during non sugarcane crushing season and expansion of captive power plant capacity from 5.5 MW to 14 MW by Ms.Godavari Biorefineries Ltd	GODAVARI BIOREFINERIE S LTD	Tehsil: Mudhol District: Bagalkot State: Karnataka	Amendment EC
3	IA/TG/IND2/285058/2022	IA-J-11011/255/2022-IA-II(I)	2 x 120 KLPD Grain based Ethanol Plant along with 2 x 3 MW Captive power plant	WHITEFIELD BIO PRODUCTS PVT LTD	Tehsil: Bejjanki District: Siddipet State: Telangana	EC
4	IA/MH/IND2/257716/2022	IA-J-11011/66/2022-IA-II(I)	Establishment of 100 KLPD Grain based Distillery with electricity generation 2.4 MW by Alcochem Agro Industries Pvt. Ltd., Located at Balhegaon, Tal: Yeola, Dist: Nashik, Maharashtra	ALCOCHEM AGRO INDUSTRIES PRIVATE LIMITED	Tehsil: Yevla District: Nashik State: Maharashtra	EC

5	IA/KA/IND2/ 230639/202 1	IA-J- 11011/394/2 021-IA-II(I)	Proposed establishment of distillery unit of 220 KLPD capacity, to produce 220 KLPD ethanol using sugarcane syrup and 120 KLPD ethanol using grains and generate 10 MW captive power plant by M/s. Nadahalli Ethanol & Allied Industries Ltd.	M/S. NADAHALLI ETHANOL & ALLIED INDUSTRIES LTD.	Tehsil: Muddebihal District: Bijapur State: Karnataka	EC
6	IA/MH/IND2/ 256234/202 2	J- 11011/111/2 016-IA-II(I)	Expansion of Distillery (45 to 150 KLPD) Using C & B Heavy Molasses / Cane Syrup for Ethanol Production with 1.9 MW Captive Power Generation, Enhancement in Cane Crushing (4800 to 7500 TCD) and Cogeneration Plant Capacity (14 to 24 MW) by Jaywant Sugars Ltd., located at Post.: Dhawarwadi, Tal.: Karad , Dist.: Satara, Maharashtra State	JAYWANT SUGARS LIMITED	Tehsil: Karad District: Satara State: Maharashtra	EC
7	IA/OR/IND2/ 286554/202 2	IA-J- 11011/284/2 022-IA-II(I)	Proposed 300 KLPD Grain based Ethanol Plant along with 8.0 MW Co-generation Power Plant at Village Jhamujhara, Tehsil Kamakshyanagar, District Dhenkanal, Odisha by M/s. Globus Spirits Limited	GLOBUS SPIRITS LIMITED	Tehsil: Kamakshyanagar District: Dhenkanal State: Orissa	EC
8	IA/AP/IND2/ 285296/202 2	IA-J- 11011/262/2 022-IA-II(I)	Grain based Distillery plant capacity of 1X200 KLPD & 6.0 MW Cogeneration power plant	CRUX BIOETHANOL INDIA PRIVATE LIMITED	Tehsil: NANDIGAMA District: NTR State: Andhra Pradesh	EC
9	IA/MH/IND2/ 284855/202 2	J- 11011/175/2 015-IA-II(I)	Expansion of Molasses / Sugarcane juice based Distillery from 105 KLPD to 305 KLPD for Ethanol production by using C & B Heavy Molasses / Cane Juice with enhancement of Sugarcane crushing from 4,900 TCD to 7,900 TCD & Co-generation Plant Capacity from 14 MW to 32 MW by Yedeshwari Agro Products Ltd. (YAPL) at Pavansoot Nagar, Anandgaon (Sarni), Post. Jawalban, Tal. Kaij, Dist. Beed, Maharashtra State.	YEDESHWARI AGRO PRODUCTS LTD.	Tehsil: Kaij District: BEED State: Maharashtra	EC
10	IA/KA/IND2/ 282034/202 2	J- 11011/224/2 008-IA-II(I)	Expansion of distillery capacity from 180 KLPD to 245 KLPD to produce Ethanol using molasses or grains and increase capacity of captive power plant from 5.4 MW to 8.4 MW	KARTHIK AGRO INDUSTRIES PRIVATE LIMITED	Tehsil: Badami District: Bagalkot State: Karnataka	EC

**Date of Meeting : 24-08-2022**

S.No	Proposal No.	File No.	Proposal Name	Company Name	Location	Proposal Type
------	--------------	----------	---------------	--------------	----------	---------------

1	IA/RJ/IND2/ 286307/202 2	J- 11011/232/2 015-IA-II(I)	Proposed 125 KLPD Grain Based Ethanol Plant along with 3.0 MW cogeneration Power Plant at Plot No. SP1-2, RIICO Industrial Area, Village Guwadi & Majhari, Tehsil Shahabad, District Baran (Rajasthan) by M/s. Carya Chemicals & Fertilizers Private Limited	CARYA CHEMICALS & FERTILIZERS PRIVATE LIMITED	Tehsil: Shahbad District: Baran State: Rajasthan	EC
2	IA/MP/IND2/ 287931/202 2	IA-J- 11011/305/2 022-IA-II(I)	Proposed 300 KLPD Grain Based Ethanol Plant along with 7.0 MW Co-generation Power Plant at Village Dungaria, Tehsil Seoni, District Seoni, Madhya Pradesh by M/s Hydrise Industries Private Limited	HYDRISE INDUSTRIES PRIVATE LIMITED	Tehsil: Seoni District: Seoni State: Madhya Pradesh	EC
3	IA/KA/IND2/ 282018/202 2	J- 11011/143/2 014-IA-II(I)	Expansion of existing Molasses/ Grain based Distillery from 300 KLPD to 700 KLPD using Grain /cane Syrup for Ethanol Production along with 17 MW electricity generation by Hermes Distillery Pvt. Ltd.	HERMES DISTILLERY PRIVATE LIMITED	Tehsil: Raybag District: Belgaum State: Karnataka	EC
4	IA/CG/IND2/ 284357/202 2	IA-J- 11011/270/2 022-IA-II(I)	Proposed 210 KLD Grain based Ethanol plant with ZLD along with 5.0 MW Co-Generation Power plant under EBP Programme	SUYASH BIOFUELS INDUSTRIES PRIVATE LIMITED	Tehsil: Berla District: Bemetara State: Chhattisgarh	EC
5	IA/KA/IND2/ 282816/202 2	J- 11011/10/20 17-IA-II(I)	Siddapur Distilleries Limited	SIDDAPUR DISTILLERIES LIMITED	Tehsil: Jamkhandi District: Bagalkot State: Karnataka	EC
6	IA/OR/IND2/ 286494/202 2	IA-J- 11011/286/2 022-IA-II(I)	PROPOSED ESTABLISHMENT OF GRAIN BASED ETHANOL DISTILLERY OF CAPACITY 190 KLD ALONG WITH CO GEN POWER PLANT – 4.0 MW AT PLOT NO. 803(P), 803/881, 208/805 (P), 234/1055 VILLAGE: TALAJARING, TEHSIL & BLOCK: JUNAGARH, DISTRICT: KALAHANDI, (ODISHA) BY M/s INDIAN POTASH LIMITED	INDIAN POTASH LIMITED	Tehsil: Junagarh District: Kalahandi State: Orissa	EC
7	IA/AP/IND2/ 287453/202 2	IA-J- 11011/298/2 022-IA-II(I)	M/s. Sri Sarvaraya Sugars Limited	SRI SARVARAYA SUGARS LIMITED	Tehsil: Rayavaram District: East Godavari State: Andhra Pradesh	EC
8	IA/AS/IND2/ 191486/202 1	IA-J- 11011/7/202 1-IA-II(I)	Proposed Drilling of Development Wells Environmental Clearance of AA/ONDSF/Disaijan/2018 Block located in Dumduma Taluka, Distt. Tinsukia, Assam By M/s. Invenire Energy Pvt. Ltd.	INVENIRE ENERGY PRIVATE LIMITED	Tehsil: Doom Dooma District: Tinsukia State: Assam	EC

9	IA/MH/IND2/270054/2014	No.IA-J-11011/180/2021-IA-II(I)	Proposed Sugar Expansion (4900 TCD to 15000 TCD ), 22.5 to 100 MW Cogeneration & 90 KLPD to 1100 KLPD Distillery Project at Village - Upalave, Tal – Phaltan, Dist- Satara, by M/s. Swaraj Green Power	SWARAJ INDIA AGRO LTD	Tehsil: Phaltan District: Satara State: Maharashtra	EC
10	IA/MP/IND2/285652/2022	IA-J-11011/279/2022-IA-II(I)	Grain Base fuel ethanol unit of 100 KLPD, 3.0 MW Co- generation power plant By product : 40 TPD of CO2 Generation & 45 TPD of DDGS	ORIENT ETHANOL INDUSTRIES PRIVATE LIMITED	Tehsil: Niwas District: Mandla State: Madhya Pradesh	EC

**Any Other Item with Permission of Chairman:**

S.No	Proposal No.	File No.	Proposal Name	Company Name	Location	Remarks
------	--------------	----------	---------------	--------------	----------	---------

**List of EAC Member :**

S.No	Members Name	Designation	Email_ID
1	Shri S C Mann	Chairman	mannsatishchander@gmail.com
2	Sh. Y.V. Rami Reddy	Member	dryvrsvu@gmail.com
3	Dr J S Sharma	Member	sharmajswarup@hotmail.com
4	Prof. (Dr.) Dilip Majumdar	Member	dilip57du@dibru.ac.in
5	Dr. Sanjeev Chaudhari	Member	sanjeev@iitb.ac.in
6	Dr. Onkar Nath Tiwari	Member	ont359@gmail.com
7	Shri. J.S. Kamyotra	Member	kamyotra@yahoo.co.in
8	Dr. Rahul Ramesh Rao Mungikar	Member	rahul.mungikar76@gmail.com
9	Dr. Seshagiri Rao Ambati	Member	raoseshu@gmail.com
10	Shri. Sanjay V Patil	Member	sv.patil@vsisugar.org.in
11	Sh. Ashok Kumar Patre	Member	ashokpatre-cgwb@gov.in
12	Dr. Siddhartha Singh	Member	siddhartha.singh74@imd.gov.in
13	A N Singh	Member Secretary	aditya.narayan@nic.in

**GOVERNMENT OF INDIA  
MINISTRY OF ENVIRONMENT, FOREST AND CLIMATE CHANGE  
(IA DIVISION-INDUSTRY-2SECTOR)**

\*\*\*

**Instructions:** Project Proponents are requested to strictly follow the following instructions:

1. This is to inform that the Expert Appraisal Committee meeting (Industry -2 Sector) is scheduled to be held on **23<sup>rd</sup> -24<sup>th</sup> August, 2022** through **Video Conferencing Mode** and accordingly all Project Proponents are requested to send all the documents (viz. Presentation, Brief, EIA/EMP Report and other requisite documents) to the **EAC/Ministry immediately or latest by 18.08.2022 positively by e-mail. Document should not be shared through Google Drive as many members are not able to access it.**
2. It is requested that the Project Proponent or his/her authorized representative should **participate in the presentation meeting of EAC through Video Conferencing (preferably not more than three representatives)** who can make a presentation on their behalf on the salient features of the project, the related environmental issues, proposed Environmental Management Plan and also respond to the queries/suggestions of the Committee.
3. NIC, MoEFCC will moderate the Video Conferencing meeting. The Guidelines related to connecting VC is annexed herewith. PP will be ready before one (01) hour of the slot allowed to them. In case of any connectivity problem, please contact Mr. Kamal, Moderator, NIC (Mobile No. 8800225087, email- support-ipb@nic.in). PP is requested to join the meeting with Agenda No. [(for ex. 4.3 (Name of PP) & Name of Consultant)]
4. The Project Proponents are requested to circulate the documents either in pen drive or by e-mail whichever is convenient (**bulky EIA/EMP reports may be sent in pen drive mentioning the agenda numbers**) for the projects included in the Agenda given below to the Chairman and Members of the Committee (as per list given below) immediately. The proponents shall not wait for individual letters to be issued. **The documents shall reach the members at earliest well in advance before the meeting.**
5. All the documents of the presentation material should be legible. In case the members of the **Expert Appraisal Committee do not receive the proposals, the Committee will not consider the project.**
6. The Project Proponent or his or her authorized representative /consultant should avoid delivery of documents by hand and seeking meeting with Chairman/Members. Members are also requested to discourage/ avoid the meeting with the PP/ consultants.
7. Please indicate the item number of the Agenda while circulating the documents.
8. **The Project Proponents are requested to send one set of complete documents to the Ministry by e-mail. Documents shall reach in the Ministry by 18.08.2022.**
9. **Kindly prepare/make the presentation before the EAC based on the template provided at Annexure VI. Copy of presentation and brief shall be forwarded to the EAC/Ministry immediately or latest by 18.08.2022.**
10. The project proponents applied their on-line application should submit the Form-2, Pre-feasibility report, approval from concerned department/states, compliance of existing EC, Environment Impact Assessment (EIA/EMP) Report, public hearing report, queries subsequently raised by the Ministry, if any, and your para-wise comments thereto etc., in accordance with Environment Impact Assessment Notification, 2006 are required to

be forwarded to the Chairman/Members of the Expert Appraisal Committee (Industry-2) including details of the court matters/Orders of the Court pertaining to the project, if any. Accordingly, I request you **to forward a copy of each of these documents - to the Chairman/members of the Expert Appraisal Committee and Ministry, at earliest or latest by 18.08.2022[soft copy]**. List of Committee Members is attached herewith.

11. During presentations all the important features such as **National Parks, Wildlife Sanctuary, Mangroves, Biosphere Reserves/Bio-diversity, Heritage sites, Reserve Forests, Rivers, water Bodies, Highways, Railway line, Habitations, Critically Polluted Areas (CPA)** etc. should be clearly indicated in an area of 10 km radius of the proposed site.
12. In accordance with the circular no. J-11011/618/2010-IA. II (I) dated 30.5.2012, **in case of expansion project,** for which environment clearance was issued earlier, the project proponent shall submit a certified report of the status of compliance of the conditions stipulated in the environment clearance for the on-going / existing operations of the project by the Regional Offices of Ministry of Environment, Forest and Climate Change. The status of compliance of the conditions stipulated in the EC as highlighted in the report(s) will be discussed by the EAC during appraisal of the project.
13. **THE PROJECT PROPONENTS SHALL ENSURE THAT THE REPORTS / DOCUMENTS UPLOADED IN THE WEBSITE OF THE MINISTRY, CIRCULATED TO THE EAC MEMBERS ARE THE SAME. IN CASE OF DISCREPANCY, THE PROJECT WILL NOT BE CONSIDERED.**
14. The KML/Shape files should be emailed on the below mentioned email **addresses immediately or before 18.08.2022.**
15. The Consultant shall include an **undertaking in the EIA report that the prescribed TOR have been complied with and that the data submitted is factually correct** and also an undertaking shall be submitted owning the contents (information and data) in the EIA/EMP report.
16. Any changes/modification with respect to the Agenda, Venue etc., would be indicated in Ministry's website. You are also requested to keep track of the status of your project from the Ministry's Website i.e., <https://parivesh.nic.in>
17. Kindly send a brief write up/ Executive Summary of 3-4 pages **(in Word Format only)** as per following format **(Annexure I to Annexure V )** to the EAC secretariat. **THE INFORMATION SUBMITTED IN BRIEF WRITE UP/ EXECUTIVE SUMMARY SHOULD MATCH DATA/FIGURES IN EIA/EMP AND FORM-2 SUBMITTED. IF ANY DISCREPANCY IS FOUND, STRICT ACTIONS WILL BE IMPLEMENTED THEREOF.** Information should be sent in word format only on following e-mails including Members of the EAC immediately or latest by **18.08.2022. Document should not be shared through Google Drive as many members are not able to access it.**

[aditya.narayan@nic.in](mailto:aditya.narayan@nic.in); [m.phulwaria@gov.in](mailto:m.phulwaria@gov.in),  
[kanaka.teja@gov.in](mailto:kanaka.teja@gov.in) and [moefccmeetikagupta@gmail.com](mailto:moefccmeetikagupta@gmail.com)

sd/-

(A N Singh)  
Additional Director, MoEFCC  
Member Secretary (IND-2)

**Note: The items listed for Environmental Clearances will be taken up for appraisal only on fulfilment of relevant instruction given**

## **Annexure – I**

### **For Greenfield Grain based ethanol projects under B2 category**

**Subject:** .....- Environmental Clearance- reg.

**[Proposal NO....., F.NO.....]**

1. The Project Proponent and the accredited Consultant M/s. .... (NABET certificate no. .... and validity ....) made a detailed presentation on the salient features of the project and informed that the proposal is for environmental clearance to the project for ..... KLPD Grain based Ethanol Plant &..... MW Co-generation power plant (fuel to be used) located at Village ....., Tehsil ....., District ....., State ..... by M/s. ....
2. As per the MoEF&CC Notification S.O. 2339(E), dated 16<sup>th</sup> June, 2021, a special provision in the EIA Notification, 2006-(Schedule 5 (ga), Category B2) is made, wherein for all applications made for Grain based distilleries with Zero Liquid Discharge producing ethanol; solely to be used for Ethanol Blended Petrol Programme of the Government of India shall be considered under B2 Category and appraised at Central Level by Expert Appraisal Committee (EAC) with condition that the project proponent shall file a notarized affidavit that ethanol produced from proposed project shall be used completely for EBP Programme.

**3. The details of products and capacity as under:**

<b>S. No.</b>	<b>Name of unit</b>	<b>Name of the product/by-product</b>	<b>Production capacity</b>
1	Distillery (-----Raw material)	Ethanol	-----KLPD
2	Co-generation power plant	Power	----- MW
3	DWGS dryer	DDGS	----- TPD
4	Fermentation unit	Carbon di-oxide	----- TPD

4. Standard ToR and Public Hearing is not applicable as the project falls under category B2 as per OM dated 16<sup>th</sup> June, 2021.
5. Status of Litigation Pending against the proposal, if any.
6. Total land area required is ----- hectares. Greenbelt will be developed in total area of ---- hectares i.e., -----% of total project area. The estimated project cost is Rs. ----- Crores. Capital cost of EMP would be Rs. ----- Crores and recurring cost for EMP would be Rs. ----- Crores per annum. Industry proposes to allocate Rs. ----- Crores towards Extended EMP (Corporate Environment Responsibility). Total Employment will be ----- persons as direct & indirect.

7. There are ----- national parks, wildlife sanctuaries, Biosphere Reserves, Tiger/Elephant Reserves, Wildlife Corridors etc. within 10 km distance. Reserve forests/protected forests: ----- at a distance of -----km in ----- direction. The ----- national parks, wildlife sanctuaries, Biosphere Reserves, Tiger/Elephant Reserves, Wildlife Corridors etc. is at a distance of ----- Km in ----- direction from project site. ESZ for same is finalized vide Notification No. ----- dated ----- . The Eco-sensitive Zone is spread over an area of ----- square kilometres with an extent varying from ----- kilometres to ----- kilometres around the boundary of ----- . The project site is located ----- Km from notified ESZ. NBWL application has been submitted dated ---- (if applicable). Conservation plan for schedule I species has been submitted to ----- dated ----- and a budget of ----- Crores has been earmarked for the same. Water bodies: ----- is at a distance of ----- Km in ----- direction. River ----- is at a distance of ----- for which NOC has been obtained from State Irrigation Department vide letter no. ----- dated ----- stating that ----- (If applicable).
8. AAQ modelling study for point source emissions indicates that the maximum incremental GLCs after the proposed project would be ---- $\mu\text{g}/\text{m}^3$ , --- $\mu\text{g}/\text{m}^3$ , ---- $\mu\text{g}/\text{m}^3$  and ---  $\mu\text{g}/\text{m}^3$  with respect to PM10, PM2.5, SO2 and NOX. The resultant concentrations are within the National Ambient Air Quality Standards (NAAQS).
9. Total fresh water requirement will be ----  $\text{m}^3/\text{day}$  which will be met from ----- (name of river, if any). Application has been submitted to ----- dated ----- **or** NOC has been obtained by ----- vide letter no. ----- dated ----- . Effluent (Condensate/spent lees/blowdown etc.) of -----  $\text{m}^3/\text{day}$  quantity will be treated through Condensate Polishing Unit/Effluent Treatment Plant of capacity -----KLPD. Raw stillage (----- KLPD :quantity of raw spent wash from distillation) will be sent to decanter followed by MEE and dryer to produce DDGS.STP of capacity -----KLPD will be installed to treat sewage generated from factory premises. The plant will be based on Zero Liquid discharge system and no effluent/treated water will be discharged outside factory premises.
10. Power requirement will be ----- MW and will be met from proposed ----- MW co-generation power plant/state grid. NOC for power requirement from State Grid has been obtained vide letter no. ----- dated ----- . ---- TPH ----- fired boiler will be installed. APCE ----- with a stack height of ----- m will be installed for controlling the particulate emissions within the statutory limit of  $50 \text{ mg}/\text{Nm}^3$  for the proposed boiler. -----kVA DG set will be used as standby during power failure and stack height (----- m) will be provided as per CPCB norms to the proposed DG sets.

#### **11. Details of Process emissions generation and its management**

- APCE ----- with a stack height of ----- meters will be installed for controlling the particulate emissions.
- Online Continuous Emission Monitoring System will be installed with the stack and data will be transmitted to CPCB/SPCB servers.
- CO2 (---- TPD) generated during the fermentation process will be collected by utilizing CO2 scrubbers and it shall be sold to authorized vendors/collected in proposed bottling plant.

#### **12. Details of solid waste/Hazardous waste generation and its management**

- DDGS (Distilled Dried Grains Stillage) (----- TPD) will be sold as cattle feed / fish feed / prawn feed.
- Boiler ash (----- TPD) will be used for brick manufacturing in proposed brick



manufacturing plant inside plant premises/supplied to brick manufacturers/ given to farmers to be used as manure.

- Used oil (----- Kilolitres per annum) will be sold to authorized recyclers.
- CPU sludge (---- TPD) and STP Sludge (----- TPD) will be used as manure.

13. As per Notification S.O 2339(E), dated 16<sup>th</sup> June, 2021, PP has submitted self-certification in the form of notarized affidavit declaring that the proposed capacity of -----  
-- KLPD will be used for manufacturing fuel ethanol only.

14. Total land of ----- Hectares is under possession of the company and land use conversion has been completed vide letter no.----- dated -----/ land use conversion application has been submitted to ----- dated -----.

## **Annexure – II**

### **For Brownfield Grain based/molasses based ethanol & sugar mill projects under B2 category (as applicable)**

**Subject:** .....- Environmental Clearance- reg.

**[Proposal NO....., F.NO.....]**

1. The Project Proponent and the accredited Consultant M/s. ----- (NABET certificate no. -----and validity -----) made a detailed presentation on the salient features of the project and informed that the proposal is for environmental clearance to the project for expansion of existing distillery unit from ----- KLPD to ----- KLPD, sugar mill from ----- TCD to ----- TCD&co-generation power plant for sugar mill/ distillery from ----- MW to ----- MW (fuel to be used) located at Village -----, Tehsil -----, District -----, State ----- by M/s. -----.
2. As per the MoEF&CC Notification S.O. 2339(E), dated 16<sup>th</sup> June, 2021, a special provision in the EIA Notification, 2006-(Schedule 5 (ga), Category B2) is made, wherein for all applications made for Grain based distilleries with Zero Liquid Discharge producing ethanol; solely to be used for Ethanol Blended Petrol Programme of the Government of India shall be considered under B2 Category and appraised at Central Level by Expert Appraisal Committee (EAC) with condition that the project proponent shall file a notarized affidavit that ethanol produced from proposed project shall be used completely for EBP Programme

**or**

As per EIA Notification 2006 (Schedule 5 (g) Category A); however, as per in the MoEF&CC Notification S.O. 345(E), dated the 17<sup>th</sup> January, 2019, notification number S.O. 750(E), dated the 17<sup>th</sup> February, 2020, S.O. 980 (E)dated 02<sup>nd</sup> March, 2021 & S. No. 2339(E) 16<sup>th</sup> June, 2021, a special provision in the EIA Notification, 2006 "Expansion of sugar manufacturing units or distilleries for production of ethanol, having Prior Environment Clearance (EC) for existing unit, to be used completely for Ethanol Blended Petrol (EBP) Programme only, as per self-certification in form of an affidavit by the Project Proponent, shall be appraised as category 'B2' projects.

#### **3. The details of products and capacity as under:**

<b>S. No.</b>	<b>Name of unit</b>	<b>Name of the product/by-product</b>	<b>Existing Production capacity</b>	<b>Additional production capacity</b>	<b>Total production capacity</b>
1	Distillery (----- Raw material)	Ethanol	-----KLPD		
2	Co-generation power plant for distillery/sugar mill	Power	----- MW		
3	Sugar mill	Sugar	----- TCD		

3	DWGS dryer	DDGS	----- TPD		
4	Fermentation unit	Carbon di-oxide	----- TPD		
5	ATFD	Conc. spent wash powder	----- TPD		
6	Bio-composting unit	Bio-compost	----- TPD		

4. Ministry/SEIAA has issued Environmental Clearance to the existing Industry for a capacity of ----- vide File No. ----- dated ----- . Certified Compliance report of existing EC has been obtained from Integrated Regional Office, MoEFCC, ----- vide File no- ----- dated ----- . Action Taken Report has been submitted to IRO, MOEFCC, ----- dated ----- for ----- partial compliances and ----- non-compliances **or** Certified Action Taken/Closure Report has been obtained by IRO, MOEFCC, ----- dated ----- .

**OR**

Existing industry is operational on the basis of Consent To Operate because ----- . Hence, Environmental Clearance is not applicable. Latest CTO (air and water) has been issued on ----- and is valid till ----- . Certified CTO compliance report has been issued dated ----- from RO, SPCB.

5. StandardToR and public Hearing conduction is not applicable as the project falls under category B2 as per OM dated 16<sup>th</sup> June, 2021.
6. Status of Litigation Pending against the proposal, if any.
7. Total plant area after expansion will be ----- Ha (existing plant area - ----- Hectares and additional land required - ----- Hectares for proposed capacity) which is under possession of the company and converted to industrial use/ No additional land will be acquired for the expansion project as the same will be done within existing plant premises. Out of the total plant area ----- Hectares i.e. 33% of the total plant area has already been developed as greenbelt & plantation and the same will be maintained/ will be developed under greenbelt & plantation in and around plant premises. The estimated project cost is Rs. ----- Crores. Capital cost of EMP would be Rs. ----- Crores and recurring cost for EMP would be Rs. ----- Crores per annum. Industry proposes to allocate Rs. ----- Crores towards extended EMP (Corporate Environment Responsibility). Total Employment after expansion will be -----persons as direct & indirect.
8. There are ----- national parks, wildlife sanctuaries, Biosphere Reserves, Tiger/Elephant Reserves, Wildlife Corridors etc. within 10 km distance. Reserve forests/protected forests: ----- at a distance of -----km in ----- direction. The ----- national parks, wildlife sanctuaries, Biosphere Reserves, Tiger/Elephant Reserves, Wildlife Corridors etc. is at a distance of ----- Km in ----- direction from project site. ESZ for same is finalized vide Notification No. ----- dated ----- . The Eco-sensitive Zone is spread over an area of ----- square kilometres with an extent varying from ----- kilometres to ----- kilometres around the boundary of ----- . The project site is located ----- Km from notified ESZ. NBWL application has been submitted dated ----- (if

applicable). Conservation plan for schedule I species has been submitted to ----- dated ----- and a budget of ----- Crores has been earmarked for the same. Water bodies: ----- is at a distance of ----- Km in ----- direction. River ----- is at a distance of ----- for which NOC has been obtained from State Irrigation Department vide letter no. ----- dated ----- stating that ----- (If applicable).

9. AAQ modelling study for point source emissions indicates that the maximum incremental GLCs after the proposed project would be ----  $\mu\text{g}/\text{m}^3$ , ---  $\mu\text{g}/\text{m}^3$ , ----  $\mu\text{g}/\text{m}^3$  and ---  $\mu\text{g}/\text{m}^3$  with respect to PM<sub>10</sub>, PM<sub>2.5</sub>, SO<sub>2</sub> and NO<sub>x</sub>. The resultant concentrations are within the National Ambient Air Quality Standards (NAAQS).
10. Total fresh water requirement after expansion will be ----  $\text{m}^3/\text{day}$  (sugar mill -----  $\text{m}^3/\text{day}$  and distillery -----  $\text{m}^3/\text{day}$ ) which will be met from ----- (name of river, if any). Application has been submitted to ----- dated ----- or NOC has been obtained by ----- vide letter no. ----- dated ----- Existing effluent generation is -----  $\text{m}^3/\text{day}$  from sugar mill/distillery which is treated through Condensate Polishing Unit (capacity in  $\text{m}^3/\text{day}$ ). Proposed effluent generation will be -----  $\text{m}^3/\text{day}$  from sugar mill/distillery which will be treated through proposed/upgraded Condensate Polishing Unit (capacity in  $\text{m}^3/\text{day}$ ). In molasses based operation, spent wash generated from the analyser column during distillation will be concentrated in Multi Effect Evaporator and concentrated spent wash will be burnt in incineration boiler/concentrated spent wash will be bio-methanated and converted into powder form by spray dryer (ATFD) technology/ concentrated spent wash will be treated through bio-composting and bio-compost will be sold to farmers in packed form. In grain based operation, raw stillage (----- KLPD :quantity of raw spent wash from distillation) will be sent to decanter followed by MEE followed by dryer to produce DDGS. Domestic waste water is being/will be treated in STP (Capacity of STP in KLD/MLD). The plant is being/will be based on Zero Liquid discharge system and treated effluent/water is being/will not be discharged outside the factory premises.
11. Total power requirement of distillery/ sugar mill after expansion will be ----- MW which will be sourced from existing/proposed ----- MW co-generation power plant in sugar mill/distillery. NOC for power requirement from State Grid has been obtained vide letter no. ----- dated ----- Existing sugar mill/distillery has ----- TPH ----- fired boiler. -- TPH ----- fired boiler will be installed in sugar mill/distillery. APCE ----- with a stack of height of ----- m is installed with the existing boiler for controlling the particulate emissions within the statutory limit of 50  $\text{mg}/\text{Nm}^3$ . APCE ----- with a stack of height of ----- m will be installed for controlling the particulate emissions within the statutory limit of 50  $\text{mg}/\text{Nm}^3$  for the proposed boiler. Industry has ----- KVA DG set which will be used as standby during power failure and stack height (----- m) will be provided as per CPCB norms to the proposed DG sets.

## 12. Details of Process emissions generation and its management

- APCE ----- with a stack of height of ----- m is installed with the existing boiler for controlling the particulate emissions within the statutory limit of 50  $\text{mg}/\text{Nm}^3$ . APCE ----- with a stack of height of ----- m will be installed for controlling the particulate emissions within the statutory limit of 50  $\text{mg}/\text{Nm}^3$  for the proposed boiler.
- Online Continuous Emission Monitoring System is being/will be installed with the stack and data will be transmitted to CPCB/SPCB servers.
- CO<sub>2</sub> (---- TPD) generated during the fermentation process is being/will be collected by utilizing CO<sub>2</sub> scrubbers and sold to authorized vendors/collected in proposed bottling

plant.

### **13. Details of solid waste/Hazardous waste generation and its management**

- Concentrated spent wash (---- m3/day) is being/will be burnt in incineration boiler/ will be converted to powder by ATFD/spray dryer/ will be converted to bio-compost to be used as manure.
- DDGS (Distilled Dried Grains Stillage) (----- TPD) is being/will be sold as cattle feed / fish feed / prawn feed.
- Boiler ash (----- TPD) is being/will be used for brick manufacturing in proposed brick manufacturing plant inside plant premises/supplied to brick manufacturers/ given to farmers to be used as manure.
- Used oil (----- Kilolitres per annum) is being/will be sold to authorized recyclers.
- CPU sludge (---- TPD) and STP Sludge (----- TPD) is being/will be used as manure.
- Press mud (----- TPD) will be used as manure in sugar mill.
- Bagasse (----- TPD) will be used as ----- in sugar mill.
- Molasses (----- TPD) will be used as ----- in sugar mill.

14. As per Notification S.O 2339(E), dated 16th June, 2021, PP has submitted self-certification in the form of notarized affidavit declaring that the proposed expansion capacity of ----- KLPD & ----- TCD will be used for manufacturing fuel ethanol only.

**All other projects excluding B2 projects**

**Subject:** .....- Environmental Clearance- reg.

**[Proposal NO....., F.NO.....]**

1. The Project Proponent and the accredited Consultant M/s. ....(NABET certificate no. -----and validity -----) made a detailed presentation on the salient features of the project and informed that the proposal is for environmental clearance to the project ..... located at Village -----, Tehsil -----, District -----, State ----- by M/s. -----.
2. All ..... are listed at S.N. .... of Schedule of Environment Impact Assessment (EIA) Notification under category 'A' and are appraised at Central Level by Expert Appraisal Committee (EAC). **(If integrated project provide S.N. and category of each unit and reason for considering at Central level)**
3. The details of products and capacity as under:

S. No	Unit	Product/by-product	Existing Quantity	Proposed Quantity	Total Quantity

**Note : Data shall be same as Form -2 and EIA/EMP**

4. Ministry/SEIAA has issued Environmental Clearance to the existing capacity ----- vide File No. ----- dated ----- . Certified Compliance report of existing EC has been obtained from Integrated Regional Office, MoEFCC, ----- vide File no- ----- dated ----- . Action Taken Report has been submitted to IRO, MOEFCC, ----- dated ----- for ----- partial compliances and ----- non-compliances **or** Certified Action Taken Report has been obtained by IRO, MOEFCC, ----- dated -----.

**OR**

Existing industry is operational on the basis of Consent To Operate because ----- . Thus Environmental Clearance was not applicable. Latest CTO (air and water) has been issued on ----- and is valid till ----- . Certified CTO compliance report has been issued dated ----- from RO, SPCB.

5. The project proposal was considered by the Expert Appraisal Committee (Industry-2) in its.....<sup>th</sup> meeting held during ..... and recommended Terms of References (ToRs) for the Project. The ToR has been issued by Ministry vide F. no. ....; dated .....

**OR**

Standard Terms of Reference have been obtained vide F. No. -----dated -----.

6. Status of Litigation Pending against the proposal, if any.

7. Public Hearing for the proposed project had been conducted by the ----- Pollution Control Board on ----- at ----- chaired by ----- . The main issues raised during the public hearing and their action plan:

Issue in brief	Action plan in brief	Budget allocated and timeline

**(All major issues to be covered as already submitted in EIA Report and PH proceedings)**

8. Total land area required is ----- hectares. Greenbelt will be developed in total area of ----- hectares i.e., -----% of total project area. The estimated project cost is Rs. ----- Crores. Capital cost of EMP would be Rs. ----- Crores and recurring cost for EMP would be Rs. ----- Crores per annum. Industry proposes to allocate Rs. ----- Crores towards Extended EMP (Corporate Environment Responsibility). Total Employment will be ----- persons as direct & indirect.

OR

Total plant area after expansion will be ----- Ha (existing plant area - ----- Hectares and additional land required - ----- Hectares for proposed capacity) which is under possession of the company and converted to industrial use/ No additional land will be acquired for the expansion project as the same will be done within existing plant premises. Out of the total plant area ----- Hectares i.e. 33% of the total plant area has already been developed as greenbelt & plantation and the same will be maintained/ will be developed under greenbelt & plantation in and around plant premises. The estimated project cost is Rs. ----- Crores. Capital cost of EMP would be Rs. ----- Crores and recurring cost for EMP would be Rs. ----- Crores per annum. Industry proposes to allocate Rs. ----- Crores towards extended EMP (Corporate Environment Responsibility). Total Employment after expansion will be -----persons as direct & indirect.

9. There are ----- national parks, wildlife sanctuaries, Biosphere Reserves, Tiger/Elephant Reserves, Wildlife Corridors etc. within 10 km distance. Reserve forests/protected forests: ----- at a distance of -----km in ----- direction. The ----- national parks, wildlife sanctuaries, Biosphere Reserves, Tiger/Elephant Reserves, Wildlife Corridors etc. is at a distance of ----- Km in ----- direction from project site. ESZ for same is finalized vide Notification No. ----- dated ----- . The Eco-sensitive Zone is spread over an area of ----- square kilometres with an extent varying from ----- kilometres to ----- kilometres around the boundary of ----- . The project site is located ----- Km from notified ESZ. NBWL application has been submitted dated ---- (if applicable). Conservation plan for schedule I species has been submitted to ----- dated ----- and a budget of ----- Crores has been earmarked for the same. Water bodies: ----- is at a distance of ----- Km in ----- direction. River ----- is at a distance of ----- for which NOC has been obtained from State Irrigation Department vide letter no. ----- dated ----- stating that ----- (If applicable).
10. Ambient air quality monitoring was carried out at ..... locations during ..... to ..... and the baseline data indicates the ranges of concentrations as: PM10 (---...µg/m<sup>3</sup>), PM2.5 (---...µg/m<sup>3</sup>), SO<sub>2</sub> (---...µg/m<sup>3</sup>) and NO<sub>2</sub> (---...µg/m<sup>3</sup>). AAQ modelling study for point source emissions indicates that the maximum incremental GLCs after the proposed project would be ---- µg/m<sup>3</sup>, --- µg/m<sup>3</sup>, ---- µg/m<sup>3</sup> and --- µg/m<sup>3</sup> with respect to PM10, PM2.5, SO<sub>2</sub> and NO<sub>x</sub>. The resultant concentrations are within the National Ambient Air Quality Standards (NAAQS).

11. Total fresh water requirement will be ---- m<sup>3</sup>/day which will be met from ----- (name of river, if any). Application has been submitted to ----- dated ----- **or** NOC has been obtained by ----- vide letter no. ---- dated ----- .Effluent of ----- m<sup>3</sup>/day quantity will be treated through Condensate Polishing Unit/Effluent Treatment Plant of capacity ----- KLPD. STP of capacity ----- KLPD will be installed to treat sewage generated from factory premises. The plant will be based on Zero Liquid discharge system and no effluent/treated water will be discharged outside factory premises.

**OR**

Total fresh water requirement after expansion will be ---- m<sup>3</sup>/day which will be met from ----- (name of river, if any). Application has been submitted to ----- dated ----- **or** NOC has been obtained by ----- vide letter no. ---- dated ----- . Existing effluent generation is ----- m<sup>3</sup>/day which is treated through Condensate Polishing Unit (capacity in m<sup>3</sup>/day). Proposed effluent generation will be ----- m<sup>3</sup>/day which will be treated through proposed/upgraded Condensate Polishing Unit (capacity in m<sup>3</sup>/day). Domestic waste water is being/will be treated in STP (Capacity of STP in KLD/MLD). The plant is being/will be based on Zero Liquid discharge system and treated effluent/water is being/will not be discharged outside the factory premises.

12. Power requirement will be ----- MW and will be met from proposed ----- MW co-generation power plant/state grid. NOC for power requirement from State Grid has been obtained vide letter no.----- dated -----, ---- TPH ----- fired boiler will be installed. APCE ----- with a stack of height of ----- m will be installed for controlling the particulate emissions within the statutory limit of 50 mg/Nm<sup>3</sup> for the proposed boiler. ---- KVA DG set will be used as standby during power failure and stack height (----- m) will be provided as per CPCB norms to the proposed DG sets.

**OR**

Total power requirement of distillery/ sugar mill after expansion will be ----- MW which will be sourced from existing/proposed ----- MW co-generation power plant. NOC for power requirement from State Grid has been obtained vide letter no.----- dated ----- . Existing unit has ----- TPH ----- fired boiler. ---- TPH ----- fired boiler will be installed. APCE ----- with a stack of height of ----- m is installed with the existing boiler for controlling the particulate emissions within the statutory limit of 50 mg/Nm<sup>3</sup>. APCE -- ---- with a stack of height of ----- m will be installed for controlling the particulate emissions within the statutory limit of 50 mg/Nm<sup>3</sup> for the proposed boiler. Industry has - ---- KVA DG set which will be used as standby during power failure and stack height (--- m) will be provided as per CPCB norms to the proposed DG sets.

13. Details of Process emissions generation and its management (In para form with bullets)
14. Details of Solid waste/ Hazardous waste generation and its management ((In para form with bullets)
15. If greenfield project, Total land of ----- Hectares is under possession of the company and land use conversion has been completed vide letter no.----- dated -----/ land use conversion application has been submitted to ----- dated -----.
16. Details of SCZMA clearance , forest clearance if applicable. SCZMA clearance has been obtained by ----- Coastal Zone management Authority vide letter no. ----- dated -----



-----, Stage I Forest Clearance has been obtained by ----- vide letter no. -----  
- dated -----.

17. Co-ordinates of proposed wells for 1(b) projects.

18. Total land of ----- Hectares is under possession of the company and land use conversion has been completed vide letter no.----- dated -----/ land use conversion application has been submitted to ----- dated -----, (If applicable)

**Annexure IV****For Re-consideration projects****Subject:** .....- Environmental Clearance- reg.**[Proposal NO....., F.NO.....]**

The proposal was earlier considered by the EAC (Ind-2) in its ----- meeting/meeting ID----  
-- held during ----- wherein EAC deferred the proposal and desired certain requisite  
information/inputs. Information desired by the EAC and responses submitted by the project  
proponent is as under:

<b>S.No</b>	<b>ADS by MOEFCC</b>	<b>Reply of PP</b>
<b>1</b>	-----	-----
<b>2</b>	-----	-----

**After this, please follow Annexure I, II, III as per the case applicability.**

## **Annexure-V**

The proposal is for amendment in the Environmental Clearance granted by the Ministry vide letter no. dated..... for the project.....located at.....by M/s .....

2. The project proponent has requested for amendment in the ToR/EC with the details are as under;

<b>S.No.</b>	<b>Para of ToR/EC issued by MoEF&amp;CC</b>	<b>Details as per the ToR/EC</b>	<b>To be revised/ read as</b>	<b>Justification/ reasons</b>
1.				
2.				
3.				

**Template for presentation before the EAC**

**Slide 1**

<b>Agenda No.</b>	<b>Name of the Project (Including Company's Name)</b>
<ul style="list-style-type: none"><li>➤ Date of Application Submission</li><li>➤ ADS if any including date of reply</li><li>➤ Date of Acceptance</li><li>➤ New Project/Expansion Project</li><li>➤ Product Mix or Change in Technology</li><li>➤ Existing &amp; Proposed Capacity</li><li>➤ Forest Area/Wildlife/ESZ if any</li><li>➤ Name of EIA Coordinator</li><li>➤ CONSULTANT:<ul style="list-style-type: none"><li>• Name</li><li>• NABET Registration No.</li><li>• Validity</li></ul></li></ul>	<ul style="list-style-type: none"><li>➤ Date of Public Hearing (P.H.) Conducted</li><li>➤ Level of Officer conducted P.H.</li><li>➤ Status of Forest Clearance (FC)</li><li>➤ Applicability of Coastal Regulatory Zone (CRZ) if any</li><li>➤ Whether located in Critically Polluted Area (CPA).</li><li>➤ Certified Compliance submitted</li></ul>

**Slide 2**

<b>Details of Earlier ECs with Past Productions Details</b>
<b>Details of Earlier CTOs with Past Productions Details</b>
<b>Details of Certified Compliance of Earlier EC/CTO</b>

2

### Slide 3

#### Introduction of The Project


- ◆ Brief Description about project
- ◆ Plot area
- ◆ % of green belt provided
- ◆ Land use change required
- ◆ Sources of Air(+Noise) Pollution
- ▶ Estimated Project Cost
- ▶ EMP Cost
- ▶ CER Cost
- ▶ Manpower
- ▶ Details of Environment Officers with qualifications

### Slide 4


#### Introduction of The Project

- ◆ Water Consumption/day
- ◆ Source of water
- ◆ Permission from CGWA or any other agency
- ◆ Energy Consumption
- ◆ Kind of Fuel used
- ◆ Quantity of fuel used
- ◆ Waste Water Generated/day
- ◆ Treatment facility with capacity and current operational capacity
- ◆ Mode of discharge

Slide 5 Example



Slide 6 : Example



Slide 7

Project Site to be shown on Google Earth/DSS through KML/SHP File

Slide 8: Engineering layout of the Project site

## Slide 9

### BASELINE ENVIRONMENT DETAILS

#### 1. AIR QUALITY (shall attach copy of NABL or MOEF approval)

##### Period of monitoring

- ▶ Table of Parameters Monitored as per TOR including Noise.
- ▶ Comparison of AQM data from Upstream & down stream Station.
- ▶ Minimum detectable Limit of various methods.
- ▶ Prediction of max. GLC(DG sets & from other sources)
- ▶ Incremental Pollution load.

##### Wind Rose / Impact

- ▶ Location specific Wind Rose be given based on which AQM station Setup.
- ▶ Map of AQM Station be given superimposed with respective monitored value + wind rose on one corner of the map.
- ▶ Impact of dust, smoke, gas ,fumes & odour

9

## Slide 10

### BASELINE ENVIRONMENT DETAILS

#### 2.WATER (Surface + Ground) Environment

##### Date of monitoring

- ▶ Table of Parameters Monitored as per TOR/CPCB
- ▶ Comparison of data from Upstream & down stream sampling Station
- ▶ Minimum detectable Limit of various methods.
- ▶ Incremental pollution Load from waste water generation.

##### Sampling Location Map

- ◆ Map of sampling area with specific location of collection. Superimposed with respective monitored value
- ◆ Attach copy of NABL or MOEF approval.
- ◆ Fresh water reduction due to recycling/reuse of wastewater.

10

**Slide 11**

## **BASELINE ENVIRONMENT DETAILS**

### **3. Soil and Biological Environment**

#### **Soil**

- ◆ Location Map of Sampling points
- ◆ Sampling result
- ◆ Shall describe quality of soil as per standard (IARC) method

#### **Biological**

- ◆ Map of study area be attached.
- ◆ Biodiversity index with its interpretation be given

11

**Slide 12**

## **BASELINE ENVIRONMENT DETAILS**

### **4. Socio Economic Environment**

#### **Areas visited & date**

- ▶ Report on collection of Primary & Secondary Data
- ▶ Identification of social requirements based on interview & discussions with the resident of the area.

#### **Social Action Plan**

- ◆ Development of social action plan
- ◆ Time frame for completion
- ◆ Estimated budget to be spent year wise(CER)

12

**Slide 13**

## **BASELINE ENVIRONMENT DETAILS**

### **5. RISK STUDIES & DISASTER MANAGEMENT**

#### **Hazardous Substances**

- ▶ List of Hazardous Substances and quantity stored.
- ▶ Assumptions and Worst case scenario.
- ▶ Risk assessment be done by 3-D (CFD) Capable Software.

#### **Risk Assessment**

- ▶ Prevailing Risk from existing facilities
- ▶ Perceived risk from the proposed facilities.
- ▶ Societal Risk
- ▶ Cumulative risk
- ▶ Details of Onsite mitigation measures/ DMP

13



**Slide 14**

**Details of National Park/Sanctuary/Forest Land/Schedule-I Species/ESZ Notification/No Development Zone If any**

**Slide 15**

**Process Flow Chart**

**Slide 16**

**Water Requirement and its approval status  
Water Balance**

**Slide 17**

**Waste Water Treatment Technology / Details of ZLD  
Details of STP and how treated water is reused**

**Slide 18**

**Product wise Raw Material consumption**

**Slide 19**

**Details of Green Belt Development Plan**

**Slide 20**

**Transportation Plan –Study as per IRC Guidelines**

**Slide 21**

**Budget for CER as per Ministry's Circular alongwith Activities and its timelines for commitments**

## Slide 22

### Environment Management Plan

Shall cover details on following pollution control measures linking with baseline studies ,raw material and products with involved risk :

- ✦ AIR Pollution Control measures including devices proposed with capacities & cost.
- ✦ Water and Waste Water treatment and disposal ,if any
- ✦ Solid Waste / Sludge Disposal if any .
- ✦ % reduction due to proposed devices
- ✦ Details of Environment Personnel (Environment Engineers and Environment Scientist) posted in Environment Management Cell.

22

## Slide 23: TOR wise compliance presentation

### Point Wise Standard TOR Compliance

TOR Point-1: Executive Summary of the Project.

Reply: .....

TOR Point-2: Introduction i) Details of the EIA consultant including NABET accreditation ii) Information about the project proponent iii) Importance and benefits of the project

Reply: .....

And so on.....

23

#### Slide 24

### **Hazardous Waste Management and Disposal**

- **List of hazardous waste generation and quantity.**
- **Disposal- In-house or CHWTDF**
- **Agreement for hazardous waste management and disposal**

24

#### Slide 25

### **PUBLIC CONSULTATION**

- Public consultation for this project was conducted on ..... at 11:00 A.M. at .....which was presided over by the .....attended by officers of GPCB, Gandhinagar.
- The public hearing was attended by .....
- Requisite publicity through local newspapers/ media i.e. ....Dated ..... was given 30 days in advance of the date; .
- The project proponent has given commitment to fulfil the environmental and social responsibility for development of community of nearby villages.

25

**Slide 26**

PUBLIC HEARING MINUTES ITS ACTION PLAN WITH BUDGET ,TIMELINE INCLUDING DISPLY OF PH VIEDEO			
S.No.	Issues raised by the Public	Points Represented	Response/ Commitment of Project Proponents along with budget and timelines
1	Mr X...		
2	Mr Y...		
3	Mr Z...		

26

**Slide 27**

**Public Hearing Photographs**

**Quick User Manual to use Desktop Videoconference**

NIC, MoEFCC will moderate the Video Conferencing meeting. The Guidelines related to connecting VC is annexed herewith. PP will be ready before 10 minutes of the slot allowed to them. If any problem faced please contact Mr Kamal, Moderator, NIC (Mobile No. 8800225087, email- support-ipb@nic.in).

- PP/Consultant who want to make presentation during EAC, they have to download/install VidyoApp on desktop/Laptop.
- A web Link will be shared by Member Secretary/Moderator before the EAC meeting. It is requested to be ready before 10 minutes as per slot provided to you.
- Joining from Mobile devices: Click on the link on your mobile device. It will asked you to join the conference. It may asked installed Mobile App (VidyoMobile). Installed the VidyoMobile and click on link to join VC.
- Please see the control menu to manage the conference. Keep your microphone muted and unmute only when you speak. You can chat or share desktop screen.
- User should have minimum Internet connection of 2 Mbps from any service provider (Broadband/4G etc)
- A Desktop/Laptop working in windows (Recommended).
- Wired Earphone/Headphones with Microphone (Strongly recommended) or External USB camera & Speaker cum microphone.

**\*\*\***