

F. No. J-11011/531/2007- IA II (I)  
**Government of India**  
**Ministry of Environment and Forests**  
**(I.A. Division)**

Paryavaran Bhawan  
CGO Complex, Lodhi Road  
New Delhi - 110 003

E-mail : [pb.rastogi@nic.in](mailto:pb.rastogi@nic.in)  
Telefax : 011: 2436 7668

Dated 17<sup>th</sup> January, 2008

To,  
✓ M/s Shri Bajrang Power & Ispat Ltd.  
Borjhara, Urla - Guma Road  
Raipur - 493 221, Chhattisgarh

E-mail : [sbpil@shribajrang.net](mailto:sbpil@shribajrang.net) ; Fax No. : 0771 - 2323602

**Subject : Ferro Alloy Plant (14,400 MTPA) with bio-mass based (rice husk) Power Plant (8 MW) at Borjhara, Raipur, Chhattishgarh by M/s Shri Bajrang Power & Ispat Ltd. - Environmental clearance reg.**

Sir,

This has reference to your letter no. SBPIL/07-08/2814 dated 22<sup>nd</sup> January, 2007 alongwith Form I, Pre-feasibility Report, EIA/EMP and related project documents and subsequent clarifications furnished by you vide your letter dated 27<sup>th</sup> July, 2007, 22<sup>nd</sup> September, 2007, 13<sup>th</sup> August, 2007 and 14<sup>th</sup> November, 2007 for environmental clearance on the above mentioned project.

2.0 The Ministry of Environment and Forests has examined your application. It is noted that proposal is for setting up of a Ferro Alloy Plant (14,400 MTPA) with bio-mass based (rice husk) Power Plant (8 MW) at Borjhara, Raipur, Chhattishgarh. Total project area is 21 ha. (51.809 acre) and is located in notified Borjhara Industrial Area. Total water requirement from Kharoon river for expansion will be 655 m<sup>3</sup>/day and no water will be sourced from the ground water. No effluent will be discharged from the Ferro alloy manufacturing process. Granulated slag and fly ash in cement manufacturing, char / dolochar will be used as fuel to generate power. Total cost of the project is Rs. 32.11 Crores. Rs. 5.00 Crores and Rs. 30.00 Lakhs are earmarked towards the capital cost and recurring cost/annum for environmental pollution control measures.

3.0 No public hearing/consultation was required as per the Government of Chhattisgarh order no. F-14-2/03/(6)11-(1) dated 7<sup>th</sup> June, 2003 indicating the area declared as notified industrial area at Borjhara, District Raipur, Chhattisgarh.

4.0 The Ministry of Environment and Forests hereby accords environmental clearance to the above project under the provisions of EIA Notification dated 14<sup>th</sup> September, 2006 subject to strict compliance of the following specific and general conditions:

**A. SPECIFIC CONDITIONS :**

- i) Electrostatic precipitator (ESP) alongwith Pulse jet bag filters shall be installed in the hopper instead of cyclone and wet scrubbers to control emissions within 50 mg/Nm<sup>3</sup>.

- ii) In-plant control measures for checking fugitive emissions from all the vulnerable sources shall be provided. Fume and dust extraction system with bag filters shall be provided at the material transfer and discharge points to control fugitive emissions. Further, specific measures like water sprinkling around the coal stockpiles and asphaltting or concreting of the roads shall be done to control to reduce the dust generation and fugitive emissions during handling.
- iii) Secondary fugitive emissions from all the sources including existing sponge iron plant and captive power plant shall be controlled within the latest permissible limits issued by the Ministry and regularly monitored. Guidelines / Code of Practice issued by the CPCB shall be followed.
- iv) Total requirement of the water from Kharoon river shall not exceed 2,940 m<sup>3</sup>/day. No water shall be sourced from the ground water sources. All the acidic and alkaline effluent shall be neutralized in neutralization tank and treated effluent shall be recycled/reused in the process and green belt development. Cooling tower blow down shall be used for dust suppression in fuel handling area. Domestic wastewater shall be treated in septic tank followed by soak pit. No wastewater shall be discharged outside the factory premises and 'Zero' discharge shall be adopted.
- v) Prior permission for the drawl of 2,940 m<sup>3</sup>/day water from Kharoon river from the concerned Department shall be obtained.
- vi) All the granulated slag shall be provided to cement / brick manufacturers for manufacturing Pozzolona Slag Cement (PSC) or making bricks. No granulated slag shall be used for road construction and filling low-lying areas. All the char / dolochar shall be used in the AFBC boiler. Hexavalent Chromium present in the slag shall be converted to trivalent Chromium. Ferro chrome shall be stored in secured landfill as per the CPCB guidelines. Bottom ash shall be disposed off in a suitably designed landfill as per CPCB guidelines to prevent leaching to the sub-soil and underground aquifer. ETP sludge after drying shall be used as fertilizer for green belt development. Used oil shall be sold to recyclers and preprocessors.
- vii) All the fly ash shall be utilized as per Fly ash Notification, 1999 subsequently amended in 2003.
- viii) Out of total 21 ha., green belt shall be developed in 7.0 ha. (33 %) within and around the plant premises as per the CPCB guidelines in consultation with DFO.
- ix) All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the Ferro alloy plants shall be implemented.

**B. GENERAL CONDITIONS:**

- i. The project authorities must strictly adhere to the stipulations made by the Chhattisgarh Environment Conservation Board (CECB) and the State Government.
- ii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests.


- iii. The gaseous emissions from various process units shall conform to the load/mass based standards notified by this Ministry on 19<sup>th</sup> May, 1993 and standards prescribed from time to time. The State Board may specify more stringent standards for the relevant parameters keeping in view the nature of the industry and its size and location. At no time, the emission level shall go beyond the prescribed standards. Interlocking facilities shall be provided so that process can be automatically stopped in case emission level exceeds the limit.
- iv. Continuous stack monitoring facilities for all the major stacks and adequate air pollution control systems shall be provided to keep emission levels below within permissible limits and reports submitted to the Ministry's Regional Office at Bhopal and CECB/CPCB once in six months.
- v. At least four ambient air quality-monitoring stations should be established in the downward direction as well as where maximum ground level concentration of SPM, SO<sub>2</sub> and NO<sub>x</sub> are anticipated in consultation with the CECB. Data on ambient air quality and stack emission should be regularly submitted to this Ministry including its Regional Office at Bhopal and the CECB/CPCB once in six months.
- vi. Industrial wastewater shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19<sup>th</sup> May, 1993 and 31<sup>st</sup> December, 1993 or as amended from time to time. The treated wastewater shall be utilized for plantation purpose.
- vii. The overall noise levels in and around the plant area shall be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under EPA Rules, 1989 viz. 75 dBA (daytime) and 70 dBA (nighttime).
- viii. Occupational Health Surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.
- ix. The company shall develop surface water harvesting structures to harvest the rain water for utilization in the lean season besides recharging the ground water table.
- x. The project proponent shall also comply with all the environmental protection measures and safeguards recommended in the EIA / EMP report. Further, the company must undertake socio-economic development activities in the surrounding villages like community development programmes, educational programmes, drinking water supply and health care etc.
- xi. The project authorities shall provide Rs. 5.00 Crores and Rs. 30.00 Lakhs earmarked towards the capital cost and recurring cost/annum for environmental pollution control measures shall be judiciously used to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government. An implementation schedule for implementing all the conditions stipulated herein\* shall be submitted to the Ministry including its Regional Office at Bhopal. The funds so provided should not be diverted for any other purpose.

- xii. The Regional Office of this Ministry at Bhopal/CPCB/CECB will monitor the stipulated conditions. A six monthly compliance report and the monitored data alongwith statistical interpretation shall be submitted to them regularly.
- xiii. The Project Proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the CECB and may also be seen at Website of the Ministry of Environment and Forests at <http://envfor.nic.in>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same should be forwarded to the Regional office.
- xiv. Project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.

5.0. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.


6.0. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.

7.0. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Wastes (Management and Handling) Rules, 2003 and the Public (Insurance) Liability Act, 1991 along with their amendments and rules.

  
(Dr. P. B. Rastogi)  
Additional Director

Copy to:

1. Secretary, State Department of Environment, Govt. of Chhattisgarh, Chhattisgarh.
2. The Chairman, Central Pollution Control Board, Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, Delhi-110032.
3. The Chairman, Chhattisgarh Environment Conservation Board, Nanak Niwas, Civil Lines, Raipur, Chhattisgarh.
4. The Chief Conservator of Forests (Eastern), Regional Office (WZ), E-3/240, Arera Colony, Bhopal - 462 016; M.P.
5. Joint Secretary (CCI-I), Ministry of Environment and Forests, Paryavaran Bhavan, CGO Complex, New Delhi.
6. Monitoring Cell, Ministry of Environment & Forests, New Delhi.
7. Guard file.
8. Record file.

  
(Dr. P. B. Rastogi)  
Additional Director



Ministry of Environment & Forests (MOEF)

No.J-11015/159/2009-IA.II(M)

Paryavaran Bhawan,  
C.G.O. Complex,  
New Delhi -110510.

Dated: 28<sup>th</sup> January 2010

To  
M/s Shri Bajrang Power & Ispat Ltd.,  
Village Borjhara,  
Urli Industrial Area,  
RAIPUR, Chhattisgarh - 493221.

Subj: Proposed Borjhara Coal washery Project (1.2 MTPA of raw coal) and 0.12 MTPA Hot Re-Rolling Mill of M/s Shri Bajrang Power & Ispat Ltd, located in village Borjhara near Urli Industrial Area, in block Dharsiwa, district Raipur, Chhattisgarh - Environmental Clearance - reg.

Sir,

This has reference to letter No. SBPIL/D9-10/0340 dated 10.05.2009 along with application for Terms of Reference (TOR) and this Ministry's grant of TOR vide letter dated 03.12.2009 and subsequent application dated 10.09.2009 for environmental clearance based on TOR and letter dated 18.11.2009 on the above mentioned subject. The Ministry of Environment & Forests has considered the application. The proposal is for establishment of a captive coal washery of 1.2 million tonnes per annum (MTPA) capacity of raw coal by dry process and a Hot Re-rolling Mill of 0.12 MTPA capacity in a total area of 21 ha which also has the linked Ferro Alloys Plant and CFBC Thermal Power Plant. The total project area of 21 ha includes 3.1 ha area for infrastructure, 5.02 ha for green belt, 4.06 ha under yard, 0.72 ha for parking and 1.35 ha open area. The sources of coal are coalmines of M/s South Eastern Coalfields Ltd. located in Korba at a distance of 110 km from the washery. There are no National Parks, Wildlife Sanctuary, Biosphere Reserves found in the 15 km buffer zone. The washery unit is a dry using Allair Jig and does not require any water. Of the total 1.2 MTPA of raw coal (grade E-F of an ash content of 43-47% ash) has a yield of 0.72 MTPA of clean coal (34-38% of ash), and 0.48 MTPA (58-66% of ash) of coal rejects. Raw coal would be transported to the washery by rail upto Raipur and by road from Raipur Railway Siding to the site and washed (clean) coal would be used in the existing linked Ferro Alloys Plant and located within the premises and coal rejects along with coal fines would be entirely used in the 50-MW CFBC based Thermal Power Plant and at a distance of 4 km from the unit.

Of the 1.60 LTPA of steel Ingots, 1.50 LTPA of the final re-rolled product would be produced in the Hot-Re-Rolling Mill. An estimated 6420 TPA of Miss-Roll and End Cuts would be entirely utilised in the Steel Melting Shop as raw material. The jigger machine has inbuilt dust control system and would also be provided with a bag filter. The Mill will be provided with a stack of 30m height. Dust collected from the various air pollution control devices would be recycled for use in the captive sponge iron plant. An estimated 45 m<sup>3</sup>/d of water is required for the Hot Re-Rolling Mill and 5m<sup>3</sup>/d from drinking which would be met from River Kharun and Consent for drawl of water obtained from Water Resources Department, Govt. of Chhattisgarh, vide letter No. 501-/302/JS/TS/AIP/03-D-4 dated 26.10.2004. Of the 5 m<sup>3</sup>/d used for domestic use, 4 m<sup>3</sup>/d would be treated and recycled for green belt development. No groundwater is to be used for the washery-cum-Re-Rolling Mill. Life of the project is 30 years. Public Hearing was exempted under the provisions of the FIA Notification 2006. Capital cost of the project is about Rs. 40 crores for the Washery-cum-Hot Re-Rolling Mill unit Plant.

Certified that this is  
TRUE COPY of its Original  
which I Attested.



28 FEB 2010

C. F. SHARMA  
NOTARY  
RAIPUR (C.G.)  
INDIA  
Econ. No. 2009

2. The Ministry of Environment & Forests hereby accords environmental clearance for the above-mentioned **Proposed Borjhara Coal washery Project (1.2 MTPA of raw coal) and 0.12 MTPA Hot Re-Rolling Mill of M/s Shri Bajrang Power & Ispat Ltd.**, under the provisions of the Environmental Impact Assessment Notification, 2006 and subsequent amendments and Circulars thereto and of MOEF Circulars thereunder and subject to conditions specified below:

**A. Specific Conditions**

- (i) The company shall prepare and implement a Plan for transportation of raw coal by rail mode only upto Raipur Railway Siding and by road thereafter upto the washery.
- (ii) All approach roads shall be black topped and a 3-tier avenue plantation developed alongside the roads. Avenue plantation (3-tier) shall also be developed along the 4km stretch of the SH used for transportation of raw coal from Raipur Railway Siding to the Washery.
- (iii) The raw coal, washed coal and coal wastes (rejects) shall be stacked properly at earmarked site(s) within sheds/stockyards fitted with wind breakers/shields. Adequate measures shall be taken to ensure that the stored minerals do not catch fire.
- (iii) Hoppers of the coal crushing unit at the crushing shed and washery unit shall be fitted with high efficiency bag filters/Dust extractors and mist spray water sprinkling system shall be installed and operated effectively at all times of operation to check fugitive emissions from crushing operations, transfer points of belt conveyor systems which shall be closed and from transportation roads.
- (iv) All internal roads shall be black topped. The roads shall be regularly cleaned with mechanical sweepers. A 3-tier avenue plantation using native species shall be developed along the roads. Facilities for parking of trucks carrying raw coal from the linked coalmines shall be created within the Unit.
- (v) The Washery unit -cum Re-Rolling Mill shall be a zero-discharge facility and no wastewater shall be discharged from the washery-cum-Mill into the drains/natural watercourses. Recycled water shall be used for development and maintenance of green belt and in the Plant Operations.
- (vi) The entire generation of Miss-Roll and End Cuts shall be utilised in the linked Steel Melting Shop as raw material. The jiggling machine shall be provided with inbuilt dust control system and also with a bag filter.
- (vii) The entire coal waste rejects shall be utilised in the linked CFBC based TPP located at a distance of about 4 km from the unit.
- (viii) No ground water shall be used for the plant operations. The unit shall adopt rainwater-harvesting measures within the premises.
- (viii) Industrial wastewater (workshop and wastewater from the washery-cum Re-Rolling Unit) shall be properly collected, treated in an ETP so as to conform to the standards prescribed under GSR 422 (E) dated 19<sup>th</sup> May 1993 and 31<sup>st</sup> December 1993 or as amended from time to time. Oil and grease trap shall be installed for treatment of workshop effluents. No wastewater shall be discharged from the washery into the drains/natural watercourses.
- (ix) The Washery unit shall be a dry facility only and no change in the technology shall be permitted without prior approval of this Ministry.
- (x) Green belt shall be developed along the areas such as the washery unit, crushing unit, and stockyards.

2 FEB 2018

- (xi) Vehicles used to transport raw coal to the washery shall be optimally loaded and covered with tarpaulin.
- (xii) Socio-economic and welfare measures for the local communities for the villages- Bendri, Uria, Birgaon, Sarora, Acchoil and Guma around the Washery unit shall be implemented under CSR and shall be not less than Rs. 20 lakhs per annum.
- (xiii) An amount of not less than Rs. 455 lakhs shall be utilised for environmental measures as capital costs and Rs 107 lakhs as revenue costs in the Washery-cum Re-Rolling Plant.
- (xiv) Ash and Heavy metal content in raw coal, and washed coal shall be analysed twice in a year and records maintained thereof.
- (xv) Adequate pollution control measures shall be provided to control the gaseous emissions when furnace oil is used in the reheating furnace before discharging to open atmosphere through recuperator. In addition, chimney of adequate height shall be provided. Proper ventilation shall be provided to rolling mill area.
- (xvi) The water used for cooler quenching shall be collected in a pit cooled, treated for oil and grease and recycled/reused for further quenching. No wastewater shall be discharged outside the premises.
- (xvii) Proper housekeeping shall be ensured and all the raw materials including sludge and oily waste shall be stored separately in designated place only. Scrap shall be recycled into the subsequent batches of melting. All the other solid wastes including mill scale shall be properly utilised or disposed off in an environmentally friendly manner. Waste oil and oil sludge shall be disposed off to registered recyclers/reprocessors only.

#### B. General Conditions

- (i) No change in technology and scope of working shall be made without prior approval of the Ministry of Environment and Forests.
- (ii) No change in the calendar plan for washing the quantum of mineral coal and waste produced shall be made.
- (iii) Four ambient air quality monitoring stations shall be established in the core zone as well as in the buffer zone for monitoring PM 10 and PM 2.5, SO<sub>2</sub>, NO<sub>x</sub> and heavy metals such as Hg, Pb, As, Cr, etc. Location of the stations shall be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets in consultation with the State Pollution Control Board.
- (iv) Fugitive dust emissions (PM10 and PM 2.5 and heavy metals such as Hg, Pb, As, Cr, etc) from all the sources shall be controlled regularly monitored and data recorded properly. Water spraying arrangement on haul roads, wagon loading, dump trucks (loading and unloading) points shall be provided and properly maintained.
- (v) Periodic monitoring report with data on ambient air quality (PM 10 and PM 2.5, SO<sub>2</sub>, NO<sub>x</sub> and heavy metals such as Hg, Pb, As, Cr, etc) shall be regularly submitted to the Ministry including its Regional Office at Bhopal and to the State Pollution Control Board and the Central Pollution Control Board once in six months.
- (vi) Adequate measures shall be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in blasting and drilling operations, operation of HEMM, etc shall be provided with ear plugs/muffs.

VERIFIED COPY OF THE  
TRUE COPY of its Original  
and is Attested:



C. S. VERMA  
TAG. S. Y.  
RAIPUR, (C.G.)  
INDIA.  
Date: 26. 2. 2010

2 FEB 2010

1223F48328000

- (vi) Vehicular emissions shall be kept under control and regularly monitored. Vehicles used for transporting the mineral shall be covered with tarpaulins and optimally loaded.
- (vii) Environmental quality shall be regularly monitored and got analysed through an Environmental laboratory established under the Environment (Protection) Act, 1986.
- (ix) Personnel working in dusty areas shall wear protective respiratory devices and they shall also be provided with adequate training and information on safety and health aspects.  
Occupational health surveillance programme of the workers shall be undertaken periodically to observe any contractions due to exposure to dust and to take corrective measures, if needed.
- (x) An environmental management cell with suitable qualified personnel shall be set up under the control of a Senior Executive, who will report directly to the Head of the company.
- (xi) The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year-wise expenditure shall be reported to this Ministry and its Regional Office at Bhopal.
- (xii) The Regional Office of this Ministry located at Bhopal shall monitor compliance of the stipulated conditions. The Project authorities shall extend full cooperation to the office(s) of the Regional Office by furnishing the requisite data/ information/monitoring reports.
- (xiii) A copy of the clearance letter shall be marked to concerned Panchayat/ local NGO, if any, from whom any suggestion/representation has been received while processing the proposal.
- (xiv) State Pollution Control Board shall display a copy of the clearance letter at the Regional Office, District Industry Centre and Collector's Office/Tehsildar's Office for 30 days.
- (xv) The Project authorities shall advertise in newspapers – one national and two local widely circulated around the project, one of which shall be in the vernacular language of the locality concerned within seven days of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and may also be seen at the website of the ministry of Environment & Forests at <http://envfor.nic.in>. The compliance status shall also be uploaded by the project authorities in their website and regularly (at six monthly) updated so as to bring the same in the public domain. The data shall also be displayed at the entrance of the project premises and mines office and in corporate office.

3. The Ministry or any other competent authority may stipulate any further condition for environmental protection.

4. Failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract the provisions of the Environment (Protection) Act, 1986.

5. The above conditions will be enforced *inter-alia*, under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and the Public Liability Insurance Act, 1991 along with their amendments and Rules. The proponent shall ensure to provide for the costs incurred for taking up remedial measures in case of soil contamination, contamination of groundwater and surface water, and occupational and other diseases due to the mining operations.

(Dr. T. Chandini)  
Director



certified that this is  
TRUE COPY of the original  
which I attested.

G. P. S. R. P. S. A.  
RAIPUR (C.G.)  
INDIA  
442 No. 202  
1. 2 FEB 2010



**Copy to:**

1. Secretary, Ministry of Coal, New Delhi.
2. Secretary, Department of Environment & Forests, Government of Chhattisgarh, Secretariat, Raipur.
3. Chief Conservator of Forests, Regional office (EZ), Ministry of Environment & Forests, E-2/240 Arear Colony, Bhopal - 462016.
4. Chairman, Chhattisgarh State Environment Conservation Board, 1-Tilak Nagar, Shiv Mandir Chowk, Main Road, Avanti Vihar, RAIPUR-Chhattisgarh - 492001.
5. Chairman, Central Pollution Control Board, CBD-cum-Office Complex, East Arjun Nagar, New Delhi - 110032.
6. Member-Secretary, Central Ground Water Authority, Ministry of Water Resources, Curzon Road Barracks, A-2, W-3 Kasturba Gandhi Marg, New Delhi.
7. Director (Technical), M/s South Eastern Coalfields Ltd., Bilaspur, Chhattisgarh.
8. District Collector, Raipur, Government of Chhattisgarh.
9. Monitoring File      10.      Guard File      11.      Record File.

certified that this is  
TRUE COPY of its Original  
and is not Altered.



C. P. SHARMA  
RAIPUR, (C.G.)  
INDIA.  
Regn. No. 2579

FEB 2010

File No. J-11015/159/2009-IA.II(M)  
GOVERNMENT OF INDIA  
MINISTRY OF ENVIRONMENT AND FORESTS  
IA-II (Coal-Mining) Division

Paryavaran Bhawan  
CGO Complex, Lodhi Road  
New Delhi- 110 510  
Dated: 26 August, 2013

To,

Shri S K Goyal, Director  
M/s Shri Bajrang Power & Ispat Ltd.  
Village Borjhara, Urla Industrial Area,  
Raipur, Chhattisgarh - 493 221  
Email: [sbpil@goeltmt.com](mailto:sbpil@goeltmt.com), [sbpilinfo@gcoltmt.com](mailto:sbpilinfo@gcoltmt.com)

**CORRIGENDUM**

**Subject :** Proposed Borjhara Coal Washery Project (1.2 MTPA of raw coal) and 0.15 MTPA Hot Re-Rolling Mill of M/s Shri Bajrang Power & Ispat Limited, Located in village Borjhara near Urla Industrial Area in Block Dharsiwa, District Raipur Chhattisgarh – corrigendum in Hot Re-Rolling Mill capacity reg.

Sir,

Kindly refer to your letter nos SBAL/2012-13 dated 12.07.2012, SBPIL/2012-13/2882 dated 10.04.2013 and SBPIL/2012-13 dated 19.06.2013 with regard to the above mentioned project requesting for typographical correction in the EC accorded by MoEF vide letter of even no dated 28th January, 2010 with regard to the capacity of the Hot Re-Rolling Mill from 0.12 MTPA to 0.15 MTPA.

2. The typographical corrections are made in the Environmental Clearance no J-11015/159/2009 - IA.II(M) dated 28<sup>th</sup> January, 2010 wherein "0.12 MTPA Hot Re-Rolling Mill" may be read as "0.15 MTPA Hot Re-Rolling Mill" at the following places of the EC:

- (i) 1<sup>st</sup> line page 1 at subject;
- (ii) 1<sup>st</sup> para 7<sup>th</sup> line of page 1; and
- (iii) 2<sup>nd</sup> line of page 2

3. This issues with the approval of Competent Authority.

Yours faithfully,

  
(Manoranjan Hota)  
Director

Bajrang\_EC\_correction



Copy to:

1. Secretary, Ministry of Coal, New Delhi.
2. Secretary, Department of Environment & Forests, Government of Chhattisgarh, Secretariat, Raipur.
3. Chief Conservator of Forests, Regional office (EZ), Ministry of Environment & Forests, E-2/240 Arera Colony, Bhopal 462016.
4. Chairman, Chhattisgarh State Environment Conservation Board, 1-Tilak Nagar, Shiv Mandir Chowk, Main Road, Avanti Vihar, RAIPUR-Chhattisgarh- 492001.
5. Chairman, Central Pollution Control Board, CBD-cum-Office Complex, East Arjun Nagar, New Delhi -110032.
6. Member-Secretary, Central Ground Water Authority, Ministry of Water Resources, Curzon Road Barracks, A-2, W-3 Kasturba Gandhi Marg, New Delhi.
7. District Collector, Raigarh, Government of Chhattisgarh, New Delhi.
8. Monitoring File
9. Guard File
10. Record File.
11. Notice Board



(Dr. Manoranjan Hota)  
Director