STATE LEVEL EXPERT APPRAISAL COMMITTEE, ODISHA

(Constituted vide order No. S.O. 3387(E) dated 15th December, 2015 of MoEF&CC, Govt. of India)
Paribesh Bhawan, A/118, Nilakanthanagar, Unit-VIII,
Bhubaneswar – 751 012, ODISHA

No. _____/ SEAC-(Misc)-02

Date 13.03.2018
Through speed post/Email

To

- M/s. Laxmi Narayan Manmohan Lal Sri Dillip Kumar Gupta –Partner, Bhawanipatna Main Out Still Shop, At- Bahadur Bagicha Pada Po-Bhawanipatna, P.s- Bhawanipatna, Dist- Kalahandi.
 - -----
- M/s. Laxmi Narayan Manmohan Lal Sri Dillip Kumar Gupta –Partner, Dharmagarh Main Out Still Shop, At- Bahadur Bagicha Pada Po-Bhawanipatna, P.s- Bhawanipatna, Dist- Kalahandi.
- M/s. Laxmi Narayan Manmohan Lal Sri Dillip Kumar Gupta –Partner, Behera Main Out Still Shop, At- Bahadur Bagicha Pada Po-Bhawanipatna, P.s- Bhawanipatna, Dist- Kalahandi.

- M/s. Laxmi Narayan Manmohan Lal Sri Dillip Kumar Gupta –Partner, Naktiguda Main Out Still Shop, At- Bahadur Bagicha Pada Po-Bhawanipatna, P.s- Bhawanipatna, Dist- Kalahandi.
- M/s. Laxmi Narayan Manmohan Lal Sri Dillip Kumar Gupta –Partner, Pastikudi Main Out Still Shop, At- Bahadur Bagicha Pada Po-Bhawanipatna, P.s- Bhawanipatna, Dist- Kalahandi.
- M/s. Laxmi Narayan Manmohan Lal Sri Dillip Kumar Gupta –Managing Partner, Padwa Main Out Still Shop, At- Padwa, Tehsil- Nandapur, P.S – Padwa, Dist- Koraput.

Sub: SEAC meeting to be held on 21.03.2018. - regarding.

Sir.

In inviting a reference to above, it is to inform that, your proposal will be placed before the State Level Expert Appraisal Committee on dated 21.03.2018 (as per agenda enclosed) in the Conference Hall of State Pollution Control Board, A/118, Paribesh Bhawan, Nilakantha Nagar, Unit-VIII, Bhubaneswar.

In this regard you are required to follow the following procedure for appraisal of your proposal before the SEAC.

- 1. You have to make a detailed presentation through the accredited consultant. The documents such as Form-I and Pre-feasibility report have also to be prepared by accredited consultant engaged by you and submit the same at the time of presentation.
- 2. In case you are unable to engage any accredited consultant for preparation of documents and presentation, you can prepare the documents such as Form-I and Prefeasibility report by engaging a Technical Expert yourself. However, you have to present during the presentation with filled in check list as per **Annexure-I** duly counter

signed by the Excise Department Officials (not below the rank of Excise Superintendent) along with all the documents as per check list. The checklist is also available in the website of SEIAA, Odisha (www.orissaseiaa.gov.in). If you are unable to attend the meeting, you can depute an authorized representative of your unit who can explain the project and also respond to the queries / suggestions of the committee members. He should be authorized to offer commitments on behalf of the proponent.

A line in confirmation regarding your participation in the meeting will be appreciated.

Encl:

- 1. Agenda of the meeting.
- 2. Annexure I (Check list)

Yours faithfully,

SECRETARY

State Level Expert Appraisal Committee

Memo No. 177 /Dt. 13.03.2018
Copy to concerned files for record.

SECRETARY

State Level Expert Appraisal Committee

STATE LEVEL EXPERT APPRAISAL COMMITTEE, ODISHA

(Constituted vide order No. S.O. 3387 (E) dated 15thDecember 2015 of MoEF&CC, Govt. of India)

Paribesh Bhawan, A/118, Nilakanthanagar, Unit –VIII,

Bhubaneswar – 751 012, ODISHA

DATE & TIME : 21ST MARCH, 2018 AT 03:00 PM

VENUE : Conference Hall of State Pollution Control Board, A/118,

Nilakantha Nagar, Unit -VIII, Bhubaneswar - 12

MEETING OF THE STATE LEVEL EXPERT APPRAISAL COMMITTEE, ODISHA

AGENDA

SCREENING AND SCOPING OF COUNTRY LIQUOR PROPOSALS:

SI. No.	File No.	Proposal
1.	21783/114 - IND2/01 - 2018	Proposal for Environmental Clearance for proposed 7.29 KLD capacity country liquor manufacturing unit of Bhawanipatna Main out still liquor shop at Bhawanipatna, Dist – Kalahandi of M/s. Laxmi Narayan Man Mohan Lal & Sri Dillip Kumar Gupta (Partner)
2.	21784/115- IND2/01- 2018	Proposal for Environmental Clearance for proposed 2.16 KLD capacity country liquor manufacturing unit of Dharmagarh Main out still liquor shop at Dharmagarh, Dist – Kalahandi of M/s. Laxmi Narayan Man Mohan Lal & Sri Dillip Kumar Gupta (Partner)
3.	21782/113- IND2/01- 2018	Proposal for Environmental Clearance for proposed 2.16 KLD capacity country liquor manufacturing unit of Behera Main out still liquor shop at Behera, Dist – Kalahandi of M/s. Laxmi Narayan Man Mohan Lal & Sri Dillip Kumar Gupta (Partner)
4.	21786/117- IND2/01- 2018	Proposal for Environmental Clearance for proposed 1.62 KLD capacity country liquor manufacturing unit of Naktiguda Main out still liquor shop at Naktiguda, Dist – Kalahandi of M/s. Laxmi Narayan Man Mohan Lal & Sri Dillip Kumar Gupta (Partner)
5.	21787/119- IND2/01- 2018	Proposal for Environmental Clearance for proposed 1.62 KLD capacity country liquor manufacturing unit of Pastikudi Main out still liquor shop at Pastikudi, Dist – Kalahandi of M/s. Laxmi Narayan Man Mohan Lal & Sri Dillip Kumar Gupta (Partner)
6.	21628/82- IND2/01- 2018	Proposal for Environmental Clearance for proposed 0.206 KLD capacity country liquor manufacturing unit of Padwa Main out still liquor shop at Padwa, Tehsil – Nandapur, PS- PadwaDist – Koraput of M/s. Laxmi Narayan Man Mohan Lal & Sri Dillip Kumar Gupta (Partner)
7.	21627/81- IND2/01- 2018	Proposal for Environmental Clearance for proposed 2.202 KLD capacity country liquor manufacturing unit of Chindrigaon Main out still liquor shop at Chindrigaon (Koraput NAC), Mouza- Chindri, Tehsil – Koraput, PS- Koraput Dist – Koraput of M/s. Laxmi Narayan Man Mohan Lal & Sri Dillip Kumar Gupta (Partner)
8.	21626/80- IND2/01- 2018	Proposal for Environmental Clearance for proposed 4.121 KLD capacity country liquor manufacturing unit of Umeri Main out still liquor shop at Umeri, Tehsil- Jeypore, P.S –Jeypore, Dist- Koraput of M/s. Laxmi Narayan Man Mohan Lal & Sri Dillip Kumar Gupta (Partner).
9.	21785/116- IND2/01- 2018	Proposal for Environmental Clearance for proposed 1.35 KLD capacity country liquor manufacturing unit of Domal Main out still liquor shop at Domal, Po- Uditnarayanpur, PS- Bhawanipatna Sadar, Dist: Kalahandi of M/s. Laxmi Narayan Man Mohan Lal & Sri Dillip Kumar Gupta (Partner)

SI. No.	File No.	Proposal
10.	21629/83- IND2/01- 2018	Proposal for Environmental Clearance for proposed 0.188 KLD capacity country liquor manufacturing unit of Kundra Main out still liquor shop at - Kundra, Mouza-Kundra, Tehsil- Kundra, Dist- Koraput of Sri Dillip Kumar Gupta.
11.	21632/84- IND2/01- 2018	Proposal for Environmental Clearance for proposed 0.726 KLD capacity country liquor manufacturing unit of Boipariguda Main out still liquor shop at - Boipariguda, Mouza-Boipariguda, Tehsil- Boipariguda, Dist- Koraput of Sri Dillip Kumar Gupta.
12.	21645/87- IND2/01- 2018	Proposal for Environmental Clearance for proposed 1.62 KLD capacity country liquor manufacturing unit of Bhutiarbahal Main out still liquor shop at - Bhutiarbaha, Tahasil-Balangir, PS –Tusara, Dist- Balangir of Sri Sanjay Kumar Sahu.

REVISED CHECK LIST FOR COUNTRY LIQUOR PROJECT HAVING WASTE WATER DISCHARGE / GENERATION UPTO 100 KLD

1.	Date of application				
2.	Name & address of the Applicant				
	Contact Person / Contact Nos.	:			
3.	Name of the Country Liquor Project	:			
4.	Whether new / existing Unit	:			
	If existing, date and year of commissioning	:			
5.	Location of unit	:			
	i) District	:			
	ii) Tahasil	:			
	iii) Village /Mouza	:			
	iv)Khata No.	:			
	v) Plot No. & Kisam	:	SI. No.	Plot No.	Kisam
	vi) Co-ordinates of the site (Latitude and Longitude)	:	'		
6.	Land area of the unit (acres)	:			
	a) Forest Land	:			
	i) If yes status of Forest Clearance				
	b) Non-forest land	:			
	c) Ownership of land	:			
7.	Excise License issued (yes / no)	:			
	If yes, whether single/ multiple license for the same location	:			
			Date of issue and validity period	Approved production capacity	Approved raw material storage capacity
	a) License 1	:			
	b) License 2	:			
	c) License 3	:			
			Total		
8.	Environmental Sensitivity (should	be			
SI. No.	Area	:	Distance in Kild	the unit	the boundary of
i.	Distance from the following infrastructural facilities Nearest Railway line (with name) Nearest National Highway (with name) Nearest State Highway (with name)				

	Nearest Major District Road (with name)	:	
	Nearest Any Other Road (with		
	name)		
	Nearest Canal or check dam or		
	reservoirs or lake or ponds or river		
ii.	Nearest Sanctuary / National Park	:	
	(along with name of the Sanctuary /		
	National Park)		
iii.	Nearest reserve forest (with name)		
iv.	Nearest Archaeological site	:	
	(along with the name of the		
	Archaeological Site)		
٧.	Nearest State boundaries		
vi.	Nearest Densely populated or	:	
	built-up area, distance from nearest		
	human habitation		
	(Name of the pagest habitation)		
!!	(Name of the nearest habitation)	-	
vii.	Nearest Areas occupied by sensitive	•	
	man-made land uses		
	(hospitals, educational institutions, places of worship, community		
	facilities)		
9.	Production capacity applied for (in	:	
	KLD)		
10.	Raw materials used (with quantity	:	
11	in TPD)	-	
11.	Manufacturing Process details	:	
1			
	Water Balled as But at 1		
A.	Water Pollution Potential		
A . 12.	Water Consumption for different	:	
12.	Water Consumption for different purposes (m ³ /day)	:	
	Water Consumption for different purposes (m³/day) Source of water	:	
12. 13.	Water Consumption for different purposes (m ³ /day)	:	
12. 13. 14. 15.	Water Consumption for different purposes (m³/day) Source of water Permission status for water drawal Waste water generation from different sources (m³/day)	:	
12. 13. 14. 15. B.	Water Consumption for different purposes (m³/day) Source of water Permission status for water drawal Waste water generation from different sources (m³/day) Air Pollution Potential	:	
12. 13. 14. 15. B. 16.	Water Consumption for different purposes (m³/day) Source of water Permission status for water drawal Waste water generation from different sources (m³/day) Air Pollution Potential Sources of Air Pollution	:	
12. 13. 14. 15. B.	Water Consumption for different purposes (m³/day) Source of water Permission status for water drawal Waste water generation from different sources (m³/day) Air Pollution Potential	:	
12. 13. 14. 15. B. 16.	Water Consumption for different purposes (m³/day) Source of water Permission status for water drawal Waste water generation from different sources (m³/day) Air Pollution Potential Sources of Air Pollution Name and quantity of fuel used (in	:	
12. 13. 14. 15. B. 16. 17.	Water Consumption for different purposes (m³/day) Source of water Permission status for water drawal Waste water generation from different sources (m³/day) Air Pollution Potential Sources of Air Pollution Name and quantity of fuel used (in TPD) Air Pollution Control Devices adopted / to be adopted.	: : : : : : : : : : : : : : : : : : : :	
12. 13. 14. 15. B. 16. 17.	Water Consumption for different purposes (m³/day) Source of water Permission status for water drawal Waste water generation from different sources (m³/day) Air Pollution Potential Sources of Air Pollution Name and quantity of fuel used (in TPD) Air Pollution Control Devices adopted / to be adopted. Stack height and diameter	: : :	
12. 13. 14. 15. B. 16. 17.	Water Consumption for different purposes (m³/day) Source of water Permission status for water drawal Waste water generation from different sources (m³/day) Air Pollution Potential Sources of Air Pollution Name and quantity of fuel used (in TPD) Air Pollution Control Devices adopted / to be adopted.	: : : : : : : : : : : : : : : : : : : :	

21.	Solid Waste Management for each identified Solid Waste (Area/location of disposal / Reuse / Recycle)	· promite
D.	Plantation details	
22.	Area earmarked for plantation (existing / proposed)	:
23.	No. of plants already planted (for existing unit)	
24.	Other country liquor unit(s) locate	d within 500 meter from the boundary of the unit
SI. No.	Name and address of the unit	Production capacity EC status
(i)		

Certified that the information furnished above are true to the best of my knowledge

Counter signed and recommended for Environmental Clearance

Signature of Applicant

Signature with seal of Excise Superintendent

Encl: Documents:

- 1. Process flow sheet.
- 2. Copy of land document.
- 3. Design and specification of O.S. (Pot)
- 4. Plant layout map indicating plant facilities, product and raw material storage area.
- 5. Copy of Excise License of Competent Authority.
- 6. A brief Description of the Project in terms of location and surroundings / executive summary of the project (maximum two pages, soft copy in MS Word (.doc /.docx) format without any table).