

2018/14

✓

State Level Environment Impact Assessment Authority, Rajasthan

4, Institutional Area, Jhalana Doongri, Jaipur-302004
Phone: 0141-2705633, 2711329 Ext. 361

File No. F1 (4)/SEIAA/SEAC-Raj/Sectt/Project/Cat8(a)B2(616)13-14 Jaipur, Dated: 31 JUL 2014

To,
M/s. Veetrag Buildcon Pvt. Ltd
2, Khodiyar Nagar, Shobha Wayo Kidhani Road,
Jodhpur(Raj.) Pin Code:- 342001

Recd. today
TSO I
25.8.14

Sub:- E.C. for proposed Group Housing Project at Khasra No. 66/2, 66/10 & 628/65, Village Pal on Bye Pass Road Jhodhpur, Rajasthan of M/s. Veetrag Buildcon Pvt. Ltd.- Submission of Documents to SEAC, Rajasthan.

This has reference to your application dated 5.09.13 environmental clearance for the above project under Environment Impact Assessment Notification 2006. The proposal has been appraised as per prescribed procedure in the light of provisions under the Environment Impact Assessment Notification 2006 on the basis of the mandatory documents enclosed with the application viz. the questionnaire, Environment Management Plan and additional clarifications furnished in response to the observation of the State Level Expert Appraisal Committee Rajasthan, in its meeting held on 26-27.06.14

2. **Brief details of the Project:**

1.	Category / Item no.(in Schedule):	8 [a]; B2		
2.	Location of Project	Khasra No. 66/2, 66/10 & 628/65, Village Pal on Bye Pass Road Jodhpur, Rajasthan.		
3.	Project Details	S. No.	Particulars	Details
		A	Land Area	Area
		1.	Total Plot Area	28416.21 m ²
		2.	Permissible FAR @ 2.25% of Plot Area	63936.47 m ²
		3.	Proposed Built up area	
			Proposed FAR area (m ²)	57616.24 m ²
			Free Of FRA (m ²)	38842.06 m ²
	Total Construction BUA area (m ²)	96458.30 m ²		
4.	Details of Flats	Tower	No. of Floors.	No. of Apt
		Tower-1	B+S+13	26
		Tower-2	B+S+13	26
		Tower-3	B+S+13	52
		Tower-4	B+S+13	52
		Tower-5	B+S+13	52
		Tower-6	B+S+13	52
		Tower-7	B+S+13	52
		Tower-8	B+S+13	52
		Tower-9	B+S+13	52
		Tower-10	B+S+13	52
		Tower-11	B-S-13	52
		Tower	B+S-13	52
	Total	520		
5.	Parking	Total Proposed FAR = 57616.24 m ²		

		<p>Required ECS = $57616.24/75 = 768.21$ Say 768 ECS</p> <p>Visitor Parking @ 25% of Total required ECS = 192 ECS</p> <p>Total Required ECS = 960 ECS</p> <p>Total Proposed ECS = 1004 ECS</p> <table border="1"> <tr> <td>Proposed no. Of car park on Stilt and surface</td> <td>-</td> <td>371 Cars</td> </tr> <tr> <td>Proposed no. Of car park on Basement</td> <td>-</td> <td>382 Cars</td> </tr> <tr> <td>Proposed no. Of car park 75% of Total ECS =</td> <td>753X1</td> <td>753 Cars</td> </tr> <tr> <td>Proposed no. Of Scooter on Stilt and surface</td> <td>-</td> <td>279 Scooter</td> </tr> <tr> <td>Proposed no. Of Scooter on Basement</td> <td>-</td> <td>324 Scooter</td> </tr> <tr> <td>Proposed no. Of Scooter @20% of Total ECS =</td> <td>201X3</td> <td>603 Scooter</td> </tr> <tr> <td>Proposed no. Of Cycle @5% of Total ECS =</td> <td>50X6</td> <td>300 Cycle</td> </tr> </table>	Proposed no. Of car park on Stilt and surface	-	371 Cars	Proposed no. Of car park on Basement	-	382 Cars	Proposed no. Of car park 75% of Total ECS =	753X1	753 Cars	Proposed no. Of Scooter on Stilt and surface	-	279 Scooter	Proposed no. Of Scooter on Basement	-	324 Scooter	Proposed no. Of Scooter @20% of Total ECS =	201X3	603 Scooter	Proposed no. Of Cycle @5% of Total ECS =	50X6	300 Cycle																								
Proposed no. Of car park on Stilt and surface	-	371 Cars																																													
Proposed no. Of car park on Basement	-	382 Cars																																													
Proposed no. Of car park 75% of Total ECS =	753X1	753 Cars																																													
Proposed no. Of Scooter on Stilt and surface	-	279 Scooter																																													
Proposed no. Of Scooter on Basement	-	324 Scooter																																													
Proposed no. Of Scooter @20% of Total ECS =	201X3	603 Scooter																																													
Proposed no. Of Cycle @5% of Total ECS =	50X6	300 Cycle																																													
6.	Project Cost:	Rs. 150 Cr.																																													
7.	Water Requirement & Source	<p>During Construction Phase : 26.75 KLD</p> <p>During Operation Phase: Total Water Requirement : 590 KLD.</p> <p>Domestic Water requirement 378 KLD.</p> <p>Recycled Water For plushing and Horticultur 320 KLD.</p> <p>Source - PHED water supply Jodhpur</p>																																													
8.	Fuel & Energy:-	<p>Operation phase: Demand load: 3198.8 kW</p> <p>Connected load: 5955.2 kW</p> <p>DG sets: 4× 625 kVA</p> <p>Source State Electricity Board/Standby DG</p>																																													
9.	Environment Management Plan	<p>Budgetary Provision for EMP During Construction Phase</p> <table border="1"> <thead> <tr> <th>Sr. No.</th> <th>Parameter</th> <th>Total Cost (Rs. Lakhs)</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>Water for dust suspension</td> <td>0.7</td> </tr> <tr> <td>2.</td> <td>Site Sanitation & Safety</td> <td>1.5</td> </tr> <tr> <td>3.</td> <td>Environmental Monitoring</td> <td>1.4</td> </tr> <tr> <td>4.</td> <td>Disinfection</td> <td>1.5</td> </tr> <tr> <td>5.</td> <td>Health Check up</td> <td>1.5</td> </tr> <tr> <td colspan="2">Total Cost</td> <td>75.</td> </tr> </tbody> </table> <p>Budgetary Provision for EMP During Operation Phase</p> <table border="1"> <thead> <tr> <th>S. No.</th> <th>Parameter</th> <th>Set up Cost (Rs. Lakhs)</th> <th>Operational & Maintainace Cost (Rs. Lakhs/yr)</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>STP Cost</td> <td>128</td> <td>15</td> </tr> <tr> <td>2.</td> <td>Solid Waste Management</td> <td>16</td> <td>04</td> </tr> <tr> <td>3.</td> <td>Rain Water Harvesting</td> <td>20</td> <td>02</td> </tr> <tr> <td>4.</td> <td>Green Belt Development</td> <td>150</td> <td>60</td> </tr> <tr> <td>5.</td> <td>Environment Monitoring</td> <td>MOEF approved agency monitoring for</td> <td>5 (Monitoring charges for air, water, waste water, soil, DG stack, noise etc.)</td> </tr> </tbody> </table> <p>capital cost of EMP is Rs. 314.00 Lacs and the recurring cost is Rs. 86.00 lacs.</p>	Sr. No.	Parameter	Total Cost (Rs. Lakhs)	1.	Water for dust suspension	0.7	2.	Site Sanitation & Safety	1.5	3.	Environmental Monitoring	1.4	4.	Disinfection	1.5	5.	Health Check up	1.5	Total Cost		75.	S. No.	Parameter	Set up Cost (Rs. Lakhs)	Operational & Maintainace Cost (Rs. Lakhs/yr)	1.	STP Cost	128	15	2.	Solid Waste Management	16	04	3.	Rain Water Harvesting	20	02	4.	Green Belt Development	150	60	5.	Environment Monitoring	MOEF approved agency monitoring for	5 (Monitoring charges for air, water, waste water, soil, DG stack, noise etc.)
Sr. No.	Parameter	Total Cost (Rs. Lakhs)																																													
1.	Water for dust suspension	0.7																																													
2.	Site Sanitation & Safety	1.5																																													
3.	Environmental Monitoring	1.4																																													
4.	Disinfection	1.5																																													
5.	Health Check up	1.5																																													
Total Cost		75.																																													
S. No.	Parameter	Set up Cost (Rs. Lakhs)	Operational & Maintainace Cost (Rs. Lakhs/yr)																																												
1.	STP Cost	128	15																																												
2.	Solid Waste Management	16	04																																												
3.	Rain Water Harvesting	20	02																																												
4.	Green Belt Development	150	60																																												
5.	Environment Monitoring	MOEF approved agency monitoring for	5 (Monitoring charges for air, water, waste water, soil, DG stack, noise etc.)																																												

		CSR programme for community		Budget (NIR) annum
10	CSR Activates	S. No.		
		1.	Scholarship to poor students studying in govt. school.	50000
		2.	Rural Developemnt	100000
		3.	Health camp for the local villagers	100000
		4.	Local road maintenance, Road safety and traffic training.	50000
Total			Rs300000	
11	STP	STP technology : Extended Aeration System Capacity of STP : STP of capacity 400 m ³ /day (MBBR)		
12	Green Plantation	<ul style="list-style-type: none"> ➤ Proposed Green Area: 4311.50 (16.59% of Net Plot Area) ➤ No. Of Trees Required = 19805.67/150 = 132 Trees ➤ Total no. Of Trees to be Planted = 140 Nos. ➤ Excluding existing 20 Nos. Of Trees 		
13	Budgetary Breakup for Labour	Rs. 600000 per annum		

3. The SEAC Rajasthan after due considerations of the relevant documents submitted by the project proponent and additional clarifications/documents furnished to it have recommended for Environmental Clearance with certain stipulations. The SEIAA Rajasthan after considering the proposal and recommendations of the SEAC Rajasthan hereby accord Environmental Clearance to the project as per the provisions of Environmental Impact Assessment Notification 2006 and its subsequent amendments, subject to strict compliance of the terms and conditions as follows:

PART A: SPECIFIC CONDITIONS

I. CONSTRUCTION PHASE

- i Consent to Establish" shall be obtained from RPCB before start of any construction work at the site.
- ii The PP shall obtain a "No objection certificate for height clearance for the envisaged level from the Airports Authority of India.
- iii No Mobile tower shall be installed.
- iv The P.P. shall comply with the guide lines for High Rise Buildings as per Office Memorandum no. 21-270/2008-IA.III dt. 07.02.2012 and amendments made therein.
- v As envisaged, the P.P. shall invest at least an amount of. Rs. 314 lacs as capital cost and Rs.86 Lacs as annual recurring cost (before the project is put into use) for implementing various environmental protection measures.
- vi The PP has proposed an amount of Rs.03 lacs per annum under CSR as above. The expenditure on these activities shall be reflected in the books of account when presented for auditing of accounts. The proposal should contain provision for toilets for girls in nearby schools. The proposal should contain provision for monthly medical camps, distribution of medicines and improvement in educational facilities in the nearby schools. Detailed action plan of CSR activities shall be submitted by the PP to RSPCB at the time of applying for "Consent to Establish".
- vii Green belt/Landscaping should be developed in 4311.50 (16.59%)area ,as proposed.
- viii That the grant of this E.C. is issued from the environmental angle only, and does not absolve the project proponent from the other statutory obligations prescribed under any other law or any other instrument in force. The sole and complete responsibility, to comply with the conditions laid down in all other laws for the time-being in force, rests with the industry / unit / project proponent. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under section 16 of the National Green Tribunal Act, 2010.

- ix For conservation of electricity and to reduce energy losses the management shall ensure that the electrical voltage is stepped down from 33 KV to 11 KV and distributed at this level and finally brought to 440 volts.
- x The PP shall obtain approval of drawings of laying electrical lines from the concerned SE of RRVNPL/ JVVNL and comply with the provisions as per Terms and Conditions for Supply of Electricity-2004 of JVVNL.
- xi The PP shall full fill the requirements of energy regulatory commission.
- xii All energy saving measures proposed by the PP should be implemented before the project is put into use.
- xiii Road width and bend should be adequate for easy movement of fire fighting vehicles.
- xiv The P.P. shall ensure taking necessary steps on urgent basis to improve the living conditions of the labour at site. The proposed Budgetary provision of Rs. 6 Lacs shall be made for the housing of construction labor within the site with all necessary infrastructure and facilities such as health facility, sanitation facility, fuel for cooking, along with safe drinking water, medical camps, and toilets for women, crèche for infants. The housing may be in the form of temporary structures to be removed after the completion of the project. Details of provisions should be submitted to RPCB at the time of obtaining CTE.
- xv The drains should be of adequate capacity and be lined till the final disposal points. As proposed, the entire waste water during the construction phase should be discharged through the Septic tank followed by soak pit and during post construction phases through STP of 400 KLD based on MBBR technology. The construction of the STP should be carried out simultaneously with that of the project and the STP should be functional before the project is put into use.
- xvi All required sanitary and hygienic measures shall be in place before starting construction activities. The safe disposal of waste water and solid waste generated during the Construction phase shall be ensured.
- xvii All the laborers engaged for construction shall be screened for health and adequately treated before engaging them to work at the site.
- xviii All the topsoil excavated during the construction shall be stored for use in horticulture/landscape development within the project site.
- xix Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking necessary precautions for general safety and health aspects of the people, only at approved sites with the approval of competent authority.
- xx Soil and ground water samples will be tested to ascertain that there is no threat to the ground water quality by leaching of heavy metals and other toxic contaminants.
- xxi Construction spoils, including bituminous material and other hazardous materials must not be allowed to contaminate water courses and the dump sites for such material must be secured so that they do not leach into the ground water.
- xxii The diesel generator sets to be used during and post construction phase shall be of low-sulphur-diesel type and shall conform to Environment (Protection) Rules for air and noise emission standards.
- xxiii Vehicles hired for bringing construction material and laborers to the site shall be in good conditions and shall conform to applicable air and noise emission standards and shall be operated during non-peak/approved hours.
- xxiv Ambient noise levels shall conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase.
- xxv Fly ash shall be used as building material in the construction as per the provisions of Fly Ash notification of September, 1999 and amended as on August, 2003.
- xxvi Ready mixed concrete shall be used in building construction.

- xxvii NOC shall be obtained from National State Disaster Management Authority, wherever applicable.
- xxviii Provision for storm water harvesting and its re-use as per CGWA and BIS standards for various applications should be implemented before the project is put into use.
- xxix Guidelines issued by concerned Ministry for water scarce areas may be followed.
- xxx Water demand during construction shall be reduced by the use of pre-mixed concrete, curing agents and other best practices. In place of fresh water, effort should be made to use treated waste water from nearby areas.
- xxxi Total domestic water requirement shall not exceed 26.75 KLD construction stage which will met through tanker supply and 590 KLD during post construction phase. obtained from PHED , as proposed. The necessary permission of water supply should be submitted to RSPCB at the time of applying for CTE. At the time of applying for CTE the PP should get it confirmed from RSPCB that no illegal bore well exists in the proposed site.
- xxxii Building Plan should be got approved from the competent Authority and the construction should be as per the approved building plan and as per applicable provisions in NBC.
- xxxiii The P.P. should ensure compliance of the order of the Hon'ble Rajasthan High Court, Jodhpur, in D. B. Civil writ petition no. 1536 of 2003 in the matter of Abdul Rahman vs. State of Rajasthan and others.
- xxxiv Adequate measures shall be taken to reduce air and noise pollution during construction as per CPCB norms.
- xxxv Fixtures for showers, toilet flushing and drinking shall be of low flow either by use of aerators of pressure reducing devices or sensor based control.
- xxxvi Use of glass may be reduced by up to 40% to reduce the electricity consumption and load in air-conditioning. If necessary, use high quality double glass with special reflective coating windows.
- xxxvii Roofing should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement.
- xxxviii Opaque walls shall meet prescriptive requirement as per Energy Conservation Building Code for all air-conditioned spaces, whereas, for non- air-conditioned spaces, by use of appropriate thermal insulation material to fulfill the requirement.
- xxxix Provision of solar water heating /chilling/street lighting etc shall be explored and implemented.
- xl Review and revise the requirement of DG set capacities for 100% power back up through optimization of power back up in case of power failure and emergency.
- xli A First Aid Room should be provided at the project site, both, during construction and operation phase of the project.
- xlii Any hazardous waste generated during construction phase shall be disposed off as per applicable rules and norms with necessary authorization of the RPCB.
- xliii The approval of the competent authority shall be obtained for structural safety of the building due to earthquake, adequacy of fire fighting equipments, etc as per National Building Code 2005 including protection measures from lightening etc.
- xliv Regular supervision of the above and other measures for monitoring shall be in place throughout the construction phase, so as to avoid nuisance to the surroundings.
- xlvi During construction phase and Post construction / operation phase of the project, the project proponent shall be responsible for implementation of EIA/EMP. Commitment of proponent in this regard shall be submitted to RPCB at the time of applying for CTE.
- xlvi The project proponent shall fulfill in letter and spirit, all the commitments given/submitted to the SEAC office.

II OPERATION PHASE

- i An independent expert shall certify the installation of the Sewage Treatment Plant (STP) and a report in this regard shall be submitted to the RPCB, before the project is commissioned for operation. Discharge of treated sewage shall conform to the norms & standards of the Rajasthan State Pollution Control Board.
- ii Adequate measures shall be taken to prevent odor from solid waste processing and STP.
- iii Proper system of channelizing excess storm water shall be provided.
- iv Rain Water harvesting (RWH) for roof top run-off and surface run-off, as planned shall be implemented. Before recharging the surface run off, pre-treatment must be done to remove suspended matter, oil and grease. The Rain Water Harvesting plan shall be as per GoI manual.
- v The proposals on the energy conservation measures conforming to energy conservation norms finalized by Bureau of Energy Efficiency shall be implemented.
- vi The power factor shall be maintained near unity.
- vii Application of solar energy shall be incorporated for illumination of common areas, lighting for gardens and street lighting in addition to provision for solar water heating. A hybrid system or fully solar system for a portion of the apartments shall be provided.
- viii Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking shall be fully internalized and no public space shall be utilized.
- ix Regular and periodic mock drills shall be undertaken by the fire department at least once in a year.
 - x The D. G. sets to be operated with stack height as per EP Act, 1986 along with acoustic enclosure.
- xi Incremental pollution loads on the ambient air quality noise and water quality shall be periodically monitored after commissioning of the project and report to be submitted to RPCB.
- xii The solid waste generated shall be properly collected & segregated before disposal to the City Municipal Facility. The in-vessel bio-conversion technique may be used for composting the organic waste.
- xiii Any hazardous waste including biomedical waste shall be disposed of as per applicable Rules & norms with necessary approvals of the Rajasthan State Pollution Control Board.
- xiv The green belt design along the periphery of the plot shall achieve attenuation factor conforming to the day and night noise standards prescribed for residential land use. The proposed open space inside the plot shall be suitably landscaped and covered with vegetation of indigenous variety.
- xv Trees and shrubs of local species shall be planted to allow habitat for birds with appropriate distance from the boundary.
- xvi The SEIAA, Rajasthan reserve the right to add new conditions, modify/ annual any condition and/or to revoke the clearance if implementation of any of the aforesaid condition/other stipulations imposed by competent authorities is not satisfactory. Six monthly compliance status report of the project along with implementation of environmental measures shall be submitted to MoEF, Regional Office, Lucknow, SEIAA, Rajasthan & RPCB, Jaipur.

GENERAL CONDITIONS

1. The environmental safeguards contained in Form I-A shall be implemented in letter and spirit.
2. Six monthly compliance reports shall be submitted to Ministry of Environment and Forest, Govt. of India, Regional Office, Ministry of Environment & Forests, RO(CZ), Kendriya Bhawan, 5th Floor, Sector 'H', Aliganj, Lucknow, SEIAA, Rajasthan and Rajasthan State Pollution Control Board.
3. Officials of the RSPCB, who would be monitoring the implementation of environmental safeguards, shall be given full cooperation facilities and documents/data by the PP during their inspection. A complete set of all the documents submitted to SEIAA, Rajasthan shall be forwarded to the RSPCB.
4. In case of any change(s) in the scope of the project, the PP requires a fresh appraisal by SEIAA/SEAC, Rajasthan.

5. The SEIAA/SEAC, Rajasthan reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environmental clearance under the provisions of the Environment (Protection) Act-1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
6. All the other statutory clearances such as the approvals for storage of diesel from the Chief Controller of Explosives, Fire department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (protection) Act, 1972 etc. shall be obtained, as may be applicable, by PP from the competent authority.
7. The PP shall ensure advertising in at least two local news papers widely circulated in the region, one of which shall be in vernacular language that, the project has been accorded environmental clearance and copies of the clearance letters are available ~~with~~ SEIAA, Rajasthan and the Rajasthan State Pollution Control Board and may also be seen on the website of the Board at www.rpcb.nic.in. The advertisement shall be made within 7(seven) days from the date of issue of the environmental clearance and a copy shall also be forwarded to the SEIAA, Rajasthan and RSPCB.
8. These stipulations would also be enforced amongst the others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification'06.
9. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the proponent, if it was found that construction of the project has been started without obtaining environmental clearance.
10. Environment clearance is subject to final order of the Hon'ble Supreme Court of India in the matter of Goa Foundation Vs. Union of India in Writ Petition(Civil) No. 460 of the year 2004 as may be applicable to this project.

sd -
(Yogendra Kumar Dak)
Member Secretary,
SEIAA Rajasthan

Copy to following for information and necessary action:

1. Secretary, Ministry of Environment, Forest & Climate Change, Indira Paryavaran Bhavan, Jor Bagh Road, New Delhi - 110003.
2. Addl. Chief Secretary, Environment Department, Rajasthan, Jaipur.
3. Smt. Alka Kala, Chairman, SEIAA, Rajasthan, 69-A, Bajaj Nagar Enclave, Jaipur.
4. Shri Moti Lal Daima, Member, SEIAA, Rajasthan, 48/9, Moti Path, Mansarovar, Jaipur.
5. Member Secretary, Rajasthan State Pollution Control Board, Jaipur for information & necessary action and to display this sanction on the website of the Rajasthan Pollution Control Board, Jaipur.
6. Secretary, SEAC Rajasthan.
7. The CCF, Regional Office, Ministry of Environment & Forests, RO(CZ), Kendriya Bhawan, 5th Floor, Sector 'H', Aliganj, Lucknow-226 020.
8. Environment Management Plan- Division, Monitoring Cell, MoEF, Paryavaran Bhavan, CGO Complex, Lodhi Road, New Delhi-110003.
9. Nodal Officer (Departmental Website), Department of Environment, Government of Rajasthan, Jaipur with the request to upload the copy of this environmental clearance on the website.

sd -
M.S. SEIAA (Rajasthan)