

APPENDIX -I

(See Paragraph – 6)

FORM-1

(I) Basic Information

S. No.	Item	Details
1.	Name of the project	Expansion of Guru Gobind Singh Government Hospital
2.	S.No. in the Schedule	8 (a)
3.	Proposed capacity/area/length/tonnage to be handled/command area/lease area/ number of wells to be drilled.	Total Plot Area: 53,774.16m ² Built up Area(FAR + Non FAR): 45,429.10 m ² (existing+ expansion)
4.	New/Expansion/Modernization	Expansion
5.	Existing Capacity/Area etc.	29,037.79 m ² (existing built up area)
6.	Category of Project i.e. 'A' or 'B'	B
7.	Does it Attract the general condition? If yes, please specify.	No
8.	Des it attract the specific condition? If yes, please specify.	No
9.	Location Plot/Survey/Khasra No Village Tehsil District State	Raghubir Nagar New Delhi
10.	Nearest railway station/airport along with distance in kms.	Nearest railway station is Delhi Cantonment Railway Station at an aerial distance of 4.64 km towards South. Nearest Airport is Indira Gandhi International Airport at an aerial distance of 8.77km towards South
11.	Nearest Town, City, District	Nearest City: New Delhi

Expansion of Guru Gobind Singh Government Hospital, Raghbir Nagar, New Delhi

	Headquarters along with distance in kms.	District Headquarters- New Delhi
12.	Village Panchayats, ZillaParishad, Muncipal Corporation, Local body (Complete postal addresses with telephone nos. to be given)	New Delhi Municipal Corporation
13.	Name of the applicant	M/s.Guru Gobind Singh Government Hospital
14.	Registered Address	Guru Gobind Singh Government Hospital Raghbir Nagar, New Delhi
15.	Address for correspondence: Name Designation(Owner/Partner/CEO) Address Pin Code E-Mail Telephone No. Fax No.	Dr. S.C. Chetal Medical Superitendent Raghbir Nagar New Delhi msggsggh@gmail.com 9718701002
16.	Details of Alternative Sites Examined, if any, Location of these sites should be shown on a topo sheet.	The land is earmarked for the Hospital purpose under Delhi Development Authority Master Plan and it will be developed as per the same. Copy of land allotment letter to Directorate of Health Services from Delhi Development Authority, vide letter no JA/5844/8-85/JJ/D-19 in same context is attached as Annexure-I . So, there is no requirement to examine the alternative site.
17.	Interlinked Projects	Not Applicable
18.	Whether separate application of interlinked project has been submitted?	Not Applicable
19.	If yes, date of submission	Not Applicable

Expansion of Guru Gobind Singh Government Hospital, Raghubir Nagar, New Delhi

20.	If no, reason	Not Applicable
21.	<p>Whether the proposal involves approval/clearance under: If yes, detail of the same and their status to be given</p> <p>(a) The Forests (Conservation) Act, 1980?</p> <p>(b) The Wild Life (Protection) Act, 1972?</p> <p>(c) The C.R.Z. Notification, 1990?</p>	<p>a.) No, since no land protected under The Forests (Conservation) Act, 1980 is involved in the project.</p> <p>b.) The Wild Life (Protection) Act, 1972 is not applicable.</p> <p>c.) The C.R.Z. Notification, 1990 is not applicable as no coastal zone is coming within 10 km of the project.</p>
22.	Whether there is any Government order/policy relevant/relating to the site?	Not Applicable
23.	Forests Land Involved (Hectares)	As the project site for construction consists of trees, herbs and shrubs it will require cutting of trees for construction purpose. Total number of existing trees is 389, total number of trees to be retained is 374, trees to be cut is 15 and new trees proposed are 310. Permission for cutting of 15 trees has been granted by Department of Forest and Wildlife, GNCTD. Copy of the same is attached as Annexure-XII .
24.	<p>Whether there is any litigation pending against the project and/or land in which the project is proposed to be setup?</p> <p>(a) Name of the Court</p> <p>(b) Case NO.</p> <p>(c) Orders/ directions of the Court, if any and its relevance with the proposed project.</p>	<p>No litigation is pending against the project and/or land in which the project is proposed.</p> <p>Not Applicable.</p>

(II) Activity

1. Construction, operation or decommissioning of the Project involving actions, which will cause physical changes in the locality (topography, land use, changes in water bodies, etc.)

S.No.	Information/Checklist confirmation	Yes/No	Details thereof (with approximate quantities/rates, wherever possible) with source of information data
1.1	Permanent or temporary change in land use, land cover or topography including increase in intensity of land use (with respect to local land use plan)	Yes	<p>The selected site falls under land use as per the Master plan of Delhi Development Authority and will be developed as per the same.</p> <p>The land is being used for the development of Hospital.</p> <p>The land cover of project site for construction is a fallow land and depicts plain topography (relative relief is less than 5m). The construction activities of the project areas per the Master plan of Delhi Development Authority and will help in increasing the aesthetic beauty.</p> <p>During the construction phase, land cover of the project site has been altered to some extent, which is temporarily in nature.</p>
1.2	Clearance of existing land, vegetation and building?	No	As the project site for construction consists of trees, herbs and shrubs it will require cutting of trees for construction purpose. Total number of existing trees is 389, total number of trees to be retained is 374, trees to be cut is 15 and new trees

			proposed are 310. Permission for cutting of 15 trees has been granted by Department of Forest and Wildlife, GNCTD. Copy of the same is attached as Annexure-XII .
1.3	Creation of new land uses?	No	The land has been designated for the development of Hospital by Delhi Development Authority and will be developed as the same Therefore; there will be no change in land use. There will be no creation of new land uses.
1.4	Pre-construction investigations e.g. bore houses, soil testing?	Yes	Geo-Technical investigations have been carried out.
1.5	Construction Work?	Yes	The construction in the proposed project involves the development of dwelling units, maternity hospital, dormitories for attendants and hostels for doctors; having the built up area of 45,429.10 m ² . Construction work is being done as per Building Bye Laws of Delhi and the development of the project will be as per master plan of Delhi Development Authority.
1.6	Demolition works?	No	Not Required
1.7	Temporary sites used for construction works or housing of construction workers?	Yes	Temporary labour sheds will be provided to construction labour during construction phase. All the construction activities including storage of raw materials will be confined to the project site only.

1.8	Above ground building, structures or earthwork including linear structures, cut and fill or excavations	Yes	Excavation will be carried out for foundation of building. During the construction phase, excavated earth from foundation of the project will be reused for backfilling and landscaping purposes. The excavated soil will be properly stacked within the site under tarpaulin cover.
1.9	Underground works including mining or tunnelling?	No	As this is the Hospital project, no mining or tunnelling would be required.
1.10	Reclamation works?	No	No reclamation work required.
1.11	Dredging?	No	No dredging required.
1.12	Offshore structures?	No	No offshore structures required.
1.13	Production and manufacturing processes?	No	As it is a Hospital project, so these activities are not associated with the project.
1.14	Facilities for storage of goods or materials?	Yes	<p>During construction stage, the following raw material handling methods are being adopted:</p> <ul style="list-style-type: none"> • Cement shall be separately stored under cover in bales • Sand & aggregates shall be stacked neatly under tarpaulin cover • Bricks and steel shall be laid in open • Finishing materials like tiles, sanitary fixtures, etc. shall be stored in closed rooms. <p>Material storage yard has been developed for storage of construction materials.</p>

1.15	Facilities for treatment or disposal of solid waste or liquid effluents?	Yes	<p>1.)Details regarding the Disposal and treatment of Solid waste:</p> <p>i) Solid Waste generated during construction phase: Details of Construction waste is given below:</p> <ol style="list-style-type: none"> 1. Soil, Sand and Gravel 2. Brick and Masonry 3. Concrete 4. Metal 5. Bitumen 6. Wood 7. Other (Glass, Plastic material, paper etc.) <p>Reuse:</p> <p>The construction waste will be used in back filling, road making and pavement. Metals, tin cans, glass are being sold to local recyclers/kabadiwalas.</p> <p>ii) Solid Waste generated during operational phase:</p> <p>Total quantity of the municipal solid waste during the operational phase (existing + expansion) will be around 830.92 kg/day. Sludge generation will be 141.96 kg. The municipal solid waste will comprise of biodegradable fraction, non-biodegradable fraction and inert fraction.</p> <p>Disposal:</p> <p>The biodegradable waste will be collected in yellow coloured bins/containers and will be segregated in collection chamber</p>
------	--	-----	---

		<p>and will be disposed to MSW site. Non bio degradable waste will be collected into black bins/containers and will be segregated in collection chambers and sold to kabadiwala or govt. approved agency or recycling industry. Inert waste will be separately collected and stored in black containers and will be handed over to municipal authority.</p> <p>Sludge will be used for horticulture purposes.</p> <p>Segregation, Collection at site and disposal will be done as per Municipal Solid Wastes (Management and Handling) Rules, 2000 and Draft Municipal Solid Wastes (Management and Handling) Rules, 2013.</p> <p>2.)Details regarding the Disposal and treatment of Liquid Effluent:</p> <p>i) During the construction phase, approx. 2.4 KLD sewage is being generated and it is being disposed through Soak pit / septic tank.</p> <p>ii) During the operational phase, sewage generated will be 201 KLD and it will be treated in the STP installed of 400 KLD capacity of MBBR technology. The toxic wastewater from laboratory and laundry will be treated in separate ETP of 30 KLD</p>
--	--	---

Expansion of Guru Gobind Singh Government Hospital, Raghubir Nagar, New Delhi

			capacity of MBBR technology. The treated water will be recycled and reused for flushing, HVAC and horticulture purposes and the remaining excess treated water will be discharged to sewer.
1.16	Facilities for long term housing of operational workers?	No	There will be no facility for long term housing for operational workers.
1.17	New road, rail or sea traffic during construction or operation?	No	Village road/sectoral roads/existing roads are being used in construction stage at the site for construction work and transport of construction materials. During operational phase, traffic will increase to some extent. But there will be no rail or sea traffic.
1.18	New road, rail, air waterborne or other transport infrastructure including new or altered routes and stations, ports, airports etc?	No	Existing transportation routes will be used for transportation: Transportation sources existing near the project site:- Nearest railway station is Delhi Cantonment Railway Station at an aerial distance of 4.64 km towards toward South Nearest Airport is Indira Gandhi International Airport at an aerial distance of 8.77 km towards South.
1.19	Closure or diversion of existing transport routes or infrastructure leading to changes in traffic movements?	No	The project is not affecting the existing traffic status during the construction phase and the same will continue during the operational phase.
1.20	New or diverted transmission lines or pipelines?	No	No new or diversion of transmission lines or pipelines will be done.
1.21	Impoundment, damming,	No	No impoundment, damming, culverting,

	culverting, realignment or other changes to the hydrology of watercourses or aquifers?		realignment or other changes to the hydrology of surface watercourses is proposed.
1.22	Stream crossings?	No	No stream is crossing in the project site.
1.23	Abstraction or transfers of water from ground or surface waters?	No	No ground water is being abstracted for any purpose during the construction phase water supply is being met through private water tankers and water requirement during the operational phase will be met through Municipal supply.
1.24	Changes in water bodies or the land surface affecting drainage or run-off?	No	The Yamuna river is located at the distance of 12.48 km towards East direction. The sewage generated will be treated in the STP and the treated water will be used for flushing, HVAC and landscaping. Hence, it is expected that drainage or run off will not be affected and change in water body or the land surface will not occur.
1.25	Transport of Personnel or materials for construction, operation or decommissioning?	Yes	There is transport of construction materials by trucks or trolleys etc. Precautions are being taken to reduce the impact of the vehicular movement by trying to avoid the vehicular trips during peak hours.
1.26	Long-term dismantling or decommissioning or restoration works?	No	Not Applicable
1.27	Ongoing activity during decommissioning which could have an impact on the environment?	No	Not Applicable

1.28	Influx of people to an area in either temporarily or permanently?	Yes	Construction phase: Workers from nearby area have been hired in the construction phase. (Temporarily). Operation Phase: Persons in Residential complex.
1.29	Introduction of alien species?	No	Native/Local species will be planted.
1.30	Loss of native species or genetic diversity?	No	No
1.31	Any other actions?	No	No

2. Use of Natural resources for construction or operation of the Project (such as land, water, materials or energy, especially any resources which are non-renewable or in short supply):

S.No.	Information/ Checklist confirmation	Yes/No	Details thereof (with approximate quantities /rates, wherever possible with source of information data)
2.1.	Land especially undeveloped/agricultural	No	The land is being used for the Hospital development purpose as per the master plan of DDA and will be developed as per the same.
2.2.	Water (expected source & competing users) Unit: KLD	Yes	Total water requirement of the proposed project will be approximately 358 KLD. Fresh Water Supply: 157 KLD Flushing: 75 KLD Horticulture: 59 KLD HVAC Cooling Makeup: 27 KLD DG sets cooling: 20 KLD Fire fighting: 20 KLD Source of water would be municipal water supply.

2.3.	Minerals (MT)	No	Not Applicable
2.4.	Construction material – stone, aggregates, sand/soil (expected source – MT)	Yes	<p>List of building materials being used at site:</p> <ol style="list-style-type: none"> 1. Coarse sand 2. Fine sand 3. Stone aggregate 4. Stone for masonry work 5. Cement 6. Reinforcement steel 7. Plywood & steel shuttering 8. Pipe scaffolding (cup lock system) 9. Bricks 10. Tiles 11. P.P.V.C. conduit 12. MCBs/DBs 13. PVC overhead water tanks 14. Pave tiles 15. GI pipe 16. Wastewater lines 17. S.W. sewer line up to main sewer 18. PVC rain water down take 19. Stainless steel sink in kitchen
2.5.	Forests and timber (source – MT)	Yes	Minimum wood will be used in the project, mainly would be used for doors in the proposed project. Aluminium frames will be used at most of the places.
2.6.	Energy including electricity and fuels (source, competing users) Unit: fuel (MT), energy (MW)	Yes	<p>1. Electricity Source:</p> <p>Power consumption during the operational phase will be 530 kW (existing) and 1175</p>

			<p>kW (expansion) will be supplied by BSES.</p> <p>2. Backup power source for existing: In case of power failure, 2 DG sets of total capacity of 750KVA (1*500+1*250) will be provided as power back-up for the essential load.</p> <p>3.Backup power source for expansion: In case of power failure, 2 DG sets of total capacity of 2000 KVA (1*1000+1*1000) will be provided as power back-up for the essential load.</p>
2.1.	Any other natural resources (use appropriate standard units)	No	Not Applicable

3. Use, storage, transport, handling or production of substances or materials, which could be harmful to human health or the environment or raise concerns about actual or perceived risks to human health.

S. No.	Information/Checklist Confirmation	Yes/No	Details there of (with approximate quantities/rates, wherever possible) with source of information data
3.1	Use of substances or materials, which are hazardous (as per MSIHC rules) to human health or the environment (flora, fauna, and water supplies)	No	There will be no use of the substances or material which are hazardous, as per Manufacture Storage and Import of Hazardous Chemicals Rules, 1989 and its amendments 2000.
3.2	Changes in occurrence of disease of disease or affect disease vectors (e.g. insect or water borne diseases)	No	The solid waste generated both during construction phase is being properly managed and disposed of during the construction phase and the same will be

			followed during the operation phase. The sewage generated from the project will be treated in a STP. The cleanliness of the project shall be maintained. Hence, it is expected that there shall be reduction in vectors as well as vector borne diseases.
3.3	Affect the welfare of people e.g. by changing living conditions?	Yes	The project shall improve the employment opportunities both directly and indirectly. The project shall not have any adverse effect on the welfare of the people.
3.4	Vulnerable groups of people who could be affected by the project e.g. hospital patients, children, the elderly etc.,	No	The project shall not affect any vulnerable groups of people in the vicinity. This being a hospital shall help to improve the health conditions of patients.
3.5	Any other causes	No	Not Applicable

4. Production of solid wastes during construction or operation or operation or decommissioning (MT/month)

S.No.	Information/Checklist confirmation	Yes/No	Details thereof (With approximate quantities/rates, wherever possible) with source of information data
4.1	Spoil, overburden or mine wastes	No	As this project is an Hospital project, so no mine spoil and overburden waste will be generated
4.2	Municipal wastes (domestic and or commercial wastes)	Yes	Total (existing + expansion) municipal waste generated from the project will be 830.92 kg/day.
4.3	Hazardous wastes (as per Hazardous Waste Management Rules)	No	There will be no Hazardous waste generation
4.4	Other industrial process wastes	No	Not Applicable

4.5	Surplus product	No	Not Applicable
4.6	Sewage sludge or other sludge from effluent treatment	Yes	The sludge (on wet basis) generated from STP is 141.96 kg and it will be dried and used for horticulture purposes.
4.7	Construction or demolition wastes	Yes	<p>Details of Construction waste is given below:</p> <ol style="list-style-type: none"> 1. Soil, Sand and Gravel 2. Brick and Masonry 3. Concrete 4. Metal 5. Bitumen 6. Wood 7. Other (Glass, Plastic material, paper etc.) <p>Construction waste shall be used for back filling, road making and pavements. No demolition activities will be required.</p>
4.8	Redundant machinery or equipment	No	Not Applicable
4.9	Contaminated soils or other materials	No	Not Applicable
4.10	Agricultural wastes	No	Negligible waste will be generated from landscape, which will be the bio-degradable waste.
4.11	Other solid wastes	No	Not Applicable

5. Release of pollutant or any hazardous, toxic or noxious substances to air (kg/hr)

S.No.	Information/Checklist confirmation	Yes/No	Details thereof (with approximate quantities/rates, wherever possible) with source of information data
5.1	Emissions from combustion of fossil fuels from stationary or mobile sources	No	The operation of proposed project does not envisage any major air pollutant generating sources.

5.2	Emissions from production processes	No	Not applicable as it is Hospital Project.
5.3	Emissions from materials handling including storage or transport	Yes	Fugitive emissions are envisaged only from material handling and transporting areas, loading/unloading the construction material, transportation and earthwork (levelling etc.) during the construction period. Regular sprinkling of water in the construction area is being done.
5.4	Emissions from construction activities including construction materials, sewage and waste	Yes	As most of the construction equipment is mobile, the emissions are fugitive in nature. The dust generated is also fugitive in nature, which is being controlled by suitable mitigation measures like sprinkling of water. The existing sewage collection facilities shall be used by the involved labourers so additional sewage generation is not envisaged.
5.5	Dust of odours from handling of materials including construction materials, sewage and waste	Yes	Dust will be generated during the construction phase, water sprinkling is being provided over stored raw material to reduce dust emission.
5.6	Emissions from incineration of waste	No	Not Applicable
5.7	Emissions from burning of waste in open air (e.g. slash materials, construction debris)	No	Burning of waste will not be done and the waste generated shall be managed as per the Municipal Solid Waste (Management & Handling) Rules 2000. Construction debris will be used in internal road construction.
5.8	Emissions from any other sources	No	Not Applicable

6. Generation of Noise and Vibration, and Emissions of Light and Heat:

S.No	Information/Checklist confirmation	Yes/No	Details thereof (with approximate quantities/rates, wherever possible) with source of information data
6.1	From operation of equipment e.g. engines, ventilation plant, crushers	Yes	No heavy equipments and machinery use is envisaged for the project. Apart for this the construction activities are being restricted to day time only. Moderate noise shall be generated from Construction Machineries such as Concrete mixer with hopper, To avoid this, ear muffs, and other personal protective equipments shall be provided to the construction workers
6.2	From industrial or similar processes	No	Not Applicable
6.3	From construction or demolition	Yes	Moderate noise during construction
6.4	From blasting or piling	No	No blasting or mechanized piling is being done in the construction phase.
6.5	From construction or operational traffic	Yes	The involved transport vehicles shall be limited and significant traffic shall not be involved for the haulage of materials. Also, informative signboards shall be provided to encourage vehicle owners to maintain their vehicle, not to blow horns especially being hospital premises.
6.6	From lighting or cooling systems	No	Not Applicable
6.7	From Any other sources	No	Not Applicable

7. Risks of contamination of land or water from releases of pollutants into the ground or into sewers, surface waters, groundwater, coastal waters or the sea:

S.No.	Information/Checklist confirmation	Yes/No	Details thereof (with approximate quantities/rates, wherever possible) with source of information data.
7.1	From handling, storage, use or spillage of hazardous materials	No	No hazardous material will be stored at the project site.
7.2	From discharge of sewage or other effluents to water or the land (expected mode and place of discharge)	No	Treated water will be reused for flushing, HVAC and landscaping and excess treated water will be discharged to nearby areas for construction and landscaping activities.
7.3	By deposition of pollutants emitted to air into the land or into water	No	Not Applicable
7.4	From any other sources	No	Not Applicable
7.5	Is there a risk of long term build-up of pollutants in the environment from these sources?	No	There is no such risk.

8. Risk of accidents during construction or operation of the Project, which could affect human health or the environment

S.N o.	Information/Checklist confirmation	Yes/No	Details thereof (with approximate quantities/rates, wherever possible) with source of information data
8.1	From explosions, spillages, fires etc from storage, handling, use or production of hazardous substances	No	This is basically a construction project and does not involve hazardous raw materials during construction activity. Hence, chances of explosions, spillages, fires are minimal. During construction, all the labourers are being provided with suitable

			<p>personal protective equipment (PPE) as required under the health and safety norms. Training and awareness about the safety norms is being provided to all supervisors and labourers involved in construction activity.</p> <p>An agreement will be signed with the contractor, which will clearly deal with the safety aspects during construction.</p> <p>No major hazardous waste shall be stored within the project site. No chemical industry or process activity is involved in this project, hence no chemical hazard and accidents due to the envisaged.</p>
8.2	From any other causes	No	Not Applicable.
8.3	Could the project be affected by natural disasters causing environmental damage (e.g. floods, earthquakes, landslides, cloudburst etc)?	No	<p>The project falls under seismic active Zone IV indicating High damage risk zone, according to the Indian Standard Seismic Zoning Map. The buildings will be designed as earthquake resistant and comply with the required IS specifications.</p> <p>There are no chances of floods and landslide.</p>

9. Factors which should be considered (such as consequential development) which could lead to environmental effects or the potential for cumulative impacts with other existing or planned activities in the locality

S.No.	Information/Checklist confirmation	Yes/No	Details thereof (with approximate quantities/rates, wherever possible) with source of information data
9.1	<p>Lead to development of supporting facilities, ancillary development or development stimulated by the project which could have impact on the environment e.g.:</p> <ul style="list-style-type: none"> • Supporting infrastructure (roads, power supply, waste or waste water treatment, etc.) • Housing development • Extractive industries • Supply industries • Other 	<p>No</p> <p>Yes</p> <p>No</p> <p>No</p> <p>No</p>	<p>Development of the area will be as per the proposed master plan of DDA. No additional infrastructural or developmental facilities are envisaged. The existing Hospital facilities are only expanded</p> <p>For doctors(juniors and seniors), nurses, attendants</p> <p>Not Applicable</p> <p>Not Applicable</p> <p>Not Applicable</p>
9.2	Lead to after-use of the site, which could have an impact on the environment	No	Not Applicable
9.3	Set a precedent for later development	No	Not Applicable
9.4	Have cumulative effects due to proximity to other existing or planned projects with similar effects	No	As it is planned development by the authorities and as per the master plan, hence no adverse impacts are envisaged.

(III) Environment Sensitivity

S.No.	Area	Name/ Identity	Aerial distance (within 15km) Proposed project location boundary
1.	Areas protected under international conventions, national or local legislation for their ecological, landscape, cultural or other related value	Central Ridge Reserve forest	6.67 km towards South
2.	Areas which are important or sensitive for ecological reasons – Wetlands, watercourses or other water bodies, coastal zone, biospheres, mountains, forests	Central Ridge Reserve forest	6.67 km towards South
3.	Area used by protected, important or sensitive species of flora or fauna for breeding, nesting, foraging, resting, over wintering, migration	Central Ridge Reserve forest	6.67 km towards South
4.	Inland, coastal, marine or underground waters	Yamuna River Najafgarh drain	12.48 km towards East 0.63 km towards North
5.	State, National boundaries	Delhi -UP state border	17.22 km towards East
6.	Routers or facilities used by the public for access to recreation or other tourist, pilgrim areas	NH-10 NH-1	2.45 km towards North 1.6 km towards East
7.	Defence installations	None	There is no defence area within 15 km of the project site.
8.	Densely populated or built-up area	Khayala Mangolpuri Keshopur	0.29 km towards Northwest 4.19 km towards North 2.47 km towards North West

Expansion of Guru Gobind Singh Government Hospital, Raghubir Nagar, New Delhi

		Chokhandi	1.49 km towards South West
9.	Areas occupied by sensitive man-made land uses (hospitals, schools, places of worship, community facilities)	<p>List of Schools:</p> <p>ManavSthali School 2.52 km towards North</p> <p>Apeejay School 3.87 km towards North</p> <p>Rajdhani College 1.84 km towards East</p> <p>List of Hospitals:</p> <p>Balaji Action Medical Institute 2.03 km towards North</p> <p>ESI Hospital</p> <p>BhagwanMahaveer Hospital 2.07 km towards East</p> <p>Max Hospital 3.73 km towards North</p> <p>List of Temples:</p> <p>Sanatan Dharam Mandir 5.66 km towards North East</p> <p>Gurudwara Mahohar Nagar 3.27 km towards North</p> <p>2.55 km towards South West</p>	
10.	Areas containing important, high quality or scarce resources (ground water resources, surface resources, forestry, agriculture, fisheries, tourism, minerals)	Yamuna River	12.88 km towards East
11.	Areas already subjected to pollution or environmental damage. (those where existing legal environmental standards are exceeded)	<p>KirtiNagar Industrial Area 3.72 km towards North East</p> <p>Mangolpuri Industrial Area 3.36 km towards North</p>	

		Najafgarh Industrial Area	4.38 km towards East
12.	Areas susceptible to natural hazard which could cause the project to present environmental problems (earthquakes, subsidence, landslides, erosion, flooding or extreme or adverse climatic conditions)	Yes	Area is susceptible to Earthquake. Project area falls in Zone-IV as High Damage Risk Zone.

(IV) Proposed Terms of Reference for EIA studies–Not Applicable

"I hereby given undertaking that the data and information given in the application and enclosures are true to the best of my knowledge and belief and I am aware that if any art of the data and information submitted is found to be false or misleading at any stage, the project will be rejected and clearance give, if any to the project will be revoked at our risk and cost.

Date: 09.05.2016

Place: Delhi



Dr. S.C. CHETAL
Medical Superintendent
Guru Gobind Singh Govt. Hospital
(Govt. of NCT of Delhi) Dr. S.C. Chetal
Raghubir Nagar, New Delhi-110027
Medical Superintendent
Guru Gobind Singh Government
Hospital, Raghubir Nagar, Delhi

Note:

1. The projects involving clearance under coastal Regulation Zone Notification, 1991 shall submit with the application a C.R Z map duly demarcated by one of the authorized agencies, showing the project activities, w.r.t. C.R.Z (at the stage of TOR) and the recommendations of the State Coastal Zone Management Authority (at the stage of EC). Simultaneous action shall also be taken to obtain the requisite clearance under the provisions of the C.R,Z Notification, 1991 for the activities to be located in the CRZ.

2 The projects to be located within 10 km or the National parks, Sanctuaries, Biosphere Reserves, Migratory corridors of wild Animals, the project proponent shall submit the map duly authenticated by chief wildlife warden showing these features vis-à-vis the project location and the recommendations or comments of the Chief Wildlife Warden' thereon (at the Stage of EC)."

3. All correspondence with the Ministry of Environment & Forests including submission of application for TOR/Environmental Clearance, subsequent clarifications, as may be required from time to time, participation in the EAC Meeting on behalf of the project proponent shall be made by the authorized signatory only. The authorized signatory should also submit a document in support of his claim of being an authorized signatory for the specific project."