

FORM-1



TIN : 28695264814

SATYA CONSTRUCTIONS

D.No. 5-21-70, 2/12, Brodiept,
GUNTUR- 522 002.

Ref.

Date.....

DECLARATION

I hereby given undertaking that the data and information given in the application and enclosures are true to the best of my knowledge and belief and I am aware that if any part of the data and information submitted is found to be false or misleading at any stage, the project will be rejected and clearance given, if any to the project will be revoked at our risk and cost.

Date: 14.05.2018

Signature of
the Applicant
with Name
and Full
Address

M/s SATYA CONSTRUCTIONS

Sri. M. SAMBASIVA RAO,

Managing Partner.

Place Hyderabad

Address: D. NO: 5-21-70, Flat No. 100, Satya Nivas Apartment,
2/12 , Brodiept, Guntur dist, Andhra Pradesh.

APPENDIX-1
(See paragraph- 6)
FORM 1

(I) Basic Information

S.NO	ITEM	DETAILS																									
1	Name of the project/s	Proposed New Residential Building of M/s SATYA CONSTRUCTIONS																									
2	S.No. in the Schedule	S.No. 8(a): Building and Construction projects.																									
3	Proposed capacity/area/length/tonnage to be handled/command area/lease area/number of wells to be drilled	<p>The proposed project will have the following</p> <p>Total Land Area : 1.49 Acres or 6035.43sq.mt Total Number of Floors : 2 Cellar + Ground+7 Floors. Proposed Built up area : 30120.51 sq.mt. Estimated Project cost : 90.0 crores EMP budget (Capital cost) : 2.0 crores EMP Recurring budget : 50.0 Lakhs. Corpus Fund : 1.0 Crore Height of building : 23.98meters</p> <table border="1"> <thead> <tr> <th>S. no</th> <th>Name of Block</th> <th>No.of units</th> <th>Type</th> <th>Builtup areaArea (Sq.mt)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Residential Tower Block</td> <td>161 (91 2BHK+70 3BHK units)</td> <td>G+7 floors</td> <td>20,826.43</td> </tr> <tr> <td>2</td> <td>Amenities area</td> <td>--</td> <td>---</td> <td>702.90</td> </tr> <tr> <td>3</td> <td>Parking Area</td> <td></td> <td>2 cellars</td> <td>8591.18</td> </tr> <tr> <td colspan="4">Total Builtup Area of the Project</td> <td>30120.51 sq.mt</td> </tr> </tbody> </table>	S. no	Name of Block	No.of units	Type	Builtup areaArea (Sq.mt)	1	Residential Tower Block	161 (91 2BHK+70 3BHK units)	G+7 floors	20,826.43	2	Amenities area	--	---	702.90	3	Parking Area		2 cellars	8591.18	Total Builtup Area of the Project				30120.51 sq.mt
S. no	Name of Block	No.of units	Type	Builtup areaArea (Sq.mt)																							
1	Residential Tower Block	161 (91 2BHK+70 3BHK units)	G+7 floors	20,826.43																							
2	Amenities area	--	---	702.90																							
3	Parking Area		2 cellars	8591.18																							
Total Builtup Area of the Project				30120.51 sq.mt																							
	New/Expansion/Modernization	New Residential Building project																									
5	Existing capacity/area etc.	NA																									
6	Category of project i.e. ' A ' or ' B '	Category ' B '																									
7	Does it attract the general condition? If yes, please specify	No																									
8	Does it attract the specific condition? If yes, please specify	No																									
9	Location	<table border="1"> <thead> <tr> <th>S.no</th> <th>Boundary</th> <th>Lattitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NW</td> <td>16°24'57.73"N</td> <td>80°33'9.41"E</td> </tr> <tr> <td>2</td> <td>NE</td> <td>16°24'56.70"N</td> <td>80°33'11.68"E</td> </tr> <tr> <td>3</td> <td>SE</td> <td>16°24'54.46"N</td> <td>80°33'10.71"E</td> </tr> <tr> <td>4</td> <td>SW</td> <td>16°24'55.27"N</td> <td>80°33'8.44"E</td> </tr> </tbody> </table>	S.no	Boundary	Lattitude	Longitude	1	NW	16°24'57.73"N	80°33'9.41"E	2	NE	16°24'56.70"N	80°33'11.68"E	3	SE	16°24'54.46"N	80°33'10.71"E	4	SW	16°24'55.27"N	80°33'8.44"E					
S.no	Boundary	Lattitude	Longitude																								
1	NW	16°24'57.73"N	80°33'9.41"E																								
2	NE	16°24'56.70"N	80°33'11.68"E																								
3	SE	16°24'54.46"N	80°33'10.71"E																								
4	SW	16°24'55.27"N	80°33'8.44"E																								

Project: M/s SATYA CONSTRUCTIONS (Proposed Residential Building Project)

Project Location: 218, 219/2, Chinakakani Village and Gram Panchayat, Mangalagiri Mandal, Guntur District.

Form 1

Page: 2 of 13

S.NO	ITEM	DETAILS
.	Plot/Survey/Khasra no. Village Mandal District State	Sy.No: 218, 219/2, Chinakakani Village and Grampanchayat, Mangalagiri Mandal, Guntur District.
10	Nearest railway station/airport along with distance in kms	Mangalagiri Railway station at 2.8km [North] Gannavaram Airport: 28km [NE]
11	Nearest town, city, district headquarters along with distance in kms	Mangalagiri Town : 1.7km[NW] Guntur District. : 15.00km[SW]
12	Village, Panchayats, Zilla parisad, Municipal Corporation, Local Body (complete postal addresses with telephone nos. To be given)	Chinakakani village & Grampanchayat
13	Name of the applicant	Sri. M. SAMBASIVA RAO
14	Registered address	D. NO: 5-21-70, Flat No. 100, Satya Nivas Apartment, 2/12 , Brodipet, Guntur dist, Andhra Pradesh.
15	Address for correspondence :	
	Name	Sri. M. SAMBASIVA RAO
	Designation (Owner/partner/CEO)	Managing Partner
	Address	D. NO: 5-21-70, Flat No. 100, Satya Nivas Apartment, 2/12 , Brodipet, Guntur dist, Andhra Pradesh.
	Pin code	522002
	E-mail	info@satyaconstructions.com
	Telephone no.	9393363145
	Fax no.	
16	Details of alternative sites examined, if any. Location of these sites should be shown on a topo sheet.	Not Applicable
17	Interlinked projects	Not Applicable
18.	Whether separate application of interlinked project has been submitted?	Not Applicable
19.	If yes, date of submission	Not Applicable
20.	If no, reason	Not Applicable
21.	Whether the proposal involves approval/ clearance under: if yes, details of the same and their status to be given.	
	(a) The Forest (Conservation) Act, 1980 ?	No

S.NO	ITEM	DETAILS
	(b) The Wildlife (Protection) Act, 1972 ?	No
	(c) The C.R.Z. Notification, 1991 ?	No
22.	Whether there is any government order/ policy relevant/ relating to the site?	No
23.	Forest land involved (hectares)	Nil
24.	Whether there is any litigation pending against the project and/or land in which the project is propose to be set up?	No
	(a) Name of the Court	Not Applicable
	(b) Case No.	Not Applicable
	(c) Orders/directions of the court, if any and its relevance with the proposed project.	Not Applicable

(II) Activity

1. Construction, operation or decommissioning of the Project involving actions, which will cause physical changes in the locality (topography, land use, changes in water bodies, etc.)

S.No.	Information/ Checklist confirmation	Yes/ No	Details thereof (with approximate quantities /rates, wherever possible) with source of information data
1.1	Permanent or temporary change in land use, land cover or topography including increase in intensity of land use (with respect to local land use plan)	Yes	There will be changes in the existing land use pattern due to proposed construction activity. The proposed project is in accordance with the approved Development plan. The development start only after getting the permission of Environment clearance.
1.2	Clearance of existing land, vegetation and buildings?	Yes	The existing land is plain and filled with grass. It will be leveled and graded for site preparation shall involve clearing of shrubs and vegetation.
1.3	Creation of new land uses?	No	The project site is earmarked for development as per the Andhra Pradesh building by-laws.
1.4	Pre-construction investigations e.g. bore houses, soil testing?	Yes	Soil investigation has been done and the site is suitable for construction activity. The Soil report is enclosed as Annexure-1
1.5	Construction works?	Yes	Total Land Area : 1.49 Acres or 6035.43sq.mt Total Number of Floor : 2C + G+7 Floors. Proposed Built up area : 30120.51 sq.mt
1.6	Demolition works?	No	Demolition is not required. It is a plain open land.

S.No.	Information/ Checklist confirmation	Yes/ No	Details thereof (with approximate quantities /rates, wherever possible) with source of information data
1.7	Temporary sites used for construction works or housing of construction workers?	No	The construction activities including storing of raw materials will be confined within the project site only. No temporary labour hutment is proposed. Construction workers will be hired from the local area.
1.8	Above ground buildings, structures or earthworks including linear structures, cut and fill or excavations	Yes	Total Excavation quantity will be used for refilling or foundation trenches and the balance shall be used for leveling of low lying areas within the plot premises.
1.9	Underground works including mining or tunneling?	No	No underground works including mining / tunneling will be required.
1.10	Reclamation works?	No	No reclamation work required.
1.11	Dredging?	No	No dredging required.
1.12	Offshore structures?	No	No offshore structures required.
1.13	Production and manufacturing processes?	No	No manufacturing activity
1.14	Facilities for storage of goods or materials?	Yes	Raw material will be stored at site in a covered area. Cement will be separately stored under cover in bales. Sand will be stacked neatly under tarpaulin cover. Bricks and steel will be laid in open.
1.15	Facilities for treatment or disposal of solid waste or liquid effluents?	Yes	<p><u>Solid Waste :</u> Solid wastes generated will be segregated into biodegradable (waste vegetables and foods etc.) and non-biodegradable (paper, plastic, glass etc.) components and collected in separate bins. Recyclable wastes will be sold off to vendors. Dewatered/ dried sludge from STP will be used as manure in horticulture.</p> <p><u>Liquid Effluent:</u> During construction phase, sewage will be treated and disposed through septic tanks followed by soak pits.</p> <p>The wastewater in operation phase generated estimated to be 88KLD which will be treated up to tertiary level in an STP of 105KLD capacity and the 44KLD of treated sewage water will be Recycled for toilet flushing, Green belt development, DG set cooling etc.</p>
1.16	Facilities for long term housing of operational workers?	No	There will be no facilities for long-term housing of operational workers.
1.17	New road, rail or sea traffic during construction or operation?	No	In construction stage some vehicles will be operated at the site for construction work and

S.No.	Information/ Checklist confirmation	Yes/ No	Details thereof (with approximate quantities /rates, wherever possible) with source of information data
			transport of construction materials. During operation traffic will increase to some extent for employees. But there will be no rail or sea traffic.
1.18	New road, rail, air water born or other transport infrastructure including new or altered routes and stations, ports, airports etc.?	No	Not applicable.
1.19	Closure or diversion of existing transport routes or infrastructure leading to changes in traffic movements?	No	Not applicable.
1.20	New or diverted transmission lines or pipelines?	No	Not required
1.21	Impoundment, damming, culverting, realignment or other changes to the hydrology of watercourses or aquifers?	No	No impoundment, damming, culverting, realignment or other changes to the hydrology of surface watercourses is proposed.
1.22	Stream crossings?	No	Nearest Water bodies 1. Pedda wagu : 7.5km[North] 2. Krishna western canal : 7.7km [East]
1.23	Abstraction or transfers of water form ground or surface waters?	No	During construction phase, water supply will be met through bore wells/ tankers. During operation phase, water will be from municipal supply. Treated water from STP will be recycled in operation phase.
1.24	Changes in water bodies or the land surface affecting drainage or run-off?	No	Surface drainage will not be affected.
1.25	Transport of personnel or materials for construction, operation or decommissioning?	Yes	Transport of personnel/ material during construction and operation phase are envisaged. Adequate road facilities of existing 12M road on North and Eastern sides. During operation phase, adequate parking space will be provided as follows. Total Required Parking Area : 6857.74 sq.mt Proposed Parking Area : 8591.18 sq.mt <u>Proposed Parking Area</u> 1.Proposed Parking Area Cellar 1 : 4285.62 sq.mt 2. Proposed Parking Area Cellar 2 : 4305.56 sq.mt

S.No.	Information/ Checklist confirmation	Yes/ No	Details thereof (with approximate quantities /rates, wherever possible) with source of information data
			Total Parking Area proposed for the Building project = 8591.18sq.mt which accounts 40% of the Total Built-up area. Hence Parking area is adequate.
1.26	Long-term dismantling or decommissioning or restoration works?	No	Not applicable
1.27	Ongoing activity during decommissioning which could have an impact on the environment?	No	Not applicable.
1.28	Influx of people to an area in either temporarily or permanently?	No	Construction workers from nearby areas will be hired.
1.29	Introduction of alien species?	No	Not applicable.
1.30	Loss of native species or genetic diversity?	No	Not applicable.
1.31	Any other actions?	No	No

2. Use of Natural resources for construction or operation of the project (such as land, water, materials or energy, especially any resources, which are non-renewable or in short supply):

S.No.	Information / Checklist confirmation	Yes / No	Details thereof (with approximate quantities /rates, wherever possible) with source of information data
2.1	Land especially undeveloped or agricultural land (ha)	No	Project site is earmarked for development by the local development authority.
2.2	Water (expected source & competing users) unit: KLD	Yes	<p>During construction phase, required water will be supplied through tankers.</p> <p>operation phase</p> <ol style="list-style-type: none"> Daily Net Freshwater requirement during operation phase is 111KLD. Wastewater estimated to be generated from the project is 88KLD STP Plant capacity proposed for treatment is 105KLD with SBR technology. Total 44KLD water will be recycled in the process used for flushing, green belt development, DG set cooling etc. <p>Source: Water will be met through municipal supply from Mangalagiri Municipality.</p>
2.3	Minerals (MT)	No	Not applicable.

2.4	Construction material-stone, aggregates, sand/ soil (expected source-MT)	Yes	Construction materials required: Source: Steel and cement will be procured from authorized vendors. Sand & aggregate will be procured from local material suppliers.
2.5	Forests and timber (source – MT)	No	None
2.6	Energy including electricity and fuels (source, competing users) Unit: fuel (MT), energy (MW)	Yes	Overall maximum demand is estimated approximately 712.9KVA. We are proposing 2 no. of transformers 500kva and 250kva. The source of Electricity will be AP State Electricity Board. DG Set of capacities of 1*250KVA will be provided for Residential building as Back up supply of Power.
2.7	Any other natural resources (use appropriate standard units)	No	None

3. Use, storage, transport, handling or production of substances or materials, which could be harmful to human health or the environment or raise concerns about actual or perceived risks to human health.

S. No.	Information/Checklist confirmation	Yes/ No	Details thereof (with approximate quantities /rates, wherever possible) with source of information data
3.1	Use of substances or materials which are hazardous (as per MSIHC rules) to human health or the environment (flora, fauna, and water supplies)	No	The proposed project is a residential project, and hence, no storage of hazardous chemicals (as per MSIHC rules) will be done.
3.2	Changes in occurrence of disease or affect disease vectors (e.g. insect or water borne diseases)	No	Suitable covered drainage and waste management measures will be adopted in both construction and operational phase, which will restrict stagnation of water or accumulation of waste. This will effectively restrict the reproduction and growth of disease vectors.
3.3	Affect the welfare of people e.g. by changing living conditions?	Yes	Construction of residential building will provide employment for local labors in both construction and operation phase. Better infrastructure will be provided in the project location. Thus, the project will have beneficial impacts.
3.4	Vulnerable groups of people who could be affected by the project e.g. hospital patients, children, the elderly etc.,	No	Not applicable.
3.5	Any other causes	No	

4. Production of solid wastes during construction or operation or decommissioning (MT/month)

S.No.	Information / Checklist confirmation	Yes/ No	Details thereof (with approximate quantities /rates, wherever possible) with source of information data								
4.1	Spoil, overburden or mine wastes	No	No such spoil, overburden or mine wastes will be generated.								
4.2	Municipal waste (domestic and or commercial wastes)	Yes	<p>Solid wastes to be generated in project will be of domestic in nature.</p> <p>During operation phase, Total Solid waste estimated to be generated from the project would be 419kg/capita. Composition & quantity of solid wastes estimated to be generated in operation phase are are:</p> <table border="1"> <tr> <td>Biodegradable:</td> <td>251kg/day (Waste vegetables and foods etc.)</td> </tr> <tr> <td>Recyclable</td> <td>126kg/day (Papers, cartons, thermocol, plastics, glass etc.)</td> </tr> <tr> <td>Inerts</td> <td>42kg/day</td> </tr> <tr> <td>Total:</td> <td>419kg/day</td> </tr> </table> <p>Biodegradable waste will be composted using the organic waste converter at the site itself. Non-biodegradable will be 168kg/day. (Recyclable+inert waste). The detailed breakup calculation has been given in EMP Plan.</p>	Biodegradable:	251kg/day (Waste vegetables and foods etc.)	Recyclable	126kg/day (Papers, cartons, thermocol, plastics, glass etc.)	Inerts	42kg/day	Total:	419kg/day
Biodegradable:	251kg/day (Waste vegetables and foods etc.)										
Recyclable	126kg/day (Papers, cartons, thermocol, plastics, glass etc.)										
Inerts	42kg/day										
Total:	419kg/day										
4.3	Hazardous wastes (as per Hazardous Waste Management Rules)	No	No hazardous waste will be generated.								
4.4	Other industrial process wastes	No	Not applicable								
4.5	Surplus product	No	Not applicable								
4.6	Sewage sludge or other sludge from effluent treatment	Yes	The sludge generated from STP will be dewatered/ dried and used as compost/manure for the green belt development within the site.								
4.7	Construction or demolition wastes	Yes	<p>The construction waste will consist of excess earth and construction debris along with cement bags, steel in bits and pieces, insulating and packaging materials etc.</p> <p>Recyclable waste construction materials will be sold to recyclers. Unusable and excess construction debris will be disposed as per</p>								

S.No.	Information / Checklist confirmation	Yes/ No	Details thereof (with approximate quantities /rates, wherever possible) with source of information data
			Construction and Demolition waste management rules 2016.
4.8	Redundant machinery or equipment	No	Not applicable
4.9	Contaminated soils or other materials	No	Not applicable
4.10	Agricultural wastes	No	Not applicable
4.11	Other solid wastes	No	-

5. Release of pollutants or any hazardous, toxic or noxious substances to air (Kg/ hr)

S.No.	Information / Checklist confirmation	Yes / No	Details thereof (with approximate quantities /rates, wherever possible) with source of information data
5.1	Emissions from combustion of fossil fuels from stationary or mobile sources	Yes	The proposed project does not envisage any major air pollution sources except operation of backup DG sets during power failure and vehicular traffic.
5.2	Emissions from production processes	No	Not envisaged
5.3	Emissions from materials handling including storage or transport	Yes	This will be restricted to the construction phase and to the construction site only.
5.4	Emissions from construction activities including plant and equipment	Yes	This will be restricted to the construction phase and to the construction site only.
5.5	Dust or odors from handling of materials including construction materials, sewage and waste	Yes	Dust, which will be generated during construction, will be water sprinkled. Tarpaulin cover will be provided on stored raw material to reduce the dust emission. Green belt will be developed with 2meter width all along the boundary with large leave foliage.
5.6	Emissions from incineration of waste	No	Not applicable
5.7	Emissions from burning of waste in open air (e.g. slash materials, construction debris)	No	Open burning of biomass/ other material will be strictly avoided
5.8	Emissions from any other sources	No	Not applicable

6. Generation of Noise and Vibration, and Emissions of Light and Heat:

S.No.	Information/Checklist confirmation	Yes/No	Details thereof (with approximate quantities /rates, wherever possible) with source of information data
6.1	From operation of equipment e.g. engines, ventilation plant, crushers	Yes	Source of noise in the operational phase will be from backup DG sets (which will be in operation only during power failure) and pumps & motors. All the machinery will be of highest standard of reputed make and will comply with national/international standards that take care of air and noise pollution control/ vibration control. Therefore, no significant impact due to operation of machinery is anticipated.
6.2	From industrial or similar processes	No	Not applicable
6.3	From construction or demolition	Yes	Due to various construction activities, there will be short-term noise impacts in the immediate vicinity of the project site. The construction activities will include the following noise generating activities: <ul style="list-style-type: none"> • Concreting, mixing & operation of DG sets • Construction plant and heavy vehicle movement • During operation phase the DG sets will be provided with suitable noise abatement methods, like acoustically treated enclosures will be adopted.
6.4	From blasting or piling	No	No blasting or mechanized piling will be used in the construction phase.
6.5	From construction or operational traffic	Yes	Some noise will be generated from vehicular movement in the construction and operational phase.
6.6	From lighting or cooling systems	No	No
6.7	From any other sources	No	Not applicable.

7. Risks of contamination of land or water from releases of pollutants into the ground or into sewers, surface waters, groundwater, coastal waters or the sea:

S.No.	Information / Checklist confirmation	Yes / No	Details thereof (with approximate quantities /rates, wherever possible) with source of information data
7.1	From handling, storage, use or spillage of hazardous materials	No	The only hazardous wastes in the project will be used/ spent oil from backup DG sets. The spent oil will be carefully stored in HDPE drums under isolated storage, and periodically sold to authorized recyclers. All precautions will be taken to avoid spillage from storage.
7.2	From discharge of sewage or	No	There will be no discharge of untreated sewage

S.No.	Information / Checklist confirmation	Yes / No	Details thereof (with approximate quantities /rates, wherever possible) with source of information data
	other effluents to water or the land (expected mode and place of discharge)		on water or land, as wastewater after treatment will be reused for toilet flushing, and horticultural. Hence no adverse effect is envisaged.
7.3	By deposition of pollutants emitted to air into the land or into water	No	There will be no deposition of pollutants in to air and water
7.4	From any other sources	No	Not applicable.
7.5	Is there a risk of long term build up of pollutants in the environment from these sources?	No	Not applicable.

8. Risk of accidents during construction or operation of the Project, which could affect human health or the environment

S.No.	Information/Checklist confirmation	Yes / No	Details thereof (with approximate quantities /rates, wherever possible) with source of information data
8.1	From explosions, spillages, fires etc. from storage, handling, use or production of hazardous substances	No	This is a construction project and does not involve major hazardous construction activity. No industrial or process activity is involved in this project. Hence, chances of explosions, spillages, fires are minimal. During construction, all construction workers will be provided with personal protective equipment (PPE) by the contractors as required under the health & safety norms. Training and awareness about the safety norms will be provided to all involved in construction activities. Suitable fire-fighting measures will be provided which will be described in detail in EMP plan.
8.2	From any other causes	No	Not applicable.
8.3	Could the project be affected by natural disasters causing environmental damage (e.g floods, earthquakes, landslides, cloudburst etc)?	Yes	Suitable seismic consideration will be adopted while designing the structures to mitigate the seismic impacts.

9. Factors which should be considered (such as consequential development) which could lead to environmental effects or the potential for cumulative impacts with other existing or planned activities in the locality

S. No.	Information / Checklist confirmation	Yes/ No	Details thereof (with approximate quantities / rates, wherever possible) with source of information data
9.1	Lead to development of supporting, facilities, ancillary development stimulated by the project which could have impact on the environment e.g.:	Yes	The proposed project will lead to development of the area by providing well infrastructure, clean atmosphere, employment of the local people during construction and operation phase.
	• Supporting infrastructure (roads, power supply, waste or waste water treatment etc.)		All supporting infrastructure is in place.
	• Housing development	Yes	Group Housing project improves infrastructure development of the location.
	• Extractive industries	No	Not applicable
	• Supply industries	No	Not applicable
	• Other	No	Not applicable
9.2	Lead to after-use of the site, which could have an impact on the environment	No	Not applicable
9.3	Set a precedent for later developments	No	Not applicable
9.4	Have cumulative effects due to proximity to other existing or planned projects with similar effects	No	Not applicable

(III) Environmental Sensitivity

S.No.	Areas	Name/ Identity	Aerial distance (within 15 km) from proposed project location boundary
1.	Areas protected under international conventions, national or local legislation for their ecological, landscape, cultural or other related value	None	None
2	Areas which are important or sensitive for ecological reasons- Wetlands, water courses or other water bodies, coastal zone, biospheres, mountains, forests.	Water Bodies Pedda wagu : Krishna western canal : Forest areas Mangalagiri RF Tadepalli RF	7.5km[North] 7.7km [East] 3.5km North 6.0km [North]
3	Areas used by protected, important or sensitive species of flora or fauna for breeding,	None	None

S.No.	Areas	Name/ Identity	Aerial distance (within 15 km) from proposed project location boundary
	nesting, foraging, resting, overwintering, migration		
4	Inland, coastal, marine or underground waters	Water Bodies Pedda wagu : Krishna western canal	7.5km[North] 7.7km [East]
5	State, National boundaries	No state or National Boundary within 15km from the site	None
6	Routes or facilities used by the public for access to recreation or other tourist, pilgrim areas	None Near to the site.	None
7	Defence installations	None	-
8	Densely populated or built-up area	Mangalagiri town is densely populated.	2.8km [North] from site
9	Areas occupied by sensitive man-made land uses (hospitals, schools, places of worship, community facilities)	NRI hospital is 30m distance from site. Schools and colleges are present within 1km from site.	
10	Areas containing important, high quality or scarce resources (ground water resources, surface resources, forestry, agriculture, fisheries, tourism, minerals)	None	None
11	Areas already subjected to pollution or environmental damage. (those where existing legal environmental standards are exceeded)	None	-
12	Areas susceptible to natural hazard which could cause the project to present environmental problems, earthquakes, subsidence, landslides, erosion, flooding or extreme or adverse climatic conditions)	None	-