

## Directorate of Environment, U.P.

Vineet Khand-1, Gomti Nagar, Lucknow - 226 010

Phone : 91-522-2300 541, Fax : 91-522-2300 543

E-mail : doeuplko@yahoo.com

Website : www.seiaaup.com

### Minutes of the 821<sup>th</sup> Meeting of the State Level Environment Impact Assessment Authority, UP (SEIAA) held on 19-06-2024

The meeting of 821<sup>th</sup> State Level Environment Impact Assessment Authority, UP (SEIAA) was held on-line on 19.06.2024 the Directorate of Environment. The following were present in the meeting:-

1. Smt. Mamta Sanjeev Dubey
2. Shri Paras Nath
3. Shri Sanjeev Kumar Singh

Chairman, SEIAA, U.P  
Member, SEIAA, U.P  
Member Secretary, SEIAA, U.P

### Agenda-A- Minutes of 856th SEAC-1 Meeting Dated 27/05/2024

1. Residential and Non-Residential Buildings in Reserve Police Line, at Gata No. -463, 464, 477, 478, 483, 451, 481, 480, 462, 460, 463, 464, 461, Village – Sheyarpur Saraiyya, Tehsil – Auraiya, District – Auraiya, Uttar Pradesh, 8375/SIA/UP/INFRA2/449435/2023.

SEIAA agreed with the recommendations of SEAC to close/delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.

2. Revision & Expansion of Group Housing Project “Pratiksha” at Plot No. GH-16A, Sector-1, Greater Noida, Uttar Pradesh by M/s Morpheus Developers Private Limited, 8327/7977/SIA/UP/INFRA2/441444/2023.

SEIAA noted that as per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022 SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit ATR within a month.
- 2- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. The CER activities should be related to mitigation of Environmental Pollution and creating awareness for the same like water harvesting pits and carbon sequestration parks /designed ecosystems .At least one school in the vicinity of project area should be provided with rooftop solar plant, toilets in public place or in school of nearby villages and if there is a girl's school then girls toilet properly equipped with overhead water tank should be constructed. Name of the school adopted for installation of roof top solar plant should be displayed on the website of project proponent and should also be submitted with periodic compliance report.
- 3- The project proponent shall ensure that waste water is properly treated in STP and treated water should be reused for gardening flushing system and washing etc. For

reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper functioning. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge and shall be done with necessary permissions from concerned authorities.

- 4- Under any circumstances untreated sewage shall not be discharged to municipal sewer line or any nearby water body.
- 5- Provision for charging of electric vehicles as per the guidelines of GoI/GoUP should be submitted within the next 3 months.
- 6- PP should display EC granted to them on their website.
- 7- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
- 8- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation. (in NCR)
- 9- DG sets shall be gas based and Guidelines issued by CAAQMS for NCR region regarding the use of DG sets during construction and operational phase should be followed. (DG set NCR-CAAQMS)
- 10- The project proponent shall install organic bio converter.
- 11- **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**
- 12- The effluent from STP after tertiary treatment shall be subjected to ozonation to avoid foul smell.
- 13- The project proponent shall explore the possibility of solar electrification beyond 10% and if it is possible, shall submit the details of solar power plans within the next 3 months.

**3. Expansion of the Group Housing Project "Future Estate" at Plot No.: GH-16E, Sector-01, Greater Noida, Gautam Buddh Nagar, Uttar Pradesh by M/s Future World Green Homes Pvt. Ltd., 7901/7609/SIA/UP/INFRA2/429511/2023.**

SEIAA agreed with the recommendations of SEAC to close/delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.

**4. Revision & Expansion of Commercial Project "Spectrum@Metro" at Plot No. C & D, Eco City, Sector 75, Noida, District-Gautam Budh Nagar, U.P. by M/s Aims Max Gardenia Developers Pvt. Ltd., 7815/7628/SIA/UP/INFRA2/427398/2023.**

SEIAA noted that as per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022 SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit ATR within a month.
- 2- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. The CER



activities should be related to mitigation of Environmental Pollution and creating awareness for the same like water harvesting pits and carbon sequestration parks /designed ecosystems .At least one school in the vicinity of project area should be provided with rooftop solar plant, toilets in public place or in school of nearby villages and if there is a girl's school then girls toilet properly equipped with overhead water tank should be constructed. Name of the school adopted for installation of roof top solar plant should be displayed on the website of project proponent and should also be submitted with periodic compliance report.

- 3- The project proponent shall ensure that waste water is properly treated in STP and treated water should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper functioning. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge and shall be done with necessary permissions from concerned authorities.
- 4- Under any circumstances untreated sewage shall not be discharged to municipal sewer line or any nearby water body.
- 5- Provision for charging of electric vehicles as per the guidelines of GoI/GoUP should be submitted within the next 3 months.
- 6- PP should display EC granted to them on their website.
- 7- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
- 8- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation. (in NCR)
- 9- DG sets shall be gas based and Guidelines issued by CAAQMS for NCR region regarding the use of DG sets during construction and operational phase should be followed. (DG set NCR-CAAQMS)
- 10- The project proponent shall install organic bio converter.
- 11- **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**
- 12- The effluent from STP after tertiary treatment shall be subjected to ozonation to avoid foul smell.
- 13- The project proponent shall explore the possibility of solar electrification beyond 10% and if it is possible, shall submit the details of solar power plans within the next 3 months.
- 14- At least one Miyawaki forest/dense forest in consultation with forest department shall be developed inside or in the close vicinity of project site and details uploaded on project website. Details will also be submitted with periodic compliance report.

**5. Building stone Sand Stone Mine at Gata No.- 732, Sl. No.- 43, Village Bhagautidei, Tehsil-Chunar, District- Mirzapur, Uttar Pradesh, Area- 0.8090 ha., 8451/SIA/UP/MIN/451426/2023.**

SEIAA noted the comments of SEAC and also noted that a letter no. 148/parya/SEIAA/sam./2024 dated 03.06.2024 in this regard has been sent to DGM.

**6. Commercial building "Sunshine Trade Tower "at plot no. 5A sector-94, Noida, Gautam Budh Nagar, Uttar Pradesh, 8495/SIA/UP/INFRA2/452644/2023.**

SEIAA noted that as per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022 SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. The CER activities should be related to mitigation of Environmental Pollution and creating awareness for the same like water harvesting pits and carbon sequestration parks /designed ecosystems .At least one school in the vicinity of project area should be provided with rooftop solar plant, toilets in public place or in school of nearby villages and if there is a girl's school then girls toilet properly equipped with overhead water tank should be constructed. Name of the school adopted for installation of roof top solar plant should be displayed on the website of project proponent and should also be submitted with periodic compliance report.
- 2- The project proponent shall ensure that waste water is properly treated in STP and treated water should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper functioning. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge and shall be done with necessary permissions from concerned authorities.
- 3- Under any circumstances untreated sewage shall not be discharged to municipal sewer line or any nearby water body.
- 4- Provision for charging of electric vehicles as per the guidelines of GoI/GoUP should be submitted within the next 3 months.
- 5- PP should display EC granted to them on their website.
- 6- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
- 7- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation. (in NCR)
- 8- DG sets shall be gas based and Guidelines issued by CAAQMS for NCR region regarding the use of DG sets during construction and operational phase should be followed. (DG set NCR-CAAQMS)
- 9- The project proponent shall install organic bio converter.
- 10- **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**
- 11- The effluent from STP after tertiary treatment shall be subjected to ozonation to avoid foul smell.
- 12- The project proponent shall explore the possibility of solar electrification beyond 10% and if it is possible, shall submit the details of solar power plans within the next 3 months.



- 13- At least one Miyawaki forest/dense forest in consultation with forest department shall be developed inside or in the close vicinity of project site and details uploaded on project website. Details will also be submitted with periodic compliance report.

**7. Revision of Group Housing Project at Plot no. -SC01/A1 - Alpha, Sector - 79, Noida, District - Gautam Buddha Nagar, U.P. by M/s Sequel Buildcon Pvt. Ltd., 8269/SIA/UP/INFRA2/444717/2023.**

SEIAA noted that as per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022 SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit ATR within a month.
- 2- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. The CER activities should be related to mitigation of Environmental Pollution and creating awareness for the same like water harvesting pits and carbon sequestration parks /designed ecosystems .At least one school in the vicinity of project area should be provided with rooftop solar plant, toilets in public place or in school of nearby villages and if there is a girl's school then girls toilet properly equipped with overhead water tank should be constructed. Name of the school adopted for installation of roof top solar plant should be displayed on the website of project proponent and should also be submitted with periodic compliance report.
- 3- The project proponent shall ensure that waste water is properly treated in STP and treated water should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper functioning. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge and shall be done with necessary permissions from concerned authorities.
- 4- Under any circumstances untreated sewage shall not be discharged to municipal sewer line or any nearby water body.
- 5- Provision for charging of electric vehicles as per the guidelines of GoI/GoUP should be submitted within the next 3 months.
- 6- PP should display EC granted to them on their website.
- 7- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
- 8- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation. (in NCR)
- 9- DG sets shall be gas based and Guidelines issued by CAAQMS for NCR region regarding the use of DG sets during construction and operational phase should be followed. (DG set NCR-CAAQMS)
- 10- The project proponent shall install organic bio converter.
- 11- **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per**

**MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**

- 12- The effluent from STP after tertiary treatment shall be subjected to ozonation to avoid foul smell.
- 13- The project proponent shall explore the possibility of solar electrification beyond 10% and if it is possible, shall submit the details of solar power plans within the next 3 months.

**8. "Sand/Morrum Mining" on the riverbed of Betwa River at Gata No.1191/2 Khand No. 03, Village- Sikarivyas, Tehsil- Orai, District- Jalaun, Uttar Pradesh, M/s Gauri Traders , Area 20.242 ha., 8239/7667/SIA/UP/MIN/443838/2023.**

The issue was deliberated upon in depth and SEIAA noted that the DSRs were being updated by Geology and Mining Department Uttar Pradesh before 4/12/2023 on the basis of extant notifications and guidelines and leases had been auctioned and proposals for EC had been uploaded on Parivesh portal. These proposals have also been appraised and recommended for grant of EC by SEAC. As per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. Hence in light of all these facts EC is being granted to the title proposal.

**SEIAA noted the comments of SEAC that EC must be subject to any order passed by Hon'ble Courts and to any guidelines issued by MoEF&CC, Govt. of India.** SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC taking into consideration discussion held in SEIAA meeting no. 597 dated 05.05.2022 regarding reply of SEAC-1 and SEAC-2 for compliance/action taken on TOR/Public hearing and 703th SEIAA meeting regarding replenishment study, adding following specific conditions

1. District Mining Officer shall ensure that if mineable quantity mentioned in LOI is amended as per replenishment study report the project proponent shall seek amended/fresh EC.
2. Directions/suggestions given during public hearing and commitment made by the project proponent should be strictly complied with.
3. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam, 2023 and submit before the start of work.
4. The mining lease holders shall ensure to comply with mine reclamation plan as submitted.
5. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
6. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or district plantation committee, for planting at least 21,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Also, the coordinates of area earmarked for plantation should be clearly spelt and polygon should be attached and submitted within a month. Survival of plants



should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.

7. The project proponent shall ensure that water bodies do not get polluted due to mining activity.
8. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.
9. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, Gol, Lucknow.
10. The project proponent shall install rooftop solar plant in one school in the vicinity of project area and construct toilets especially in girls' school as part of CER activity.
11. Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.
12. This EC shall be subject to any order from any court/tribunal or any guidelines issued by MOEFCC
13. Next year the project proponent shall submit online replenishment study report along with 06 monthly compliance report.
14. The project proponent shall contribute 10% of CER to Forest Department, UP towards ex-situ conservation of aquatic species like crocodile, Ghardiyal etc.

**9. Building Stone or Granite Khanda, Boulder, Ballast (Gitty) Mine in Gata no.- 339 (Khand No. 38) Village- Daharra, Tehsil- Sadar& District- Mahoba, State- Uttar Pradesh, M/s V.R. Infrabuild India Pvt. Ltd. (Total Area- 1.619 Ha), 8189/SIA/UP/MIN/440122/2023.**

SEIAA noted the comments of SEAC and also noted that a letter no. 148/parya/SEIAA/sam./2024 dated 03.06.2024 in this regard has been sent to DGM.

**10. Building Stone (Sand stone) mine, at Gata No./Araji No. /Plot no. – 01, Area 0.809 ha. (2.0 Acres) at Village – Ahirupur, Tehsil- Chunar, District- Mirzapur, Uttar Pradesh of M/s Om Sai Construction, 5013/SIA/UP/MIN/40208/2023.**

SEIAA noted the comments of SEAC and also noted that a letter no. 148/parya/SEIAA/sam./2024 dated 03.06.2024 in this regard has been sent to DGM.

**11. River Bed Sand/ Morrum Mining from Betwa River at Araji No.- 01, Village: Luhargaon, Tehsil: Tahrauli, District: Jhansi, State: Uttar Pradesh, Area: 12.140 Ha, 8499/SIA/UP/MIN/452893/2023.**

SEIAA noted the comments of SEAC and also noted that a letter no. 148/parya/SEIAA/sam./2024 dated 03.06.2024 in this regard has been sent to DGM.

**12. Sand/Morrum Mining from Riverbed of Betwa River, Yillage- Behtar, Gata/Khand No"- 522 Gha, Tehsil- Garautha, District- Jhansi, Shri Karicharan, M/s K C Construction, Area- 14.164 ha. 8525/7752/SIA/UP/MIN/453325/2023.**

SEIAA noted the comments of SEAC and also noted that a letter no. 148/parya/SEIAA/sam./2024 dated 03.06.2024 in this regard has been sent to DGM.

13. Jaypee Greens, Sports City East Part I & II, Sector- 19 & 22 of Yamuna Expressway Industrial De, District- Gautam Buddha Nagar, M/s Jaypee Infratech Limited, 5887/5528/SIA/UP/MIS/57019/2020.

SEIAA agreed with the recommendations of SEAC to close/delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.

14. Jaypee Greens, Sports City East Part III, Sector- 19, District-Gautam Buddha Nagar, U.P., 5835/5529/SIA/UP/MIS/56579/2020.

SEIAA agreed with the recommendations of SEAC to close/delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.

15. Expansion of Integrated Paint Plant at Plot No.-B4 & B5 Sandila Industrial Area, District-Hardoi, U.P., M/s Berger Paints India Ltd., 7415/6477/SIA/UP/IND3/408462/2022.

SEIAA agreed with the recommendation of SEAC to grant EC to the above project.

16. Establish an Integrated Industrial Township "Trans Ganga City" located at Sankarpur Sarai, Kanhwapur, Manbhauna Villages, District- Unnao Uttar Pradesh State, M/s Uttar Pradesh State Industrial Development Authority, 7533/7122/SIA/UP/INFRA2/414041/2023.

SEIAA noted the comments of SEAC.

17. Common Biomedical Waste Management treatment storage and disposal facility at plot no. C-60 UPSIDA Industrial Area, Orai II, District- Jalaun (U.P.), by M/s Restorehealth Medicare Private Limited, 7677/SIA/UP/INFRA2/420628/2023.

SEIAA noted the comments of SEAC.

18. IT SEZ Project at Plot No.- TZ-6, Greater Noida, District- Gautam Buddha Nagar, Uttar Pradesh by M/s Ansal IT City and Parks Ltd., 8211/8071/SIA/UP/INFRA2/442944/2023.

SEIAA noted that as per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022 SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. The CER activities should be related to mitigation of Environmental Pollution and creating awareness for the same like water harvesting pits and carbon sequestration parks /designed ecosystems. At least one school in the vicinity of project area should be provided with rooftop solar plant, toilets in public place or in school of nearby villages and if there is a girl's school then girls toilet properly equipped with overhead water tank should be constructed. Name of the school adopted for installation of roof top solar plant should be displayed on the website of project proponent and should also be submitted with periodic compliance report.
- 2- The project proponent shall ensure that waste water is properly treated in STP and treated water should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for



proper functioning. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge and shall be done with necessary permissions from concerned authorities.

- 3- Under any circumstances untreated sewage shall not be discharged to municipal sewer line or any nearby water body.
- 4- Provision for charging of electric vehicles as per the guidelines of GoI/GoUP should be submitted within the next 3 months.
- 5- PP should display EC granted to them on their website.
- 6- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
- 7- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation. (in NCR)
- 8- DG sets shall be gas based and Guidelines issued by CAAQMS for NCR region regarding the use of DG sets during construction and operational phase should be followed. (DG set NCR-CAAQMS)
- 9- The project proponent shall install organic bio converter.
- 10- **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**
- 11- The effluent from STP after tertiary treatment shall be subjected to ozonation to avoid foul smell.
- 12- The project proponent shall explore the possibility of solar electrification beyond 10% and if it is possible, shall submit the details of solar power plans within the next 3 months.
- 13- At least one Miyawaki forest/dense forest in consultation with forest department shall be developed inside or in the close vicinity of project site and details uploaded on project website. Details will also be submitted with periodic compliance report.

**19. Sand/Morrum Mining Project at Gata No.- 531 Anga, Khand- 04, Village- Sasnai, Tehsil- Obra, District- Sonbhadra, Uttar Pradesh, M/s Rai Bahadur Singh Contractor, Area - 12.146 Ha., 8163/6668/SIAUP/MIN/441530/2023.**

SEIAA noted the comments of SEAC and also noted that a letter no. 148/parya/SEIAA/sam./2024 dated 03.06.2024 in this regard has been sent to DGM.

**20. "Ordinary Soil Excavation" Project at Gata No.- 934, Village - SirasKheda, Tehsil & District-Moradabad, Uttar Pradesh, Area: 2.719 Ha., 8235/SIA/UP/MIN/442447/2023.**

As per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. Hence in light of all these facts EC is being granted to the title proposal.

SEIAA noted the comments of SEAC that EC must be subject to any order passed by Hon'ble Courts and to any guidelines issued by MoEF&CC, Govt. of India. SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC taking into consideration discussion held in SEIAA meeting no. 597 dated 05.05.2022 regarding reply of SEAC-1 and SEAC-2 for compliance/action taken on TOR/Public hearing, adding following specific conditions:-

1. If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions

based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate.

2. Validity period of this EC is 3 months from the date of issue as the Lol has been issued for a period of 3 months or co-terminus with the validity of current mine plan or current lease period whichever is earlier. After this period the EC will become null and void.
3. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam, 2023 and submit before the start of work.
4. The mining lease holders shall ensure to comply with mine reclamation plan as submitted.
5. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
6. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or district plantation committee, for planting at least 3,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Also, the coordinates of area earmarked for plantation should be clearly spelt and polygon should be attached and submitted within a month. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.
7. The project proponent shall ensure that water bodies do not get polluted due to mining activity.
8. Department of Geology and Mines, Government of Uttar Pradesh and /or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.
9. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, Gol, Lucknow.
10. The project proponent shall install rooftop solar plant in one school in the vicinity of project area and construct toilets especially in girls' school as part of CER activity.
11. **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**
12. This EC shall be subject to any order from any court/tribunal or any guidelines issued by MOEFCC.



21. "Sand Stone (Gitti- Patthar, Boulder)" Project at Gata No.- 03 (Khand No.- 09) , Village Garha, Tehsil- Bara, District- Prayagraj, Area : 3.64 ha., 8593/SIA/UP/MIN/446097/2023.

SEIAA noted the comments of SEAC and also noted that a letter no. 148/parya/SEIAA/sam./2024 dated 03.06.2024 in this regard has been sent to DGM.

22. "Building stone (Sandstone)" Project at Arazi No.-21/2, Village- Latifpur, Tehsil-Chunar, District- Mirzapur, Uttar Pradesh By Shri Dildar, Area - 0.809 ha., 8621/7276/SIA/UP/MIN/456501/2023.

SEIAA noted the comments of SEAC and also noted that a letter no. 148/parya/SEIAA/sam./2024 dated 03.06.2024 in this regard has been sent to DGM.

23. "Building Stone Sand Stone (Khanda, Gitti, Boulder ) Mining Project" at Bhukhand No.: 2062, Khand No.: 65 A, Village: Bhatauti , Tehsil: Meja, District: Prayagraj, State: Uttar Pradesh, Area: 2.020 Ha., 8273/SIA/UP/MIN/444788/2023.


SEIAA noted the comments of SEAC and also noted that a letter no. 148/parya/SEIAA/sam./2024 dated 03.06.2024 in this regard has been sent to DGM.

**Nodal Officer**

**SEIAA, UP**

MoM prepared by Secretariat in consultation with Chairman & Members on the basis of decisions taken by SEIAA during the meeting.

(Smt. Mamta Sanjeev Dubey)  
Chairman  
SEIAA

  
( Sanjeev Kumar Singh)  
Member-Secretary  
SEIAA

(Paras Nath)  
Member  
SEIAA