

# State Level Environment Impact Assessment Authority, Uttar Pradesh

## Directorate of Environment, U.P.

Vineet Khand-1, Gomti Nagar, Lucknow - 226 010

Phone : 91-522-2300 541, Fax : 91-522-2300 543

E-mail : docuplko@yahoo.com

Website : www.seiaaup.com

### Minutes of the 823<sup>th</sup> Meeting of the State Level Environment Impact Assessment Authority, UP (SEIAA) held on 24-06-2024

The meeting of 823<sup>th</sup> State Level Environment Impact Assessment Authority, UP (SEIAA) was held on-line on 24.06.2024 the Directorate of Environment. The following were present in the meeting:-

1. Smt. Mamta Sanjeev Dubey
2. Shri Paras Nath
3. Shri Sanjeev Kumar Singh

Chairman, SEIAA, U.P.  
Member, SEIAA, U.P.  
Member Secretary, SEIAA, U.P.

### Agenda-A- Minutes of 860th SEAC-2 Meeting Dated 31/05/2024

1. Ordinary Earth Mine at Gata No.- 1037, Village- Bahlolpur, Tehsil- Nawabganj, District- Barabanki, Uttar Pradesh, Area- 0.253 Ha., 8636/SIA/UP/MIN/457169/2023.

SEIAA agreed with the recommendations of SEAC to close/delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.

2. Building Stone (Khanda, Boulder, Bailast & Gitti ) Mining" Project at Gata No.-669, KhandNo.-06, at Village- Khailar , Tehsil-Sadar, District- Jhansi, U.P., Area-2.0 ha., 8574/6385/SIA/UP/MIN/455372/2023.

SEIAA noted the comments of SEAC and also noted that a letter no. 148/parya/SEIAA/sam./2024 dated 03.06.2024 in this regard has been sent to DGM.

3. Expansion of Group Housing Project at Plot No. CP-GH-05B, Sector-Techzone-04, Greater Noida, Gautam Buddh Nagar (U.P.), M/s DSD Homes Pvt. Ltd., 8566/SIA/UP/INFRA2/454597/2023

SEIAA noted that as per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022 SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit detailed ATR of CCR within a month.
- 2- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. The CER activities should be related to mitigation of Environmental Pollution and creating awareness for the same like water harvesting pits and carbon sequestration parks /designed ecosystems .At least one school in the vicinity of project area should be provided with rooftop solar plant, toilets in public place or in school of nearby villages and if there is a girl's school then girls toilet properly equipped with overhead water tank should be constructed. Name of the school adopted for installation of roof top solar plant should be displayed on the website of project proponent and should also be submitted with periodic compliance report.
- 3- The project proponent shall ensure that waste water is properly treated in STP and treated water should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper

functioning. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge and shall be done with necessary permissions from concerned authorities.

- 4- Under any circumstances untreated sewage shall not be discharged to municipal sewer line or any nearby water body.
  - 5- Provision for charging of electric vehicles as per the guidelines of GoI/GoUP should be submitted within the next 3 months.
  - 6- PP should display EC granted to them on their website.
  - 7- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
  - 8- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation. (in NCR)
  - 9- DG sets shall be gas based and Guidelines issued by CAAQMS for NCR region regarding the use of DG sets during construction and operational phase should be followed. (DG set NCR-CAAQMS)
  - 10- The project proponent shall install organic bio converter.
  - 11- Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.
  - 12- The effluent from STP after tertiary treatment shall be subjected to ozonation to avoid foul smell.
  - 13- The project proponent shall explore the possibility of solar electrification beyond 10% and if it is possible, shall submit the details of solar power plans within the next 3 months.
4. **"Building Stone (Khanda, Boulder, Ballast & Gitti ) Mining" Project at Gata No.-669, Khand No.-31, at Village-Khailar, Tehsil-Sadar, District- Jhansi, Area-2.023 ha., 8562/6425/SIA/UP/MIN/454328/2023.**  
SEIAA noted the comments of SEAC and also noted that a letter no. 148/parya/SEIAA/sam./2024 dated 03.06.2024 in this regard has been sent to DGM.
5. **"Silica Sand Mine" at Gata No – part of 522,at Village-Aswan (block 01), Tehsil-Bara, District-Prayagraj, Uttar Pradesh, Shree Bajrang Road Lines, Area – 15.75 ha., 8478/7108/SIA/UP/MIN/449808/2023.**  
SEIAA noted the comments of SEAC and also noted that a letter no. 148/parya/SEIAA/sam./2024 dated 03.06.2024 in this regard has been sent to DGM.
6. **"Building Stone (Granite Khanda, Boulder, Ballast)" Araj No. -93 (Khand No. 24), Village: Bari, Tehsil: Sadar, District: Mahoba, State: Uttar Pradesh, Area: 1.012 Ha, 8456/7886/SIA/UP/MIN/451551/2023.**  
SEIAA noted the comments of SEAC and also noted that a letter no. 148/parya/SEIAA/sam./2024 dated 03.06.2024 in this regard has been sent to DGM.
7. **"Building Stone (Granite Khanda, Boulder, Ballast)" Mining Project at Araj No.- 93 (Khand No. 17) of Village: Bari, Tehsil: Sadar, District: Mahoba, State: Uttar Pradesh, Area: 1.012 Ha., 8450/7874/SIA/UP/MIN/451406/2023.**  
SEIAA noted the comments of SEAC and also noted that a letter no. 148/parya/SEIAA/sam./2024 dated 03.06.2024 in this regard has been sent to DGM.

8. Group Housing Project (Amendment in earlier obtained EC) at Plot No.GH3B, Sector-12, Greater Noida (West), Gautam Buddha Nagar, M/s Sublime Realtech Private Limited., 8268/SIA/UP/INFRA2/444195/2023.

SEIAA noted the comments of SEAC to defer the matter and the matter will be discussed only after submission of online request on prescribed portal.

9. Ordinary Sand Mining From Riverbed of Ghaghra/ Saryu River Gata no.- 01 Mi, Village- Majha Fareedpur Tappa Haweli, Tehsil- Alapur, District- Ambedkar Nagar, Uttar Pradesh, Area- 10.500 Ha., 8242/7643/SIA/UP/MIN/443923/2023.

SEIAA noted the comments of SEAC and also noted that a letter no. 148/parya/SEIAA/sam./2024 dated 03.06.2024 in this regard has been sent to DGM.

10. Building Stone (Khanda-Boulder/GittiBallast), mine at Gata No.- 669, Khand No. -33, Village- Khailar, Tehsil- Sadar, District- Jhansi, Uttar Pradesh, Project Proponent- Shri Rajkumar Parecha, Area- 2.023 Ha., 8234/6575/SIA/UP/MIN/441321/2023.

SEIAA noted the comments of SEAC and also noted that a letter no. 148/parya/SEIAA/sam./2024 dated 03.06.2024 in this regard has been sent to DGM.

11. "Khorabar Awasiya Yojna (Township) &Medicity at Khorbar, Deoria Road, District- Gorakhpur, U.P., 8236/7805/SIA/UP/INFRA2/443176/2023.

SEIAA agreed with the recommendations of SEAC to close/delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.

12. Revision & Modification of the Group Housing Project "Gayatri Aura" at Plot No.: GH-11, Sector-01, Greater Noida, Gautam Buddh Nagar, Uttar Pradesh by M/s Gayatri Hospitality and Realcon Ltd., 7906/7589/SIA/UP/INFRA2/429711/2023.

SEIAA agreed with the recommendations of SEAC to close/delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.

13. Industrial Project "Yingtong Electronic Technology India Private Limited" located at Plot No. 17B, Sector-24, YEIDA Greater Noida, Gautam Budh Nagar Uttar Pradesh, M/s. Yingtong Electronic Technology India Private Limited., 7284/SIA/UP/INFRA2/402531/2022.

SEIAA noted the comments of SEAC to defer the matter and the matter will be discussed only after submission of online request on prescribed portal.

14. Group Housing Project (Type-E (Saya S Class)) at Plot No.10 (10/2), Vaibhav Khand, Indirapuram, Ghaziabad (U.P.), M/s Shipra Estate Ltd., 7024/SIA/UP/MIS/266903/2022.

SEIAA agreed with the recommendations of SEAC to close/delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.

15. Riverbed "Morrum Mining Project" on the riverbed of River Betwa at Khand No. - 25/17, Village- Ichchaura Jhitkari, Tehsil- Sarila& District- Hamirpur, Uttar Pradesh, Area- 12.145 ha., 8616/SIA/UP/MIN/456415/2023.

SEIAA noted the comments of SEAC and also noted that a letter no. 148/parya/SEIAA/sam./2024 dated 03.06.2024 in this regard has been sent to DGM.

16. Bill Markundi Gitti, / Boulder, DoloStone Mining Project at Arazi/Gata No.- 7423ka, 7424 Ka, 7425 Kha, 7416, 7426, 7417 Mi, 7418 Mi, 7419Mi, 7420 Ka, 7421 Ka& 7425 Ka near Village-BilliMarkundi, Tehsil -Obra, District - Sonbhadra, Uttar Pradesh, (Area- 1.50 ha), 8592/SIA/UP/MIN/455662/2023.

SEIAA noted the comments of SEAC and also noted that a letter no. 148/parya/SEIAA/sam./2024 dated 03.06.2024 in this regard has been sent to DGM.

17. Sand/Morrum Mine From Riverbed of Ken River Gata No.- Part of 337 (Khand No.- 03), Village-Kanwara, Tehsil- Banda, District- Banda, Uttar Pradesh, M/s Ansh Project Service, Area- 24.00 Ha., 8564/SIA/UP/MIN/454466/2023.

SEIAA noted the comments of SEAC and also noted that a letter no. 148/parya/SEIAA/sam./2024 dated 03.06.2024 in this regard has been sent to DGM.

18. Hi-tech township, Sushant Golf City, Sultanpur Road, Lucknow, Uttar Pradesh, Ansal Properties & Infrastructure Limited., 8384/SIA/UP/INFRA2/449008/2023.

SEIAA noted that SEAC has recommended to grant standard terms of reference prescribed by MoEF&CC, Govt. of India for the preparation of EIA report along with additional TOR Points. But in MoM it has been inadvertently mentioned that Environmental Clearance is sought. SEIAA agreed with the recommendation of SEAC to issue the ToR to the title proposal for conducting EIA studies. SEIAA also added following points to ToR:-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- Copy of all the analysis reports duly signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
- 3- MOU signed between the project proponent and the consultant should be submitted.
- 4- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 and submit along with EIA.
- 5- Provision for charging of electric vehicles as per the guidelines of GoI/GoUP should be submitted.
- 6- Along with the EIA-EMP report, PP/consultant will also submit in tabular form as to how they have addressed entire ToR a presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.
- 7- The project proponent shall submit along with EIA the details of School in the vicinity of project area in which rooftop solar plant, toilets will be constructed specially girl school under CER activities.

19. "Building Stone, Granite or Khanda, Boulder, Ballast (Gitti), Mining Project" at Arazi No.: 60, Khand No.:04, Village: Jamala, Tehsil: Kulpahar, District: Mahoba, State: Uttar Pradesh, Area: 1.012 Ha., 8256/SIA/UP/MIN/444314/2023.

SEIAA noted the comments of SEAC and also noted that a letter no. 148/parya/SEIAA/sam./2024 dated 03.06.2024 in this regard has been sent to DGM.

20. "Building Stone, Granite or Khanda, Ballast (Gitti), Boulder Mining Project" at Arazi No.: 60, Khand No.:06, Village: Jamala, Tehsil: Kulpahar, District: Mahoba, State: Uttar Pradesh, Area: 0.708 Ha., 8206/SIA/UP/MIN/442759/2023.

SEIAA noted the comments of SEAC and also noted that a letter no. 148/parya/SEIAA/sam./2024 dated 03.06.2024 in this regard has been sent to DGM.

**21. River Bed Sand/Morrum Mining Project along river Betwa at Gata No.-1064, Khand No.- 03, Village-Kahtamirpur, Tehsil-Kalpi, District-Jalaun, U.P., M/s Vaishno Agro Industries, Area-12.145 Ha., 6134/SIA/UP/MIN/60026/2021.**

SEIAA noted the comments of SEAC and also noted that a letter no. 148/parya/SEIAA/sam./2024 dated 03.06.2024 in this regard has been sent to DGM.

**22. Ordinary Sand Mining from Ramganga River at Gata No. 219 mi, 220 mi, 221 mi, 236 mi, Village: Gautara, Tehsil: Meerganj, District: Bareilly, Shri Abhishek Yadav, Uttar Pradesh, Area: 7.70 Ha., 8326/SIA/UP/MIN/446631/2023.**

SEIAA noted the comments of SEAC and also noted that a letter no. 148/parya/SEIAA/sam./2024 dated 03.06.2024 in this regard has been sent to DGM.

**23. Expansion of Group housing project at Sector- 10, Greater Noida, District- Gautam Buddha Nagar, Uttar Pradesh by M/s Nivas Promoters Pvt. Ltd., 8314/SIA/UP/INFRA2/446211/2023.**

SEIAA noted that as per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022 SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. The CER activities should be related to mitigation of Environmental Pollution and creating awareness for the same like water harvesting pits and carbon sequestration parks /designed ecosystems .At least one school in the vicinity of project area should be provided with rooftop solar plant, toilets in public place or in school of nearby villages and if there is a girl's school then girls toilet properly equipped with overhead water tank should be constructed. Name of the school adopted for installation of roof top solar plant should be displayed on the website of project proponent and should also be submitted with periodic compliance report.
- 2- The project proponent shall ensure that waste water is properly treated in STP and treated water should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper functioning. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge and shall be done with necessary permissions from concerned authorities.
- 3- Under any circumstances untreated sewage shall not be discharged to municipal sewer line or any nearby water body.
- 4- Provision for charging of electric vehicles as per the guidelines of GoI/GoUP should be submitted within the next 3 months.
- 5- PP should display EC granted to them on their website.
- 6- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
- 7- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation. (in NCR)
- 8- DG sets shall be gas based and Guidelines issued by CAAQMS for NCR region regarding the use of DG sets during construction and operational phase should be followed. (DG set NCR-CAAQMS)
- 9- The project proponent shall install organic bio converter.
- 10- Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance

condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.

- 11- The effluent from STP after tertiary treatment shall be subjected to ozonation to avoid foul smell.
- 12- The project proponent shall explore the possibility of solar electrification beyond 10% and if it is possible, shall submit the details of solar power plans within the next 3 months.

Agenda-B-Minutes of 861st SEAC-2 Meeting Dated 05/06/2024

1. Sand/Morrum Mine From Riverbed of Yamuna River Gata No. - Part of 96/2, Khand No. - 02, Village- Marka Khadar, Tehsil- Baberu, District- Banda, Shri Jitendra Patel, Area- 20.00 Ha., 8976/8186/SIA/UP/MIN/471516/2024.

SEIAA noted the comments of SEAC and also noted that a letter no. 148/parya/SEIAA/sam./2024 dated 03.06.2024 in this regard has been sent to DGM.

2. Group Housing Free Hold Plot No. 12/GH-03, Vrindavan Yojna -3, Lucknow, Shri Vivek Mishra., 8978/SIA/UP/INFRA2/471589/2024.

SEIAA noted the comments of SEAC to defer the matter and the matter will be discussed only after submission of online request on prescribed portal.

3. Proposed Hotel Building at Khasra no. 32, Fatehabad Road Mauza Budhera, Agra, U.P, District- Agra, Shri Amit Kumar, M/s Bloomm Inn Pvt. Ltd., 8980/SIA/UP/INFRA2/470712/2024

SEIAA noted that as per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022 SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

- 1- The project proponent shall invest 30% of CER fund helping in clearing of Yamuna River and details to be submitted in compliance report and uploaded on its website.
- 2- To reduce carbon foot prints at least 30% of light shall be solar power.
- 3- No water bodies shall be polluted with sewage/effluent.
- 4- Details of rain water harvesting pits like no. geo-coordinates etc. to be submitted along with compliance report.
- 5- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. The CER activities should be related to mitigation of Environmental Pollution and creating awareness for the same like water harvesting pits and carbon sequestration parks /designed ecosystems .At least one school in the vicinity of project area should be provided with rooftop solar plant, toilets in public place or in school of nearby villages and if there is a girl's school then girls toilet properly equipped with overhead water tank should be constructed. Name of the school adopted for installation of roof top solar plant should be displayed on the website of project proponent and should also be submitted with periodic compliance report.
- 6- The project proponent shall ensure that waste water is properly treated in STP and treated water should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper functioning. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge and shall be done with necessary permissions from concerned authorities.
- 7- Under any circumstances untreated sewage shall not be discharged to municipal sewer line or any nearby water body.

- 8- Provision for charging of electric vehicles as per the guidelines of GoI/GoUP should be submitted within the next 3 months.
  - 9- PP should display EC granted to them on their website.
  - 10- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
  - 11- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation. (in NCR)
  - 12- DG sets shall be gas based and Guidelines issued by CAAQMS for NCR region regarding the use of DG sets during construction and operational phase should be followed. (DG set NCR-CAAQMS)
  - 13- The project proponent shall install organic bio converter.
  - 14- **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**
  - 15- The effluent from STP after tertiary treatment shall be subjected to ozonation to avoid foul smell.
  - 16- The project proponent shall explore the possibility of solar electrification beyond 10% and if it is possible, shall submit the details of solar power plans within the next 3 months.
  - 17- At least one Miyawaki forest/dense forest in consultation with forest department shall be developed inside or in the close vicinity of project site and details uploaded on project website. Details will also be submitted with periodic compliance report.
4. **"Sand/Morrum Mining Project" located at Gata No.- 05 of part, 09 of part, Village – Bilharka, Tehsil – Naraini & District – Banda, Shri Ashu Singh Bhati, Area- 12.86 ha., 8982/8274/SIA/UP/MIN/471675/2024.**
- SEIAA noted the comments of SEAC and also noted that a letter no. 148/parya/SEIAA/sam./2024 dated 03.06.2024 in this regard has been sent to DGM.
5. **"Rajvansh Nilay" at Plot Khasra No.- 854 SA (Part) Village – Kharika, Near Vrindavan Yojna, Tehsil – Sarojani Nagar, Lucknow, Shri Ravindra Nath Singh, M/s Rajvansh Estates Private Limited., 8984/SIA/UP/INFRA2/471753/2024**
- SEIAA noted that as per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022 SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-
- 1- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. The CER activities should be related to mitigation of Environmental Pollution and creating awareness for the same like water harvesting pits and carbon sequestration parks /designed ecosystems .At least one school in the vicinity of project area should be provided with rooftop solar plant, toilets in public place or in school of nearby villages and if there is a girl's school then girls toilet properly equipped with overhead water tank should be constructed. Name of the school adopted for installation of roof top solar plant should be displayed on the website of project proponent and should also be submitted with periodic compliance report.
  - 2- The project proponent shall ensure that waste water is properly treated in STP and treated water should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper functioning. Part

- of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge and shall be done with necessary permissions from concerned authorities.
- 3- Under any circumstances untreated sewage shall not be discharged to municipal sewer line or any nearby water body.
  - 4- Provision for charging of electric vehicles as per the guidelines of GoI/GoUP should be submitted within the next 3 months.
  - 5- PP should display EC granted to them on their website.
  - 6- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
  - 7- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation. (in NCR)
  - 8- DG sets shall be gas based and Guidelines issued by CAAQMS for NCR region regarding the use of DG sets during construction and operational phase should be followed. (DG set NCR-CAAQMS)
  - 9- The project proponent shall install organic bio converter.
  - 10- **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**
  - 11- The effluent from STP after tertiary treatment shall be subjected to ozonation to avoid foul smell.
  - 12- The project proponent shall explore the possibility of solar electrification beyond 10% and if it is possible, shall submit the details of solar power plans within the next 3 months.
  - 13- The project proponent shall ensure to submit details of pond rejuvenation (as proposed in the CER by project) progress along with compliance report.
6. **Group Housing Project at Plot No. GH-A6, Jaypee Green Sport City, SDZ Sector-25, YEIDA Area, Greater Noida, Gautam Buddha Nagar, Shri Sachin Garg, M/s Future World Construction Pvt. Ltd., 8744/SIA/UP/INFRA2/471828/2024**  
SEIAA agreed with the recommendation of SEAC to amend the built-up area for the project as 60,294.68 sqm in EC Identification no. EC24C3801UP5196483N, dated 01/05/2024. All the other contents mentioned in EC letter dated 01/05/2024 shall remain the same.
7. **Building Stone (Sandstone) mine at Arazi/Gata no.- 36/6/5, village- Sonbarsa, Tehsil- Lalganj & District- Mirzapur, Shri Subhash Singh, Area- 0.809 ha., 8986/8165/SIA/UP/MIN/471856/2024.**  
SEIAA noted the comments of SEAC and also noted that a letter no. 148/parya/SEIAA/sam./2024 dated 03.06.2024 in this regard has been sent to DGM.
8. **"Sand/Morrum Mining" on the riverbed of Betwa River at Khand No.- 18/1, Village- Sahurapur, Tehsil- Hamirpur, District- Hamirpur, Shri Dushyant Singh, Area 36.437 ha., 8988/SIA/UP/MIN/471962/2024.**  
SEIAA noted the comments of SEAC and also noted that a letter no. 148/parya/SEIAA/sam./2024 dated 03.06.2024 in this regard has been sent to DGM.
9. **Commercial/Hotel Project at Khasra No.- 1309, 1310, 1311, 1312, 1296, 1283, 1286k, 1293, 1282 & 1297, Village- Allah Baxpur, Tehsil Garhmukteshwar, District- Hapur, Shri Dheeraj Makkar, M/s Makkar Greenwoods., 8990/SIA/UP/INFRA2/472041/2024**  
SEIAA noted that as per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022 SEIAA

opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. The CER activities should be related to mitigation of Environmental Pollution and creating awareness for the same like water harvesting pits and carbon sequestration parks /designed ecosystems .At least one school in the vicinity of project area should be provided with rooftop solar plant, toilets in public place or in school of nearby villages and if there is a girl's school then girls toilet properly equipped with overhead water tank should be constructed. Name of the school adopted for installation of roof top solar plant should be displayed on the website of project proponent and should also be submitted with periodic compliance report.
- 2- The project proponent shall ensure that waste water is properly treated in STP and treated water should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper functioning. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge and shall be done with necessary permissions from concerned authorities.
- 3- Under any circumstances untreated sewage shall not be discharged to municipal sewer line or any nearby water body.
- 4- Provision for charging of electric vehicles as per the guidelines of GoI/GoUP should be submitted within the next 3 months.
- 5- PP should display EC granted to them on their website.
- 6- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
- 7- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation. (in NCR)
- 8- DG sets shall be gas based and Guidelines issued by CAAQMS for NCR region regarding the use of DG sets during construction and operational phase should be followed. (DG set NCR-CAAQMS)
- 9- The project proponent shall install organic bio converter.
- 10- **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**
- 11- The effluent from STP after tertiary treatment shall be subjected to ozonation to avoid foul smell.
- 12- The project proponent shall explore the possibility of solar electrification beyond 10% and if it is possible, shall submit the details of solar power plans within the next 3 months.
- 13- At least one Miyawaki forest/dense forest in consultation with forest department shall be developed inside or in the close vicinity of project site and details uploaded on project website. Details will also be submitted with periodic compliance report.

**10. Industrial Building project is being developed at Plot No.- 92, Ecotech- 10, Greater Noida, Shri Dinesh Kumar, M/s Starion India Pvt. Ltd., 8992/SIA/UP/INFRA2/472019/2024**

SEIAA noted that as per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022 SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit name and Adhar no. of individuals receiving E- rickshaw under CER.
  - 2- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. The CER activities should be related to mitigation of Environmental Pollution and creating awareness for the same like water harvesting pits and carbon sequestration parks /designed ecosystems .At least one school in the vicinity of project area should be provided with rooftop solar plant, toilets in public place or in school of nearby villages and if there is a girl's school then girls toilet properly equipped with overhead water tank should be constructed. Name of the school adopted for installation of roof top solar plant should be displayed on the website of project proponent and should also be submitted with periodic compliance report.
  - 3- The project proponent shall ensure that waste water is properly treated in STP and treated water should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper functioning. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge and shall be done with necessary permissions from concerned authorities.
  - 4- Under any circumstances untreated sewage shall not be discharged to municipal sewer line or any nearby water body.
  - 5- Provision for charging of electric vehicles as per the guidelines of GoI/GoUP should be submitted within the next 3 months.
  - 6- PP should display EC granted to them on their website.
  - 7- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
  - 8- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation. (in NCR)
  - 9- DG sets shall be gas based and Guidelines issued by CAAQMS for NCR region regarding the use of DG sets during construction and operational phase should be followed. (DG set NCR-CAAQMS)
  - 10- The project proponent shall install organic bio converter.
  - 11- **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**
  - 12- The effluent from STP after tertiary treatment shall be subjected to ozonation to avoid foul smell.
  - 13- The project proponent shall explore the possibility of solar electrification beyond 10% and if it is possible, shall submit the details of solar power plans within the next 3 months.
  - 14- At least one Miyawaki forest/dense forest in consultation with forest department shall be developed inside or in the close vicinity of project site and details uploaded on project website. Details will also be submitted with periodic compliance report.
  - 15- The project proponent shall ensure to submit details of pond rejuvenation (as proposed in the CER by project) progress along with compliance report.
- 11. "Sand/Morrum Mining" from Riverbed of Ken River at Village- Duredi, Gata No.- 4881, 4880,4834, 4824, Tehsil- Banda, District- Banda, Shri Devendra Singh Bhati, M/s Riddhi Siddhi Housing Pvt. Ltd. Area- 27.00 ha., 8994/SIA/UP/MIN/472311/2024.**
- SEIAA noted the comments of SEAC and also noted that a letter no. 148/parya/SEIAA/sam./2024 dated 03.06.2024 in this regard has been sent to DGM.

- 12. Building Stone Sandstone, Gitti , Boulder, Patiya Mine at Arazi No.- 519 (Vigyapti Sl. No.- 17), Village- Ghasipur, Tehsil- Chunar, District- Mirzapur, Shri Sham Sher Singh,M/s Saurabh Stone work, Area- 0.809 ha., 8996/SIA/UP/MIN/472395/2024.**

SEIAA noted the comments of SEAC and also noted that a letter no. 148/parya/SEIAA/sam./2024 dated 03.06.2024 in this regard has been sent to DGM.

- 13. "Sand/Morrum Mining" on the riverbed of Betwa River at Gata No.- 1396G Khand No.- 03, Village- Bhedi Khurd, Tehsil- Kalpi, Jalaun, Shri Mohammd Asif Ahmad, Area- 20.242 ha., 8998/SIA/UP/MIN/472496/2024**

The issue was deliberated upon in depth and SEIAA noted that the DSRs were being updated by Geology and Mining Department Uttar Pradesh before 4/12/2023 on the basis of extant notifications and guidelines and leases had been auctioned and proposals for ToR had been uploaded on Parivesh portal. These proposals have also been appraised and recommended for grant of ToR by SEAC. As per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. Hence in light of all these facts ToR is being granted to the title proposal for conducting EIA studies. SEIAA added following points to ToR-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- The lease area its address and production per annum should match with that mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 3- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 4- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 5- Latest KML file for the area and mining lease area should be provided.
- 6- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 7- In case project proponent intends to temporarily store mined out material or any tools, equipment's or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 8- Road network to be used by the project should be clearly shown on Survey of India topo sheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 9- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
  - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
  - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 10- In case of expansion /renewal of earlier EC, following information should be submitted
  - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, Gol, Lucknow.
  - b. Copy of CTE and CTO issued by SPCB.
  - c. Status of submission of six-monthly compliance report to EC granted earlier

- d. Court cases, if any.
- 11- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out should be mentioned in EIA-EMP report.
  - 12- PP/consultant in compliance to Hon'ble NGT order dated 06.05.2022 in OA no. 141/2021 (With report dated 31.03.2022) Raj Kumar Vs. State of UP and Others and with OA no. 141/2021 Rajkaran Karn Vs. State of UP and Others, will submit replenishment study, duly approved by DGM, along with EIA-EMP report for seeking EC.
  - 13- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants/ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 21,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Also, the coordinates of area earmarked for plantation should be clearly spelt in the EIA/EMP and polygon should be attached. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
  - 14- The project proponent shall ensure that water bodies do not get polluted due to mining activity.
  - 15- Along with the EIA-EMP report, PP/consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP/consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.
  - 16- The project proponent shall submit along with EIA the details of School in the vicinity of project area in which rooftop solar plant, toilets will be constructed specially girl school under CER activities.
  - 17- These TORs shall be subject to any order from any court/tribunal or any guidelines issued by MOEFCC.
14. Ordinary Earth Mine", at Gata No.- 521 K, Village- Rotigaon, Tehsil- Ramnagar, District- Barabanki, Shri Anil Kumar, Area 0.569 ha., 9000/SIA/UP/MIN/472477/2024.  
SEIAA agreed with the recommendations of SEAC to close/delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.
15. "Sand/Morrum Mining" on the riverbed of Betwa, River at Khand No. 23/19, Village- Bhedi Kharka, Tehsil- Sarila, District- Hamirpur, M/s Parihar Area- 12.145 ha., 9002/SIA/UP/MIN/472641/2024.  
SEIAA noted the comments of SEAC and also noted that a letter no. 148/parya/SEIAA/sam./2024 dated 03.06.2024 in this regard has been sent to DGM.
16. "Building Stone Sandstone (Gitty, Boulder, Slab) Mining Project" located at Araj No - 428 Village: Dhuria, Tehsil-Chunar, District Mirzapur, Smt. Kanak Tripathi, Area- 0.505 Ha., 9004/SIA/UP/MIN/472675/2024.  
SEIAA noted the comments of SEAC and also noted that a letter no. 148/parya/SEIAA/sam./2024 dated 03.06.2024 in this regard has been sent to DGM.
17. "Imarati Patthar (Sandstone)" Mine at Gata no.- 36/6/5, Village- Sonbarsa, Tehsil- Laiganj, District- Mirzapur, Shri Nikshay Pandey, Area- 0.809 Ha., 9006/SIA/UP/MIN/472727/2024.  
SEIAA noted the comments of SEAC and also noted that a letter no. 148/parya/SEIAA/sam./2024 dated 03.06.2024 in this regard has been sent to DGM.

18. Sand/morrum mining project from Ken River of at Gata No.- 721,722 & 723, Kolawalraipur, Tehsil - Naraini, District- Banda, Shri Arun Kumar Singh, M/s A.K. Singh Contractor, S/o Shri Shayam Singh, Area- 20.00 Ha., 9008/SIA/UP/MIN/472847/2024.

SEIAA noted the comments of SEAC and also noted that a letter no. 148/parya/SEIAA/sam./2024 dated 03.06.2024 in this regard has been sent to DGM.

Agenda-C- Minutes of 862nd SEAC-2 Meeting Dated 06/06/2024

1. Buiding Stone Sandstone, Gitti,Boulder, Patiya Mine at Gata No.- 01, Sl. No. 12,Village- Dhuriya, Tehsil- Chunar, District- Mirzapur, M/s Vishwnath Mining, Shri Tulasidas, Area- 0.8090 ha., 9010/SIA/UP/MIN/472970/2024.

SEIAA noted the comments of SEAC and also noted that a letter no. 148/parya/SEIAA/sam./2024 dated 03.06.2024 in this regard has been sent to DGM.

2. "Building Stone (Sand Stone Gitti, Boulder, Patiya)" Project at Gata No.- 141 (Sr. No.- 08), Village- Chiraiya, Tehsil- Chunar, District- Mirzapur, Shri Ajay Kumar Singh, M/s Avtech Infraventure Private Limited, Area : 1.618 ha., 9012/SIA/UP/MIN/468739/2024.

SEIAA noted the comments of SEAC and also noted that a letter no. 148/parya/SEIAA/sam./2024 dated 03.06.2024 in this regard has been sent to DGM.

3. Construction of New District Jail (Capacity 1026) at Rasaina, District- Jaunpur, Shri Dharmendra Singh, Superintendent of District Jail, Jaunpur., 9014/SIA/UP/INFRA2/473067/2024

SEIAA noted that as per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022 SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

- 1- The project proponent shall ensure to plant fruit bearing, broad leaf trees of local and indigenous species and their maintenance. The CPCB/CAQM guidelines in this regard shall be followed.
- 2- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. The CER activities should be related to mitigation of Environmental Pollution and creating awareness for the same like water harvesting pits and carbon sequestration parks /designed ecosystems .At least one school in the vicinity of project area should be provided with rooftop solar plant, toilets in public place or in school of nearby villages and if there is a girl's school then girls toilet properly equipped with overhead water tank should be constructed. Name of the school adopted for installation of roof top solar plant should be displayed on the website of project proponent and should also be submitted with periodic compliance report. First Aid training camps shall be organized in schools in the vicinity of project area and details should be included in periodic compliance report.
- 3- The project proponent shall ensure that waste water is properly treated in STP and treated water should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper functioning. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge and shall be done with necessary permissions from concerned authorities.
- 4- Under any circumstances untreated sewage shall not be discharged to municipal sewer line or any nearby water body.
- 5- Provision for charging of electric vehicles as per the guidelines of GoI/GoUP should be submitted within the next 3 months.

- 6- PP should display EC granted to them on their website.
  - 7- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
  - 8- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation. (in NCR)
  - 9- DG sets shall be gas based and Guidelines issued by CAAQMS for NCR region regarding the use of DG sets during construction and operational phase should be followed. (DG set NCR-CAAQMS)
  - 10- The project proponent shall install organic bio converter.
  - 11- Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.
  - 12- The effluent from STP after tertiary treatment shall be subjected to ozonation to avoid foul smell.
  - 13- The project proponent shall explore the possibility of solar electrification beyond 10% and if it is possible, shall submit the details of solar power plans within the next 3 months.
  - 14- At least one Miyawaki forest/dense forest in consultation with forest department shall be developed inside or in the close vicinity of project site and details uploaded on project website. Details will also be submitted with periodic compliance report.
  - 15- The Bio Medical Waste shall be disposed in nearest CBWTF as per the Govt issued guidelines in this regard.
  - 16- The project proponent shall ensure to submit details of pond rejuvenation (as proposed in the CER by project) progress along with compliance report.
4. Bulding Stone Sandstone, Gitti,Boulder, Patiya Mine at Gata No.- 180/2, Sl. No.- 19, Village- Bhagautidei, Tehsil- Chunar, District- Mirzapur, Shri Tulasidas, M/s Vishwnath Mining Area- 1.01 ha., 9016/SIA/UP/MIN/473157/2024.  
SEIAA noted the comments of SEAC and also noted that a letter no. 148/parya/SEIAA/sam./2024 dated 03.06.2024 in this regard has been sent to DGM.
5. "Morrum Mining Project" on the riverbank of River Betwa at Khand No. - 23/27, Village- Beri, Tehsil: Hamirpur & District- Hamirpur, Shri Trilok Singh Rathore, Area- 24.28 Ha., 9018/SIA/UP/MIN/473250/2024.  
SEIAA noted the comments of SEAC and also noted that a letter no. 148/parya/SEIAA/sam./2024 dated 03.06.2024 in this regard has been sent to DGM.
6. Sand/ Morrum Mining from Betwa River at Gata No.- 267,268, Khand No- 03, Village: Kyotara, Tehsil: Kalpi, District: Jalaun, Shri Girish Gupta, Area: 16.194 Ha., 9020/SIA/UP/MIN/473277/2024  
SEIAA noted that SEAC has recommended to grant ToR to the above project. SEIAA gone through file and documents and found that in KML submitted many sand raised structure are seen. Hence SEIAA opined that the project shall be referred back to SEAC for clarification.
7. Gitti-Boulder (Dolostone) Mine at Arazi No.- 5405 Kha, 5406, 5407 ka, 5411, Village- Billi Markundi, Tehsil- Robertsganj, District- Sonbhadra, Smt Anju Rai, M/s Maa Kamakhya Stone Works, Area- 1.61 ha., 9022/8226/SIA/UP/MIN/470773/2024.  
SEIAA noted the comments of SEAC and also noted that a letter no. 148/parya/SEIAA/sam./2024 dated 03.06.2024 in this regard has been sent to DGM.

8. Expansion of existing sugar unit from 8500 TCD to 12000 TCD without change in existing Co-generation Power Plant - 32.0 MW within existing industry premises at P.O: Biswan, District: Sitapur, Uttar Pradesh of M/s The Seksaria Biswan Sugar Factory Limited (Sugar Division), 9024/7703/SIA/UP/IND2/473413/2024

SEIAA agreed with the recommendation of SEAC to grant EC to the above project adding the following conditions:-

- 1- The project proponent shall follow MoEFCC notification 35 (E) dated 14 January 2016 in letter and spirit.
- 2- The project proponent shall handle boiler ash properly.
- 3- Dedicated space for storage of boiler ash with proper fencing should be ensured.
- 4- The project proponent shall get chemical analyses of boiler ash done and submit the results to SEIAA.

9. "Silica Sand Mine" at Khasra/Gata no - part of 1436, part of 1433, part of 1437, part of 1438, part of 1439, part of 1440, part of 1441, part of 1391 (Khand No. 05) at Village - Pardawan, Tehsil- Mau, District- Chitrakoot, Shri Brijendra Kumar Chawla, M/s Maa Kamakhya Minerals, Area – 23.60 ha., 9026/8438/SIA/UP/MIN/473751/2024.

SEIAA noted the comments of SEAC and also noted that a letter no. 148/parya/SEIAA/sam./2024 dated 03.06.2024 in this regard has been sent to DGM.

10. Riverbed Sand/Morrum mining project on River Ken located at Gata No.- 62 & 63/1 Village- Khaptiha Kala, Tehsil- Pallani, District- Banda, Shri Manoj Kumar Mishra, Area – 17.00 ha., 4424/SIA/UP/MIN/471951/2024

SEIAA noted the comments of SEAC. SEIAA gone through file and document and found that complete cancellation order of DM, Banda has not been submitted online or offline. Hence SEIAA opined that project proponent shall submit the same.

11. "Building Stone (Granite Khanda / Gitti / Boulder)" Project at Gata No.- 1078 Ga Khand No.- 15, Village- Gonda, Tehsil- Karwi, District- Chitrakoot, Area : 2.4280 ha., 9028/SIA/UP/MIN/474381/2024.

SEIAA noted the comments of SEAC and also noted that a letter no. 148/parya/SEIAA/sam./2024 dated 03.06.2024 in this regard has been sent to DGM.

12. "Building Stone (Granite Khanda / Gitti / Boulder / Pahadi Lal Morrum) Mining Project" at Gata No.: 715/08, Village: Gonda, Tehsil: Karwi, District: Chitrakoot, Shri. Dev Prakash Maurya, Area: 2.024 Ha, 9030/SIA/UP/MIN/474623/2024.

SEIAA noted the comments of SEAC and also noted that a letter no. 148/parya/SEIAA/sam./2024 dated 03.06.2024 in this regard has been sent to DGM.

13. Building Stone (Granite and Dolostone Ballast Gitti) Mine at Araj No.-5593 K, Block- 09, Village – Billi Markundi, Tehsil –Obra, District-Sonbhadra, Uttar Pradesh of M/s AIU Mines and Minerals, Ishtiyak Ahmad, Area- 4.00 ha., 9032/SIA/UP/MIN/475012/2024.

SEIAA noted the comments of SEAC and also noted that a letter no. 148/parya/SEIAA/sam./2024 dated 03.06.2024 in this regard has been sent to DGM.

**14. "Ordinary Earth Mining" Project at Gata No.- 468, Village- Dhanauli, Tehsil- Sadabad, District- Hathras, Shri Ashok Kumar, Area-0.4860Ha), 9034/SIA/UP/MIN/475069/2024.**

As per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. Hence in light of all these facts EC is being granted to the title proposal.

SEIAA noted the comments of SEAC that EC must be subject to any order passed by Hon'ble Courts and to any guidelines issued by MoEF&CC, Govt. of India. SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC taking into consideration discussion held in SEIAA meeting no. 597 dated 05.05.2022 regarding reply of SEAC-1 and SEAC-2 for compliance/action taken on TOR/Public hearing, adding following specific conditions:-

1. If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate.
2. Validity period of this EC is 3 months from the date of issue as the LoI has been issued for a period of 3 months or co-terminus with the validity of current mine plan or current lease period whichever is earlier. After this period the EC will become null and void.
3. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam, 2023 and submit before the start of work.
4. The mining lease holders shall ensure to comply with mine reclamation plan as submitted.
5. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
6. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or district plantation committee, for planting at least 1,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Also, the coordinates of area earmarked for plantation should be clearly spelt and polygon should be attached and submitted within a month. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.
7. The project proponent shall ensure that water bodies do not get polluted due to mining activity.
8. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.
9. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, GoI, Lucknow.
10. The project proponent shall install rooftop solar plant in one school in the vicinity of project area and construct toilets especially in girls' school as part of CER activity.
11. Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance

condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.

12. This EC shall be subject to any order from any court/tribunal or any guidelines issued by MOEFCC.

**15. Expansion of Institutional Building (IT/ITES & Data Center) at Plot No. – B- 11, 12 & 13, Sector-132, Noida, District- Gautam Buddha Nagar, Shri Santosh Kumar Lal, M/s SKVR Software Solution Pvt. Ltd., 8750/SIA/UP/INFRA2/460858/2024**

SEIAA noted that as per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022 SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

1. The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. The CER activities should be related to mitigation of Environmental Pollution and creating awareness for the same like water harvesting pits and carbon sequestration parks /designed ecosystems .At least one school in the vicinity of project area should be provided with rooftop solar plant, toilets in public place or in school of nearby villages and if there is a girl's school then girls toilet properly equipped with overhead water tank should be constructed. Name of the school adopted for installation of roof top solar plant should be displayed on the website of project proponent and should also be submitted with periodic compliance report.
2. The project proponent shall ensure that waste water is properly treated in STP and treated water should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper functioning. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge and shall be done with necessary permissions from concerned authorities.
3. Under any circumstances untreated sewage shall not be discharged to municipal sewer line or any nearby water body.
4. Provision for charging of electric vehicles as per the guidelines of GoI/GoUP should be submitted within the next 3 months.
5. PP should display EC granted to them on their website.
6. EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
7. In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation. (in NCR)
8. DG sets shall be gas based and Guidelines issued by CAAQMS for NCR region regarding the use of DG sets during construction and operational phase should be followed. (DG set NCR-CAAQMS)
9. The project proponent shall install organic bio converter.
10. **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**
11. The effluent from STP after tertiary treatment shall be subjected to ozonation to avoid foul smell.
12. The project proponent shall explore the possibility of solar electrification beyond 10% and if it is possible, shall submit the details of solar power plans within the next 3 months.

13. Miyawaki forest/dense forest in consultation with forest department shall be developed (as proposed) inside or in the close vicinity of project site and details uploaded on project website. Details will also be submitted with periodic compliance report.

**16. Construction of proposed Group Housing Project "Gaur NYC Residences" at Plot No. GH-6, Sector-3, Kingwood Enclave NH - 24, Wave City, Ghaziabad, Shri Devendra Bhandari, M/s Gaursons Hi-Tech Infrastructure Pvt. Ltd., 8850/8692/SIA/UP/INFRA2/464882/2024**

SEIAA noted that as per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022 SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

1. The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. The CER activities should be related to mitigation of Environmental Pollution and creating awareness for the same like water harvesting pits and carbon sequestration parks /designed ecosystems .At least one school in the vicinity of project area should be provided with rooftop solar plant, toilets in public place or in school of nearby villages and if there is a girl's school then girls toilet properly equipped with overhead water tank should be constructed. Name of the school adopted for installation of roof top solar plant should be displayed on the website of project proponent and should also be submitted with periodic compliance report.
2. The project proponent shall ensure that waste water is properly treated in STP and treated water should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper functioning. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge and shall be done with necessary permissions from concerned authorities.
3. Under any circumstances untreated sewage shall not be discharged to municipal sewer line or any nearby water body.
4. Provision for charging of electric vehicles as per the guidelines of GoI/GoUP should be submitted within the next 3 months.
5. PP should display EC granted to them on their website.
6. EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
7. In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation. (in NCR)
8. DG sets shall be gas based and Guidelines issued by CAAQMS for NCR region regarding the use of DG sets during construction and operational phase should be followed. (DG set NCR-CAAQMS)
9. The project proponent shall install organic bio converter.
10. **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**
11. The effluent from STP after tertiary treatment shall be subjected to ozonation to avoid foul smell.
12. The project proponent shall explore the possibility of solar electrification beyond 10% and if it is possible, shall submit the details of solar power plans within the next 3 months.

**17. "Ordinary Soil Excavation Mining Project" at Gata No. 5, 9, 7, 63 Mining Lease Area 1.2242 ha, Village- Mirpur Sakipur, Tehsil & District - Sambhal, Shri Pradeep Kumar, 8828/SIA/UP/MIN/465085/2024.**

As per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. Hence in light of all these facts EC is being granted to the title proposal.

SEIAA noted the comments of SEAC that EC must be subject to any order passed by Hon'ble Courts and to any guidelines issued by MoEF&CC, Govt. of India. SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC taking into consideration discussion held in SEIAA meeting no. 597 dated 05.05.2022 regarding reply of SEAC-1 and SEAC-2 for compliance/action taken on TOR/Public hearing, adding following specific conditions:-

1. If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate.
2. Validity period of this EC is 3 months from the date of issue as the Lol has been issued for a period of 3 months or co-terminus with the validity of current mine plan or current lease period whichever is earlier. After this period the EC will become null and void.
3. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam, 2023 and submit before the start of work.
4. The mining lease holders shall ensure to comply with mine reclamation plan as submitted.
5. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
6. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or district plantation committee, for planting at least 2,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Also, the coordinates of area earmarked for plantation should be clearly spelt and polygon should be attached and submitted within a month. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.
7. The project proponent shall ensure that water bodies do not get polluted due to mining activity.
8. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.
9. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, GoI, Lucknow.
10. The project proponent shall install rooftop solar plant in one school in the vicinity of project area and construct toilets especially in girls' school as part of CER activity.

11. Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.
  12. This EC shall be subject to any order from any court/tribunal or any guidelines issued by MOEFCC.
18. Ordinary earth mining at Gata No.-636, 147, 603, 601, 602, 637, 588 area-4.194 ha in Village: Kuwarpur, Tehsil: Chandausi, District- Sambhal, Uttar Pradesh., 9048/SIA/UP/MIN/477967/2024
- As per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. Hence in light of all these facts EC is being granted to the title proposal.
- SEIAA noted the comments of SEAC that EC must be subject to any order passed by Hon'ble Courts and to any guidelines issued by MoEF&CC, Govt. of India. SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC taking into consideration discussion held in SEIAA meeting no. 597 dated 05.05.2022 regarding reply of SEAC-1 and SEAC-2 for compliance/action taken on TOR/Public hearing, adding following specific conditions:-
1. If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate.
  2. Validity period of this EC is 6 months from the date of issue as the Lol has been issued for a period of 6 months or co-terminus with the validity of current mine plan or current lease period whichever is earlier. After this period the EC will become null and void.
  3. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam, 2023 and submit before the start of work.
  4. The mining lease holders shall ensure to comply with mine reclamation plan as submitted.
  5. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
  6. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or district plantation committee, for planting at least 5,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Also, the coordinates of area earmarked for plantation should be clearly spelt and polygon should be attached and submitted within a month. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.
  7. The project proponent shall ensure that water bodies do not get polluted due to mining activity.
  8. Department of Geology and Mines, Government of Uttar Pradesh and /or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.

9. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, Gol, Lucknow.
10. The project proponent shall install rooftop solar plant in one school in the vicinity of project area and construct toilets especially in girls' school as part of CER activity.
11. **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**
12. This EC shall be subject to any order from any court/tribunal or any guidelines issued by MOEFCC.

**Nodal Officer**

**SEIAA, UP**

MoM prepared by Secretariat in consultation with  
Chairman & Members on the basis of decisions  
taken by SEIAA during the meeting.

(Smt. Mamta Sanjeev Dubey)  
Chairman  
SEIAA

  
( Sanjeev Kumar Singh)  
Member-Secretary  
SEIAA

(Paras Nath)  
Member  
SEIAA