

## Directorate of Environment, U.P.

Vineet Khand-1, Gomti Nagar, Lucknow - 226 010

Phone : 91-522-2300 541, Fax : 91-522-2300 543

E-mail : doeuplko@yahoo.com

Website : www.sciaaup.com

### **Minutes of the 639<sup>th</sup> Meeting of the State Level Environment Impact Assessment Authority, UP (SEIAA) held on 11.08.2022**

The meeting of 639<sup>th</sup> State Level Environment Impact Assessment Authority, UP (SEIAA) was held on-line on 11.08.2022 at the Directorate of Environment. The following were present in the meeting:-

1. Dr. Rajiv Kumar Garg	Chairman, SEIAA, U.P
2. Shri Paras Nath	Member, SEIAA, U.P
3. Shri Ajay Kumar Sharma	Member Secretary, SEIAA, U.P

#### **Agenda -A 673<sup>rd</sup> SEAC-1 Meeting Dated 19/07/2022**

1. **Expansion of Group Housing at Plot No.- GH-02c, Sector 1, Greater Noida, District-Gautam Budh Nagar, Shri Ankit Sharma, M/s JSS Buildcon Pvt. Ltd. File No. 7161/Proposal No. SIA/UP/MIS/279667/2022**

SEIAA agreed with the recommendations of SEAC-1 to close/ delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal. A letter shall be send to DM, Gautam Buddha Nagar; CEO, Greater Noida Development Authority; and MS, SPCB to ensure that no construction activity is started until valid EC is obtained and in case construction has been carried out without valid EC then work should be stopped and legal action should be initiated against the PP.

2. **Stone (Sand Stone) Mining at Arazi No.-615MI, 692/615MI, Village-Sahira, Tehsil- Lalganj, District- Mirzapur, Shri Rajendra Kumar Singh, Area- 2.02 Ha. File No. 6542/Proposal No. SIA/UP/MIN/64303/2021**

SEIAA noted that SEAC-1 has recommended to grant EC to the above project. SEIAA gone through file and documents and found that production capacity of 20200 m3/annum for five years has been recommended in the MoM whereas in the mining plan there is year-wise variation in production capacity. Hence SEIAA opined to refer the project to SEAC-1 for review/comments.



**3. Stone, Granite Khanda, Gitti, Boulder Mining at Araj No.-181 (Khand-37), Village- Bari, Tehsil-Sadar, District-Mahoba, Smt Ragini, Area 2.024 Ha. File No. 7162/Proposal No. SIA/UP/MIN/78825/2022**

SEIAA noted that SEAC-1 has recommended to issue ToR to the above project. SEIAA gone through file and documents and found that in MoM monitoring season has been mentioned as 01/10/2020 – 31/12/2020 whereas LOI has been issued on 04.05.2022. Monitoring period before date of LOI is not tenable. ToR granted with the condition that PP / consultant will use the data which is either post Lol or post ToR.

**4. Stone, Granite, Khanda, Gitti, Boulder Mining at Gata No. 1097 (Khand - 04), Village- Utiya, Tehsil-Sadar, District Mahoba, Smt. Aparna Rai, Area 0.809 Ha. File No. 7163/Proposal No. SIA/UP/MIN/78829/2022**

SEIAA noted that SEAC has recommended to issue ToR to the above project. SEIAA gone through file and documents and found that the above area is not present in the DSR. Hence SEIAA agreed with the recommendation of SEAC to grant ToR to the above project. SEIAA added following points to ToR-

- 1- Documents related to inclusion of the above area in the DSR signed by the competent authority or under his signature should be submitted along with EIA.
- 2- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 3- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 4- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 5- Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.
- 6- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 7- KML file for the area and mining lease area should be provided.
- 8- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 9- In case project proponent intends to temporarily store mined out material or any tools, equipments or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 10- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.





Minutes of the 639<sup>th</sup> Meeting of the SEIAA, UP held on 11.08.2022

- 11- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
  - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
  - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 12- In case of expansion / renewal of earlier EC, following information should be submitted
  - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, GoI, Lucknow.
  - b. Copy of CTE and CTO issued by SPCB.
  - c. Status of submission of six-monthly compliance report to EC granted earlier
  - d. Court cases, if any.
- 13- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out in EIA-EMP report.
- 14- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 1,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
- 15- In consultation with District Environment Authority or an authority nominated by concerned DM, Project Proponent will prepare a conservation and management plan for the rejuvenation and management of water bodies having a total surface area of not less than 5 ha. Funds for the same will be kept in a separate bank account and six-monthly implementation status will be presented by the Project Proponent before the nominated authority in the district.
- 16- Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
- 17- Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.
- 18- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.



- 19- Project Proponent in consultation with UPSPCB will establish required number of CAAQMS within a period of one year and submit geo-referenced map of these stations along with data on six-monthly basis.

**5. Sand Mining from Yamuna River bed at Gata No 784 Mi, Village- Kishunpur, Tehsil- Bhognipur, District- Kanpur Dehat, Shri Santosh Kumar Sachan, M/s Jai Mahakal Exploration Pvt. Ltd., Area: 5.96 ha. File No. 7164/Proposal No. SIA/UP/MIN/ 78859/2022**

SEIAA noted that SEAC-1 has recommended to issue ToR to the above project. SEIAA gone through file and documents and found that mining plan approval letter of DGM, letter no. 2021/4/9/55827 dated 25.06.2021 addressed to DM, Kanpur Dehat has not been digitally signed by any person, rather the place where signatures should be there seems to have been masked. Hence SEIAA opined that Directorate shall send a copy of this letter to DGM for validation of this letter.

**6. Morrum Mining from Kanhar River bed at Arazi No. 485 K, 485 Kh, 485D, Village- Bodhadheeh, Tehsil- Dudhi, District- Sonbhadra, Shri Anand Kumar Singh, M/s Anand Kumar Singh., Area 0.91 ha. File No. 7165/Proposal No. SIA/UP/MIN/78861/2022**

SEIAA agreed with the recommendation of SEAC-1 to issue additional ToR to the title proposal for conducting EIA studies. The SEIAA also added the following points to ToR-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 3- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 4- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 5- KML file for the area and mining lease area should be provided.
- 6- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 7- In case project proponent intends to temporarily store mined out material or any tools, equipment's or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 8- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.



Minutes of the 639<sup>th</sup> Meeting of the SEIAA, UP held on 11.08.2022

- 9- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
  - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
  - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 10- In case of expansion / renewal of earlier EC, following information should be submitted
  - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, Gol, Lucknow.
  - b. Copy of CTE and CTO issued by SPCB.
  - c. Status of submission of six-monthly compliance report to EC granted earlier
  - d. Court cases, if any.
- 11- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out in EIA-EMP report.
- 12- Replenishment study, duly approved by the competent authority for approving DSR for the district should be submitted.
- 13- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 1,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
- 14- In consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepared a conservation and management plan for rejuvenation and management of water bodies having total surface area of more than 05 ha. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
- 15- Project Proponent / Consultant has given an affidavit that the project area doesn't fall within the boundary of Critically Polluted Area (CPA). If the affidavit given by PP / Consultant is found to be false then ToR / EC will be cancelled and legal actions will be initiated against them. Further, certificate from concerned RO, UPSPCB that area doesn't attract CPA and a copy of the same should be submitted at the time of evaluation of EIA-EMP report by SCAC.
- 16- Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
- 17- Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-



referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.

- 18- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.

**7. Khanda, Boulder/ Gitty- Ballast Mining at Gata No.- 669 (Khand No. 40), Village- Khailar, Tehsil- Sadar, District-Jhansi, Shri Ramesh Kumar Saravagi, Area 3.237 Ha. File No. 7166/6408/Proposal No. SIA/UP/MIN/77879/2021**

In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022. SEIAA opined to accept the recommendation of SEAC-1 and grant EC to the said project along with all the general and specific conditions as suggested by SEAC-1 adding following specific conditions:-

1. Validity period of this EC is 5 years from the date of issue as the Lol has been issued for a period of 5 years or co-terminus with the validity of current mine plan or current lease period whichever is earlier. After this period the EC will become null and void.
2. Directions/suggestions given during public hearing and commitment made by the project proponent should be strictly complied.
3. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Forest (conservation) Act, 1980 and submit before the start of work.
4. The mining lease holders shall, after ceasing mining operations, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora fauna etc.
5. Three tier green shelter belt of 7.5m width should be developed on the periphery of mine lease area. Local and native species should be planted in consultation with Forest/Horticulture Department/Agriculture University.
6. Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.
7. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
8. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 4,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years.



Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.

9. In consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepared a conservation and management plan for rejuvenation and management of water bodies having total surface area of more than 20 ha. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
  10. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.
  11. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, Gol, Lucknow.
  12. If the air quality deteriorates due to mining, then District Administration & Directorate of Mining should ensure that mining be stopped immediately. Adequate measures be taken for restoring air quality and mining should commence only when air quality attains the prescribed standards.
8. New Commercial Centre "Sava Status" at Commercial Plot No. C3-A, Sector-129, Noida, District-Gautam Budh Nagar, Shri Vikas Bhasin, M/s F Alisa Infratech Pvt. Ltd. File No. 7167/Proposal No. SIA/UP/MIS/276369/2022
- SEIAA took note of comments recorded by SEAC-1.
9. Stone (Khanda, Gitti, Boulder & Red Morrum) Mining at Gata No. 387, Khand No.02, Village: Tooka, Tehsil: Rath, District: Hamirpur, Shri Sachin Agrawal, Area: 2.63 Ha. File No. 6231/Proposal No. SIA/UP/MIN/61243/2021
- SEIAA agreed with the recommendations of SEAC-1 to close/ delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal. A letter shall be send to DM, Hamirpur to ensure that no mining activity is started until valid EC is obtained and in case mining has been carried out without valid EC then work should be stopped and legal action should be initiated against the PP.
10. Earth Excavation at Gata No.-701/2, 701/3, 835, Village: Kolwa Bhanora, Tehsil: Malihabad, District-Lucknow, Smt. Basanti Tripathi. Area-0.879 Ha. File No. 7168/Proposal No. SIA/UP/MIN/280823/2022

In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022 SEIAA agreed with the recommendations of SEAC-1 to grant prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by SEAC but SEIAA replaces the specific condition regarding cluster certificate as "If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the



Minutes of the 639<sup>th</sup> Meeting of the SEIAA, UP held on 11.08.2022

concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate" and adding following conditions:-

1. Validity period of this EC is 3 months from the date of issue as the Lol has been issued for a period of 3 months or co-terminus with the validity of current mine plan or current lease period whichever is earlier. After this period the EC will become null and void.
2. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Forest (conservation) Act, 1980 and submit before the start of work.
3. The mining lease holders shall, after ceasing mining operations, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora fauna etc.
4. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
5. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 1,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.
6. In consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepared a conservation and management plan for rejuvenation and management of water bodies having total surface area of more than 5 ha. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
7. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.
8. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, GoI, Lucknow.





**11. Group Housing Project "The Element" at GH-01/1, Sector-11, Pratap Vihar, Ghaziabad, U.P., Shri Chandan Srivastava, M/s Ishaan Infraestates India Private Limited. File No. 7089/ Proposal No. SIA/UP/MIS/ 273181/2022**

SEIAA noted that SEAC-1 has recommended to grant EC to the above project. SEIAA gone through file and documents and found that in point no. 7 of MoM under land use details area of Industrial Area, Water bodies, Airport has been mentioned. Hence SEIAA opined that the project proponent shall clarify the above and submit details of final discharge

**12. Group Housing Project at Plot No: GH-03 A, Sector- 2, Greater Noida, District- Gautam Buddha Nagar, U.P., Shri Suresh Kumar Garg, M/s Nirala World Residency Pvt. Ltd. File No. 4586/Proposal No. SIA/UP/MIS/267791/2022**

SEIAA noted that SEAC-1 has recommended to amend the EC to the above project. SEIAA gone through file and documents and noted that in online application No KML file has been uploaded. SEIAA opined that the project proponent shall submit letter from AAI, structure stability certificate, approved building plan from GNIDA.

**13. Commercial Project at Khasra No. 522M & 526 D, Village- Noor Nagar, District- Ghaziabad, U.P., Shri Sahil Garg, M/s Garg Realtech Pvt. Ltd. File No. 7171/Proposal No. SIA/UP/MIS/ 280325/2022**

SEIAA agreed with the recommendations of SEAC-1 to grant prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC-1, SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 2- The project proponent shall ensure to plant broad leaf trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 3- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
- 4- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 5- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 6- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge.
- 7- Under any circumstances untreated sewage shall not be discharged to municipal sewer line.
- 8- The project proponent will ensure that proper dust control arrangements are made





Minutes of the 639<sup>th</sup> Meeting of the SEIAA, UP held on 11.08.2022

during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.

- 9- The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to and water harvesting pits and carbon sequestration parks / designed ecosystems.
- 10- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Forest (conservation) Act, 1980 and submit before the start of work.
- 11- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
- 12- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
- 13- Provision for charging of electric vehicles as per the guidelines of GOI / GoUP should be submitted within the next 3 months.
- 14- PP should display EC granted to them on their website. 6-monthly compliance report should be displayed on their website and a copy of the same should be made available to occupants / owners of this building.

**14. Proposed of Plotting and Infrastructure Development of Zonal Plan of Prabandh Nagar Residential Scheme at Village-Ghailla, Allunagar Diguria & Kakauli, District- Lucknow, M/s Lucknow Development Authority. File No. 7022/Proposal No. SIA/UP/MIS/ 73827/2022**

SEIAA took note of comments recorded by SEAC-1.

**15. Residential Project "Vinayak Platina" at Arazi No.- 555, 557 & 557/617, 561 Mauza-Sheopurwa, Pargana-Dehat Amanat, Dist.- Varanasi, U.P. M/s Shreenath Ji Dwellings LLP. File No. 7112/Proposal No. SIA/UP/MIS/ 77067/2022**

This project which was earlier taken up in SEAC-1 meeting no. 665 dated 20.06.2022 and was discussed in SEIAA meeting no. 629 dated 11.07.2022. SEIAA agreed with the recommendation to grant ToR to the above project along with following observations –

1. PP / consultant to submit compliance report of earlier CtE and CtO through UPSPCB.
2. PP / consultant to submit point-wise compliance, in a tabular form, of MoEFCC, GOI OM no. 22-21/2020-IA.III dated 07.07.2021 (SoP for identification and handling of violation cases under EIA Notification 2006)

Further, SEIAA added without prejudice to any other consequences, action to be initiated u/s 15 read with section-19 of EPA, 1986 against the PP and Project to be closed until EC is granted.

SEIAA opined that recommendation made by SEAC-1 and documents submitted by PP / consultant will be examined only after above two conditions imposed by SEIAA are complied with.



Minutes of the 639<sup>th</sup> Meeting of the SEIAA, UP held on 11.08.2022

**16. Existing Formaldehyde Manufacturing Unit with the Production Capacity of 160 TPD At Plot No. C-8, UPSIDC Industrial Area, Khalilabad, District -Sant Kabir Nagar, U.P., Shri Amit Gupta, M/s Gorakhnath Formulations Pvt. Ltd. File No. 6436/Proposal No. SIA/UP/IND3/64317/2021**

SEIAA noted that the above project was recommended in 667<sup>th</sup> SEAC-1 meeting dated 22-06-2022 and earlier discussed in SEIAA meeting no 632<sup>nd</sup> dated 21.07.2022. SEIAA deliberation remains the same as given in meeting no. 632<sup>nd</sup>.

**Assistant Nodal/Nodal Officer  
SEIAA, UP**

MoM prepared by Secretariat in consultation with  
Chairman & Members on the basis of decisions  
taken by SEIAA during the meeting.



**(Ajay Kumar Sharma)**  
Member-Secretary  
SEIAA

**(Paras Nath)**  
Member  
SEIAA

**(Dr. Rajiv Kumar Garg)**  
Chairman  
SEIAA