

### **Minutes of the 641<sup>st</sup> Meeting of the State Level Environment Impact Assessment Authority, UP (SEIAA) held on 17.08.2022**

The meeting of 641<sup>st</sup> State Level Environment Impact Assessment Authority, UP (SEIAA) was held on-line on 17.08.2022 at the Directorate of Environment. The following were present in the meeting:-

- |                           |                              |
|---------------------------|------------------------------|
| 1. Dr. Rajiv Kumar Garg   | Chairman, SEIAA, U.P         |
| 2. Shri Paras Nath        | Member, SEIAA, U.P           |
| 3. Shri Ajay Kumar Sharma | Member Secretary, SEIAA, U.P |

#### **Agenda-A: -675<sup>th</sup> SEAC-2 Meeting Dated 21/07/2022**

1. **River bed Sand/ Morrum Bajri Mining near Village-Mahuta, Gata No.-876kha, 886ka, 1481, 1482, 1505, 2031, 2039, 2047, 2247, 2270, 2521, 2522, 2538, 2541kha, 2577, 2599 & 2676, Tehsil- Atarra & District- Banda, Shri Anand Bhushan Shukla., M/s Sachin Enterprises, Area- 21.00 ha. File No. 7083/Proposal No. SIA/UP/MIN/ 76898/2022**

SEIAA agreed with the recommendation of SEAC-2 to issue additional ToR to the title proposal for conducting EIA studies, **ToR to be issued only after submission of certified lease map.** SEIAA also added following points to ToR-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 3- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 4- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 5- KML file for the area and mining lease area should be provided.
- 6- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.



Minutes of the 641<sup>st</sup> Meeting of the SEIAA, UP held on 17.08.2022

- 7- In case project proponent intends to temporarily store mined out material or any tools, equipment's or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 8- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 9- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
  - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
  - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 10- In case of expansion / renewal of earlier EC, following information should be submitted
  - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, Gol, Lucknow.
  - b. Copy of CTE and CTO issued by SPCB.
  - c. Status of submission of six-monthly compliance report to EC granted earlier
  - d. Court cases, if any.
- 11- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out in EIA-EMP report.
- 12- PP / consultant in compliance to Hon'ble NGT order dated 06.05.2022 in OA no. 141/2021 (With report dated 31.03.2022) Raj Kumar Vs. State of UP and Others and with OA no. 141/2021 Rajkaran Karn Vs. State of UP and Others, will submit replenishment study, duly approved by DGM, along with EIA-EMP report for seeking EC.
- 13- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 21,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
- 14- In consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepared a conservation and management plan for rejuvenation and management of water bodies having total surface area of more than 105 ha. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.

A



**Minutes of the 641<sup>st</sup> Meeting of the SEIAA, UP held on 17.08.2022**

15- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.

2. **Proposed 7.5 MLD Common Effluent Treatment Plant At Industrial Area In GIDA, at Gata No.-345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373 & 374, Village- Adilapar, Tehsil Sahjanwa, Dist.- Gorakhpur., Shri Pawan Agarwal. File No. 6873/6696/Proposal No. SIA/UP/MIS/70992/2021**

SEIAA agreed with the recommendation of SEAC-2 to grant EC to the above project with terms and conditions as proposed by SEAC-2.

3. **Stone (Gitti, Boulder, Khanda) Sand Stone Mining at Arai No./Plot No./Gata No.- 2061, 2098, Khand No.03, Village – Bhatauti, Tehsil- Meja, District- Prayagraj, Shri Suresh Kumar Pathak, Uttar Pradesh of M/s A.K. Enterprises, Area 8.097 ha. File No. 6690/Proposal No. SIA/UP/MIN/69280/2021**

In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022. SEIAA opined to accept the recommendation of SEAC-2 and grant EC to the said project along with all the general and specific conditions as suggested by SEAC-2 adding following specific conditions:-

1. Validity period of this EC is 5 years from the date of issue as the Lol has been issued for a period of 5 years or co-terminus with the validity of current mine plan or current lease period whichever is earlier. After this period the EC will become null and void.
2. Directions/suggestions given during public hearing and commitment made by the project proponent should be strictly complied.
3. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Forest (conservation) Act, 1980 and submit before the start of work.
4. The mining lease holders shall, after ceasing mining operations, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora fauna etc.
5. Three tier green shelter belt of 7.5m width should be developed on the periphery of mine lease area. Local and native species should be planted in consultation with Forest/Horticulture Department/Agriculture University.
6. Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.
7. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.





Minutes of the 641<sup>st</sup> Meeting of the SEIAA, UP held on 17.08.2022

8. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 9,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.
  9. In consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepared a conservation and management plan for rejuvenation and management of water bodies having total surface area of more than 45 ha. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
  10. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.
  11. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, Gol, Lucknow.
  12. If the air quality deteriorates due to mining, then District Administration & Directorate of Mining should ensure that mining be stopped immediately. Adequate measures be taken for restoring air quality and mining should commence only when air quality attains the prescribed standards.
4. **Group Housing at Plot No. GH-08, Sector-01, Greater Noida., Shri D. S. Panwar, M/s Supertech Pvt. Ltd. File No. 605**
- SEIAA took note of comments recorded by SEAC-2. Apart from the information sought by SEAC-2, PP / consultant should submit certified copy of compliance report of CtE and CtO through UPSPCB. A letter shall be send to DM, Gautam Budh Nagar; CEO, Greater Noida Development Authority; and MS, SPCB to ensure that no construction is started until valid EC is obtained and in case construction has been carried out without valid EC then work should be stopped and legal action should be initiated against the PP.
5. **Group Housing at Plot No. GH-01, Sector-16 B, Greater Noida., Shri D. S. Panwar, M/s Supertech Pvt. Ltd. File No. 633**
- SEIAA took note of comments recorded by SEAC-2. Apart from the information sought by SEAC-2, PP / consultant should submit certified copy of compliance report of CtE and CtO through UPSPCB. A letter shall be send to DM, Gautam Budh Nagar; CEO, Greater Noida Development Authority; and MS, SPCB to ensure that no construction is started until valid EC is obtained and in case construction has been carried out without valid EC then work should be stopped and legal action should be initiated against the PP

A



**6. Group Housing at Plot No. GH-01 A, Sector-74, Greater Noida., Shri D. S. Panwar, M/s Supertech Pvt. Ltd. File No. 831**

SEIAA took note of comments recorded by SEAC-2. Apart from the information sought by SEAC-2, PP / consultant should submit certified copy of compliance report of CtE and CtO through UPSPCB. A letter shall be send to DM, Gautam Budh Nagar; CEO, Greater Noida Development Authority; and MS, SPCB to ensure that no construction is started until valid EC is obtained and in case construction has been carried out without valid EC then work should be stopped and legal action should be initiated against the PP

**7. Group Housing at Plot No. GH-06, Sector-16 B, Greater Noida Shri D. S. Panwar, M/s Supertech Pvt. Ltd. File No. 832**

SEIAA took note of comments recorded by SEAC-2. Apart from the information sought by SEAC-2, PP / consultant should submit certified copy of compliance report of CtE and CtO through UPSPCB. A letter shall be send to DM, Gautam Budh Nagar; CEO, Greater Noida Development Authority; and MS, SPCB to ensure that no construction is started until valid EC is obtained and in case construction has been carried out without valid EC then work should be stopped and legal action should be initiated against the PP

**8. Group Housing "Supernova" at Plot No.-03, Sector-94, Greater Noida., Shri D. S. Panwar, M/s Supertech Realtors Pvt. Ltd. File No. 1167**

SEIAA took note of comments recorded by SEAC-2. Apart from the information sought by SEAC-2, PP / consultant should submit certified copy of compliance report of CtE and CtO through UPSPCB. A letter shall be send to DM, Gautam Budh Nagar; CEO, Greater Noida Development Authority; and MS, SPCB to ensure that no construction is started until valid EC is obtained and in case construction has been carried out without valid EC then work should be stopped and legal action should be initiated against the PP

**9. Group Housing "E Square" at Plot No.-C-02, Sector-96, Noida., Shri D. S. Panwar, M/s Hotshot Developers Realtors Pvt. Ltd. File No. 1419**

SEIAA took note of comments recorded by SEAC-2. Apart from the information sought by SEAC-2, PP / consultant should submit certified copy of compliance report of CtE and CtO through UPSPCB. A letter shall be send to DM, Gautam Budh Nagar; CEO, Noida Development Authority; and MS, SPCB to ensure that no construction is started until valid EC is obtained and in case construction has been carried out without valid EC then work should be stopped and legal action should be initiated against the PP

**10. Group Housing "UP Country" at Plot No.-TS-05, Sector-22D, Yamuna Expressway, U.P., Shri D. S. Panwar, M/s Supertech Township Pvt. Ltd. File No. 1552**

SEIAA took note of comments recorded by SEAC-2. Apart from the information sought by SEAC-2, PP / consultant should submit certified copy of compliance report of CtE and CtO through UPSPCB. A letter shall be send to DM, Gautam Budh Nagar; CEO, Yamuna Expressway Development Authority; and MS, SPCB to ensure that no construction is started until valid EC is obtained and in case construction has been carried out without valid EC then work should be stopped and legal action should be initiated against the PP



**Minutes of the 641<sup>st</sup> Meeting of the SEIAA, UP held on 17.08.2022**

**11. Group Housing at Plot No.-G.H.-01, Sector-118, Noida, U.P., Shri D. S. Panwar, M/s IVR Prime Developers (AVADI) Pvt. Ltd. File No. 1724**

SEIAA took note of comments recorded by SEAC-2. Apart from the information sought by SEAC-2, PP / consultant should submit certified copy of compliance report of CtE and CtO through UPSPCB. A letter shall be send to DM, Gautam Budh Nagar; CEO, Noida Development Authority; and MS, SPCB to ensure that no construction is started until valid EC is obtained and in case construction has been carried out without valid EC then work should be stopped and legal action should be initiated against the PP

**12. Stone (Khanda, Gitti, Boulder ) Mining at Arazi No.- 725 Mi, Khand No.-01, Village-Janwan, Tehsil -Bara, District-Prayagraj, U.P., Smt. Sunita Mishra, Area -2.921 ha. File No. 6265/Proposal No. SIA/UP/MIN/ 205936/2021**

SEIAA noted that SEAC-2 has recommended to amend the geo-coordinates of the above project as requested by the project proponent in his letter dated 11/07/2022. SEIAA opined that project proponent to amend Form-1 and submit the same.

**Assistant Nodal/Nodal Officer  
SEIAA, UP**

MoM prepared by Secretariat in consultation with  
Chairman & Members on the basis of decisions  
taken by SEIAA during the meeting.



**(Ajay Kumar Sharma)  
Member-Secretary  
SEIAA**

**(Paras Nath)  
Member  
SEIAA**

**(Dr. Rajiv Kumar Garg)  
Chairman  
SEIAA**