

State Level Environment Impact Assessment Authority, Uttar Pradesh

Directorate of Environment, U.P.

Vineet Khand-1, Gomti Nagar, Lucknow - 226 010

Phone : 91-522-2300 541, Fax : 91-522-2300 543

E-mail : docuplko@yahoo.com

Website : www.seiaaup.com

Minutes of the 659th Meeting of the State Level Environment Impact Assessment Authority, UP (SEIAA) held on 14.10.2022

The meeting of 659th State Level Environment Impact Assessment Authority, UP (SEIAA) was held on-line on 14.10.2022 at the Directorate of Environment. The following were present in the meeting:-

1. Dr. Rajiv Kumar Garg
2. Shri Paras Nath
3. Shri Ajay Kumar Sharma

Chairman, SEIAA, U.P
Member, SEIAA, U.P
Member Secretary, SEIAA, U.P

Agenda B- replies

1. **Letter of Mr. Arvind Kumar Rai dated 24-08-2022-पर्यावरण सलाहकार मे0 ग्लोबस इन्वायरमेंट इंजिनियरिंग सर्विसेज, 328-ए0बी0, तृतीय तल, सहारा शापिंग सेंटर, फैजाबाद रोड, लखनऊ तथा मे0 कानपुर ग्रेनाइट स्टोन कम्पनी, श्री राजेश कुमार मारीवाला पुत्र स्व0 श्री नारायण दास नि0- सिन्धी कालोनी स्टेशन रोड चिरगांव, तहसील- मोठ, जिला- झांसी के विरुद्ध अभियोग पंजीकृत कराने के संबंध में।**

SEIAA gone through the letter of Shri Arvind Rai dated 24.08.2022 regarding the above subject and opined to refer the letter to DM, Jhansi, UPPCB and DGM for review/comments.

2. **Letter of Mr. Gaurav Kumar Srivastav received on 08-09-2022 कन्सल्टेंट ग्लोबस इन्वायरमेंट इंजीनियरिंग सर्विसेज, लखनऊ उत्तर प्रदेश द्वारा दिये गये उत्तर में पुनः झूठी जानकारी दिये जाने के संबंध में।**

SEIAA gone through the letter of Shri Gaurav Srivastav 26-07-2022 addressed to senior Director, NABET, New Delhi and endorsed to Chairman/members of SEIAA/SEAC. SEIAA opined to refer the letter to SEAC-1 and SEAC-2 for review/comments.

Agenda B-687th SEAC-2 Meeting Dated 23/09/2022

1. **Cement Grinding Unit (Capacity 1100 TPD) at Khasra No. 357, Village: Kodra, Post: Purani Basti, District: Basti, U.P., M/s Bala Ji Industry. Shri Arun Jaiswal. File No. 6195/Proposal No. SIA/UP/ IND/60660/2021**

SEIAA opined as follows –

- a) ToR to this project was given on 11.06.2021 while data collection for preparing EIA-EMP was carried out during the period December 2020 to February 2021. PP /



Minutes of the 659th Meeting of the SEIAA held on 14-10-2022

consultant to make available letters, duly acknowledged, submitted by them to District Administration, Basti and UPPCB before commencing data collection.

- b) PP / consultant to make available registration of this unit with Industries Department, GoUP.
- c) PP / consultant to make available certified true legible copy of land ownership / lease documents in favour of said industry.
- d) PP / consultant to give details of air pollution measures to be installed at raw material handling point and transfer points.

Further, SEIAA opined to refer back to SEAC-2 for examining documents / reports submitted by PP / consultant and to give their opinion / recommendation to SEIAA.

2. "Building stone (Sandstone)" Project at Arazi No.-997Mi, Village- Sindhora, Tehsil-Sadar, District-Mirzapur. Smt. Usha devi, Area – 2.832 ha. File No. 7232/Proposal No. SIA/UP/ MIN/ 82324/2022

SEIAA agreed with the recommendation of the SEAC-1 2 to issue additional ToR to the title proposal for conducting EIA studies. SEIAA added following points to ToR-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 3- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 4- Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.
- 5- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 6- KML file for the area and mining lease area should be provided.
- 7- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 8- In case project proponent intends to temporarily store mined out material or any tools, equipments or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in FIA-EMP report. This should also be clearly mentioned during public hearing.
- 9- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 10- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
 - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
 - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.



Minutes of the 659th Meeting of the SEIAA held on 14-10-2022

- 11- In case of expansion / renewal of earlier EC, following information should be submitted
 - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, GoI, Lucknow.
 - b. Copy of CTE and CTO issued by SPCB.
 - c. Status of submission of six-monthly compliance report to EC granted earlier
 - d. Court cases, if any.
 - 12- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out in EIA-EMP report.
 - 13- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 3,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
 - 14- In consultation with District Environment Authority or an authority nominated by concerned DM, Project Proponent will prepare a conservation and management plan for the rejuvenation and management of water bodies having a total surface area of not less than 15 ha. Funds for the same will be kept in a separate bank account and six-monthly implementation status will be presented by the Project Proponent before the nominated authority in the district.
 - 15- Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
 - 16- Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.
 - 17- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.
 - 18- Project Proponent in consultation with UPSPCB will establish required number of CAAQMS within a period of one year and submit geo-referenced map of these stations along with data on six-monthly basis.
3. **"Building stone (Sandstone)" Project at Arazi No.-997Mi, Village- Sindhora, Tehsil-Sadar, District-Mirzapur, M/s Jai Maa bhandari stone works,,Shri Gulab Das. M/s Jai Maa bhandari stone works Area- 3.237 ha. File No. 7233/Proposal No. SIA/UP /MIN /82244/2022**

SEIAA agreed with the recommendation of the SEAC-1 to issue additional ToR to the title proposal for conducting EIA studies. SEIAA added following points to ToR-



Minutes of the 659th Meeting of the SEIAA held on 14-10-2022

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 3- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 4- Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.
- 5- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 6- KML file for the area and mining lease area should be provided.
- 7- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 8- In case project proponent intends to temporarily store mined out material or any tools, equipments or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 9- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 10- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
 - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
 - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 11- In case of expansion / renewal of earlier EC, following information should be submitted
 - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, Gol, Lucknow.
 - b. Copy of CTE and CTO issued by SPCB.
 - c. Status of submission of six-monthly compliance report to EC granted earlier
 - d. Court cases, if any.
- 12- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out in EIA-EMP report.
- 13- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 4,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for



Minutes of the 659th Meeting of the SEIAA held on 14-10-2022

maintenance for 5 years. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.

- 14- In consultation with District Environment Authority or an authority nominated by concerned DM, Project Proponent will prepare a conservation and management plan for the rejuvenation and management of water bodies having a total surface area of not less than 20 ha. Funds for the same will be kept in a separate bank account and six-monthly implementation status will be presented by the Project Proponent before the nominated authority in the district.
- 15- Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
- 16- Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.
- 17- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.
- 18- Project Proponent in consultation with UPSPCB will establish required number of CAAQMS within a period of one year and submit geo-referenced map of these stations along with data on six-monthly basis.

4. Building stone Sandstone Mine at Sl. No.- 22, Gata No.- 428, Village- Dhuria, Tehsil- Chunar, District- Mirzapur. Shri Himanshu Kumar, Shri Himanshu Kumar. Area - 0.505 ha. File No. 7234/Proposal No. SIA/UP/MIN/82974/2022

SEIAA agreed with the recommendation of the SEAC-1 2 to issue additional ToR to the title proposal for conducting EIA studies. SEIAA added following points to ToR-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 3- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 4- Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.
- 5- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 6- KML file for the area and mining lease area should be provided.
- 7- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.



Minutes of the 659th Meeting of the SEIAA held on 14-10-2022

- 8- In case project proponent intends to temporarily store mined out material or any tools, equipments or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 9- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 10- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
 - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
 - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 11- In case of expansion / renewal of earlier EC, following information should be submitted
 - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, GoI, Lucknow.
 - b. Copy of CTE and CTO issued by SPCB.
 - c. Status of submission of six-monthly compliance report to EC granted earlier
 - d. Court cases, if any.
- 12- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out in EIA-EMP report.
- 13- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 1,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
- 14- In consultation with District Environment Authority or an authority nominated by concerned DM, Project Proponent will prepare a conservation and management plan for the rejuvenation and management of water bodies having a total surface area of not less than 5 ha. Funds for the same will be kept in a separate bank account and six-monthly implementation status will be presented by the Project Proponent before the nominated authority in the district.
- 15- Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
- 16- Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.



Minutes of the 659th Meeting of the SEIAA held on 14-10-2022

- 17- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.
- 18- Project Proponent in consultation with UPSPCB will establish required number of CAAQMS within a period of one year and submit geo-referenced map of these stations along with data on six-monthly basis.

5. Building stone Sandstone Mine at Gata No.- 428, Village- Dhuria, Tehsil- Chunar, District- Mirzapur, Shri Himanshu Kumar Area- 0.809 ha. File No. 7235/Proposal No. SIA/UP/MIN/82976/2022

SEIAA agreed with the recommendation of the SEAC-1 2 to issue additional ToR to the title proposal for conducting EIA studies. SEIAA added following points to ToR-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 3- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 4- Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.
- 5- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 6- KML file for the area and mining lease area should be provided.
- 7- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 8- In case project proponent intends to temporarily store mined out material or any tools, equipments or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 9- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 10- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
 - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
 - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.

Minutes of the 659th Meeting of the SEIAA held on 14-10-2022

- 11- In case of expansion / renewal of earlier EC, following information should be submitted
 - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, Gol, Lucknow.
 - b. Copy of CTE and CTO issued by SPCB.
 - c. Status of submission of six-monthly compliance report to EC granted earlier
 - d. Court cases, if any.
 - 12- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out in EIA-EMP report.
 - 13- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 1,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
 - 14- In consultation with District Environment Authority or an authority nominated by concerned DM, Project Proponent will prepare a conservation and management plan for the rejuvenation and management of water bodies having a total surface area of not less than 5 ha. Funds for the same will be kept in a separate bank account and six-monthly implementation status will be presented by the Project Proponent before the nominated authority in the district.
 - 15- Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
 - 16- Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.
 - 17- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.
 - 18- Project Proponent in consultation with UPSPCB will establish required number of CAAQMS within a period of one year and submit geo-referenced map of these stations along with data on six-monthly basis.
6. **"Building stone (Sandstone)" mine at Araj/Gata No.-778, Village- Hinauti, Tehsil-Sadar, District-Mirzapur, Uttar Pradesh, By Shri Dildar, Shri Dildar, Area: 1.416 ha. File No. 7236/ Proposal No. SIA/UP/MIN/288012/2022**

In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022. SEIAA opined to accept the recommendation of SEAC-2 and grant EC to the said project along with all the general and specific conditions as suggested by SEAC-2 but SEIAA replaces the specific

A

Minutes of the 659th Meeting of the SEIAA held on 14-10-2022

condition regarding cluster certificate as "If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate" and adding following conditions:-

1. Validity period of this EC is 5 years from the date of issue as the Lol has been issued for a period of 5 years or co-terminus with the validity of current mine plan or current lease period whichever is earlier. After this period the EC will become null and void.
2. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Forest (conservation) Act, 1980 and submit before the start of work.
3. The mining lease holders shall, after ceasing mining operations, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora fauna etc.
4. Three tier green shelter belt of 7.5m width should be developed on the periphery of mine lease area. Local and native species should be planted in consultation with Forest/Horticulture Department/Agriculture University.
5. Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.
6. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
7. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 2,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.
8. In consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepared a conservation and management plan for rejuvenation and management of water bodies having total surface area of more than 10 ha. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
9. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.



Minutes of the 659th Meeting of the SEIAA held on 14-10-2022

10. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, GoI, Lucknow.
 11. Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
 12. Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.
 13. Large number of mining projects are ongoing as well as new mining leases are coming up in the district. A reference be sent to DGM and MS, SPCB for preparing mitigation plan for controlling air pollution in the district especially in mining areas.
 14. If the air quality deteriorates due to mining, then District Administration & Directorate of Mining should ensure that mining be stopped immediately. Adequate measures be taken for restoring air quality and mining should commence only when air quality attains the prescribed standards.
7. **Expansion of Sugar Mill Cane Crushing Capacity from 6500 TCD to 7500 TCD at Village-Bundki, P.O. - Medhpurasultan, Tehsil- Nagina, District-Bijnor, U.P., M/s Dwarikesh Sugar Industries Limited Dwarikesh Nagar Sugar Unit. Shri Salil Swaroop Arya. File No. 7237/6292/Proposal No. SIA/UP/IND2/82956/2002**
- In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022. SEIAA opined to accept the recommendation of SEAC-2 and grant EC to the said project along with all the general and specific conditions as suggested by SEAC-2. In addition to the conditions imposed by SEAC-2, SEIAA added following additional specific conditions:-
1. Government of India discharge notification dated 14.01.2016 to be complied.
 2. The project proponent shall ensure that the distillery shall be on ZLD with incineration of spent wash in slop boiler. As proposed treated waste water should be completely recycled/reused and ZLD should be achieved. Under no circumstances treated waste water and effluent shall not be discharged to any drain/sewer line/ inland surface water/Nala etc.
 3. Directions/suggestions given during public hearing and commitment made by the project proponent should be strictly complied.
 4. Ash generated will be stored in dedicated areas with proper fencing.
 5. The project proponent will install 3 CAQMS in consultation with UPPCB.
8. **Development of "Medical Device Park" at Village- Rabpura & Muradgadi, Sector-28, Greater Noida, Uttar Pradesh, M/s Yamuna Expressway Industrial Development Authority. Shri Smita Singh. File No. 7076/Proposal No. SIA/UP/MIS/76666/2022**

In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022. SEIAA opined to accept the recommendation of SEAC-2 and grant EC to the said project along with all the general and specific conditions as suggested by SEAC-2. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

- 1- Plating / industrial effluent should be collected at one place, so that it doesn't remain scattered all over the industrial park, and be treated accordingly.
- 2- The project proponent shall submit within the next 3 months the details of solar

Minutes of the 659th Meeting of the SEIAA held on 14-10-2022

- power plant and solar electrification details within the project.
- 3- The project proponent shall ensure to plant broad leaf trees and their maintenance. The CPCB guidelines in this regard shall be followed.
 - 4- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
 - 5- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
 - 6- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
 - 7- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge.
 - 8- Under any circumstances untreated sewage shall not be discharged to municipal sewer line.
 - 9- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
 - 10- The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to and water harvesting pits and carbon sequestration parks / designed ecosystems.
 - 11- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Forest (conservation) Act, 1980 and submit before the start of work.
 - 12- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
 - 13- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
 - 14- Provision for charging of electric vehicles as per the guidelines of GoI / GoUP should be submitted within the next 3 months.
 - 15- PP should display EC granted to them on their website. 6-monthly compliance report should be displayed on their website.
 - 16- Units coming up in this area will take individual ECs as per the prevailing provisions / statute.



Minutes of the 659th Meeting of the SEIAA held on 14-10-2022

9. **Yamuna River Sand/ Bajari/ Boulder Mining Project at Khand No.-01, Village- Bartha Korsi, Tehsil- Behat, District- Saharanpur, U.P., M/s Star Mines, Shri Deepak Chaudhari. M/s Star Mines, Lease Area 36.00 Ha. File No. 5989/Proposal No. SIA/UP/MIN/ 288880 /2022**

SEIAA took note of comments recorded by SEAC-2 and a letter be send accordingly.

10. **Common Bio-medical Waste Treatment Facility (CBWTF) Khasra No.-1035, Village- Bharesar, Pargana-Kada, Tehsil- Sirathu, District-Kausambi, M/s Topsy Turvy Retail Pvt. Ltd. Shri Samridhi Karvariya, Director. File No. 5801/Proposal No. SIA/UP/MIS/ 56134/ 2020**

SEIAA noted that SEAC-2 has forwarded the response without their comments. SEIAA opined that SEAC-2 should examined the response and give their recommendation to SEIAA.

11. **Discussion on complaint letter dated 21/07/2022 of Shri Pappu Singh against the Common Bio Medical Waste Treatment Facility at Gata No.- 739, Village-Babhani Tppa Vainiya, Tehsil-Itwa, District-Siddharth Nagar (Uttar Pradesh), File No. 7132/Proposal No. SIA/UP/MIS/77806/2022**

SEIAA took note of comments recorded by SEAC-2.

Assistant Nodal/Nodal Officer

SEIAA, UP

MoM prepared by Secretariat in consultation with Chairman & Members on the basis of decisions taken by SEIAA during the meeting.



**(Ajay Kumar Sharma)
Member-Secretary
SFIAA**

**(Paras Nath)
Member
SFIAA**

**(Dr. Rajiv Kumar Garg)
Chairman
SFIAA**