

**State Environment Impact Assessment Authority (SEIAA)
West Bengal**

24th meeting of SEIAA (Reconstituted on 17.05.2023)

AGENDA

Venue: Conference Room of Environment Department, Prani Sampad Bhavan, 5th Floor, LB Block, Sector III, Salt Lake, Kolkata 700106.

Please Check MoEF&CC Website at www.parivesh.nic.in for details and updates

From Date: 01 December 2023

To Date: 01 December 2023

Time : 2.00 P.M. onwards

CONSIDERATION/RECONSIDERATION OF ENVIRONMENTAL CLEARANCE			
S.No	Proposal		
(1)	Proposed expansion of existing Common Bio-Medical Waste Treatment Facility from 7.5 TPD to 15 TPD at K-26, Phase-III, Kalyani Industrial Growth Centre, Kalyani P.S. & P.O., Nadia District, West Bengal by M/s. Medicare Environmental Management Pvt. Ltd.		
	S. No.	State	District
	(1.)	West Bengal	Nadia
	[SIA/WB/INFRA2/406141/2022, EN/T-II-1/007/2020]		
(2)	Proposed expansion of existing cement grinding unit from 3.6 MTPA to 4.8 MTPA to produce Portland Slag Cement (PSC), Portland Pozzolana Cement (PPC), Ordinary Portland Cement (OPC), Composite Cement & Ground Granulated Blast Furnace Slag (GGBS) at Salboni (Plot nos. given in Annexure 1), Dist – Paschim Medinipur, West Bengal by M/s. JSW Cement Ltd.		
	S. No.	State	District
	(1.)	West Bengal	West Medinipur
	[SIA/WB/IND/19745/2016, EN/T-II-1/091/2018]		
CONSIDERATION OF TOR PROPOSALS			
(1)	Proposed Structural Hot Rolling Mill Plant of capacity 24,000 MTPA located at L.R. Khatian No.1210, L.R. Plot No. 1186, 1188, 1189, 1191, 1192, 1305, 1306, J.L. No. 03, Mouza-Sulati, P.S.-Sankrail, P.O.-Dhulagori, District-Howrah, PIN: 711302, West Bengal by M/s. Modern Ispat Private Limited.		
	S. No.	State	District
	(1.)	West Bengal	Howrah
	[SIA/WB/IND1/445772/2023, EN/T-II-1/529/2023]		
(2)	Existing 62,400 TPA Hot Rolling Mill for production of MS Section, MS Angles, Channels, Flats, Square and MS Joists etc. at Survey Plot No. F-5 (JL No. 22, Khatian 4, R.S. Plot No. 1217 and Khatian 753, R.S. Plot No. 1219), Mangalpur Industrial Estate, PO: Raniganj, Distt. Paschim Bardhaman, PIN – 713347, West Bengal by M/s. Manbhumi Ispat Private Limited.		

S. No.	State	District	
(1.)	West Bengal	Paschim Bardhaman	
[SIA/WB/IND1/441494/2023, EN/T-II-1/503/2023]			
(3)	Proposed expansion of existing Steel Plant by Installation of 6 No. 10 MT Induction Furnaces with Continuous Caster and Ladle and Rolling Mill with production capacity 192000 TPA at JL No.66, Khatian No. 5594, Plot No.971, 971/5813, 972 (Part), 973, 974 (Part), Village -Dewandighi, P.O. & Mouza - Mirzapur, P.S. & District – Purba Bardhaman, PIN – 713102, West Bengal by M/s. Shreesatya Steel and Power Pvt. Ltd. (VIOLATION CASE)		
	S. No.	State	District
	(1.)	West Bengal	Purba Bardhaman
	[SIA/WB/IND1/445717/2023, EN/T-II-1/530/2023]		

MISCELLANEOUS

1. Letter received from MoEF&CC vide F.No. IA-Z-12011/13/2023-IA-I dated 29.11.2023 with respect to Godrej Prakriti Residential Apartments at West Bengal.
2. Complain received from Sri Subrata Sarkar, Teacher In-charge, against build-up of common Bio medical waste plant in the name of RVD Waste Tech Pvt Ltd at Amildanga near Amildanga Manage Primary School premises.

Discussion on any other item with permission of the Chair.

Important Note:

1. **The project proponents are requested to send the project details in respect of establishment/identification of violation**

(by SEIAA/MoEF&CC) in the format as per Annexure-I, Annexure-II, Annexure-III & Annexure-IV.

- (1) The project proponents should submit the Form-1, Pre-feasibility report for TOR along with other requisite documents, Environment Impact Assessment Report, public hearing report, queries subsequently raised by the Ministry, if any including details of the court matters/Orders of the Court pertaining to the project if any, in original, duly signed by the company authorized signatory for Environmental Clearance, well in advance before meeting to Ministry's project section or utmost at the time of presentation, without which the proposal will not be considered.

Note: Submit a copy of each of above documents - Hard and Soft Copies (CD) to the Member secretary, Violation (Note: Not by Name) by speed post so as to reach well in time.

- (ii) Compliance Report from Regional Office, MoEF&CC (Applicable for projects already having EC).
- (iii) ***The KML/Shape files should be emailed to mentioned at para No. 7 below at least 5 days prior to the meeting.***

- (iv) The above all documents are required to be forwarded to the Chairman/Members of the Expert Appraisal Committee along with soft copy.
- 2 All the documents including the hard copy of the presentation material should be legible and printed on both sides on ordinary paper. **In case the members of the Expert Appraisal Committee do not receive the proposals/documents before the meeting, the Committee will not consider the project.**
 - 3 The Project Proponent or his or her authorized representative /consultant should avoid delivery of documents by hand and seeking meeting with Chairman/Members. Members are also requested to discourage/ avoid the meeting with the PP/ consultants.
 - 4 Further, it is requested that the project proponent or his/her authorized representative should attend the presentation meeting of EAC. They may also depute senior officers from the company (preferably not more than two representatives) who can make a presentation on their behalf on the salient features of the project, the related environmental issues, proposed Environmental Management Plan and also respond to the queries/suggestions of the Committee.
 - 5 Any changes/modification with respect to the Agenda, Venue etc., would be indicated in Ministry's website. You are also requested to keep track of the status of your project from the Ministry/s Website i.e., www.envfor.nic.in / www.envclearance.nic.in.
 - 6 Distribution of writing pads, pens, plastic folders and unnecessary stationery items during the meeting is not permitted. Distribution of colour print out may be avoided unless it is stated specifically.
 - 7 No consultant is permitted into the meeting who has no accreditation with Quality Council of India (QCI)/National Accreditation Board of Education and Training (NABET) according to the MoEF OM dated 2nd December, 2009

No. 2703/1(5)/EN/1C-01/2017(Part-I)

Date : 30/11/2023

Copy forwarded to:-

1. The Principal Secretary, Department of Environment for kind information.
2. The Member Secretary, West Bengal Pollution Control Board.
3. Dr. Ashit Kumar Mukherjee, Chairman, State Level Environment Impact Assessment Authority.
4. Dr. Nilangshu Bhusan Basu, Member, State Level Environment Impact Assessment Authority.
5. Shri Debashis Sarkar, Chief Engineer, West Bengal Pollution Control Board



Member Secretary, SEIAA

Annexure 1

List of Plot Nos. for the proposed expansion of existing cement grinding unit from 3.6 MTPA to 4.8 MTPA to produce Portland Slag Cement (PSC), Portland Pozzolana Cement (PPC), Ordinary Portland Cement (OPC), Composite Cement & Ground Granulated Blast Furnace Slag (GGBS) at Salboni, Dist – Paschim Medinipur, West Bengal by M/s. JSW Cement Ltd.

Mouza & JL No.	Plot No.	Area (in acres)
Gaighata - 455	321	1.25
Kulpheni - 456	175	0.73
	177	1.11
	183	0.26
	184	0.50
	186	0.83
	188	0.38
	189	1.16
	190	0.14
	197	0.72
	198	0.06
	199	0.05
	201	0.24
	203	1.34
	204	0.30
	447	0.48
	448	0.15
	450	0.21
	451	0.36
	452	0.10
	453	0.23
	454	0.62
Nutanbankati - 446	1	4.31
Kulpheni - 456	180	0.23
Nutanbankati - 446	2	2.20
	4	5.74
Jambedia - 445	349	51.33
Kulpheni - 456	96	0.18
	110	2.25
	125	0.06
	170	0.05
	172	8.05
	173	5.39
	174	1.58
	176	0.62
	178	0.47
	179	0.64
	181	0.29
	187	0.50
	191	0.33
	192	0.06
	194	28.52
	196	4.58
	200	0.10
	202	1.14
	205	0.16
	177/449	0.30
Gaighata - 455	1	0.93
	1/322	1.24
	1/327	0.73
Total		133.2