

Minutes of the seventh meeting of the reconstituted State Level Expert Appraisal Committee, West Bengal held on 11.12.2020 at 2:00 p.m. at the Conference Room, Paribesh Bhawan, Bidhannagar.

Name of the members who were present in the meeting are as follows: -

1)	Dr. Ashit Kumar Mukherjee	Chairman, SEAC	Present physically
2)	Prof. (Dr.) Sampa Chakrabarti	Member, SEAC	Present through VC
3)	Dr. Pradip Kumar Sikdar	Member, SEAC	Present through VC
4)	Dr. Nilangshu Bhusan Basu	Member, SEAC	Present physically
5)	Prof. (Dr.) Aniruddha Mukhopadhyay	Member, SEAC	Present through VC
6)	Shri Shubhendu Bandyopadhyay	Member, SEAC	Present through VC
7)	Dr. Anirban Gupta	Member, SEAC	Present through VC
8)	Dr. Indranath Sinha	Member, SEAC	Present through VC
9)	Dr. Rajesh Kumar	Secretary, SEAC	Present

In the beginning of the 7th meeting of the reconstituted State Expert Appraisal Committee (SEAC), which was held on 11.12.2020 at 2:00 p.m. at the Conference Room, Paribesh Bhawan, Bidhan Nagar, the Secretary, SEAC welcome all the members. After introductory session, technical presentations were made by applicants. Five applicants were requested to make their presentation before the committee. One applicant could not appear before the SEAC. Four applicants appeared before the SEAC for technical presentation on their respective project proposal. Three cases were placed for reconsideration. One case was discussed under 'Miscellaneous' section.

A. Note on Technical presentations:-

Industry Sector:-

- 1. Proposed Bhatpara sand mining project (2.30 Ha.) on Kangshabati river by Shri Subhrangsu Kumar Ghosh at Plot No.-172(P)& 194(P), JL No. 84, Mouza - Bhatpara, PS - Medinipur, Dist - Paschim Medinipur, West Bengal. (Proposal No. SIA/WB/MIN/167675/2020)**

Activity:

- This is a proposal for river bed sand mining of 32760 cum/year in area 2.30 Ha. on Kangshabati River at Mouza - Bhatpara, Dist - Paschim Medinipur District.

Chronology of the event:

- The project proponent presented their proposal in the 7th reconstituted SEAC meeting held on 11.12.2020 and based on the presentation made by the project proponent, the committee recommended the following points for submission / clarifications :-
 - a) Comprehensive Environment Management Plan (EMP), Plantation Plan and Water requirement break up should be re-casted and resubmitted. EMP to

Minutes of the seventh meeting of the reconstituted State Level Expert Appraisal Committee, West Bengal held on 11.12.2020 at 2:00 p.m. at the Conference Room, Paribesh Bhawan, Bidhannagar.

be submitted as per Office Memorandum of MoEF & CC vide F. No. 22-65/2017.IA.III dated 30.09.2020.

- b) Proposal for installation of suitable device and software for tracking the movement of vehicles and quantity of sand being transported.
- c) Proposal for setting up of ambient air quality monitoring stations.
- d) Proposal for installation of Display Board showing for display of parameters of the sand mine project.
- e) Source of water requirement should be specified. (for sprinkling and similar purposes other than drinking water should be taken from the river).
- f) Details of access road to the project should be submitted.
- g) The depths of groundwater/base flow in the mining lease hold area should be resubmitted.
- h) Distance from the centre of the mining lease hold area (MLHA) to the nearest bridge on the downstream and upstream of the MLHA.
- i) Distances from the centre of the mining lease hold area to the nearest riverbed tubewells (if any) on the downstream and upstream of the MLHA.
- j) Replenishment study to be submitted.
- k) Ergonomic Study and Health Effect Study due to exposure from silica should be submitted.
- l) An undertaking clearly specifying whether the proposed mining area forms a part of the habitat or a part of the movement corridor of an endangered fauna should be submitted along with comments of the concerned D.F.O.
- m) A time bound progressive green belt development plan should be submitted indicating the linear and quantitative coverage, plant species and time frame. The species selected for green belt should have greater ecological value with emphasis on local, native and pioneer species which are pollution tolerant as well.

The SEAC will consider the case on submission of the above mentioned documents.

2. Proposed Naldumra Sand Mining project (5.00 Ha.) by Sheikh Firozuddin at Plot No. 46(P), Mouza - Naldumra, P.S - Medinipur, Dist - Paschim Medinipur, West Bengal - 721 101. (Proposal No. SIA/WB/MIN/167774/2020)

Activity:

- This is a proposal for Naldumra Sand Mining project of 86800 cum/year in 5.00 Ha. Area on Kangshabati River at Mouza - Naldumra, Dist - Paschim Medinipur.

Chronology of the event:

- The project proponent presented their proposal in the 7th reconstituted SEAC meeting held on 11.12.2020 and based on the presentation made by the project proponent, the committee recommended the following points for submission / clarifications :-

Minutes of the seventh meeting of the reconstituted State Level Expert Appraisal Committee, West Bengal held on 11.12.2020 at 2:00 p.m. at the Conference Room, Paribesh Bhawan, Bidhannagar.

- i. Comprehensive Environment Management Plan (EMP), Plantation Plan and Water requirement break up should be re-casted and resubmitted. EMP to be submitted as per Office Memorandum of MoEF & CC vide F. No. 22-65/2017.IA.III dated 30.09.2020.
- ii. Proposal for installation of suitable device and software for tracking the movement of vehicles and quantity of sand being transported.
- iii. Proposal for setting up of ambient air quality monitoring stations.
- iv. Proposal for installation of Display Board showing for display of parameters of the sand mine project.
- v. Source of water for drinking and other purposes should be specified.
- vi. Details of access road to the project should be submitted.
- vii. The depths of groundwater/base flow in the mining lease hold area should be resubmitted.
- viii. Distance from the centre of the mining lease hold area (MLHA) to the nearest bridge on the downstream and upstream of the MLHA.
- ix. Distances from the centre of the mining lease hold area to the nearest riverbed tubewells (if any) on the downstream and upstream of the MLHA.
- x. Replenishment study to be submitted.
- xi. Ergonomic Study and Health Effect Study due to exposure from silica should be submitted.
- xii. An undertaking clearly specifying whether the proposed mining area forms a part of the habitat or a part of the movement corridor of an endangered fauna should be submitted along with comments of the concerned D.F.O.
- xiii. A time bound progressive green belt development plan should be submitted indicating the linear and quantitative coverage, plant species and time frame. The species selected for green belt should have greater ecological value with emphasis on local, native and pioneer species which are pollution tolerant as well.

The SEAC will consider the case on submission of the above mentioned documents.

3. Proposed China Clay Mine of 19349 TPA and Fire clay mine of 8687 TPA by M/s. N. P. Minerals at JL No. 145, Patel Nagar, Mouza - Kharia, PO - Md. Bazar, PS - Md. Bazar, Dist - Birbhum, West Bengal. (Proposal No. SIA/WB/MIN/41581/2019)

Activity:

- This is a proposal of a Mining project of 19349 TPA of China Clay and 8687 TPA of Fire clay in 17.84 acres (7.22 Hectare) area.

Chronology of the event:

- The project proponent presented their proposal in the 7th reconstituted SEAC meeting held on 11.12.2020 and based on the presentation made by the project proponent, the committee recommended the following points for submission / clarifications :-

Minutes of the seventh meeting of the reconstituted State Level Expert Appraisal Committee, West Bengal held on 11.12.2020 at 2:00 p.m. at the Conference Room, Paribesh Bhawan, Bidhannagar.

- a) Mining Lease documents.
- b) Letter of Intent (LOI) from the Competent Authority.
- c) Water quality and air quality reports – present and predicted.
- d) Detailed project cost, including land cost.
- e) Progressive mine closure plan.
- f) Valid certified mining plan.
- g) Pre-feasibility report.
- h) Proposal for setting up of ambient air quality monitoring stations.
- i) Proposal for installation of Display Board for displaying of relevant parameters of the mine project.
- j) Source of water requirement should be specified.
- k) Details of access road to the project should be submitted.
- l) Comprehensive Environment Management Plan (EMP) should be submitted.
- m) A report on the effect of dewatering on the local groundwater body (which should include the present depth to water table below ground level, type of well, total depth of well below ground level, well use etc. within 1 km radius in at least 10 locations) should be submitted.

The SEAC will consider the case on submission of the above mentioned documents.

4. Proposed expansion of Residential Complex by M/s. Ganesh Tracom Pvt. Ltd. & Others at Rajarhat Road, Mouza - Bhatenda, JL No. 28, PS - Rajarhat, under Rajarhat-Bishnupur Gram Panchayat I, Dist - 24 Parganas (North), West Bengal. (Proposal No. SIA/WB/MIS/55503/2019)

Activity:

- This is a proposal for vertical expansion of 9 nos. Residential blocks into 9 Nos. G+19 storied Residential Blocks in the following configurations :
G+19 storied = 9 nos.
B+G+7 storied = 1 no. (MLCP)
G+2 storied = 1 no. (Club)
Total No. of flats – 1359 (existing 1215 + proposed 144). Total Land area 43219.26 sqm.

Chronology of the event:

- The project proponent presented their proposal for Terms of Reference presentation in the 173rd SEAC meeting held on 13.05.2019.
- In accordance with the recommendation of the SEAC, ToR was issued vide letter dated 02.09.2019.
- Now the project proponent submitted the Final EIA report.
- The project proponent was called for their final EIA report in the 7th reconstituted SEAC meeting held on 11.12.2020. Project proponent did not

Minutes of the seventh meeting of the reconstituted State Level Expert Appraisal Committee, West Bengal held on 11.12.2020 at 2:00 p.m. at the Conference Room, Paribesh Bhawan, Bidhannagar.

appear for the presentation. The case will be considered further once SEAC receive request from the project proponent.

The case is put up for consideration.

5. Proposed Commercial Complex “Synthesis Business Park” by M/s. Bengal Shracchi Housing Development Company Ltd. at Plot No. AAII/CBD/ 1, JL No. 23, Mouza - Ghuni, PS - Rajarhat, Newtown, Kolkata - 700 156, Dist - 24 Parganas (North), West Bengal. (Proposal No. SIA/WB/MIS/50946/2018) (VIOLATION CASE)

Activity:

- This is a proposal for construction of Commercial Complex ‘Synthesis Business Park’ comprising of 2 blocks with basement – HDCO Block : G+7 storied & Corporate Block : G+11 storied (which has already been constructed). Land area is 20420.48 sqm. and total built up area is 62980.16 sqm.

Chronology:

- The project proponent applied as violation case and presented their proposal for Terms of Reference presentation in the 186th SEAC meeting held on 18.01.2020.
- In accordance with the recommendation of the SEAC, ToR was issued vide letter dated 28.01.2020.
- The project proponent submitted Final EIA report.
- The project proponent was called for their final EIA report in the 7th reconstituted SEAC meeting held on 11.12.2020 and based on the presentation made by the project proponent, the committee recommended the following points for submission / clarifications :-
 - a) Proposal for mandatory tree plantation (at least 20% of the land area). A commitment should be submitted by the project proponent that the land will not be developed for other uses in the future. The project proponent should clearly specify about the measures adopted to ensure growth and protection of trees to be raised outside the project area.
 - b) Proposal for setting up of Organic Waste Composter for the solid waste generated.
 - c) Proposal for installation of minimum 1% solar power plant.
 - d) Proposal for installation of sensor based water quality monitoring system.
 - e) Proposal for rainwater harvesting facility.
 - f) EMP to be submitted as per Office Memorandum of MoEF & CC vide F. No. 22-65/2017.IA.III dated 30.09.2020.

The SEAC will consider the case on submission of the above mentioned documents.

B. Reconsideration Proposals :-

Minutes of the seventh meeting of the reconstituted State Level Expert Appraisal Committee, West Bengal held on 11.12.2020 at 2:00 p.m. at the Conference Room, Paribesh Bhawan, Bidhannagar.

Three reconsideration proposals were placed in the meeting.

Industry Sector:

- 1. Proposed expansion project of installation of 2x10 Tonnes Induction Furnaces with Ladle Refining Furnace, Continuous Caster and 3000 MT/Month Rolling Mill by M/s. Ruhr Ispat Pvt. Ltd. at JL No. 65, Bamunara Industrial Area, Vill, PO & Mouza - Gopalpur, PS - Kanksa, Dist - Paschim Bardhaman, Durgapur - 713212, West Bengal. (Proposal No. SIA/WB/IND/57057/2019)**

Activity:

- This is a proposal for installation of 2x10 MT Induction Furnaces with Ladle Refining Furnace, Continuous Caster and 3000 MT/Month Rolling Mill.

Chronology:

- The project was presented their proposal for Terms of Reference in the 172nd meeting held on 30.04.2019.
- As per recommendation of SEAC, ToR was issued on 06.05.2019 by SEAC.
- Public Hearing for project was conducted by WBPCB on 23.10.2019.
- Accordingly, project proponent submitted final EIA/EMP on 05.10.2020 which is considered in the 5th reconstituted SEAC meeting held on 12.11.2020 and the committee recommended that the project proponent should submit the following:
 - a) Status of permission of groundwater abstraction from the competent authority.
 - b) Report on occupational health and safety, especially related to heat stress among the workers to be provided.
 - c) Details of cooling water treatment to be provided.
 - d) Analysis report of solid waste generated to be provided.
 - e) Tree plantation plan covering at least 40% of the land area mentioning plant species, fraction of land to be covered by tree cover and pattern of plantation should be provided.
 - f) EMP to be submitted as per Office Memorandum of MoEF & CC vide F. No. 22-65/2017.IA.III dated 30.09.2020.
- The project proponent submitted their reply on 08.12.2020, which was considered in the 7th meeting of reconstituted SEAC which was held on 11.12.2020. SEAC scrutinized the documents submitted by the project proponent in the meeting and deliberated on the submissions made by the project proponent including various environmental parameters, EMP and **recommended Environmental Clearance** for the proposed project.

Construction Sector: -

Minutes of the seventh meeting of the reconstituted State Level Expert Appraisal Committee, West Bengal held on 11.12.2020 at 2:00 p.m. at the Conference Room, Paribesh Bhawan, Bidhannagar.

2. Proposed expansion of Jagannath Gupta Institute of Medical Science & Hospital by M/s. Jagannath Gupta Institute of Medical Science & Hospital at JL No. 33, Vill - Buita, Budge Budge Development Block - I, Dist - South 24 Parganas, Kolkata - 700 137, West Bengal. (Proposal No. SIA/WB/ MIS/54310/2019) (VIOLATION CASE).

Activity:

- This is a proposal for expansion of Medical College & Hospital from 350 Beds to 750 beds. Total built up area is 50084 Sqm. Land area is 34992 sqm. (8.64 acres).

Chronology of the event:

- The project proponent presented their proposal for Terms of Reference presentation in the 184th SEAC meeting held on 07.12.2019.
- In accordance with the recommendation of the SEAC, ToR was issued vide letter dated 18.12.2019.
- The project proponent submitted Final EIA report on 17.07.2020 which was considered in the 1st meeting of reconstituted SEAC held on 24.07.2020.
- The committee recommended that the project proponent should submit the following additional clarification through letter dated 07.08.2020:
 - i. Waste water quality before and after treatment to be provided.
 - ii. Activity under Corporate Environment Responsibility (CER) should not overlap with those to be done for Corporate Social Responsibility (CSR) Program. Fresh CER proposal to be provided.
 - iii. Total water requirement figure in the presentation is mismatch. Fresh water balance to be provided.
 - iv. Permission for groundwater abstraction to be provided for the entire project.
 - v. Depth of the monitoring tube wells already done in EIA to be specified.
 - vi. Concentration of arsenic and manganese in the groundwater need to be provided. The concentration of iron study to be BDL - this should be rechecked.
 - vii. Drainage layout for storm water flow to be provided.
 - viii. Agreement with the EMW service provided shows the bed capacity of 600. However, the existing hospital is of bed capacity of 350 nos. Please explain.
- Now the project proponent had submitted their reply on 11.11.2020, which was considered in the 7th meeting of reconstituted SEAC which was held on 11.12.2020. SEAC scrutinized the documents submitted by the project proponent in the meeting and deliberated on the submissions made by the project proponent, SEAC accepted the final proposal consisting of various environmental parameters and salient features and **recommended Environmental Clearance** for the proposed project.

Minutes of the seventh meeting of the reconstituted State Level Expert Appraisal Committee, West Bengal held on 11.12.2020 at 2:00 p.m. at the Conference Room, Paribesh Bhawan, Bidhannagar.

3. Proposed expansion of Commercial Complex 'Ideal Unique Centre' by M/s. Ideal Unique Realtors Pvt. Ltd. at 10, East Topsia Road, PS - Tiljala, KMC Ward No. 66, Opp. P. C. Chandra Garden behind Science City, Kolkata - 700 046, West Bengal. (Proposal No. SIA/WB/MIS/105643/2019)

Activity:

- This is a proposal for expansion of the commercial complex of G+31 storied building, MLCP = G+6 storied. Total Land area is 19837.70 sqm. Total built up area is 86065.92 sq.m.
- The project had already received Environmental Clearance for G+27 storied building, MLCP (5 storied) for built up area of 7483.99 sq.m. vide Memo No. 512/EN/T-II-1/075/2018 dated 13.03.2019.

Chronology of the event:

- The project had received stipulated conditions for environmental clearance for the expansion project vide Memo No. 2328/EN/T-II-1/047/2019 dated 26.11.2019 for a built up area of 11231.93 sqm. (86065.92 Sqm. final configuration after expansion).
- Now the project proponent had submitted sanction building plan on 08.12.2020, which was considered in the 7th meeting of reconstituted SEAC which was held on 11.12.2020.
- The salient features of the proposed project are as follows -

Parameter	As per Environmental Clearance (EC) issued by SEIAA, West Bengal vide Memo No.512/EN/T-II-1/075/2018 dated 13-03-2019	(Proposed Vertical Expansion)	As per Stipulated Condition for Environmental Clearance vide letter no.2328/EN/T-II-1/047/2019 dated 26.11.2019 (Final Configuration after expansion)	As per Sanctioned Plan (The Kolkata Municipal Corporation - Building Permit No. 2011070208 dated 12-12-2011)
Land Area	19837.70 sqm	19837.70 sqm	19837.70 sqm	19837.70 sqm
Building Profile	G+27 storied building, MLCP (5 storied)	4 storied vertical expansion above G+27 storied building and 2 storied vertical expansion above 5 storied MLCP	G+31 storied building, MLCP = G+6	G+31 storied building, MLCP = G+5
Expected	6775	1194	7969	7974

Minutes of the seventh meeting of the reconstituted State Level Expert Appraisal Committee, West Bengal held on 11.12.2020 at 2:00 p.m. at the Conference Room, Paribesh Bhawan, Bidhannagar.

Parameter	As per Environmental Clearance (EC) issued by SEIAA, West Bengal vide Memo No.512/EN/T-II-1/ 075/2018 dated 13-03-2019	(Proposed Vertical Expansion)	As per Stipulated Condition for Environmental Clearance vide letter no.2328/EN/T-II-1/047/2019 dated 26.11.2019 (Final Configuration after expansion)	As per Sanctioned Plan (The Kolkata Municipal Corporation - Building Permit No. 2011070208 dated 12-12-2011)
Population				
Total Water Requirement	265.46 KLD	87.864 KLD	353.324 KLD	353.36 KLD
Fresh Water Requirement	108.86 KLD (KMC Supply)	91.285 KLD (KMC supply)	200.145 KLD (KMC Supply)	196.82 KLD (KMC Supply)
Waste Water Generated	206.94 KLD (to be treated in STP)	35.66 KLD	242.60 KLD (to be treated in STP)	238.57 KLD (to be treated in STP)
Waste water discharged	50.34 KLD (to be discharged to KMC sewer line after treatment in STP)	39.081 KLD	89.421 KLD (to be discharged to KMC sewer line after treatment in STP)	82.03 KLD (to be discharged to KMC sewer line after treatment in STP)
Solid Waste Disposal	1.016 TPD (to be disposed off by KMC)	0.179 TPD	1.195 TPD (to be disposed off by KMC)	0.986 TPD (to be disposed off by KMC)
Total Built-up Area	74833.99 sqm	11231.93 sqm	86065.92 sqm	80218.22 sqm
Ground Coverage	6482.12 sqm (32.68% of land area)	91.92 sqm	6574.04 sqm (33.14% of land area)	6526.15 sqm (32.90% of land area)
Goomty Area	-	43.06 sqm	43.06 sqm (0.22% of land area)	43.06 sqm (0.22% of land area)
Elevation Projection	-	34.53 sqm	34.53 sqm (0.17% of land area)	34.53 sqm (0.17% of land area)
Exclusive tree plantation area	3974.38 sqm (20.03% of land area)	195.22 sqm	4169.60 sqm (21.02% of land area)	4169.60 sqm (21.02% of land area)
Landscaped Green Area	2884.29 sqm (14.55 % of land area)	(-)1230.38 sqm	1653.91 sqm (8.34% of land area)	1701.80 sqm (8.58% of land area)
Paved area (hardscape area)	4810.64 sqm (24.24% of land area)	105.66 sqm	4916.30 sqm (24.78% of land area)	4916.30 sqm (24.78% of land area)
Grass Cell Paver Area	-	652.93 sqm	652.93 sqm (3.29% of land area)	652.93 sqm (3.29% of land area)
Water body	1284.71 sqm	1284.71 sqm	1284.71 sqm	1284.71 sqm (6.48%

Minutes of the seventh meeting of the reconstituted State Level Expert Appraisal Committee, West Bengal held on 11.12.2020 at 2:00 p.m. at the Conference Room, Paribesh Bhawan, Bidhannagar.

Parameter	As per Environmental Clearance (EC) issued by SEIAA, West Bengal vide Memo No.512/EN/T-II-1/ 075/2018 dated 13-03-2019	(Proposed Vertical Expansion)	As per Stipulated Condition for Environmental Clearance vide letter no.2328/EN/T-II-1/047/2019 dated 26.11.2019 (Final Configuration after expansion)	As per Sanctioned Plan (The Kolkata Municipal Corporation - Building Permit No. 2011070208 dated 12-12-2011)
Area	(6.48% of land area)		(6.48% of land area)	of land area)
CESC Covered Area	480 sqm (2.24% of land area)	28.61 sqm	508.61 sqm (2.56% of land area)	508.61 sqm (2.56% of land area)
No. of parking space	545 nos. (MLCP)	243 nos.	788 nos. (MLCP)	788 nos. (MLCP)
No. of trees to be planted.	280	320	600	600
No. of solar street lights	40	-	40	40
Power Requirement.	5571 KVA, from CESC	1039 KVA	6610 KVA, from CESC	6610 KVA, from CESC
Back-up power	4 nos. DG Set each 2000 KVA	-	3 nos. DG Set each 2000 KVA	3 nos. DG Set each 2000 KVA
Project cost of the expansion proposal	Rs. 22 Crores			

The case was put up for consideration in the 7th meeting of reconstituted SEAC held on 11.12.2020. SEAC noted that SEIAA had already issued stipulated conditions for Environmental Clearance vide memo No. 2328/EN/T-II-1/047/2019 dated 26.11.2019 for the proposed project and advised to submit sanctioned building plan for consideration of EC. After carefully considering the submission of the project proponent and detailed deliberation, SEAC accepted the final proposal consisting of various environmental parameters and salient features. SEAC **recommended the Environmental Clearance** for the project with the additional conditions in addition to standard conditions that the project proponent should strictly comply with the guidelines for High Rise Buildings, issued by MoEF, GoI vide No. 21-270/2008-IA.III dated 07.02.2012.

C. Miscellaneous cases.

Minutes of the seventh meeting of the reconstituted State Level Expert Appraisal Committee, West Bengal held on 11.12.2020 at 2:00 p.m. at the Conference Room, Paribesh Bhawan, Bidhannagar.

1. Proposed Residential cum Commercial Infrastructure Project “IQ City” by M/s. Mani Square Ltd.at DSP B Zone, JL No. 46, Mouza - Sovapur, PO & PS - Durgapur, Dist - Paschim Bardhaman, West Bengal. (Proposal No. SIA/WB/NCP/23377/2018) (Violation Case)

Activity:

- This is a proposal for construction of residential cum commercial project with the following configurations :

	Total proposal (Phase I, II & III)	Violation Part
No. of Buildings	Residential towers of G+13 - 46 no. Residential towers of G+5 - 7 nos. Residential villas of G+1 - 46 nos. Community Hall of G - 1 no. Shop Building of G - 1 no. Club of G+2 - 1 no. Mall of G+4 - 1 no. Profit Hospital of G+5 - 1 no. Medi Inn (Hotel) of G+4 - 1 no.	Residential towers of G+13 - 14 no. Residential towers of G+5 - 7 nos. Residential villas of G+1 - 46 nos. Shop Building of G - 1 no.
Land area	202124.46 sqm.	93178 sqm.
Total built up area	380818.28 sq.m.	
Dwelling units	2396 no.	868 nos.

Chronology of the event:

- The project proponent presented their proposal for Terms of Reference presentation in the 161st SEAC meeting held on 31.08.2018 and the committee recommended that the project proponent should submit additional clarifications.
- The project proponent submitted their reply on 01.11.2019 which was considered in the 183rd SEAC meeting held on 16.11.2019.
- In accordance with the recommendation of the SEAC, ToR was issued vide letter dated 02.12.2019.
- Now the project proponent requested through their letter dated 02.12.2020 for extension of validity of the ToR. The committee recommended to forwarded the case to SEIAA for extension of the validity period of ToR by six months.

Summaries of above decisions are also provided in Table-1.

Table-1 : List of the projects which were placed before the reconstituted SEAC in the seventh meeting held on 11.12.2020 and the Summary Decisions thereof:

Minutes of the seventh meeting of the reconstituted State Level Expert Appraisal Committee, West Bengal held on 11.12.2020 at 2:00 p.m. at the Conference Room, Paribesh Bhawan, Bidhannagar.

Sl.No.	Name of the unit & Project address	Summary Decision
A	Cases placed for presentation	
1.	Shri Subhrangsu Kumar Ghosh Proposed Bhatpara sand mining project (2.30 Ha.) on Kangshabati river at Plot No.-172(P)& 194(P), JL No. 84, Mouza - Bhatpara, PS - Medinipur, Dist - Paschim Medinipur.	Asked for additional submission
2.	Sheikh Firozuddin Proposed Naldumra Sand Mining project (5.00 Ha.) at Plot No. 46(P), Mouza - Naldumra, P.S - Medinipur, Dist - Paschim Medinipur, West Bengal - 721 101.	Asked for additional submission
3.	M/s. N. P. Minerals Proposed China Clay Mine of 19349 TPA and Fire clay mine of 8687 TPA at JL No. 145, Patel Nagar, Mouza - Kharia, PO - Md. Bazar, PS - Md. Bazar, Dist - Birbhum, West Bengal.	Asked for additional submission
Construction Sector		
4.	M/s. Ganesh Tracom Pvt. Ltd. & Others Proposed expansion of Residential Complex at Rajarhat Road, Mouza - Bhatenda, JL No. 28, PS - Rajarhat, under Rajarhat-Bishnupur Gram Panchayat I, Dist - 24 Parganas (North).	Absent
5.	M/s. Bengal Shrachi Housing Development Company Ltd. Proposed Commercial Complex "Synthesis Business Park" at Plot No. AAI/CBD/1, JL No. 23, Mouza - Ghuni, PS - Rajarhat, Newtown, Kolkata - 700 156, Dist - 24 Parganas (North).	Asked for additional submission
B	Cases placed for reconsideration	
1.	M/s. Ruhr Ispat Pvt. Ltd. Proposed expansion project of installation of 2x10 Tonnes Induction Furnaces with Ladle Refining Furnace, Continuous Caster and 3000 MT/Month Rolling Mill at JL No. 65, Bamunara Industrial Area, Vill, PO & Mouza - Gopalpur, PS - Kanksa, Dist - Paschim Bardhaman, Durgapur - 713212.	Recommended for Environmental Clearance
2.	M/s. Jagannath Gupta Institute of Medical Science & Hospital Proposed expansion of Jagannath Gupta Institute of Medical Science & Hospital at JL No. 33, Vill - Buita, Budge Budge Development Block - I, Dist - South 24 Parganas, Kolkata - 700 137, West Bengal.	Recommended for Environmental Clearance
3.	M/s. Ideal Unique Realtors Pvt. Ltd. Proposed expansion of Commercial Complex 'Ideal Unique Centre' at 10, East Topsia Road, PS - Tiljala, KMC Ward No. 66, Opp. P. C. Chandra	Recommended for Environmental Clearance

Minutes of the seventh meeting of the reconstituted State Level Expert Appraisal Committee, West Bengal held on 11.12.2020 at 2:00 p.m. at the Conference Room, Paribesh Bhawan, Bidhannagar.

Sl.No.	Name of the unit & Project address	Summary Decision
	Garden behind Science City, Kolkata - 700 046, West Bengal.	
C. Miscellaneous cases.		
1.	M/s. Mani Square Ltd. Proposed Residential cum Commercial Infrastructure Project "IQ City" at DSP B Zone, JL No. 46, Mouza - Sovapur, PO & PS - Durgapur, Dist - Paschim Bardhaman, West Bengal.	Recommended to forward the case to SEIAA for extension of validity period by six months.

The meeting ended with a vote of thanks to the Chair.

Sd/-

(Dr. Ashit Kumar Mukherjee)
Chairman
State Expert Appraisal Committee, West Bengal

Sd/-

(Prof. (Dr.) Sampa Chakrabarti)
Member
State Expert Appraisal Committee, West Bengal

Sd/-

(Dr. Pradip Kumar Sikdar)
Member
State Expert Appraisal Committee, West Bengal

Sd/-

(Prof. (Dr.) Aniruddha Mukhopadhyay)
Member
State Expert Appraisal Committee, West Bengal

Sd/-

(Shri Shubhendu Bandyopadhyay)
Member
State Expert Appraisal Committee, West Bengal

Sd/-

(Dr. Nilangshu Bhusan Basu)
Member
State Expert Appraisal Committee, West Bengal

Sd/-

Dr. Indranath Sinha
Member
State Expert Appraisal Committee, West Bengal

Sd/-

(Dr. Anirban Gupta)
Member
State Expert Appraisal Committee, West Bengal

Sd/-

(Dr. Rajesh Kumar)
Secretary
State Expert Appraisal Committee, West Bengal