

# State Level Environment Impact Assessment Authority, Uttar Pradesh

## Directorate of Environment, U.P.

Vineet Khand-1, Gomti Nagar, Lucknow - 226 010

Phone : 91-522-2300 541, Fax : 91-522-2300 543

E-mail : doeuplko@yahoo.com

Website : www.seiaaup.in

### **Minutes of the 341<sup>st</sup> Meeting of the State Level Environment Impact Assessment Authority, UP (SEIAA) held on 30/01/2020**

The meeting of 341<sup>st</sup> State Level Environment Impact Assessment Authority, UP (SEIAA) was held on 30/01/2020 at the Directorate of Environment. The following were present in the meeting:-

1. Prof. Rana Pratap Singh
2. Dr. (Smt.) Madhu Bhardwaj
3. Sri Ashish Tiwari

Chairman, SEIAA, U.P  
Member, SEIAA, U.P  
Member Secretary, SEIAA, U.P

#### **Agenda-A: -Complaints/letters –**

#### **Agenda-B:-Replies-**

#### **Agenda-C:- Minutes of 438th SEAC Meeting Dated 13/12/2019**

1. **Mohit Petrochemicals Pvt. Ltd. (Grain Based Distillery Unit) has proposed New 100 KLD distillery unit (Rectified Spirit/ Extra Neutral Alcohol) along with 2.5 MW power at Village- Firozpur Hafiz, Tehsil- Mohammedpur Deomal, Bijnor, U.P., M/s Mohit Distillery Grain Based. File No. 5181/Proposal No. SIA/UP/IND2/42057/2019**

SEIAA agreed with the recommendation of the SEAC to close the file. The project proponent has informed the committee vide letter dated 13/12/2019 that due to change in project configuration they have withdrawn the above application.

2. **Expansion of Group Housing Project "Gulmohar Garden" at Khasra No.-1131, 1133, 1139, 1143, 1144, Village- Noor Nagar, Pargana- Loni, District- Ghaziabad, U.P., M/s SVP Builders (I) Ltd. File No. 5188/Proposal No. SIA/UP/NCP/46287/2019**

SEIAA noted the comments/recommendation of SEAC that- "In view of Hon'ble NGT Order passed in O.A. No. 1038/2018 dated 14/11/2019 (corrected on 19/11/2019) SEAC opined that affected case would be reviewed later and decision would be taken after receiving clarification from MoEF&CC, Govt. of India". Since clarification from MoEF&CC has been received SEIAA referred back the case to SEAC for recommendations based on it.



05/02/2020

**3. Proposed of "Expansion of SGPGI, Raibareilly Road, District- Lucknow, U.P. File No. 5196/Proposal No. SIA/UP/NCP/46595/2019**

SEIAA agreed with the recommendation of the SEAC that the matter shall be discussed after submission of online information on prescribed portal.

**4. Expansion of Thermal Power Plant (15 MW to 33 MW) at Village- Shamli Shamla, Tehsil- Unn, District- Shamli, U.P., M/s Superior Food Grains Pvt. Ltd. File No. 5207/Proposal No. SIA/UP/THE/46678/2019**

The SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR;-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- Copy of all the analysis reports signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
- 3- MOU signed between the project proponent and the consultant should be submitted.
- 4- Public hearing shall be conducted as per EIA notification 2006(as amended).
- 5- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 and submit along with EIA.


**5. Expansion of "Candor Techspace "IT/ITES- SEZ" at Plot No.-20-21, Sector- 135, Noida, U.P., M/s Seaview Developers Pvt. Ltd. File No. 5247/Proposal No. SIA/UP/NCP/47195/2019**

SEIAA noted the comments/recommendation of SEAC that- *"In view of Hob'ble NGT Order passed in O.A. No. 1038/2018 dated 14/11/2019 (corrected on 19/11/2019) SEAC opined that affected case would be reviewed later and decision would be taken after receiving clarification from MoEF&CC, Govt. of India".* Since clarification from MoEF&CC has been received SEIAA referred back the case to SEAC for clear recommendation.

**6. Plotted Development "Emami Nature" at Khellar, District- Jhansi, U.P., M/s Emami Realty Ltd. File No. 5249/Proposal No. SIA/UP/NCP/ 47188/2019**

The SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR;-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- Copy of all the analysis reports signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
- 3- MOU signed between the project proponent and the consultant should be submitted.
- 4- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 and submit along with EIA.





7. "Pradhan Mantri Awas Yojna" at 332, 367, 368, 371, 372, 374, 375, 376, 377, 379, 380, 381, 386, 387, 733, 734, Sector-N, Vasant Kunj, Village-Bari -Kala, Sadar, Lucknow. M/s Lucknow Development Authority. File No. 4951/Proposal No. SIA/UP/MIS/112220/2019

SEIAA noted the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project. SEIAA gone through the file and documents and found that 372 KLD/382 KLD unused/unrecycled waste water is proposed to be discharged to storm water runoff drain which is not acceptable. Appropriate arrangement shall be proposed for the disposal of surplus treated waste water.

8. Group Housing "Express Astra" at Plot No.- GH-6A, Sector-01, Greater Noida, U.P. Shri Vinay Goel. File No. 4908/Proposal No. SIA/UP/MIS/109657/2019

SEIAA noted that the committee has deferred the matter for next SEAC meeting, but no reason has been mentioned. SEIAA decided to agree with the recommendations but opined that reason for deferment of the case should be mentioned.

9. IT/ITES "Noida World One" at Plot No.- 01, Sector-90, Noida, District-Gautam Budha Nagar, U.P., M/s CBS International Projects Pvt. Ltd. File No. 4653/Proposal No. SIA/UP/NCP/30823/2018

SEIAA noted that the committee has deferred the matter for next SEAC meeting, but no reason has been mentioned. SEIAA decided to agree with the recommendations but opined that reason for deferment of the case should be mentioned.

10. Proposed IT/ITES Project at Plot No.-7, Sector- Techzone 4, Greater Noida. M/s A.L.Softweb Pvt. Ltd. File No. 4808/4506/Proposal No. SIA/UP/MIS/35956/2018

SEIAA noted that the committee has deferred the matter for next SEAC meeting, but no reason has been mentioned. SEIAA decided to agree with the recommendations but opined that reason for deferment of the case should be mentioned.

11. Group Housing "Migsun Atharva-Phase-II" at Khasra No.-31, Village-Morta, Ghaziabad. M/s Mahaluxmi Buildtech Ltd. File No. 4997/Proposal No. SIA/UP/MIS/114761/2019

SEIAA noted that the committee has deferred the matter for next SEAC meeting, but no reason has been mentioned. SEIAA decided to agree with the recommendations but opined that reason for deferment of the case should be mentioned.

12. 500 Bedded Super Specialty Block at Village-Amarsipur, Tehsil-Saifai, Etawah. U.P. Rural Institute of Medical Science & Research, Saifai, Etawah. File No. 4401/Proposal No. SIA/UP/NCP/75873/2018

SEIAA agreed with the recommendations of the SEAC to close the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.

*[Signature]*

*[Signature]*

*[Signature]*



13. Sand/Morrum Mining from Betwa River Bed at Khand No.- 23/13, Village- Bhedi Kharka, Sarila, Distt.-Hamirpur, U.P., Shri Kanha Construction Company, Area: 12.145 ha. File No. 4192/Proposal No. SIA/UP/MIN/23553/2018

SEIAA noted that SEAC has commented that- The environmental clearance letter no. 493/Parya/SEAC/4192/2018, dated 24/11/2018 has been revoked by SEIAA, U.P. vide letter no. 380/Parya/SEAC/4192/2018, dated 19/11/2019. SEIAA opined that matter should be referred back to SEAC to review it in the light of the minutes of Joint Meeting dated 09/01/2020.

14. Ordinary Sand Mining" Project at Gata No.-1347, Village-Ismailganj, Tehsil-Sidholi, Distt.- Sitapur, U.P. File No. 4442/Proposal No. SIA/UP/MIN/121348/2019

SEIAA agreed with the recommendation of the SEAC to amend the environmental clearance letter no. 393/PARYA/SEAC/4442/2017 dated 26/10/2018 as per the given project details replacing specific condition no. 21 as "If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate". And adding one condition:- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.

All the other contents mentioned in Environmental Clearance letter no. 393/PARYA/SEAC/4442/2017 dated 26/10/2018 shall remain unchanged.

15. River Bed Sand Mining at Gata No. 979Ja, Vill:Khankuiya Nankar Tehsil Sohratgarh, Siddharth Nagar., Lease area 3.16 ha. File No. 4715/Proposal No. SIA/UP/MIN/33237/2019

SEIAA agreed with the recommendations of the SEAC to close the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.

16. Common Biomedical Waste Treatment & Facility, at Gata No.- 474, Village- Mohanpurwa, District- Banda, U.P., by M/s Bamdev Smart Solutions Pvt. Ltd. File No. 4647/Proposal No. SIA/UP/MIS/30847/2019

SEIAA gone through the recommendation of SEAC that- "In compliance of Hon'ble High Court, Allahabad order dated 25/11/2019, the SEAC gone through the complaint of Dr. V.K. Verma, President, Common Bio-Medical Waste Facility Operators Association dated 28/08/2019 and also letter of Regional Officer, UPPCB dated 24/09/2019, Additional Director, Medical Health and Family Welfare dated 06/08/2019 and Chief Medical Officer, Banda dated 27/06/2019 available in record. After in depth examination the SEAC find that the complaint

*KTr*

*Under Secretary*

*Rpsiph* Page 4 of 6



is totally baseless and may be disposed by SEIAA." SEIAA agreed with the recommendation of SEAC to dispose the complaint.

**17. DOLOCE Residents Group (DRG) के पत्र दिनांक 30.11.2019 पर समिति द्वारा विचार-विमर्श।**

SEIAA agreed with the recommendation of SEAC to seek factual report from Regional Officer, UPPCB, Greater Noida.

**With the permission of the Chariman**


**1. पर्यावरण निदेशालय, उ०प्र० द्वारा अपनी परियोजना एटीएस डोल्सीई में मै० डोमस ग्रीन्स प्राइवेट लिमिटेड ग्रेटर नोएडा को जारी पर्यावरण एन०ओ०सी० के महत्वपूर्ण मानदंडों का घोर उल्लंघन के सम्बन्ध में फाइल नं० (2084).**


SEIAA gone through the letter bha.Sa.-07/81-7-2020-103/Parya/2007TC dated 27/01/2020 of Under Secretary Environment Department, UP regarding violation of norms of EC given to the above project. SEIAA noted that this issue has already been taken in today's meeting. Hence no further action is required.


**2. Common Biomedical Waste Treatment & Facility, at Gata No.- 474, Village- Mohanpurwa, District- Banda, U.P., by M/s Bamdev Smart Solutions Pvt. Ltd. File No. 4647/5318 Proposal No. SIA/UP/MIS/30847/2019**

SEIAA noted that the above project was taken in its meeting dated 08/01/2020 in which SEAC has recommended to grant Environmental Clearance along with general and specific condition adding specific condition as follows:-

1. Directions/suggestions given during public hearing and commitment made by the project proponent should be strictly complied.
2. The unit shall strictly comply with the CPCB guidelines for setting up the Common Bio-Medical Waste Treatment Facility (CBWTF).
3. Proponent shall strictly comply the design criteria for incinerator, autoclave, shedder and all other requirements including bar-coding etc. as per the CPCB guidelines.
4. The unit shall strictly ensure mercury waste management at health care facility as per the CPCB guidelines.
5. The unit shall establish Standard Operating Procedure for waste collection, handling transportation, treatment and disposal as per Biomedical Waste Management Rules 2016.
6. Zero Liquid Discharge (ZLD) status shall be maintained all the time.
7. The project proponent shall comply with the Environmental standards notified by MoEF&CC for incinerators along with the technology/guidelines.
8. The project proponent shall submit the schedule for training of various categories of employee involved in Bio-medical waste management at various levels of Bio-medical waste handling and treatment at Bio-Medical treatment facility within next 3 months to SEIAA U.P.
9. Authorization from UPPCB under Bio-medical waste (Management and Handling) rule, 2016 shall be obtained.







 Page 5 of 6



Minutes of the 341<sup>st</sup> Meeting of the SEIAA, UP held on 30/01/2020

10. The unit shall develop 33% of plot area as a green belt within premises as per the CPCB guidelines.
11. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.

  
07.02.2020  
(Shri Ashish Tiwari, IFS)  
Member-Secretary  
SEIAA

  
5/2/20  
(Dr. (Smt.) Madhu Bhardwaj)  
Member  
SEIAA

  
05/02/2020  
(Prof. Rana Pratap Singh)  
Chairman  
SEIAA