

Minutes of the 651st Meeting of the State Level Environment Impact Assessment Authority, UP (SEIAA) held on 20.09.2022

The meeting of 651st State Level Environment Impact Assessment Authority, UP (SEIAA) was held on-line on 20.09.2022 at the Directorate of Environment. The following were present in the meeting:-

1. Dr. Rajiv Kumar Garg	Chairman, SEIAA, U.P
2. Shri Paras Nath	Member, SEIAA, U.P
3. Shri Ajay Kumar Sharma	Member Secretary, SEIAA, U.P

Agenda -A 680th SEAC-1 Meeting Dated 17/08/2022

1. Stone & Sand Stone Mining at Arazi No.- 428, Village- Dhuria, Tehsil- Chunar, Mirzapur, Shri Ravi Shankar Lal. Area: 0.8090 ha. File No. 7186/Proposal No. SIA/ UP/MIN/ 80085/2022

SEIAA agreed with the recommendation of the SEAC-1 to issue additional ToR to the title proposal for conducting EIA studies. SEIAA added following points to ToR-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 3- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 4- Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.
- 5- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 6- KML file for the area and mining lease area should be provided.
- 7- Status of leases granted/to be granted in various mining khandas along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 8- In case project proponent intends to temporarily store mined out material or any tools, equipments or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.



- 9- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 10- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
 - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
 - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 11- In case of expansion / renewal of earlier EC, following information should be submitted
 - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, GoI, Lucknow.
 - b. Copy of CTE and CTO issued by SPCB.
 - c. Status of submission of six-monthly compliance report to EC granted earlier
 - d. Court cases, if any.
- 12- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out in EIA-EMP report.
- 13- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 1,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
- 14- Project Proponent / Consultant has given an affidavit that the project area doesn't fall within the boundary of Critically Polluted Area (CPA). If the affidavit given by PP / Consultant is found to be false then ToR / EC will be cancelled and legal actions will be initiated against them. Further, certificate from concerned RO, UPSPCB that area doesn't attract CPA and a copy of the same should be submitted at the time of evaluation of EIA-EMP report by SEAC.
- 15- In consultation with District Environment Authority or an authority nominated by concerned DM, Project Proponent will prepare a conservation and management plan for the rejuvenation and management of water bodies having a total surface area of not less than 5 ha. Funds for the same will be kept in a separate bank account and six-monthly implementation status will be presented by the Project Proponent before the nominated authority in the district.
- 16- Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
- 17- Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit



geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.

- 18- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.
- 19- Project Proponent in consultation with UPSPCB will establish required number of CAAQMS within a period of one year and submit geo-referenced map of these stations along with data on six-monthly basis.

2. Sand/Morrum Mining at Gata No: 01K (Khand 02), Village- Kukargaow, Tehsil- Tahrauli, Jhansi, Shri Bharat Pahwa., M/s P.S.A. Contractor L.L.P, Area: 9.712 ha. File No. 7187/ Proposal No. SIA/UP/MIN/80087/2022

SEIAA agreed with the recommendation of SEAC 1 to issue additional ToR to the title proposal for conducting EIA studies. The SEIAA also added following points to ToR-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 3- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 4- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 5- KML file for the area and mining lease area should be provided.
- 6- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 7- In case project proponent intends to temporarily store mined out material or any tools, equipment's or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 8- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 9- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
 - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
 - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.

- 10- In case of expansion / renewal of earlier EC, following information should be submitted
 - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, Gol, Lucknow.
 - b. Copy of CTE and CTO issued by SPCB.
 - c. Status of submission of six-monthly compliance report to EC granted earlier
 - d. Court cases, if any.
- 11- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out in EIA-EMP report.
- 12- PP / consultant in compliance to Hon'ble NGT order dated 06.05.2022 in OA no: 141/2021 (With report dated 31.03.2022) Raj Kumar Vs. State of UP and Others and with OA no. 141/2021 Rajkaran Karn Vs. State of UP and Others, will submit replenishment study, duly approved by DGM, along with EIA-EMP report for seeking EC.
- 13- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 10,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
- 14- In consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepared a conservation and management plan for rejuvenation and management of water bodies having total surface area of more than 50 ha. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
- 15- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.

3. Proposed of Factory Building at Plot No: 66, Udyog Vihar, Greater Noida., Shri Ram Sankar, M/s Palika Town LLP. File No. 7190/Proposal No. SIA/UP/MIS/80595/2022

SEIAA agreed with the recommendation of SEAC-1 to issue the additional ToR to the title proposal for conducting EIA studies. The SEIAA also added following points to ToR -

- 1- PP to submit, at the time of EIA-EMP appraisal, certificate from Greater Noida Development Authority that no construction / industrial activity has been carried out by PP without having EC.
- 2- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 3- Copy of all the analysis reports duly signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.



- 4- MOU signed between the project proponent and the consultant should be submitted.
- 5- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 and submit along with EIA.
- 6- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 7- Provision for charging of electric vehicles as per the guidelines of GoI / GoUP should be submitted.
- 8- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.
- 9- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.

4. Setting up of Common Bio-Medical Waste Treatment Facility using latest Plasma Pyrolysis technology at Khasra No.-78, 89, 90, 92 and 93, Village-Naipura kalan, Varanasi, M/s Mahamana Pandit Madan Mohan Malaviya Cancer Centre. File No. 7191/Proposal No. SIA/UP/MIS/80731/2022

SEIAA agreed with the recommendations of SEAC-1 to close/ delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal. A letter shall be send to DM, Varanasi; and MS, SPCB to ensure that no industrial activity is started until valid EC is obtained and in case industrial activity has been carried out without valid EC then it should be stopped and legal action should be initiated against the PP.

5. Stone & Sand Stone Mining at Arazi No. 36/6/5, Village- Sonbarsa, Tehsil- Lalganj, District: Mirzapur, Shri Vijay Kumar Singh, Area: 0.8090 ha. File No. 7192/Proposal No. SIA/UP/MIN/81017/2022

SEIAA agreed with the recommendation of the SEAC-1 to issue additional ToR to the title proposal for conducting EIA studies. SEIAA added following points to ToR-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 3- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 4- Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.
- 5- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 6- KML file for the area and mining lease area should be provided.



- 7- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 8- In case project proponent intends to temporarily store mined out material or any tools, equipments or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 9- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 10- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
 - (iii) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
 - (iv) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 11- In case of expansion / renewal of earlier EC, following information should be submitted
 - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, GoI, Lucknow.
 - b. Copy of CTE and CTO issued by SPCB.
 - c. Status of submission of six-monthly compliance report to EC granted earlier
 - d. Court cases, if any.
- 12- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out in EIA-EMP report.
- 13- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 1,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
- 14- Project Proponent / Consultant has given an affidavit that the project area doesn't fall within the boundary of Critically Polluted Area (CPA). If the affidavit given by PP / Consultant is found to be false then ToR / EC will be cancelled and legal actions will be initiated against them. Further, certificate from concerned RO, UPSPCB that area doesn't attract CPA and a copy of the same should be submitted at the time of evaluation of EIA-EMP report by SEAC.
- 15- In consultation with District Environment Authority or an authority nominated by concerned DM, Project Proponent will prepare a conservation and management plan for the rejuvenation and management of water bodies having a total surface area of not less than 5 ha. Funds for the same will be kept in a separate bank account and six-monthly implementation status will be presented by the Project Proponent before the nominated authority in the district



- 16- Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
- 17- Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.
- 18- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.
- 19- Project Proponent in consultation with UPSPCB will establish required number of CAAQMS within a period of one year and submit geo-referenced map of these stations along with data on six-monthly basis.

6. Expansion and Modernization of Hospital at Plot No. B22, Sector- 62, Noida, U.P., Shri Mohit Singh, M/s. International Hospital Limited. File No. 7193/Proposal No. SIA/UP/MIS/283813/2022

SEIAA agreed with the recommendations of SEAC-1 to close/ delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal. A letter shall be send to DM, Gautam Budh Nagar; CEO, Noida Development Authority; and MS, SPCB to ensure that no activity related to project is started until valid EC is obtained and in case activity related to project has been carried out without valid EC then it should be stopped and legal action should be initiated against the PP.

7. Sand Mining at Gata No. 03mi Khand No.-03 , Village- Gogaon, Tehsil- Sadar & District- Mirzapur, Shri Prashant Maurya, Area:5.0 Ha. File No. 7194/6308/Proposal No. SIA/UP/MIN/79881/2021

SEIAA agreed with the recommendations of SEAC-1 to close/ delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal. A letter shall be send to DM, Mirzapur to ensure that no mining activity is started until valid EC is obtained and in case mining has been carried out without valid EC then work should be stopped and legal action should be initiated against the PP.

8. Commercial Project at Plot No. T-2, IBB-2, Shushant Golf City, District-Lucknow, Shri Rajesh Kumar, M/s Mahesh Infracon Pvt. Ltd. File No. 7195/6589/Proposal No. SIA/UP/MIS/284277/2022

SEIAA noted that SEAC-1 has recommended to grant EC to the above project. SEIAA opined as follows –

- a) PP / consultant to submit compliance report through IRO, MoEFCC, GoI, Lucknow of existing EC, if any, granted to the project
- b) PP / consultant to submit compliance report through UPSPCB of existing CtE and CtO.



- c) PP / consultant to submit point-wise compliance, in a tabular form, of MoEFCC, GoI OM no. 22-21/2020-IA.III dated 07.07.2021 (SoP for identification and handling of violation cases under EIA Notification 2006)
 - d) A letter shall be send to DM, Lucknow; VC, Lucknow Development Authority; and MS, SPCB to ensure that no construction is started until valid EC is obtained and in case construction has been carried out without valid EC then work should be stopped and legal action should be initiated against the PP.
 - e) Without prejudice to any other consequences, action to be initiated u/s 15 read with section-19 of EPA, 1986 against the PP and Project to be closed until EC is granted.
- SEIAA opined that recommendation made by SEAC-1 and documents submitted by PP / consultant will be examined only after all the conditions imposed by SEIAA are complied with.

9. Stone Gitti/ Boulder(Sandstone) Mining at Araj No. 21/20/1, Village- Sukrit, Robertsganj, Sonbhadra, Shri Ram Ashre Singh, Area 1.0117 Ha. File No. 7196/ Proposal No. SIA/UP/MIN/284623/2022

SEIAA agreed with the recommendations of SEAC-1 to close/ delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal. A letter shall be send to DM, Sonbhadra to ensure that no mining activity is started until valid EC is obtained and in case mining has been carried out without valid EC then work should be stopped and legal action should be initiated against the PP.

10. Khanda-Boulder/Gitti-Ballast and Red Morrum Mining at Gata No.- 2232 (Khand 01), Village- Gadiyagaow, Tehsil- Sadar, District- Jhansi, Shri Rajendra Mishra, M/s Deep Builders, Area: 0.8090 ha. File No. 7197/Proposal No. SIA/UP/MIN/ 284435/ 2022

SEIAA took note of comments recorded by SEAC-1.

11. Stone (Khanda, Boulder, Ballast (Gitti) & Pahadi Red Morram Mining at Gata No. - 841 Mi (Khand No.- 03), Village- Paswara, Tehsil- Mahoba, District- Mahoba, Shri Anil Kumar Singh. Area: 4.00 ha. File No. 6789/Proposal No. SIA/UP/MIN/ 70431 /2021

In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022. SEIAA opined to accept the recommendation of SEAC-1 and grant EC to the said project along with all the general and specific conditions as suggested by SEAC-1 adding following specific conditions:-

- 1. Validity period of this EC is 5 years from the date of issue as the Lol has been issued for a period of 5 years or co-terminus with the validity of current mine plan or current lease period whichever is earlier. After this period the EC will become null and void.
- 2. Directions/suggestions given during public hearing and commitment made by the project proponent should be strictly complied.
- 3. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Forest (conservation) Act, 1980 and submit before the start of work.
- 4. The mining lease holders shall, after ceasing mining operations, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora fauna etc.



5. Three tier green shelter belt of 7.5m width should be developed on the periphery of mine lease area. Local and native species should be planted in consultation with Forest/Horticulture Department/Agriculture University.
6. Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.
7. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
8. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 4,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.
9. In consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepared a conservation and management plan for rejuvenation and management of water bodies having total surface area of more than 20 ha. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
10. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.
11. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, GoI, Lucknow.
12. Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
13. Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.
14. Large number of mining projects are ongoing as well as new mining leases are coming up in the district. A reference be sent to DGM and MS, SPCB for preparing mitigation plan for controlling air pollution in the district especially in mining areas.
15. If the air quality deteriorates due to mining, then District Administration & Directorate of Mining should ensure that mining be stopped immediately. Adequate measures be taken for restoring air quality and mining should commence only when air quality attains the prescribed standards.



12. IBM Hospital Project at Plot No.2, Sec- 22E, Yamuna Expressway, Gautam Budh Nagar, Uttar Pradesh, M/s Hans Vahini Shiksha Samiti. File No. 7074/Proposal No. SIA/UP/MIS/272083/2022

In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022. SEIAA opined to accept the recommendation of SEAC-1 and grant EC to the said project along with all the general and specific conditions as suggested by SEAC-1. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 2- The project proponent shall ensure to plant broad leaf trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 3- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
- 4- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 5- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 6- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge.
- 7 Under any circumstances untreated sewage shall not be discharged to municipal sewer line.
- 8- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
- 9- The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to and water harvesting pits and carbon sequestration parks / designed ecosystems.
- 10- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Forest (conservation) Act, 1980 and submit before the start of work.
- 11- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
- 12- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
- 13- Provision for charging of electric vehicles as per the guidelines of GoI / GoUP



should be submitted within the next 3 months.

- 14- PP should display EC granted to them on their website. 6-monthly compliance report should be displayed on their website and a copy of the same should be made available to occupants / owners of this building.

**Assistant Nodal/Nodal Officer
SEIAA, UP**

MoM prepared by Secretariat in consultation with
Chairman & Members on the basis of decisions
taken by SEIAA during the meeting.



(Ajay Kumar Sharma)
Member-Secretary
SEIAA

(Paras Nath)
Member
SEIAA

(Dr. Rajiv Kumar Garg)
Chairman
SEIAA