

# **Minutes of the**

## **333<sup>rd</sup> MEETING**

### **STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY**

**Date: 29.11.2018**

**MINUTES OF THE 333<sup>rd</sup> MEETING OF THE STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT  
AUTHORITY HELD ON 29.11.2018**

Agenda No.	Description	File No.	Minutes
a)	Confirmation of the minutes of the 332 <sup>nd</sup> meeting of the Authority held on 10.08.2018		The minutes of the 332 <sup>nd</sup> meeting of the Authority held on 10.08.2018 was confirmed.
b)	The Action taken on the decisions of the 332 <sup>nd</sup> meeting of the Authority held on 10.08.2018		The Member Secretary tabled the action taken report on the decisions of the 332 <sup>nd</sup> meeting and discussed.
1.	To consider the proposal for grant of Environmental Clearance under EIA Notification 2006 for the project of proposed construction of residential development by M/s. Globus Arima Builders LLP, at survey no 334/2, 3, 4, 335/2, 336/1 to 6A - T.S.No. 38 pt in Krishnarayapuram Village, Coimbatore North Taluk, Coimbatore District, Tamil Nadu under sl. no 8 (a) of the Schedule – Building And Construction Projects.	5535	Discussed in detail, the Authority decided to defer the proposal for want of the following additional particulars: <ol style="list-style-type: none"> <li>1. The project proponent should furnish the certificate stating that the proposed site has not encroached any water body (rivers, canals, lakes, ponds, tanks, etc) shall be obtained from the competent authority before issue of EC as recommended by SEAC.</li> <li>2. Breakup details for total land area including the details of play area shall be furnished</li> </ol>
2.	To consider the proposal for grant of Environmental Clearance under EIA Notification 2006 for the project by M/s. Riverside Infrastructure (India) Pvt, Proposed Expansion of Commercial Cum Residential Building Consist of Hyper Market, Shops, Hotel & Restaurant, Food Court, Theatre, 50 Nos. of Guest Rooms, 56 Dwelling units and MLCP Block with Swimming Pools at Door No.138 & 139 comprising of Survey. No. 135/1, 135/2, 135/3A, 136A/1A1,	6413	Discussed in detail, the Authority decided to refer the proposal back to SEAC for appraisal by considering the Public Works Department NOC on inundation point of view and technical suggestion for the constructed project vide in their Lr. No. DB /T5(3)/F-inundation – karapakkam / 2016/ dated:25/06/2018 for the following points mentioned in the technical suggestion: <ol style="list-style-type: none"> <li>1. The applicant's lands in S.F.No.1</li> </ol>

  
MEMBER SECRETARY

17.11.18  
MEMBER

  
CHAIRMAN

139 /1A, 139/1B1, 139/1B2, 139/1C1, 139/1C2, 139/1D1, 139/1D2, 139/1E, 139/2, 139/3A, 139/3B, 139/4, 139/5A, 139/5B, 140/1, 140/2A, 140/2B, 140/2C1, 140/2C2, 140/2D, 140/3A, 140/3B1, 140/3B2, 140/4A, 140/4B1, 140/4B2, 140/5A, 140/5B, 140/5C, 140/5D, 140/6 & 140/7 of Karapakam Village, Sholinganallur Taluk, Kancheepuram District, Tamil Nadu under Category "B2" and Schedule S.No. 8(a) Building and Construction Projects.

to 3 & 19 to 36 are found to be wet lands as per revenue records. Hence, these lands are to be converted/ reclassified from agricultural use zone to primary residential zone and necessary permission may be obtained from the competent authority.

2. The applicants land should be filled with earth with proper compaction to the minimum level of (+)5.350m to protect the site from inundation during floods i.e. constructed building area along with all other area within the site must be raised to a minimum level of (+)5.350m i.e. interior roads, infrastructure activities, other amenities etc. The process of earth filling and compaction should be done in layers of not more than 0.30m depth to achieve the required degree of compaction for a depth varying from 3.0m to 3.1m depending upon the existing field levels and the existing OMR Road which is on Eastern side of the site as (+)4.750m. And the floor level of ground floor should not be reduced less than (+) 5.950m at any cost for any regular habitation in the constructed building. Also

  
MEMBER SECRETARY

17.11.17  
MEMBER

  
CHAIRMAN

			<p>the applicant should provide suitable emergency pumping operation for the seepage water in the constructed basement floor as well as dewatering arrangements during flood periods and the same should be properly connected to the storm water drain.</p>
3.	<p>To extend the validity of ToR &amp; Name Change of the project for the Proposed Expansion and Modernization of Foundry Unit by M/s. Hinduja Foundaries at S.No. 39A &amp; 39B of Kathivakkam Village, Ambattur Taluk, Thiruvallur District.</p>	2727	<p>Discussed in detail, the Authority observed that you have not furnished the current TNPCB monitored data for AAQ, stack monitoring and CARE AIR report, instead you have furnished consolidated CARE AIR CENTER ONLINE AAQ monitoring data only.</p> <p>The Authority observed that as per the MoEF &amp; CC OM No. J-11013/41/2006-IA-11(I)(Part)dated:29.08.2017, the ToR extension may be valid dated upto 04.12.2018 only.</p> <p>In the view of the above, the Authority has decided that you shall apply for fresh Terms of Reference along with TNPCB monitored data for AAQ, stack monitoring for last three years</p>
4.	<p>To consider the proposal for the issue of Environmental Clearance for Expansion in Production of Water based Latex Polymer from 40000 MTA to 70000 MTA&amp; Latex Polymer cake from 407 MTA to1462 MTA in two phases in existing Emulsion Plant by M/s. Dow Chemical International Private Limited located at Plot No. L-7, SIPCOT Industrial Park (Phase-II),</p>	6439	<p>Discussed in detail, the Authority decided to seek clarification from MoEF &amp; CC regarding the applicability of EIA Notification, 1994 to the project. The proposal will be further processed only after the reply from MoEF &amp; CC for the same.</p>

  
MEMBER SECRETARY

17.11.17  
MEMBER

  
CHAIRMAN

	Mambakkam Post, Sriperumbudur Village, Kanchipuram District- Category "B1"-5(F) Synthetic Organic Chemical Industry.		
5.	To consider the proposal for issue of Terms of Reference (tor) for the proposed Silambimangalam Captive coal Trestle Jetty by M/s. The Ramco Cements Limited at S.F.No. Parts of 223, 224, 225, 254 & 254. of Silambimangalam & Villiyannallur Village, Chidambaram Taluk, Cuddalore District, Tamil Nadu.	6488	Discussed in detail, the Authority decided to recommend the proposal for the issue of standard ToR for the preparation of EIA report with Public Hearing along with the following additional ToR: <ol style="list-style-type: none"> <li>1. The proponent shall furnish the proposal for Advanced Air Pollution Control measures with online monitoring to control the air pollution due to the proposed activity.</li> <li>2. CRZ Clearance shall be obtained under CRZ notification, 2011.</li> </ol>
6.	To consider the proposal for the grant of Environmental Clearance for Rough stone, Jelly & Gravel Quarrying in at S.F No. 900/1(P), 902, 903, 906/1, 906/2 & 908/3 of Pazhavor Part-1 Village, Radhapuram Taluk, Tirunelveli District by Thiru. M.Nelson Jerald Bright.	6490	Discussed in detail, the Authority decided to refer back the proposal to SEAC for appraisal on following points: <ol style="list-style-type: none"> <li>1. The Hon'ble Supreme Court in W.P. No. 435 of 2012 (Goa Foundation Vs. Union of India) and order dated 04.08.2006 of Supreme Court in T.N. Godavarman Thirumulpad vs. Union of India &amp; Ors. Supreme Court which has taken a view that 1 km. from the boundaries of National Parks and Sanctuaries would be a safety zone. The same was confirmed by the Hon'ble National Green Tribunal (NGT),</li> </ol>

  
MEMBER SECRETARY

17.11.17  
MEMBER

  
CHAIRMAN

			<p>Principal Bench, New Delhi in its order dated 25.09.2018 has confirmed earlier orders that no mining activity can be permitted upto 1 Km from the boundary of the National park and Sanctuaries.</p> <p>2. District Forest Officer, Kanyakumari District vide C.No.D1/2414/2018 dated 01.08.2018 received from District Forest Officer, Kanyakumari District. (Received by e-mail in this office on 15.11.2018) after the SEAC recommendation dated 28.07.2018.</p>
7.	To consider the proposal for the issue of Environmental Clearance for the proposed expansion of production capacity from 5,76,000 TPA to 23, 04,000 TPA of LPG by M/s. Indian Oil Petronas Private Limited at Survey Nos 94pt, 95pt, 109, 110, 202pt, 204, 207 to 216, 219-225, athipattu Village, Ponneri Taluk, Thiruvallur District, Tamilnadu under schedule S.No. 6(b) of Category "B" – Isolated Storage & Handling Of Hazardous Chemicals.	2453	<p>Discussed in detail, the Authority decided to issue Environment Clearance subject to the following condition in addition to the normal conditions:</p> <p>a) Disaster management &amp; Risk Assessment plan shall be enforced strictly and shall be reviewed annually by through third party.</p>
8.	To consider the proposal for the issue of Environmental Clearance for the proposed capacity expansion of Madurai terminal from 79,940 KL to 84,280 KL of petroleum products by M/s. Indian Oil Corporation Limited at Survey nos. 159 & 160, SIDCO Industrial Estate, Kappalur Village, Tirumangalam Taluk, Madurai - 625008, Tamilnadu.	6436	<p>Discussed in detail, the Authority decided to recommend the proposal for the issue of EC subject to the following conditions in addition to the normal conditions:</p> <p>1. The industry shall treat the sewage generated from the rest room and canteen deployed for the employees in the STP provided</p>

  
MEMBER SECRETARY


17.11.17  
MEMBER

  
CHAIRMAN

			2. Disaster management shall be enforced strictly and shall be reviewed annually by through third party.
9.	To consider the proposal for the issue of ToR for the proposed Augmentation of LPG storage capacity in existing LPG Bottling plant of M/s. SHV Energy Private Limited, Bottling Plant at No.174, Survey no. 274, Vadakkal 'B' Village, Sriperumbudur Taluk, Kancheepuram District, Tamil Nadu.	6605	Discussed in detail, the Authority decided to recommend the proposal for the issue of Terms of References (ToR) with Public Hearing for the preparation of EIA Report along with the additional ToR:  a) Detail shall be furnished on adequate engineering measures implemented to prevent LPG leakage and strengthening of the implementation to prevent LPG leakage for the proposed project
10.	To consider the proposal for the issue of ToR for the Proposed Additional Tankages in IOCL Coimbatore Terminal by M/s. Indian Oil Corporation Limited at Survey Nos. 137-142, 149, 182, Athappa Goundan Pudur (Hamlet), Irugur P.O, Sulut Taluk, Coimbatore-641103, Under Schedule S.No. 6(B) of Category "B" – Isolated Storage & Handling of Hazardous Chemicals	6626	Discussed in detail, the Authority decided to recommend the proposal for the issue of Terms of References (ToR) for the preparation of EIA/EMP report with Public consultation along with the additional Terms of Reference:  1. Comprehensive and periodical health check up conducted for workers in the industry shall be furnished.  2. Detailed fire safety management plan shall be furnished.
11.	To consider the proposal for the issue of Terms of Reference (ToR) under EIA Notification 2006 for the Expansion of Information Technology Park project by M/s. ETA Technopark Limited at S. No 95/1, 95/2, 95/3, 95/4, 95/5, 96/1, 96/2A,	6491	Discussed in detail, the Authority decided to recommend the proposal for the issue of ToR subject to the following additional ToR:  1. The proponent shall install UV

  
MEMBER SECRETARY

17.11.17  
MEMBER

  
CHAIRMAN

	96/2B etc of Navalur Village, Thiruporur Taluk in Kanchipuram District, Tamil Nadu under Category "B2" and Schedule S.No. 8(b) Building and Construction Projects.		<p>system for the STP.</p> <p>2. The proponent shall furnish details regarding the proposed and existing e-waste management system.</p> <p>3. The proponent shall furnish detailed green belt development plan</p>
12.	To consider the proposal for grant of Environmental Clearance under EIA Notification 2006 for the project of Proposed Expansion of Residential Development project by M/s. Cybercity Builders and Developers Pvt. Ltd at Survey Numbers: 765/29B2C, 765/29B1, 389/2, 384, 398/2, 397/2, 390, 391, 392, 380, 379 of Mangadu village, Pallavaram taluk, Kanchipuram District, Tamil Nadu under Sl. No 8 (b) of the Schedule – Township and Area Development Projects.	6397	<p>Discussed in detail, the Authority decided to defer the proposal for want of the following additional particulars:</p> <p>1. The project proponent should furnish the certificate stating that the proposed site has not encroached any water body (rivers, canals, lakes, ponds, tanks, etc) shall be obtained from the competent authority before issue of EC recommended by SEAC.</p> <p>2. Breakup details for total land area including the details of play shall be furnished</p>

  
MEMBER SECRETARY

17.11.17  
MEMBER

  
CHAIRMAN