

Minutes of the 549th Meeting of the State Level Environment Impact Assessment Authority, UP (SEIAA) held on 30.12.2021

The meeting of 549th State Level Environment Impact Assessment Authority, UP (SEIAA) was held on-line on 30.12.2021 at the Directorate of Environment. Following were present in the meeting:-

- | | |
|---------------------------|------------------------------|
| 1. Dr. Rajiv Kumar Garg | Chairman, SEIAA, U.P |
| 2. Shri Paras Nath | Member, SEIAA, U.P |
| 3. Shri Ajay Kumar Sharma | Member Secretary, SEIAA, U.P |

Nodal Officer SEIAA placed before SEIAA files and documents related to below mentioned projects.

Agenda-A: -Complaints/letters – Nil

Agenda-B: Replies-

1. **Expansion of Existing Integrated Paints & Resins Emulsions Manufacturing Plant located at plot no. A2, B2, UPSIDC Region-V, Village-Kasna, TalukaDankaur, District- Gautam Buddha Nagar, U.P. File No. 6251/Proposal No. SIA/UP/IND2/62144/2021**

SEIAA noted that the above project was taken in its 495th meeting in which SEIAA found that certified compliance report has not been submitted, and the quantity and category mentioned in hazardous waste category is different in application and reply submitted on 12.08.2021. Hence SEIAA opined that the project proponent shall submit the same. The project proponent has submitted his reply vide letter dated 28.10.2021. Hence SEIAA agreed with the recommendation of SEAC to grant EC to the above project, adding following conditions:-

1. Hazardous waste incinerator should be strictly used
2. Raw material handling should be done in such a way that no fugitive emission and spillage should take place

2. **Multistory Building, Row Houses & Commercial Space at Village- Aurangabad Khalsa, Lucknow Nagar Nigam Lucknow. File No. 3930/Proposal No. SIA/UP/NCP/ 71737/2017**

SEIAA noted that the above project was taken in its 460th meeting in which SEIAA opined that the project proponent shall submit revised water balance for monsoon and non-monsoon season. The project proponent has submitted his reply vide letter dated 3.8.2021 in which he has requested to grant exemption from EC. Hence SEIAA opined that project proponent should be clarify whether they want EC or exemption from EC.

3. "Green berry High Street Mall" at Plot No.-C.P. 3/2, Vastu Khand-03, Gomti Nagar, Lucknow., Shri Rajesh Kumar Gupta, M/s Nittin Buildcon L.L.P., Lucknow, U.P. File No. 6080/Proposal No. SIA/UP/MIN/185494/2020

SEIAA noted that the above project was taken in its 478th meeting in which SEIAA opined that the project proponent shall submit details of disposal of the treated waste water and structural stability certificate from a government institution. The project proponent has submitted his reply vide letter dated 2.8.2021. SEIAA agreed with the recommendations of the 535th SEAC meeting to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 2- The project proponent shall ensure to plant broad leaf trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 3- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
- 4- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 5- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 6- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge.
- 7- Under any circumstances untreated sewage shall not be discharged to municipal sewer line.
- 8- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
- 9- The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to and water harvesting pits and carbon sequestration parks / designed ecosystems.
- 10- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Forest (conservation) Act, 1980 and submit before the start of work.
- 11- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally

Minutes of the 549th Meeting of the SEIAA, UP held on 30.12.2021

valid source and permission from the competent authority shall be obtained to use it.

Agenda-B:- Minutes of 608th SEAC-1 Meeting Dated 20/12/2021

1. **Stone, Gitti, Khanda & Boulder Mining at Gata No. 281 (Khand No.- 08), Village-Madorakhurd, Tehsil- Moth & District- Jhansi, Shri Ratan Singh Yadav, M/s Ratan Stone Gramodhyog Area- 1.214 Ha. File No. 6014/Proposal No. SIA/UP/MIN/58853/2020**

SEIAA noted the comments of SEAC that PP has requested to defer the project. SEIAA opined to delist the file and open only after submission of online request on prescribed online portal. A letter shall be send to DM, Jhansi to ensure that no mining activity is started until valid EC is obtained.

2. **Stone, Khanda, Boulder, Ballast (Gitty) Mining at Gata No. 1509 in Village- Pahra, Tehsil-Sadar, Mahoba, Shri Chunubad., Area 1.133 Ha. File No. 6706/Proposal No. SIA/UP/MIN/241083/2021**

SEIAA noted that the above project was already granted EC in its 547th meeting. Hence no action is required at SEIAA level.

3. **Stone, Khanda, Boulder, Ballast, Granite Mining at Gata No.93 Khand-31, Village-Bari, Tehsil-Sadar, Mahoba., Shri Vishal Singh, Area 1.012 Ha. File No. 6707/Proposal No. SIA/UP/MIN/69511/2021**

SEIAA agreed with the recommendation of the SEAC to issue the additional ToRs to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR;-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 3- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 4- Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.
- 5- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 6- KML file for the area and mining lease area should be provided.
- 7- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 8- In case project proponent intends to temporarily store mined out material or any tools, equipments or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.

A

Minutes of the 549th Meeting of the SEIAA, UP held on 30.12.2021

- 9- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 10- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
 - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
 - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 11- In case of expansion / renewal of earlier EC, following information should be submitted
 - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, GoI, Lucknow.
 - b. Copy of CTE and CTO issued by SPCB.
 - c. Status of submission of six-monthly compliance report to EC granted earlier
 - d. Court cases, if any.
- 12- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out in EIA-EMP report.
- 13- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 2,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
- 14- In consultation with District Environment Authority or an authority nominated by concerned DM, Project Proponent will prepare a conservation and management plan for the rejuvenation and management of water bodies having a total surface area of not less than 10 ha. Funds for the same will be kept in a separate bank account and six-monthly implementation status will be presented by the Project Proponent before the nominated authority in the district.
- 15- Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
- 16- Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.



4. Stone, Khanda, Boulder, Ballast (Gitty), Granite Mine at Araj No. 199 (Khand - 02), Village-Naigawan, Tehsil- Sadar Mahoba., Shri Prashant Malviya., Area 4.0 Ha. File No. 6708/Proposal No. SIA/UP/MIN/69513/2021

SEIAA agreed with the recommendation of the SEAC to issue the additional ToRs to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR;-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 3- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 4- Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.
- 5- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 6- KML file for the area and mining lease area should be provided.
- 7- Status of leases granted/to be granted in various mining khand along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 8- In case project proponent intends to temporarily store mined out material or any tools, equipments or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 9- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 10- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
 - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
 - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 11- In case of expansion / renewal of earlier EC, following information should be submitted
 - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, GoI, Lucknow.
 - b. Copy of CTE and CTO issued by SPCB.
 - c. Status of submission of six-monthly compliance report to EC granted earlier
 - d. Court cases, if any.
- 12- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out in EIA-EMP report.

- 13- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 4,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
- 14- In consultation with District Environment Authority or an authority nominated by concerned DM, Project Proponent will prepare a conservation and management plan for the rejuvenation and management of water bodies having a total surface area of not less than 20 ha. Funds for the same will be kept in a separate bank account and six-monthly implementation status will be presented by the Project Proponent before the nominated authority in the district.
- 15- Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
- 16- Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.

5. Building Stone, Khanda, Boulder, Balast (Gitti)" at Arazi No- 339 (Khand No: 39 Naya, 21 Purana) Area 1.619 ha. in Village Daharra Tehsil & District Mahoba., M/s Anil Kumar Agarwal Mines Contractor. File No. 6709/Proposal No. SIA/UP/MIN/ 69519/2021

SEIAA agreed with the recommendation of the SEAC to issue the additional ToRs to the title proposal for conducting EIA studies. **ToR to be issued only after submission of letter regarding inclusion of area in DSR issued either by DM, Mahoba or under authorization.** The SEIAA also added the following points to TOR:-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 3- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 4- Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.
- 5- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 6- KML file for the area and mining lease area should be provided.
- 7- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.



Minutes of the 549th Meeting of the SEIAA, UP held on 30.12.2021

- 8- In case project proponent intends to temporarily store mined out material or any tools, equipments or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 9- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 10- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
 - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
 - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 11- In case of expansion / renewal of earlier EC, following information should be submitted
 - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, GoI, Lucknow.
 - b. Copy of CTE and CTO issued by SPCB.
 - c. Status of submission of six-monthly compliance report to EC granted earlier
 - d. Court cases, if any.
- 12- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out in EIA-EMP report.
- 13- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 2,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
- 14- In consultation with District Environment Authority or an authority nominated by concerned DM, Project Proponent will prepare a conservation and management plan for the rejuvenation and management of water bodies having a total surface area of not less than 10 ha. Funds for the same will be kept in a separate bank account and six-monthly implementation status will be presented by the Project Proponent before the nominated authority in the district.
- 15- Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
- 16- Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-



Minutes of the 549th Meeting of the SEIAA, UP held on 30.12.2021

referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.

6. Stone Gitty/Boulders Dolo stone Mining at Arazi No. /Khasra/ Gata No-7536 Ga.Mi.(khand-4)Village-BilliMarkundi,Tehsil-Obra, Sonbhadra., Shri Ajay Kumar Singh, M/s Shri Ram Associates.,Area 4.0 Ha. File No. 6711/Proposal No. SIA/UP/MIN/69557/2021

SEIAA agreed with the recommendation of the SEAC to issue the additional ToRs to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR:-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 3- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 4- Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.
- 5- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 6- KML file for the area and mining lease area should be provided.
- 7- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 8- In case project proponent intends to temporarily store mined out material or any tools, equipments or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 9- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 10- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
 - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
 - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 11- In case of expansion / renewal of earlier EC, following information should be submitted
 - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, Gol, Lucknow.



Minutes of the 549th Meeting of the SEIAA, UP held on 30.12.2021

- b. Copy of CTE and CTO issued by SPCB.
 - c. Status of submission of six-monthly compliance report to EC granted earlier
 - d. Court cases, if any.
- 12- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out in EIA-EMP report.
 - 13- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 4,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
 - 14- Project Proponent / Consultant has given an affidavit that the project area doesn't fall within the boundary of Critically Polluted Area (CPA). If the affidavit given by PP / Consultant is found to be false then ToR / EC will be cancelled and legal actions will be initiated against them. Further, certificate from concerned RO, UPSPCB that area doesn't attract CPA and a copy of the same should be submitted at the time of evaluation of EIA-EMP report by SEAC.
 - 15- In consultation with District Environment Authority or an authority nominated by concerned DM, Project Proponent will prepare a conservation and management plan for the rejuvenation and management of water bodies having a total surface area of not less than 20 ha. Funds for the same will be kept in a separate bank account and six-monthly implementation status will be presented by the Project Proponent before the nominated authority in the district.
 - 16- Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
 - 17- Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.
7. **Khanda-Boulder/ Gitti-Ballast Mine at Gata No 98 (Khand 03) Village- Karanpura, Tehsil- Garautha, Jhansi, Shri Bharat Premani,, Area 0.8090 ha. File No. 6712/Proposal No. SIA/UP/MIN/241319/2021**

SEIAA noted that the above project was already granted EC in its 547th meeting. Hence no action is required at SEIAA level.



Minutes of the 549th Meeting of the SEIAA, UP held on 30.12.2021

8. Building Stone Gitty/Boulders Dolo Stone Mining at Arazi No. /Khasra/ Gata No-7536 Ga.Mi. (khand-2), Village-Billi Markundi, Tehsil-Obra, Sonbhadra.Shri Alok Singh.,M/sGaneshay Enterprises.,Area 4.0 Ha. File No. 6715/Proposal No. SIA/UP/MIN/69615/2021

SEIAA agreed with the recommendation of the SEAC to issue the additional ToRs to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR:-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 3- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 4- Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.
- 5- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 6- KML file for the area and mining lease area should be provided.
- 7- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 8- In case project proponent intends to temporarily store mined out material or any tools, equipments or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 9- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 10- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
 - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
 - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 11- In case of expansion / renewal of earlier EC, following information should be submitted
 - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, Gol, Lucknow.
 - b. Copy of CTE and CTO issued by SPCB.
 - c. Status of submission of six-monthly compliance report to EC granted earlier
 - d. Court cases, if any.



Minutes of the 549th Meeting of the SEIAA, UP held on 30.12.2021

- 12- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out in EIA-EMP report.
 - 13- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 4,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
 - 14- Project Proponent / Consultant has given an affidavit that the project area doesn't fall within the boundary of Critically Polluted Area (CPA). If the affidavit given by PP / Consultant is found to be false then ToR / EC will be cancelled and legal actions will be initiated against them. Further, certificate from concerned RO, UPSPCB that area doesn't attract CPA and a copy of the same should be submitted at the time of evaluation of EIA-EMP report by SEAC.
 - 15- In consultation with District Environment Authority or an authority nominated by concerned DM, Project Proponent will prepare a conservation and management plan for the rejuvenation and management of water bodies having a total surface area of not less than 20 ha. Funds for the same will be kept in a separate bank account and six-monthly implementation status will be presented by the Project Proponent before the nominated authority in the district.
 - 16- Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
 - 17- Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.
9. Expansion of Induction Furnace and Rolling Mills 53000 MT PA Induction furnace and 60000 MT TMT Bars to 2,25000 MT PA (115000 MT Ibgot 110000 MT TMT Bars), at Khasra No.- 2074 & 2090, Village- Sujru, Muzaffarnagar, U.P., M/s Sarvottam Rolling Mills Pvt. Ltd. File No. 5714/Proposal No. SIA/UP/IND/ 160305/2020

SEIAA took note of details recorded by SEAC-1 regarding this project in their aforesaid MoM which states as follows:-

1. Date of issuance of ToR-30.05.2021
2. Date of public hearing-04.02.2020
3. Date of submission of EIA/EMP report- 30.06.2020

This chronological order clearly exhibits that PP/consultant has not followed due process for environmental assessment for the project and SEAC has also recommended this project for the grant of EC. In the light of above fact the environmental assessment of the project is faulty and recommendations made by SEAC for the grant of EC is not acceptable. SEIAA opined that there is no merit in further evaluation of this project.



10. Construction of Residential & Non Residential Buildings of "PAC Mahila Battalion" at Gorakhpur, U.P. By Shri Dev Narayan Yadav, Commandant, Veerangana Jhalkari Bai Mahila Police Battalion, Gorakhpur. File No. 6716/Proposal No. SIA/UP/MIS/241719/2021

SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-

1. For water conservation dual plumbing system should be used
2. The project proponent shall work in the direction of reducing Environmental Footprints (Fossil fuels, Energy consumption, water usage, waste disposal) over a period of time and maintain a record of such effort and outcomes.
3. The project proponent shall strictly comply with plastic waste management rules, Gol.
4. The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
5. The project proponent shall ensure to plant broad leaf trees and their maintenance. The CPCB guidelines in this regard shall be followed.
6. The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
7. The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
8. The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
9. The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge.
10. Under any circumstances untreated sewage shall not be discharged to municipal sewer line.
11. The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
12. The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to and water harvesting pits and carbon sequestration parks / designed ecosystems.
13. A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Forest (conservation) Act, 1980 and submit before the start of work.



11. Stone Mining at Gata No.-339, Khand no.-30 New, 19 Old, Village-Daharra, Tehsil-Sadar, Mahoba, Shri Mujiburrahman., Area-1.214 ha., File No. 6396 Proposal No. SIA/UP/MIN/64103/2021

SEIAA agreed with the recommendation of the SEAC to issue the additional ToRs to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR:-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 3- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 4- Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.
- 5- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 6- KML file for the area and mining lease area should be provided.
- 7- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 8- In case project proponent intends to temporarily store mined out material or any tools, equipments or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 9- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 10- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
 - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
 - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 11- In case of expansion / renewal of earlier EC, following information should be submitted
 - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, GoI, Lucknow.
 - b. Copy of CTE and CTO issued by SPCB.
 - c. Status of submission of six-monthly compliance report to EC granted earlier
 - d. Court cases, if any.



Minutes of the 549th Meeting of the SEIAA, UP held on 30.12.2021

- 12- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out in EIA-EMP report.
- 13- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 2,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
- 14- In consultation with District Environment Authority or an authority nominated by concerned DM, Project Proponent will prepare a conservation and management plan for the rejuvenation and management of water bodies having a total surface area of not less than 10 ha. Funds for the same will be kept in a separate bank account and six-monthly implementation status will be presented by the Project Proponent before the nominated authority in the district.
- 15- Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
- 16- Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.

**Nodal Officer
SEIAA, UP**



**(Ajay Kumar Sharma)
Member-Secretary
SEIAA**

**(Paras Nath)
Member
SEIAA**

**(Dr. Rajiv Kumar Garg)
Chairman
SEIAA**