State Expert Appraisal Committee (SEAC) Tamil Nadu

368 SEAC Meeting

AGENDA

Venue: SEIAA Conference Hall

Please Check MoEF&CC Website at www.parivesh.nic.in for details and updates

From Date:19 Apr 2023

TO Date:19 Apr 2023

CONSIDERATION/RECONSIDERATION OF ENVIRONMENTAL CLEARANCE									
S.No	Proposal								
		Proposed Residential Multistoried Development - Kochar Jewel with total built up area - 21,721.58 Sq.m							
(1)		State of the project							
	S. No.	State	Distric	t	Tehsil		Village		
		NIL							
	[SIA/	[SIA/TN/INFRA2/407076/2022, 9590]							
	EART	EARTH QUARRY OF THIRU.G.KARTHIK							
(2)	S. No.	State	District		Tehsil		Village		
	(1.)	Tamil Nadu	Theni	Ut	hamapalaya	m	Seepalakottai		
	[SIA/TN/MIN/199357/2021, 8378/2021]								
	M. Po	M. Ponnambalam Black Granite Quarry							
(3)	S. No.	State	District		Tehsil		Village		
	(1.)	Tamil Nadu	Salem	•	Vazhapadi	Pe	eriyagoundapuram		
	[SIA/TN/MIN/274479/2022, 9286]								
	Bhuvaneshwari Granite Quarry								
(4)	S. No.	State	District		Tehsil		Village		
	(1.)	Tamil Nadu	Viluppurar	n	Kallakkuric	hi			
	[SIA/TN/MIN/27887/2018 , 6551/2018]								
	Proposed Mining of Rough stone & Gravel quarry by Thiru V. Sivaraman								
(5)	S. No.	State	Distric	t	Tehsil		Village		
	(1.)	Tamil Nadu	Theni		Theni		Allinagaram		

	[SIA/	[SIA/TN/MIN/286752/2022, 9429]						
	Roughstone Jelly and Gravel Quarry of Hi-Tech Rock Products & Aggregates Limited over an area of 3.981Ha.							
	State of the project							
(6)	S. No.	State	District	Tehsil	Village			
		NIL [SIA/TN/MIN/421303/2023 , 9406]						
	Rough	Roughstone Jelly and Gravel Quarry of Hi-Tech Rock Products & Aggregates Limited over an area of 4.714Ha.						
		State of the project						
(7)	S. No.	State	District	Tehsil	Village			
	NIL							
	[SIA/	[SIA/TN/MIN/421328/2023, 9407]						
	Roughstone Jelly and Gravel Quarry of Hi-Tech Rock Products & Aggregates Limited over an area of 3.740Ha.							
	State of the project							
(8)	S. No.	State	District	Tehsil	Village			
	NIL							
	[SIA/TN/MIN/421375/2023, 9405]							
	Pannamoopanpatti Limestone MIne							
(9)	S. No.	State	District	Tehsil	Village			
	(1.)	Tamil Nadu	Madurai	Usilampatti	Pannamoopanpatti			
[SIA/TN/MIN/64391/2018, 6355/2017]								
CONSIDERATION OF TOR PROPOSALS								
S No	Duonagal							

S.No	Proposal						
	Tvl.Sri Vinayaka Enterprises Rough Stone Quarry						
	State of the project						
(1)	S. No.	State	District	Tehsil	Village		
	NIL						
	[SIA/TN/MIN/419662/2023, 9869]						
	KARUPPUR SENAPATHY LIMESTONE MINE						
(2)	State of the project						
	S. No.	State	District	Tehsil	Village		
	NIL						

L

	[SIA/]	[SIA/TN/MIN/25115/2018 , 6388]						
	Thiru.K.Jeeva Rough stone quarry							
(3)	State of the project							
	S. No.	State	District	Tehsil	Village			
		NIL						
	[SIA/TN/MIN/416736/2023, 9870]							
	Proposed expansion of steel melting plant & rolling mill located at S.F. No. 110/1A, 1B & 2, Annandanapatti Rural Village, Salem south Taluk, Salem District							
	State of the project							
(4)	S. No.	State	District	Tehsil	Village			
		NIL						
	[SIA/]	[SIA/TN/IND1/403419/2022, 9526]						
	-	Proposed Expansion of Steel Melting Shop & Steel Rolling Mill by M/s. Dindigul Steel Rolling Mills Private Limited						
		State of the project						
(5)	S. No.	State	District	Tehsil	Village			
	NIL							
	[SIA/TN/IND1/416049/2023, 9810]							
	P.Chandramohan Rough Stone and Gravel Quary project Extent:1.81.5ha S.F.Nos. 428/2, 429/1 & 429/2 of Chikkarampalayam Village, Mettupalayam Taluk, Coimbatore District							
	State of the project							
(6)	S. No.	State	District	Tehsil	Village			
	NIL							
	[SIA/TN/MIN/412754/2023, 9705]							
	Thiru.P.Arumugam Rough stone and gravel quarry							
	State of the project							
(7)	S. No.	State	District	Tehsil	Village			
	NIL							
	[SIA/TN/MIN/412645/2022, 9725]							
	Manufacturing of Billets & Re-rolling Steel Angle & Flat Bars Channels, Patra & Hollow Section with a total production of 4 Lakhs Tons Per Annum							
(8)	State of the project							
	S. No.	State	District	Tehsil	Village			

		NIL						
	[SIA/T]	[SIA/TN/IND1/419918/2023, 9877]						
	B.M.Mines Rough Stone and Gravel Quarry Extent of 4.50.0Ha S.F.Nos. 207/1A1, 207/1A2A and 208/3 (Part) of Alur Village, Hosur Taluk, Krishnagiri District,							
(9)	State of the project							
	S. No.	State	District	Tehsil	Village			
			NIL					
	[SIA/TN/MIN/421183/2023 , 9897]							
		Proposed Construction of Building for Centre of Excellence for Cancer Diseases in Government Arignar Anna Memorial Cancer Hospital						
		State of the project						
(10)	S. No.	State	District	Tehsil	Village			
	NIL							
	[SIA/TN/INFRA2/417323/2023, 9876]							
	Rough Stone and Gravel Quarry of Thiru.A.V.Sarathy							
	State of the project							
(11)	S. No.	State	District	Tehsil	Village			
	NIL							
	[SIA/TN/MIN/415846/2023, 9767]							
(12)	Rough Stone and Gravel Quarry of Thiru. J. Saipreetham							
	State of the project							
	S. No.	State	District	Tehsil	Village			
	NIL							
	[SIA/TN/MIN/418218/2023, 9851]							

Discussion on any other item with permission of the Chair.

10.5

Important Note:

1. The project proponents are requested to send the project details in respect of establishment/identification of violation

(by SEIAA/MoEF&CC) in the format as per Annexure-I, Annexure-II, Annexure-III & Annexure-IV.

(1) The project proponents should submit the Form-1, Pre-feasibility report for TOR along with other requisite documents, Environment Impact Assessment Report, public hearing report, queries subsequently raised by the Ministry, if any including details of the court matters/Orders of the Court pertaining to the project if any, in original, duly signed by the company authorized signatory for

Environmental Clearance, well in advance before meeting to Ministry's project section or utmost at the time of presentation, without which the proposal will not be considered.

Note:Submit a copy of each of above documents - <u>Hard and Soft Copies (CD)</u> to the Member secretary, Violation (Note: Not by Name) by speed post so as to reach well in time.

- (ii) Compliance Report from Regional Office, MoEF&CC (Applicable for projects already having EC).
- (iii) The KML/Shape files should be emailed to mentioned at para No. 7 below at least 5 days prior to the meeting.
- (iv) The above all documents are required to be forwarded to the Chairman/Members of the Expert Appraisal Committee along with soft copy.
- 2 All the documents including the hard copy of the presentation material should be legible and printed on both sides on ordinary paper. In case the members of the Expert Appraisal Committee do not receive the proposals/documents before the meeting, the Committee will not consider the project.
- 3 The Project Proponent or his or her authorized representative /consultant should avoid delivery of documents by hand and seeking meeting with <u>Chairman/Members.</u> Members are also requested to discourage/ avoid the meeting with the PP/ consultants.
- 4 Further, it is requested that the project proponent or his/her authorized representative should attend the presentation meeting of SEAC. They may also depute senior officers from the company (preferably not more than two representatives) who can make a presentation on their behalf on the salient features of the project, the related environmental issues, proposed Environmental Management Plan and also respond to the queries/suggestions of the Committee.
- 5 Any changes/modification with respect to the Agenda, Venue etc., would be indicated in Ministryâ€[™]s website. You are also requested to keep track of the status of your project from the Ministry/s Website i.e., www.envfor.nic.in / www.envclearance.nic.in.
- 6 <u>Distribution of writing pads, pens, plastic folders and unnecessary stationery</u> <u>items during the meeting is not permitted.</u> Distribution of colour print out may be avoided unless it is stated specifically.
- 7 No consultant is permitted into the meeting who has no accreditation with Quality Council of India (QCI)/National Accreditation Board of Education and Training (NABET) according to the MoEF OM dated 2nd December, 2009