

Minutes of the 102nd SEAC Meeting held on 01st February 2018

102-06 F. 6484/2017	<p>Proposed Construction of 1824 Slum Tenements by the Executive Engineer, Tamil Nadu Slum Clearance Board, Tiruppur Division, Coimbatore at S.F.No. 2/2, Nallagoundampalayam Village, Erode Taluk, Erode District, Tamilnadu – Activity 8(a) & Category “B2”- Building & Construction Projects - Environmental Clearance- Regarding</p>
	<p>The Proponent, the Executive Engineer, Tamil Nadu Slum Clearance Board, Tiruppur Division, Coimbatore has applied for Environmental Clearance for the proposed Construction of 1824 Slum Tenements with built up area of 67991.68 Sq.m at S.F.No. 2/2, Nallagoundampalayam Village, Erode Taluk, Erode District, Tamilnadu on 06.12.2017.</p> <p>The proposal was scrutinized and additional details were called for vide letter dated: 03.01.2018 and the project proponent has furnished the details on 30.01.2018.</p> <p>The salient features of the project are as follows:</p> <ol style="list-style-type: none">1. Proposed to construct 1824 residential tenements under Pradhan Mantri Awas Yojana – Housing for all (PMAY – HFA) Scheme.2. Proposed to provide 1200 KLD of sewage treatment plant for treating 1167 KL of sewage.3. The project consists of 1824 dwelling units in 26 blocks (Ground + 3 floors).4. The project is located closer to NH 47 (Salem – Kochi) about 1.2 Km. The project site is surrounded by dry agricultural lands.5. The water supply (1251 KLD) for the project will be provided by Chithode Town Panchayat.6. The municipal solid waste (Organic part) will be composted using


MEMBER SECRETARY, SEAC


CHAIRMAN, SEAC

Minutes of the 102nd SEAC Meeting held on 01st February 2018

vermi composting method.


7. As per the proponent, the excess treated sewage will be utilized for irrigation in the adjoining lands.

The proposal was placed in the 102nd SEAC meeting held on 01.02.2018. The SEAC members interacted with the proponent regarding the environmental compliance of the project. Specifically, the following recommendations are made for compliance by the project proponent.

1. The organic part of the municipal solid waste should be treated in organic waste convertor and the resulting manure should be used for gardening in the project area. This should be done within the project area.
2. The proponent informed that 1112 KLD of treated sewage needs to be disposed appropriately. The proposal submitted by him was to use this treated sewage for agricultural purposes in the adjoining land owned by private farmers. For this purpose, it is estimated that 32 Ha of land will be required. In response to SEAC query, the proponent submitted the letters of interest from 20 farmers who possess a total of 21.14 Ha. Still there is a shortage of 11 Ha of land to meet the requirement. The SEAC directed the proponent to identify the balance required land of 11 Ha and submit the list to SEIAA within 10 days.

In this regard, the proponent informed the SEAC that in the coming years (within 3 years), the sewer line of Erode municipality will be ready closer to the project site and the unused treated sewage will be discharged into this sewer as and when it is made available. Therefore, the use of treated sewage


MEMBER SECRETARY, SEAC


CHAIRMAN, SEAC

Minutes of the 102nd SEAC Meeting held on 01st February 2018

		for land irrigation is only a temporary measure.	
		Based on the above deliberations, the SEAC decided to recommend the proposal for grant of Environmental Clearance to SEIAA subject to the above conditions in addition to normal conditions.	
S.No	Name	Designation	Signature
1	Dr. K. Thanasekaran	Member	
2	Dr.K.Valivittan	Member	
3	Dr.Indumathi M. Nambi	Member	
4	Dr. G. S. Vijayalakshmi	Member	
5	Dr. M. Jayaprakash	Member	
6	Shri V. Sivasubramanian	Member	
7	Shri V. Shanmugasundaram	Member	
8	Shri B. Sugirtharaj Koilpillai	Member	
9	Shri. P. Balamadeswaran	Co-opt Member	
10	Shri. M.S. Jayaram	Co-opt Member	


MEMBER SECRETARY, SEAC


CHAIRMAN, SEAC