

Proceedings of 188th meeting of State Expert Appraisal Committee held on 04.03.2020 (Wednesday) at 10:30 am in the Conference Hall, at 2nd Floor, PSCST, Sector-26, Chandigarh.

The following members were present: -

Sr. No.	Name of SEAC Member	Designation in SEAC
1.	Er. Yogesh Gupta	Chairman
2.	Er. Pardeep Garg	Secretary
3.	Dr. Harpreet Kaur	Member
4.	Sh. A.K Bhatia	Member
5.	Dr. Pawan Krishan	Member
6.	Sh. V.K Singhal	Member
7.	Sh. Deepak Sethi	Member
8.	Sh. Parminder Singh Bhogal	Member

At the outset, Secretary SEAC, welcomed the members of the State Expert Appraisal Committee (SEAC). Thereafter, the agenda was taken up for consideration.

Item No .01 Confirmation of the proceedings of 187th meeting of State Level Expert Appraisal Committee held on 26.02.2020.

SEAC was apprised that the proceedings of 187th meeting of State Level Expert Appraisal Committee held on 26.02.2020 is being prepared and same will be placed in the next meeting of SEAC for its confirmation.

Item No. 02: Action taken on the proceedings of 187th meeting of State Level Expert Appraisal Committee held on 26.02.2020.

SEAC was apprised that action taken on the proceedings of 187th meeting of State Level Expert Appraisal Committee held on 26.02.2020, will be taken after the finalization of proceedings and action taken report on the same, will be placed in the next meeting. SEAC directed that action taken report be placed in the next meeting without any further delay.

Item No 188.01: Application for Environmental Clearance under EIA notification dated 14.09.2006 for the establishment of Commercial project "Orbit Signature Walk" located at VIP Road, Zirakpur, SAS Nagar (Punjab) by M/s Orbit Apartment Construction Pvt. Ltd (Proposal No. SIA/PB/MIS/128629/2019).

1.0 Background

The project proponent has filed an application for obtaining Environment Clearance under EIA notification, 2006 for establishment of a commercial project "Orbit Signature Walk" located at VIP Road, Zirakpur, Tehsil Dera Bassi, Distt. SAS Nagar.

2.0 Deliberations during the 188th meeting of SEAC held on 04.03.2020

The case was considered by SEAC in its 188th meeting held on 04.03.2020. SEAC observed that the Environmental Engineer, PPCB, Regional Office, Mohali vide letter no letter no 1157 dated 14.02.2020 intimated that no construction work has been started by the promoter company. Also, the site of the project was conforming to the siting guidelines laid down by the Govt. of Punjab, Department of Science Technology and Environment vide order dated 25/07/2008 as amended on 30/ 10/2009.

Environmental consultant of the promoter company presented the salient features of the project. SEAC raised certain observations to which project proponent submit the reply. After considering the reply to the observations of SEAC, the details of updated salient features of the project are as under:-

S.No.	Item	Details			
1.	Online Proposal No.	SIA/PB/MIS/128629/2019			
2.	Name & Location of the project	Commercial project "Orbit Signature Walk" located at VIP Road, Zirakpur, SAS Nagar (Punjab)			
3.	Latitude & Longitude	S.No.	Corner	Latitude	Longitude
		1	Corner A	30°38'23.42"N	76°49'19.22"E
		2	Corner B	30°38'22.74"N	76°49'19.29"E
		3	Corner C	30°38'20.88"N	76°49'18.11"E
		4	Corner D	30°38'21.06"N	76°49'17.52"E
		5	Corner E	30°38'14.64"N	76°49'14.48"E
		6	Corner F	30°38'15.58"N	76°49'12.32"E
7	Corner G	30°38'20.50"N	76°49'14.87"E		
4.	Project/activity covered under item of scheduled to the EIA Notification,14.09.2006	8(a) 'Building & Construction Project'			

5.	Whether the project is in critical polluted area or not.	No		
6.	Does the project involves diversion of forest land. If yes, a. Extent of the forest land. b. Status of the forest clearance.	No		
7.	Does the project cover under PLPA, 1900	No		
8.	Does the project fall within 10 km of eco-sensitive area/ National park/Wild Life Sanctuary.	No		
9.	Classification/Land use pattern as per Master Plan	"Existing built-up area"		
10.	Cost of the project	Rs. 55.59 Crores		
11.	Environmental Clearance. Fee details	Rs 94770/- Vide NEFT No S1755369 dated 27.11.2019		
11.	Total Plot area, Built- up Area and Green area	S.No.	Description	Area
		1.	Plot Area (Total scheme area)	15,381.27 sqm (i.e 3.801 acres)
		2.	Built-up area	47,380.76m ²
		3.	Green area	714.49m ²
13.	Population (when fully operational)	7,230 Persons.		
14.	Water Requirements & source in Construction Phase	<p>Treated waste water will be used for construction purposes The water demand of 50 KLD (max) may be there depending upon phases of construction and the same will be met from nearby STPs by using private water tankers</p> <p>Domestic demand for 50 workers during peak period @ 3 KLD (@ 45 lpcd) shall be met from the ground water.</p>		
15.	Breakup of Water Requirements & source in Operation Phase (Summer, Rainy, Winter):			

S.No.	Season	Total water requirement (KLD)	Flushing water requirement (KLD)	Fresh water requirement (KLD)
	Basis	@45 Lpcd	@16 lpcd	@ 29 lpcd
1.	Summer	325 KLD	116	209
2.	Winter	325 KLD	116	209
3	Rainy	325 KLD	116	209

S.No.	Season	Basis	Green Area	Treated waste water requirement
	Unit	ltr/sqm/day	(sqm)	KLD
1.	Summer	5.5	116	4
2.	Winter	1.8 ltr/sqm/day	116	1.5
3	Rainy	0.5 ltr/sqm/day	116	0.5

S.No.	Description	Source of water
1.	Domestic	Borewell : 1 No. (To a query of SEAC, the project proponent submitted an undertaking dated 04.02.20 to the effect that he will construct only one borewell for groundwater abstraction after obtaining necessary approvals from CGWA. Further, the project proponent will use 10 HP power motor for the tubewell.)
2.	Flushing purposes	Treated waste water
3.	Green area	Treated waste water

16.	Treatment & Disposal arrangements of waste water in Construction Phase Handling of waste material during construction phase	Wastewater generated (2.4 KLD) will be treated in septic tank and treated waste water will be used for plantation purposes. Waste Material handling will be carried out as per Construction and Demolition (C&D) Waste Management Rules, 2016. Site contractor will be responsible for collection & storage of construction and demolition waste generated on the site.
17.	Disposal Arrangement of Waste water in Operation Phase	Total wastewater generation will be 260 KLD (80% of 325 KLD) out of which black water will be 182 KLD (kitchen @ 66 KLD +Flushing @116 KLD) and grey water will be 78 KLD (Washing + Bathing). 182 KLD black water will be treated in STP of capacity 200 KLD

		<p>based on MBBR technology and 78 KLD grey water will be treated in WWTP of capacity 100 KLD to be installed within the project premises. Reuse of treated wastewater and discharge of surplus treated wastewater is given as under: -</p> <table border="1"> <thead> <tr> <th>Season</th> <th>Flushing (KLD)</th> <th>Green area (KLD)</th> <th>Sewer (KLD)</th> </tr> </thead> <tbody> <tr> <td>Summer</td> <td>116</td> <td>4.0</td> <td>135</td> </tr> <tr> <td>Winter</td> <td>116</td> <td>1.5</td> <td>137.5</td> </tr> <tr> <td>Monsoon</td> <td>116</td> <td>0.5</td> <td>138.5</td> </tr> </tbody> </table>	Season	Flushing (KLD)	Green area (KLD)	Sewer (KLD)	Summer	116	4.0	135	Winter	116	1.5	137.5	Monsoon	116	0.5	138.5
Season	Flushing (KLD)	Green area (KLD)	Sewer (KLD)															
Summer	116	4.0	135															
Winter	116	1.5	137.5															
Monsoon	116	0.5	138.5															
18.	Rain water recharging detail	477.57 m ³ /hr of rain water will be collected in 5 no. of Rain water recharging pits with dual bore.																
19.	Solid waste generation and its disposal	<p>a) 1,446 kg/day</p> <p>b) Solid waste will be appropriately segregated (at source by providing bins) into recyclable, Bio-degradable Components and non-biodegradable.</p> <p>c) 650 Kg/day of Bio-degradable Solid Waste will be Converted into Manure using Mechanical Composters of size 500 & 150 kg and same will be used for horticulture proposes with in the project site.</p> <p>d) 766 Kg/day of Non-biodegradable or dry waste will be Handed over to authorized waste pickers as per Solid Waste Management Rules, 2016.</p> <p>e) 30 Kg/day Domestic hazardous waste such as Discarded paint drums, pesticide cans, CFL bulbs, tube lights, expired medicines, broken mercury thermometers, used batteries and contaminated gauge, etc will be disposed off to authorized vendors as per Solid Waste Management Rules, 2016.</p>																
20.	Green Belt Development Plan including no. of trees to be planted & its species.	<p>Total 200 no of trees will be planted against the requirement of 192 no i.e (1 tree @ 80 sqm of land area of 15,381.27 sqm)</p> <p>(In reply to the query of SEAC, the project proponent submitted a revised layout plan providing details of the trees to be planted inside the project).</p>																
21.	Hazardous Waste & E-Waste	Used oil from DG sets will be sold to registered recyclers and E-waste will be is disposed off as per the E-waste (Management) Amendment Rules 2018.																
22.	Energy Requirements & Saving	a)3,434KW from PSPCL.																

		<p>b)6 number of DG set's of capacity 750 KVA each (silent DG set) <u>Energy Saving measures:</u> solar panels have been proposed on the roof top of the building. The total area covered by solar panels will be 1429.11 m² (which is 30% of roof top area i.e. 4,763.69 m²) which will generate 120 KW of power generation.</p> <p>i) Roof top area = 51,276.37 sq.ft. (or 4,763.69 sq.mt.) ii) Space available for solar panel = 15,382.91 sq.ft. (or 1429.11 Sq.mt.) (@ 30%) iii) Area req. for 1 KW solar panel = 12 sq.mt. iv) Solar Power Generated = 120 KW v) Cost Approx. Rs. 80,000 per KW vi) Total cost Approx. = Rs. 96 Lakhs.</p>			
23.	Environment Management Plan along with Budgetary breakup phase wise and responsibility to implement	Description	Capital cost (lakhs)	Recurring cost (lakhs)	Monitoring of Air, Noise, water (per annum) Rs.
		Construction phase which include the cost of STP and WWTP	215	11	1
		Operation	-	18.5	1
23	Other Permissions	<p>i) MC, Zirakpur vide letter no 3063 dated 25.11.2019 informed that MC main sewer is available adjoining to the proposed project and the connection can be made with the main sewer of MC of then capacity for the discharge of treated waste water(as per the standards prescribed by the PPCB) of STP installed in its project after depositing the requisite charges prescribed by the Govt. and getting the map approved from it.</p> <p>ii) MC, Zirakpur vide letter no 3065 dated 25.11.2019 informed that it will make the necessary arrangements for the lifting of waste material and garbage. Expenditure in this regard shall be borne by the project proponent.</p>			

		iii) Competent Authority cum Dy. Director, Local Govt. Patiala vide letter no 20134 dated 30.07.2019 has granted CLU under sub section (1) of section 81 of the Punjab Regional and Town Planning and Development Act, 1995 for 18 Bigghe -5 Biswa for the Commercial Purpose to the promoter company.
24	CER activities along with budgetary break up and responsibility to implement	
Mr. Parshotam Singh Grewal (Director) of M/s. Orbit Apartment Construction Pvt. Ltd. will be responsible for implementation of CER (Corporate Environmental Responsibility). As the project cost is Rs 55.59 Crores and Rs. 56 Lakhs have been reserved for CER activities as per Office Memorandum of CER dated 01.05.2018. It was proposed to spent Rs 56/- lacs for providing waste water treatment of village pond (to be provided by the Department of Rural Developments and Panchayats, Govt. of Punjab), as per the design evolved by Punjab Pollution control Board.		

3.0 Recommendations

After deliberations, SEAC decided to award 'Silver Grading' to the project proposal and to forward the application of the project proponent to SEIAA with the recommendations to grant Environmental Clearance for establishment of a commercial project "Orbit Signature Walk" having built up area of 47380.76 sqm in total land area of 15381.27 sqm located at VIP Road, Zirakpur, Tehsil Dera Bassi, Distt. SAS Nagar as per the details mentioned in the Form 1, 1A, EMP & subsequent presentation /clarifications made by the project proponent and his consultant, with proposed measures, conditions prescribed in **Annexure-I** subject to following additions, amendments and deletions given as under:

Conditions to be added in the Annexure-I as under:-

- i) The project proponent shall plant 200 no. of trees of native varieties within the projects as per the guidelines of the MoEF/SEIAA.
- ii) The project proponent shall utilize only one borewell having motor power as mentioned in the CGWA application to abstract the ground water. Other borewell, if any, will be sealed/buried and compliance of the same be submitted to the SEIAA along with six monthly report.

Conditions to be amended in the Annexure-I as under :-

Condition no. iv), v-a) & xv) of III. Water quality monitoring and preservation

- iv) The total domestic water requirement for the project will be 325 KLD, out of which 209 KLD shall be met through own tube well and remaining through recycling of treated waste water. Total fresh water use shall not exceed the proposed requirement as provided in the project details.

- v) a) The total wastewater generation from the project will be 260 KLD out of which black water will be 182 KLD and grey water will be 78 KLD, which will be treated in proposed STP of capacity 200 KLD based on MBBR technology and WWTP of capacity 100 KLD respectively, to be installed within the project premises. As proposed, reuse of treated wastewater and discharge of surplus treated wastewater of 255 KLD available at the outlet of STP & WWTP after evaporation and other losses, shall be as under: -

Sr. No.	Season	For Flushing purposes (KLD)	Green Area (KLD)	Into Sewer* (KLD)
1.	Summer	116	4.0	135
2.	Winter	116	1.5	137.5
3.	Rainy	116	0.5	138.5

* Note : Surplus treated wastewater will be discharged into MC sewer as and when sewer connection is available with the project

- xv) A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. Thus, 5 nos of rain water harvesting recharge pits (with dual bore) shall be provided for ground water recharging as per CGWA norms. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority..

X. Condition no. i) & iv) of X of Corporate Environment Responsibility

- i) The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility. The project proponent shall adhere to the commitments made in the proposal for CER activities for spending at least minimum amount of Rs. 56,00,000/- for providing waste water treatment of village pond (to be provided by the Department of Rural Developments and Panchayats, Govt. of Punjab), as per the design evolved by Punjab Pollution control Board.
- iv) Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. The project proponent shall spend minimum amount of Rs 215.0 Lacs towards capital cost and Rs 12.0 Lacs/annum towards recurring cost in Construction phase of the project including the environmental monitoring cost and shall spend minimum amount of Rs 19.5 Lacs/annum towards recurring cost

in operation phase of the project including the environmental monitoring cost. The entire cost of the environmental management plan will continue to be borne by the project proponent until the responsibility of environmental management plan is transferred to the occupier/resident's society under proper MOU under intimation to SEIAA, Punjab. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six-Monthly Compliance Report.

Item No. 188.02 Application for Environmental Clearance under EIA notification dated 14.09.2006 for the establishment of group Housing project Aura Gazania located at Village Nabha, Zirakpur by M/s Aura Buildtech Pvt. Ltd. (SIA/ PB/ MIS/ 127933/2019).

1.0 Background

The project proponent has filed an application for obtaining Environment Clearance under EIA notification, 2006 for establishment of group Housing project Aura Gazania located at Village Nabha, Zirakpur.

2.0 Deliberations during the 187th meeting of SEAC held on 04.03.2020

The case was considered by SEAC in its 187th meeting held on 04.03.2020. SEAC observed that the Environmental Engineer, PPCB, Nodal Office, Mohali vide letter no 977 dated 07.02.2020 had intimated that no construction work has been started by the promoter company. Also, the site of the project was conforming to the siting guidelines laid down by the Govt. of Punjab, Department of Science Technology and Environment vide order dated 25/07/2008 as amended on 30/ 10/2009.

Environmental consultant of the promoter company presented the salient features of the project. SEAC raised certain observations to which project proponent submit the reply. After considering the reply to the observations of SEAC, the details of updated salient features of the project are as under:-

S.No.	Item	Details															
1.	Online Proposal No.	SIA/PB/MIS/127933/2019															
2.	Name and Location of the project	Aura Gazania located at Village Nabha, Zirakpur by M/s Aura Buildtech Pvt Ltd.															
3.	Latitude & Longitude	Corners coordinates: <table border="1" style="margin-left: 20px;"> <thead> <tr> <th>Corner</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>Corner-A</td> <td>30°38'35.60"N</td> <td>76°48'03.53"E</td> </tr> <tr> <td>Corner-B</td> <td>30°38'37.58"N</td> <td>76°48'10.07"E</td> </tr> <tr> <td>Corner-C</td> <td>30°38'35.23"N</td> <td>76°48'09.88"E</td> </tr> <tr> <td>Corner-D</td> <td>30°38'37.38"N</td> <td>76°48'03.60"E</td> </tr> </tbody> </table>	Corner	Latitude	Longitude	Corner-A	30°38'35.60"N	76°48'03.53"E	Corner-B	30°38'37.58"N	76°48'10.07"E	Corner-C	30°38'35.23"N	76°48'09.88"E	Corner-D	30°38'37.38"N	76°48'03.60"E
Corner	Latitude	Longitude															
Corner-A	30°38'35.60"N	76°48'03.53"E															
Corner-B	30°38'37.58"N	76°48'10.07"E															
Corner-C	30°38'35.23"N	76°48'09.88"E															
Corner-D	30°38'37.38"N	76°48'03.60"E															

4.	Project/activity covered under item of scheduled to the EIA Notification,14.09.2006	Sr No. 8(a) 'Building & Construction Project'			
5.	Whether the project is in critical polluted area or not.	No			
6.	Does the project involves diversion of forest land. If yes, a. Extent of the forest land. b. Status of the forest clearance.	No			
7.	Does the project cover under PLPA, 1900	No			
8.	Does the project fall within 10 km of eco-sensitive area/ National park/Wild Life Sanctuary.	No			
9.	Classification/Land use pattern as per Master Plan	Residential			
10.	Cost of the project	Rs. 35 Crores			
11.	Total Plot area, Built- up Area and Green area	S.No.	Description	Area	
		1.	Plot area (Total scheme area)	8874 sqm	
		2.	Built-up area	30542 m ²	
		3.	Green area	1908 m ²	
12	Detail of EC fee	Rs 59048/- Vide DD No 030167 dated 11.11.19 Rs 2036/- Vide DD No. 030180 dated 27.11.19			
13.	Population (when fully operational)	700 Persons.			
14.	Water Requirements & source in Construction Phase	Water demand of 15-20 KLD. The water requirement will be provided by treated water from STP of MC Zirakpur.			
15.	Break up of Water Requirements & source in Operation Phase				
	(Summer, Rainy, Winter):				
	S. No.	Season	Fresh water Domestic (KLD) @90 lpcd	Reuse water Flushing (KLD) @45 lpcd	Total (KLD) @135 lpcd
	1.	Summer	63	32	95
	2.	Winter	63	32	95
	3.	Rainy	63	32	95

Green Area requirement																				
S.No.	Season	Basis	Green Area	Treated waste water requirement																
		ltr/sqm/day	(sqm)	KLD																
1.	Summer	5.5	1908	10.4 ≈ 10																
2.	Winter	1.8 ltr/sqm/day	1908	3.4 ≈ 13.0																
3	Rainy	0 ltr/sqm/day	1908	0																
<table border="1"> <thead> <tr> <th>S.No.</th> <th>Description</th> <th>Source of water</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>Domestic</td> <td>Borewell</td> </tr> <tr> <td>2.</td> <td>Flushing purposes</td> <td>Treated waste water</td> </tr> <tr> <td>3</td> <td>Green Area</td> <td>Treated waste water</td> </tr> </tbody> </table>					S.No.	Description	Source of water	1.	Domestic	Borewell	2.	Flushing purposes	Treated waste water	3	Green Area	Treated waste water				
S.No.	Description	Source of water																		
1.	Domestic	Borewell																		
2.	Flushing purposes	Treated waste water																		
3	Green Area	Treated waste water																		
16.	<p>Treatment & Disposal arrangements of waste water in Construction Phase</p> <p>Handling of waste material during construction phase.</p>	<p>Wastewater generated (2.4 KLD) will be treated in septic tank and treated waste water will be used for plantation purposes.</p> <p>Earth soil shall be stacked and re used for filling low-lying areas. Brick & other solid waste generated during construction period shall be further reused in pavement & roads.</p>																		
17.	Disposal Arrangement of Waste water in Operation Phase	<p>Total wastewater generation will be 76 KLD which will be treated in proposed STP of 115 KLD capacity to be installed within the project premises. Reuse of treated wastewater and discharge of surplus treated wastewater is given as under: -</p> <table border="1"> <thead> <tr> <th>Season</th> <th>Flushing (KLD)</th> <th>Green area 1908 sqm (KLD)</th> <th>Sewer (KLD)</th> </tr> </thead> <tbody> <tr> <td>Summer</td> <td>32</td> <td>10</td> <td>34</td> </tr> <tr> <td>Winter</td> <td>32</td> <td>3</td> <td>41</td> </tr> <tr> <td>Monsoon</td> <td>32</td> <td>0</td> <td>44</td> </tr> </tbody> </table>			Season	Flushing (KLD)	Green area 1908 sqm (KLD)	Sewer (KLD)	Summer	32	10	34	Winter	32	3	41	Monsoon	32	0	44
Season	Flushing (KLD)	Green area 1908 sqm (KLD)	Sewer (KLD)																	
Summer	32	10	34																	
Winter	32	3	41																	
Monsoon	32	0	44																	
18.	Rain water recharging Detail	4006 m ³ /hr rain water will be collected in 7 no. of Rain water recharging pits.																		
19.	Solid waste generation and its Disposal	a) 280 kg/day																		

		<p>b) Solid wastes will be appropriately segregated (at source by providing bins) into recyclable, Bio-degradable Components and non-biodegradable.</p> <p>c) Bio-degradable will be Converted into Manure through mechanical composter.</p> <p>d) Non-biodegradable or dry waste will be handed over to authorized waste pickers.</p>			
20.	Green Belt Development Plan including no. of trees to be planted & its species.	<p>Total 130 no. of trees will be planted against the requirement of 111 trees i.e (1 tree @ 80 sqm of land area of 8874 sqm)</p> <p>(To a query of SEAC, the project proponent submitted a revised layout plan providing details of the trees to be planted inside the project</p>			
21.	Hazardous Waste & E- Waste	<p>Used oil from DG sets will be sold to registered recyclers and E-waste will be disposed of as per the E-waste (Management) Amendment Rules 2018.</p>			
22.	Energy Requirements & Saving	<p>a) 800 KW from PSPCL.</p> <p>b) 2 DG set of capacity 240 KVA & 1 No 125 KVA capacity (silent DG set)</p> <p><u>Energy Saving measures:</u></p> <p>i) Solar Light 10 No = 15 KWHD</p> <p>ii) Common area (250) lights replaced with LED = 135 KWHD</p> <p>iii) Total Energy saved/day 15+135 = 150 KWHD</p>			
22.	Environment Management Plan along with Budgetary breakup phase wise and responsibility to implement	Description	Capital cost (lakhs)	Recurring cost (lakhs)	Monitoring of Air, Noise, water (per annum) Rs.
		Construction	63.5	5.5	5.90
		Operation	-	9.5	6.90
24.	<p>CER activities along with budgetary break up and responsibility to implement</p> <p>Director of the company will be responsible for implementation of CER (Corporate Environment Responsibility). The estimated cost of the project is Rs. 35 Crores and Rs 21 lakhs has been proposed under C.E.R activities as per Office Memorandum vide F. No. 22-65/ 2017-IA.III dated 01.05.2018, which will be spent on the following activities:</p>				
	S.No.	CER Activities	Fund allocated (Lakhs)	Time schedule	
				Start	Completed

1.	Government Model school at village Chaharmajra.	21	01/12/2020	31/12/2022
----	-------------------------------------------------	----	------------	------------

3.0 Recommendations

After deliberations, SEAC decided to award 'Silver Grading' to the project proposal and to forward the application of the project proponent to SEIAA with the recommendations to grant Environmental Clearance for establishment of the project namely "Aura Gazania" having built up area of 30542 sqm in total land area of 8874 sqm located at village Nabha, Zirakpur, Tehsil Dera Bassi, Distt. SAS Nagar as per the details mentioned in the Form 1, 1A, EMP & subsequent presentation /clarifications made by the project proponent and his consultant with, proposed measures, conditions prescribed in **Annexure-I** subject to following additions, amendments and deletions given as under:

Conditions to be added in the Annexure-I as under :-

- i) The project proponent shall plant 130 no. of trees of native varieties within the project as per the guidelines of MoEF/SEIAA.

Conditions to be amended in the Annexure-I as under :-

Condition no. iv), v-a) & xv) of III. Water quality monitoring and preservation

- iv) The total domestic water requirement for the project will be 95 KLD, out of which 63 KLD shall be met through own tube well and remaining through recycling of treated waste water. Total fresh water use shall not exceed the proposed requirement as provided in the project details.
- v) a)The total wastewater generation from the project will be 76 KLD, which will be treated in STP of capacity @ 115 KLD on SBR technology within the project premises. As proposed, reuse of treated wastewater and discharge of surplus treated wastewater shall be as under: -

Sr. No.	Season	For Flushing purposes (KLD)	Green Area (KLD)	Into Sewer* (KLD)
1.	Summer	32	10	34
2.	Winter	32	3	41
3.	Rainy	32	0	44

* Note : Surplus treated wastewater will be discharged into MC sewer as and when sewer connection is available with the project.

- xv) A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided.

Thus, 7 nos of rain water harvesting recharge pits shall be provided for ground water recharging as per CGWA norms. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.

X. Condition no. i) & iv) of X of Corporate Environment Responsibility

- i) The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility. The project proponent shall adhere to the commitments made in the proposal for CER activities for spending at least minimum amount of Rs. 21,00,000/- towards following activities:

S.No.	CER Activities	Fund allocated (Lakhs)	Time schedule	
			Start	Completed
1.	Government Model school at village Chaharmajra.	21	01/12/2020	31/12/2022

- iv) Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. The project proponent shall spend minimum amount of Rs 63.5 Lacs towards capital cost and Rs 12.40 Lacs/annum towards recurring cost in Construction phase of the project including the environmental monitoring cost and shall spend minimum amount of Rs 16.40 Lacs/annum towards recurring cost in operation phase of the project including the environmental monitoring cost. The entire cost of the environmental management plan will continue to be borne by the project proponent until the responsibility of environmental management plan is transferred to the occupier/residents society under proper MOU under intimation to SEIAA, Punjab. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six-Monthly Compliance Report.

Item No. 188.03 Application for Environmental Clearance under EIA notification dated 14.09.2006 for the establishment of group Housing project Maya garden Residency located at Village Gazipur, Zirakpur by M/s ABC Infra (Proposal No. SIA/PB/MIS/131801/2019).

1.0 Background

The project proponent has filed an application for obtaining Environment Clearance under EIA notification, 2006 for establishment of a of group Housing project Maya garden Residency located at Village Gazipur, Zirakpur.

2.0 Deliberations during the 187th meeting of SEAC held on 04.03.2020

The case was considered by SEAC in its 187th meeting held on 04.03.2020. SEAC observed that the Environmental Engineer, PPCB, Nodal Office, Mohali vide letter no 975 dated 07.02.2020 has intimated that no construction work has been started by the promoter company and boundary has been demarcated. The site of the project was conforming to the siting guidelines laid down by the Govt. of Punjab, Department of Science Technology and Environment vide order dated 25/07 /2008 as amended on 30/10/2009.

Environmental consultant of the promoter company presented the salient features of the project. SEAC raised certain observations to which project proponent submit the reply. After considering the reply to the observations of SEAC, the details of updated salient features of the project are as under:-

S.No.	Item	Details																														
1.	Online Proposal No.	SIA/PB/MIS/131801/2019																														
2.	Name and Location of the project	Maya garden Residency located at Village Gazipur, Zirakpur																														
3.	Latitude & Longitude	Corners coordinates: <table border="1" data-bbox="737 1193 1414 1677"> <thead> <tr> <th>Corner</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>Corner-A</td> <td>30°38'43.70"N</td> <td>76°50'45.73"E</td> </tr> <tr> <td>Corner-B</td> <td>30°38'42.96"N</td> <td>76°50'46.81"E</td> </tr> <tr> <td>Corner-C</td> <td>30°38'40.33"N</td> <td>76°50'44.71"E</td> </tr> <tr> <td>Corner-D</td> <td>30°38'46.74"N</td> <td>76°50'35.68"E</td> </tr> <tr> <td>Corner-E</td> <td>30°38'44.61"N</td> <td>76°50'35.72"E</td> </tr> <tr> <td>Corner-F</td> <td>30°38'41.33"N</td> <td>76°50'41.43"E</td> </tr> <tr> <td>Corner-G</td> <td>30°38'39.50"N</td> <td>76°50'41.34"E</td> </tr> <tr> <td>Corner-H</td> <td>30°38'37.20"N</td> <td>76°50'45.15"E</td> </tr> <tr> <td>Corner-I</td> <td>30°38'39.36"N</td> <td>76°50'46.40"E</td> </tr> </tbody> </table>	Corner	Latitude	Longitude	Corner-A	30°38'43.70"N	76°50'45.73"E	Corner-B	30°38'42.96"N	76°50'46.81"E	Corner-C	30°38'40.33"N	76°50'44.71"E	Corner-D	30°38'46.74"N	76°50'35.68"E	Corner-E	30°38'44.61"N	76°50'35.72"E	Corner-F	30°38'41.33"N	76°50'41.43"E	Corner-G	30°38'39.50"N	76°50'41.34"E	Corner-H	30°38'37.20"N	76°50'45.15"E	Corner-I	30°38'39.36"N	76°50'46.40"E
Corner	Latitude	Longitude																														
Corner-A	30°38'43.70"N	76°50'45.73"E																														
Corner-B	30°38'42.96"N	76°50'46.81"E																														
Corner-C	30°38'40.33"N	76°50'44.71"E																														
Corner-D	30°38'46.74"N	76°50'35.68"E																														
Corner-E	30°38'44.61"N	76°50'35.72"E																														
Corner-F	30°38'41.33"N	76°50'41.43"E																														
Corner-G	30°38'39.50"N	76°50'41.34"E																														
Corner-H	30°38'37.20"N	76°50'45.15"E																														
Corner-I	30°38'39.36"N	76°50'46.40"E																														
4.	Project/activity covered under item of scheduled to the EIA Notification,14.09.2006	Sr .No. 8(a) 'Building & Construction Project																														
5.	Whether the project is in critical polluted area or not.	No																														
6.	Does the project involves diversion of forest land. If yes, a. Extent of the forest land.	No																														

	b. Status of the forest clearance.				
7.	Does the project cover under PLPA, 1900		No		
8.	Does the project fall within 10 km of eco-sensitive area/ National park/Wild Life Sanctuary.		No		
9.	Classification/Land use pattern as per Master Plan		Existing Built up area		
10.	Cost of the project		Rs. 64 Crores		
11.	Total Plot area, Built- up Area and Green Area		S.No.	Description	Area
			1.	Plot area (Total scheme area)	27256 m ²
			2.	Built-up area	72133 m ²
			3.	Green area	4870 m ²
12.	EC fee		Rs 144266/- Vide DD No 127214 dated 12.12.19		
13.	Population(when fully operational)		2368 Persons.		
14.	Water Requirements & source in Construction Phase		Water demand of 15-20 KLD. The water requirement will be met from treated waste water of STP of MC Zirakpur.		
15.	Break up of Water Requirements & source in Operation Phase (Summer, Rainy, Winter):				
	Sr.No.	Season	Fresh water	Reuse water	Total (KLD)
			Domestic (KLD)	Flushing (KLD)	
	1.	Summer	213	106	319
	2.	Winter	213	106	319
	3.	Rainy	213	106	319
	S.No.	Season	Basis	Green Area	Treated waste water requirement
		Unit	ltr/sqm/day	(sqm)	KLD
	1.	Summer	5.5	4870	27
	2.	Winter	1.8 ltr/sqm/day	4870	7
	3	Rainy	0 ltr/sqm/day	4870	0
	S.No.	Description		Source of water	

	1.	Domestic	Borewell																
	2.	Flushing purposes	Treated waste water																
16.	Treatment & Disposal arrangements of waste water in Construction Phase. Handling of waste material during construction phase		Wastewater generated (2.4 KLD) will be treated in septic tank and treated waste water will be used for plantation purposes. Earth soil shall be stacked and re used for filling low-lying areas. Brick & other solid waste generated during construction period shall be further reused in pavement & roads.																
17.	Disposal Arrangement of Waste water in Operation Phase		Total wastewater generation will be 255 KLD which will be treated in proposed STP of 380 KLD capacity to be installed within the project premises. Reuse of treated wastewater and discharge of surplus treated wastewater is given as under: -																
			<table border="1"> <thead> <tr> <th>Season</th> <th>Flushing (KLD)</th> <th>Green area (KLD)</th> <th>Sewer (KLD)</th> </tr> </thead> <tbody> <tr> <td>Summer</td> <td>106</td> <td>27</td> <td>122</td> </tr> <tr> <td>Winter</td> <td>106</td> <td>7</td> <td>142</td> </tr> <tr> <td>Monsoon</td> <td>106</td> <td>0</td> <td>149</td> </tr> </tbody> </table>	Season	Flushing (KLD)	Green area (KLD)	Sewer (KLD)	Summer	106	27	122	Winter	106	7	142	Monsoon	106	0	149
Season	Flushing (KLD)	Green area (KLD)	Sewer (KLD)																
Summer	106	27	122																
Winter	106	7	142																
Monsoon	106	0	149																
18.	Rain water recharging Detail		12643 m ³ /hr rain water will be collected in 15 no. of Rain water recharging pits.																
19.	Solid waste generation and its Disposal		a) 946 kg/day b) Solid wastes will be appropriately segregated (at source by providing bins) into recyclable, Bio-degradable Components and non-biodegradable. c) Bio-degradable will be Converted into Manure through mechanical composter d) Non-biodegradable or dry waste will be Handed over to authorized waste pickers																
20.	Green Belt Development Plan including no. of trees to be planted & its species.		Total 361 no. of trees will be planted against the requirement of 341 tree (i.e 1 tree @ 80 sqm of land area of 27256 sqm) (To a query of SEAC, the project proponent submitted a revised layout plan providing details of the trees to be planted inside the project																
21.	Hazardous Waste & E- Waste		Used oil from DG sets will be sold to registered recyclers and E-waste will be disposed off as per the E-waste (Management) Amendment Rules 2018.																
22.	Energy Requirements		a) 2500 KW from PSPCL.																

	& Saving	b)2 DG set of capacity 500 KVA & 1 No 125 KVA capacity (silent DG set) <u>Energy Saving measures:</u> i) Solar Light 20 No = 30 KWHD ii) Common area (250) lights replaced with LED = 135 KWHD iii) Total Energy saved/day 30+135= 165 KWHD			
23.	Environment Management Plan along with Budgetary breakup phase wise and responsibility to implement	Description	Capital cost (lakhs)	Recurring cost (lakhs)	Monitoring of Air, Noise, water (per annum) Rs.
		Construction	119.0	6.5	3.00
		Operation	-	10.5	3.25
CER activities along with budgetary break up and responsibility to implement Partner of the company will be responsible for implementation of CER (Corporate Environment Responsibility). The estimated cost of the project is Rs. 64 Crores and Rs. 40 lakhs is reserved for C.E.R activities as per Office Memorandum vide F. No. 22-65/ 2017-IA.III dated 01.05.2018. It was proposed to spent Rs 40/- lacs for providing waste water treatment of village pond (to be provided by the Department of Rural Developments and Panchayats, Govt. of Punjab), as per the design evolved by Punjab Pollution control Board.					

3.0 Recommendations

After deliberations, SEAC decided to award 'Silver Grading' to the project proposal and to forward the application of the project proponent to SEIAA with the recommendations to grant Environmental Clearance for establishment of the project namely "Maya Garden Residency" having built up area of 72133 sqm in total land area of 27256 sqm located at village Gazipur, Zirakpur, Tehsil Dera Bassi, Distt. SAS Nagar as per the details mentioned in the Form 1, 1A, EMP & subsequent presentation /clarifications made by the project proponent and his consultant with, proposed measures, conditions prescribed in **Annexure-I** subject to following additions, amendments and deletions given as under:

Conditions to be added in the Annexure-I as under :-

- i) The project proponent shall plant 361 no. of trees of native varieties within the project as per the guidelines of MoEF.

Conditions to be amended in the Annexure-I as under :-

Condition no. iv), v-a) & xv) of III. Water quality monitoring and preservation

- iv) The total domestic water requirement for the project will be 319 KLD, out of which 213 KLD shall be met through own tube well and remaining through recycling of

treated waste water. Total fresh water use shall not exceed the proposed requirement as provided in the project details.

- v) a) The total domestic wastewater generation from the project will be 255 KLD, which will be treated in STP of capacity @ 380 KLD on SBR technology within the project premises. As proposed, reuse of treated wastewater and discharge of surplus treated wastewater shall be as under: -

Sr. No.	Season	For Flushing purposes (KLD)	Green Area (KLD)	Into Sewer* (KLD)
1.	Summer	106	27	122
2.	Winter	106	7	142
3.	Rainy	106	0	149

* Note : Surplus treated wastewater will be discharged into MC sewer as and when sewer connection is available with the project.

- xv) A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. Thus, 15 nos of rain water harvesting recharge pits shall be provided for ground water recharging as per CGWA norms. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.

X. Condition no. i) & iv) of X of Corporate Environment Responsibility

- i) The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility. The project proponent shall adhere to the commitments made in the proposal for CER activities for spending at least minimum amount of Rs. 40,00,000/- for providing waste water treatment of village pond (to be provided by the Department of Rural Developments and Panchayats, Govt. of Punjab), as per the design evolved by Punjab Pollution control Board
- iv) Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. The project proponent shall spend minimum amount of Rs 119.0 Lacs towards capital cost and Rs 9.50 Lacs/annum towards recurring cost in Construction phase of the project including the environmental monitoring cost

and shall spend minimum amount of Rs 13.75 Lacs/annum towards recurring cost in operation phase of the project including the environmental monitoring cost. The entire cost of the environmental management plan will continue to be borne by the project proponent until the responsibility of environmental management plan is transferred to the occupier/residents society under proper MOU under intimation to SEIAA, Punjab. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six-Monthly Compliance Report.

Item No. 188.04 Application for Environmental Clearance under EIA notification dated 14.09.2006 for the establishment of Hotel Cum Commercial project Carpe Diem located at Village Santemajra, Kharar by M/s CREDO ASSETS (P) LTD (Proposal No. SIA/PB/MIS/136535/2020).

1.0 Background

The project proponent has filed an application for obtaining Environment Clearance under EIA notification, 2006 for establishment of a of Hotel Cum Commercial project Carpe Diem located at Village Santemajra, Kharar.

2.0 Deliberations during the 187th meeting of SEAC held on 04.03.2020

The case was considered by SEAC in its 187th meeting held on 04.03.2020. SEAC observed that the Environmental Engineer, PPCB, Nodal Office, Mohali vide letter no 1140 dated 14.02.2020 has intimated that no construction work has been started by the promoter company and boundary has been demarcated. The site of the project was conforming to the siting guidelines laid down by the Govt. of Punjab, Department of Science Technology and Environment vide order dated 25/07 /2008 as amended on 30/10/2009.

Environmental consultant of the promoter company presented the salient features of the project. SEAC raised certain observations to which project proponent submit the reply. After considering the reply to the observations of SEAC, the details of updated salient features of the project are as under:-

S.No.	Item	Details		
1.	Online Proposal No.	SIA/PB/MIS/136535/2020		
2.	Name and Location of the project	Carpe Diem located at Village Santemajra, Kharar		
3.	Latitude & Longitude	Corners coordinates:		
		Corner	Latitude	Longitude
		Corner-A	30°48'32.12"N	76°39'18.74"E

		Corner-B	30°48'29.51"N	76°39'20.48"E	
		Corner-C	30°48'23.82"N	76°39'18.61"E	
		Corner-D	30°48'29.43"N	76°39'16.08"E	
4.	Project/activity covered under item of scheduled to the EIA Notification,14.09.2006	Sr .No. 8(a) 'Building & Construction Project'			
5.	Whether the project is in critical polluted area or not.	No			
6.	Does the project involves diversion of forest land. If yes, a. Extent of the forest land. b. Status of the forest clearance.	No			
7.	Does the project cover under PLPA, 1900	No			
8.	Does the project fall within 10 km of eco-sensitive area/ National park/Wild Life Sanctuary.	No			
9.	Classification/Land use pattern as per Master Plan	Mix land use			
10.	Cost of the project	Rs. 35 Crores			
11.	Total Plot area, Built- up Area and Green area	S.No.	Description	Area	
		1.	Plot area (Total scheme area)	11098 m ²	
		2.	Built-up area	34939 m ²	
		3.	Green area	125 m ²	
11	EC fee	Rs 69878/- Vide DD No. 021371 dated 08.01.2020			
12.	Population (when fully operational)	499 Persons.			
13.	Water Requirements & source in Construction Phase	Water demand of 15 KLD. The water requirement will be provided by treated water from STP of MC Kharar.			
14.	Break up of Water Requirements & source in Operation Phase (Summer, Rainy, Winter):				
	S.No.	Season	Fresh water Domestic (KLD)	Reuse water Flushing (KLD)	Total (KLD)
	1.	Summer	63	21	84
	2.	Winter	63	21	84
	3.	Rainy	63	21	84

	S.No.	Description	Source of water																
	1.	Domestic	Borewell																
	2.	Flushing purposes	Treated waste water																
15.	Treatment & Disposal arrangements of waste water in Construction Phase.	Wastewater generated (2.4 KLD) will be treated in septic tank and treated waste water will be used for plantation purposes.																	
	Handling of waste material during construction phase	Earth soil shall be stacked and re used for filling low-lying areas. Brick & other solid waste generated during construction period shall be further reused in pavement & roads. .																	
16.	Disposal Arrangement of Waste water in Operation Phase	Total wastewater generation will be 67 KLD which will be treated in proposed STP of 150 KLD capacity to be installed within the project premises. Reuse of treated wastewater and discharge of surplus treated wastewater is given as under: -																	
		<table border="1"> <thead> <tr> <th>Season</th> <th>Flushing (KLD)</th> <th>Green area (125 sqm) (KLD)</th> <th>Sewer (KLD)</th> </tr> </thead> <tbody> <tr> <td>Summer</td> <td>21</td> <td>1</td> <td>45</td> </tr> <tr> <td>Winter</td> <td>21</td> <td>0</td> <td>46</td> </tr> <tr> <td>Monsoon</td> <td>21</td> <td>0</td> <td>46</td> </tr> </tbody> </table>	Season	Flushing (KLD)	Green area (125 sqm) (KLD)	Sewer (KLD)	Summer	21	1	45	Winter	21	0	46	Monsoon	21	0	46	
Season	Flushing (KLD)	Green area (125 sqm) (KLD)	Sewer (KLD)																
Summer	21	1	45																
Winter	21	0	46																
Monsoon	21	0	46																
17.	Rain water recharging Detail	5704 m ³ /hr rain water will be collected in 7 no. of Rain water recharging pits.																	
18.	Solid waste generation and its Disposal	a) 100 kg/day b) Solid wastes will be appropriately segregated (at source by providing bins) into recyclable, Bio-degradable Components and non-biodegradable. c) Bio-degradable will be Converted into Manure through mechanical composter d) Non-biodegradable or dry waste will be Handed over to authorized waste pickers .																	
19.	Green Belt Development Plan including no. of trees to be planted & its species.	Total 150 no. of trees will be planted against the requirement of 149 tree (i.e 1 tree @ 80 sqm of land area of 11908 sqm) (To a query of SEAC, the project proponent submitted a revised layout plan providing details of the trees to be planted inside the project																	
20.	Hazardous Waste & E- Waste	Used oil from DG sets will be sold to registered recyclers and E-waste will be disposed off as per the E-waste (Management) Amendment Rules 2018.																	

21.	Energy Requirements & Saving	a) 1800 KW from PSPCL. b) 1x500, 1x 125 KVA & 63 KVA capacity (silent DG set) <u>Energy Saving measures:</u> i) Solar Light 10No = 15 KWHD ii) Common area (200) lights (60W) iii) Replaced with LED (15) = 108 KWHD iv) Total Energy saved/day 15+108=123 KWHD			
22.	Environment Management Plan along with Budgetary breakup phase wise and responsibility to implement	Description	Capital cost (lakhs)	Recurring cost (lakhs)	Monitoring of Air, Noise, water (per annum) Rs.
		Construction	64.5	7.0	5.90
		Operation	-	9.0	6.90
23.	CER activities along with budgetary break up and responsibility to implement				
<p>Director of the company will be responsible for implementation of CER (Corporate Environment Responsibility). The estimated cost of the project is Rs. 35 Crores and Rs 21 lakhs has been proposed under C.E.R activities as per Office Memorandum vide F. No. 22-65/ 2017-IA.III dated 01.05.2018, which will be spent on the following activities:</p>					
S.No.	CER Activities	Fund allocated (Lakhs)	Time schedule		
			Start	Completed	
1.	Adoption of Village school of Santemajra	21	Already started	Will be completed before completion of project	

3.0 Recommendations

After deliberations, SEAC decided to award 'Silver Grading' to the project proposal and to forward the application of the project proponent to SEIAA with the recommendations to grant Environmental Clearance for establishment of the project namely "Carpe Diem" having built up area of 34939 sqm in total land area of 11098 sqm located at village Santemajra, Kharar, Distt. SAS Nagar as per the details mentioned in the Form 1, 1A, EMP & subsequent presentation /clarifications made by the project proponent and his consultant with, proposed measures, conditions prescribed in **Annexure-I** subject to following additions, amendments and deletions given as under:

Conditions to be added in the Annexure-I as under :-

- i) The project proponent shall plant 150 no. of trees of native varieties within the project as per the guidelines of MoEF/SEIAA.

Conditions to be amended in the Annexure-I as under :-

Condition no. iv), v-a) & xv) of III. Water quality monitoring and preservation

- iv) The total domestic water requirement for the project will be 84 KLD, out of which 63 KLD shall be met through own tube well and remaining through recycling of treated waste water. Total fresh water use shall not exceed the proposed requirement as provided in the project details.
- v) a)The total wastewater generation from the project will be 67 KLD, which will be treated in STP of capacity @ 150 KLD on SBR technology within the project premises. As proposed, reuse of treated wastewater and discharge of surplus treated wastewater shall be as under:

Sr. No.	Season	For Flushing purposes (KLD)	Green Area (KLD)	Into Sewer* (KLD)
1.	Summer	21	1	45
2.	Winter	21	0	46
3.	Rainy	21	0	46

* Note : Surplus treated wastewater will be discharged into MC sewer as and when sewer connection is available with the project.

- xv) A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. Thus, 7 nos of rain water harvesting recharge pits shall be provided for ground water recharging as per CGWA norms. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.

X. Condition no. i) & iv) of X of Corporate Environment Responsibility

- i) The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility. The project proponent shall adhere to the commitments made in the proposal for CER activities for spending at least minimum amount of Rs. 21,00,000/- towards the following activities:

S.No.	CER Activities	Fund allocated (Lakhs)	Time schedule	
			Start	Completed
1.	Adoption of Village school of Santemajra	21	Already started	Will be completed before

				completion of project
--	--	--	--	--------------------------

*Note :- The amount to be spent on CER activities shall be proportionate to the amount spent on project & such activities shall run parallel to the project execution. All the activities must be completed with the completion of the project.

- iv) Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. The project proponent shall spend minimum amount of Rs 64.5 Lacs towards capital cost and Rs 12.90 Lacs/annum towards recurring cost in Construction phase of the project including the environmental monitoring cost and shall spend minimum amount of Rs 15.90 Lacs/annum towards recurring cost in operation phase of the project including the environmental monitoring cost. The entire cost of the environmental management plan will continue to be borne by the project proponent until the responsibility of environmental management plan is transferred to the occupier/residents society under proper MOU under intimation to SEIAA, Punjab. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six-Monthly Compliance Report.

Item No. 188.05 Application for Environmental Clearance under EIA notification dated 14.09.2006 for the establishment of group Housing project City of Dreams -5 located at Village Santemajra, Kharar by M/s Credo Assets (P) Ltd. (Proposal No. SIA/ PB/MIS/136532/2020).

1.0 Background

The project proponent has filed an application for obtaining Environment Clearance under EIA notification, 2006 for establishment of a group Housing project City of Dreams -5 located at Village Santemajra, Kharar.

2.0 Deliberations during the 187th meeting of SEAC held on 04.03.2020

The case was considered by SEAC in its 187th meeting held on 04.03.2020. SEAC observed that the Environmental Engineer, PPCB, Nodal Office, Mohali vide letter no 1147 dated 14.02.2020 has intimated that no construction work has been started by the promoter company and boundary has been demarcated. The site of the project was conforming to the siting guidelines laid down by the Govt. of Punjab, Department of

Science Technology and Environment vide order dated 25/07 /2008 as amended on 30/10/2009.

Environmental consultant of the promoter company presented the salient features of the project. SEAC raised certain observations to which project proponent submit the reply. After considering the reply to the observations of SEAC, the details of updated salient features of the project are as under:-

S.No.	Item	Details															
1.	Online Proposal No.	SIA/PB/MIS/136532/2020															
2.	Name and Location of the project	City of Dreams-5 located at Village Santemajra, Kharar															
3.	Latitude & Longitude	Corners coordinates: <table border="1" data-bbox="742 741 1417 976"> <thead> <tr> <th>Corner</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>Corner-A</td> <td>30°43'28.14"N</td> <td>76°39'22.56"E</td> </tr> <tr> <td>Corner-B</td> <td>30°43'26.21"N</td> <td>76°39'22.58"E</td> </tr> <tr> <td>Corner-C</td> <td>30°43'22.48"N</td> <td>76°39'31.65"E</td> </tr> <tr> <td>Corner-D</td> <td>30°43'29.85"N</td> <td>76°39'36.61"E</td> </tr> </tbody> </table>	Corner	Latitude	Longitude	Corner-A	30°43'28.14"N	76°39'22.56"E	Corner-B	30°43'26.21"N	76°39'22.58"E	Corner-C	30°43'22.48"N	76°39'31.65"E	Corner-D	30°43'29.85"N	76°39'36.61"E
Corner	Latitude	Longitude															
Corner-A	30°43'28.14"N	76°39'22.56"E															
Corner-B	30°43'26.21"N	76°39'22.58"E															
Corner-C	30°43'22.48"N	76°39'31.65"E															
Corner-D	30°43'29.85"N	76°39'36.61"E															
4.	Project/activity covered under item of scheduled to the EIA Notification,14.09.2006	Sr .No. 8(a) 'Building & Construction Project'															
5.	Whether the project is in critical polluted area or not.	No															
6.	Does the project involves diversion of forest land. If yes, a. Extent of the forest land. b. Status of the forest clearance.	No															
7.	Does the project cover under PLPA, 1900	No															
8.	Does the project fall within 10 km of eco-sensitive area/ National park/Wild Life Sanctuary.	No															
9.	Classification/Land use pattern as per Master Plan	Residential zone															
10.	Cost of the project	Rs. 60 Crores															

11.	Total Plot area, Built- up Area and Green area	S.No.	Description	Area	
		1.	Plot area (Total scheme area)	35739 m ²	
		2.	Built-up area	60172 m ²	
		3.	Green area	5394 m ²	
12.	EC fee	Rs 120344/- Vide DD No 021370 dated 08.01.2020			
13.	Population (when fully operational)	2877 Persons.			
14.	Water Requirements & source in Construction Phase	Water demand of 15-20 KLD. The water requirement will be met from treated waste water of STP of MC Kharar.			
15.	Break up of Water Requirements & source in Operation Phase (Summer, Rainy, Winter):				
	S.No.	Season	Fresh water Domestic (KLD)	Reuse water Flushing (KLD)	Total (KLD)
	1.	Summer	257	127	384
	2.	Winter	257	127	384
	3.	Rainy	257	127	384
	S.No.	Season	Basis	Green Area	Treated waste water requirement
		Unit	ltr/sqm/day	(sqm)	KLD
	1.	Summer	5.5	5394	30
	2.	Winter	1.8 ltr/sqm/day	5394	9
	3	Rainy	0 ltr/sqm/day	5394	0
Source:					
S.No.	Description	Source of water			
1.	Domestic	Borewell			
2	Flushing purposes	Treated waste water			
16.	Treatment & Disposal arrangements of waste water in Construction Phase	Wastewater generated (2.4 KLD) will be treated in septic tank and treated waste water will be used for plantation purposes.			
	Handling of waste material during construction phase	Earth soil shall be stacked and re used for filling low-lying areas. Brick & other solid waste generated during construction period shall be further reused in pavement & roads.			

17.	Disposal Arrangement of Wastewater in Operation Phase	<p>Total wastewater generation will be 307 KLD which will be treated in proposed STP of 460 KLD capacity to be installed within the project premises. Reuse of treated wastewater and discharge of surplus treated wastewater is given as under: -</p> <table border="1" data-bbox="699 465 1441 712"> <thead> <tr> <th data-bbox="699 465 874 555">Season</th> <th data-bbox="874 465 1058 555">Flushing (KLD)</th> <th data-bbox="1058 465 1249 555">Green area (KLD)</th> <th data-bbox="1249 465 1441 555">Sewer (KLD)</th> </tr> </thead> <tbody> <tr> <td data-bbox="699 555 874 607">Summer</td> <td data-bbox="874 555 1058 607">127</td> <td data-bbox="1058 555 1249 607">30</td> <td data-bbox="1249 555 1441 607">150</td> </tr> <tr> <td data-bbox="699 607 874 658">Winter</td> <td data-bbox="874 607 1058 658">127</td> <td data-bbox="1058 607 1249 658">9</td> <td data-bbox="1249 607 1441 658">171</td> </tr> <tr> <td data-bbox="699 658 874 712">Monsoon</td> <td data-bbox="874 658 1058 712">127</td> <td data-bbox="1058 658 1249 712">0</td> <td data-bbox="1249 658 1441 712">180</td> </tr> </tbody> </table>	Season	Flushing (KLD)	Green area (KLD)	Sewer (KLD)	Summer	127	30	150	Winter	127	9	171	Monsoon	127	0	180
Season	Flushing (KLD)	Green area (KLD)	Sewer (KLD)															
Summer	127	30	150															
Winter	127	9	171															
Monsoon	127	0	180															
18.	Rain water recharging Detail	18286 m ³ /hr rain water will be collected in 13 no. of Rain water recharging pits.																
19.	Solid waste generation and its Disposal	<p>a) 1142 kg/day b) Solid wastes will be appropriately segregated (at source by providing bins) into recyclable, Bio-degradable Components and non-biodegradable. c) Bio-degradable will be Converted into Manure through mechanical composter d) Non-biodegradable or dry waste will be Handed over to authorized waste pickers.</p>																
20.	Green Belt Development Plan including no. of trees to be planted & its species.	<p>Total 465 no. of trees will be planted. Total 465 no. of trees will be planted against the requirement of 447 tree (i.e 1 tree @ 80 sqm of land area of 35739 sqm) (To a query of SEAC, the project proponent submitted a revised layout plan providing details of the trees to be planted inside the project).</p>																
21.	Hazardous Waste & E- Waste	Used oil from DG sets will be sold to registered recyclers and E-waste will be disposed off as per the E-waste (Management) Amendment Rules 2018.																
22.	Energy Requirements & Saving	<p>a) 2900 KW from PSPCL. b) 1x500, 2x 125 KVA & 63 KVA capacity (silent DG set)</p> <p><u>Energy Saving measures:</u></p> <ul style="list-style-type: none"> i) Solar Light 10No = 15 KWHD ii) Common area (300) lights (60W) Replaced with LED (15) = 162 KWHD iii) Energy Saving @2200 KWH annually with 100 liters solar heated water use/day. 																

		<p>Energy Saved for 500 lit hot water used daily = $500 \times 2200 / 100 = 11000 \text{KWH/year} = 30 \text{ KWHD}$ iv) Total Energy saved/day $15+162+30= 207 \text{ KWHD}$</p>			
23.	Environment Management Plan along with Budgetary breakup phase wise and responsibility to implement	Description	Capital cost (lakhs)	Recurring cost (lakhs)	Monitoring of Air, Noise, water (per annum) Rs.
		Construction phase	166	5.0	5.90
		Operation phase	-	10.25	6.90
24.	CER activities along with budgetary break up and responsibility to implement				
<p>Director of the company will be responsible for implementation of CER (Corporate Environment Responsibility). The estimated cost of the project is Rs. 60 Crores. Thus, Rs. 36 lakhs is reserved for C.E.R activities as per Office Memorandum vide F. No. 22-65/ 2017-IA.III dated 01.05.2018. It was proposed to spent Rs 36/- lacs for providing waste water treatment of village pond (to be provided by the Department of Rural Developments and Panchayats, Govt. of Punjab), as per the design evolved by Punjab Pollution control Board.</p>					

3.0 Recommendations

After deliberations, SEAC decided to award 'Silver Grading' to the project proposal and to forward the application of the project proponent to SEIAA with the recommendations to grant Environmental Clearance for establishment of the project namely "City of Dreams- 5" having built up area of 60172 sqm in total land area of 35739 sqm located at village Santemajra, Kharar, Distt. SAS Nagar as per the details mentioned in the Form 1, 1A, EMP & subsequent presentation /clarifications made by the project proponent and his consultant with, proposed measures, conditions prescribed in **Annexure-I** subject to following additions, amendments and deletions given as under:

Conditions to be added in the Annexure-I as under :-

- ii) The project proponent shall plant 465 no. of trees of native varieties within the project as per the guidelines of MoEF/SEIAA.

Conditions to be amended in the Annexure-I as under:-

Condition no. iv), v-a) & xv) of III. Water quality monitoring and preservation

- iv) The total domestic water requirement for the project will be 384 KLD, out of which 257 KLD shall be met through own tube well and remaining through recycling of treated waste water. Total fresh water use shall not exceed the proposed requirement as provided in the project details.

- v) a)The total wastewater generation from the project will be 307 KLD, which will be treated in STP of capacity @ 460 KLD on SBR technology within the project premises. As proposed, reuse of treated wastewater and discharge of surplus treated wastewater shall be as under: -

Sr. No.	Season	For Flushing purposes (KLD)	Green Area (KLD)	Into Sewer* (KLD)
1.	Summer	127	30	150
2.	Winter	127	9	171
3.	Rainy	127	0	180

* Note : Surplus treated wastewater will be discharged into MC sewer as and when sewer connection is available with the project.

- xv) A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. Thus, 13 nos of rain water harvesting recharge pits shall be provided for ground water recharging as per CGWA norms. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.

X. Condition no. i) & iv) of X of Corporate Environment Responsibility

- i) The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility. The project proponent shall adhere to the commitments made in the proposal for CER activities for spending at least minimum amount of Rs. 36,00,000/- for providing waste water treatment of village pond (to be provided by the Department of Rural Developments and Panchayats, Govt. of Punjab), as per the design evolved by Punjab Pollution control Board.
- iv) Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. The project proponent shall spend minimum amount of Rs 166.0 Lacs towards capital cost and Rs 10.90 Lacs/annum towards recurring cost in Construction phase of the project including the environmental monitoring cost and shall spend minimum amount of Rs 17.15 Lacs/annum towards recurring cost in operation phase of the project including the environmental monitoring cost. The entire cost of the environmental management plan will continue to be borne by the project proponent until the responsibility of environmental management plan

is transferred to the occupier/residents society under proper MOU under intimation to SEIAA, Punjab. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six-Monthly Compliance Report.

Item No. 188.06 Application for Environmental Clearance under EIA notification dated 14.09.2006 for the establishment of group Housing project Primegate Tower located at Village Singhpura, Zirakpur by M/s PRIMEGATE DEVELOPERS (INDIA) (Proposal No. SIA/PB/MIS/136539/2020).

1.0 Background

The project proponent has filed an application for obtaining Environment Clearance under EIA notification, 2006 for establishment of a group Housing project Primegate Tower located at Village Singhpura, Zirakpur, Tehsil Dera Bassi, Distt. SAS Nagar.

2.0 Deliberations during the 187th meeting of SEAC held on 04.03.2020

The case was considered by SEAC in its 187th meeting held on 04.03.2020. SEAC observed that the Environmental Engineer, PPCB, Nodal Office, Mohali vide letter no 1153 dated 14.02.2020 has intimated that no construction work has been started by the promoter company and boundary has been demarcated. The site of the project was conforming to the siting guidelines laid down by the Govt. of Punjab, Department of Science Technology and Environment vide order dated 25/07 /2008 as amended on 30/10/2009.

Environmental consultant of the promoter company presented the salient features of the project. SEAC raised certain observations to which project proponent submit the reply. After considering the reply to the observations of SEAC, the details of updated salient features of the project are as under:-

S.No.	Item	Details															
1.	Online Proposal No.	SIA/PB/MIS/136539/2020															
2.	Name and Location of the project	Primegate Tower located at Village Singhpura, Zirakpur															
3.	Latitude & Longitude	Corners coordinates: <table border="1" style="margin-left: 20px;"> <thead> <tr> <th>Corner</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>Corner-A</td> <td>30°37'29.96"N</td> <td>76°49'10.89"E</td> </tr> <tr> <td>Corner-B</td> <td>30°37'20.74"N</td> <td>76°49'08.67"E</td> </tr> <tr> <td>Corner-C</td> <td>30°37'20.52"N</td> <td>76°49'12.32"E</td> </tr> <tr> <td>Corner-D</td> <td>30°37'29.93"N</td> <td>76°49'12.96"E</td> </tr> </tbody> </table>	Corner	Latitude	Longitude	Corner-A	30°37'29.96"N	76°49'10.89"E	Corner-B	30°37'20.74"N	76°49'08.67"E	Corner-C	30°37'20.52"N	76°49'12.32"E	Corner-D	30°37'29.93"N	76°49'12.96"E
Corner	Latitude	Longitude															
Corner-A	30°37'29.96"N	76°49'10.89"E															
Corner-B	30°37'20.74"N	76°49'08.67"E															
Corner-C	30°37'20.52"N	76°49'12.32"E															
Corner-D	30°37'29.93"N	76°49'12.96"E															
4.	Project/activity covered under item of scheduled to the EIA	Sr .No. 8(a) 'Building & Construction Project'															

	Notification,14.09.2006															
5.	Whether the project is in critical polluted area or not.	No														
6.	Does the project involve diversion of forest land. If yes, a. Extent of the forest land. b. Status of the forest clearance.	No														
7.	Does the project cover under PLPA, 1900	No														
8.	Does the project fall within 10 km of eco-sensitive area/ National park/Wild Life Sanctuary.	No .														
9.	Classification/Land use pattern as per Master Plan	Residential zone														
10.	Cost of the project	Rs. 70 Crores														
11.	Total Plot area, Built- up Area and Green area	<table border="1"> <thead> <tr> <th>S.No.</th> <th>Description</th> <th>Area</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>Plot area (Total scheme area)</td> <td>26244 m²</td> </tr> <tr> <td>2.</td> <td>Built-up area</td> <td>75786 m²</td> </tr> <tr> <td>3.</td> <td>Green area</td> <td>6561 m²</td> </tr> </tbody> </table>	S.No.	Description	Area	1.	Plot area (Total scheme area)	26244 m ²	2.	Built-up area	75786 m ²	3.	Green area	6561 m ²		
S.No.	Description	Area														
1.	Plot area (Total scheme area)	26244 m ²														
2.	Built-up area	75786 m ²														
3.	Green area	6561 m ²														
12	EC fee details	Rs 151576/- DD No. 000887 dated 10.01.2020														
13.	Population (when fully operational)	1360 Persons.														
14.	Water Requirements & source in Construction Phase	Water demand of 15 KLD. The water requirement will be met from treated waste water of STP of MC Zirakpur.														
15.	Break up of Water Requirements & source in Operation Phase (Summer, Rainy, Winter):															
	S.No.	Season	Fresh water Domestic (KLD)	Reuse water Flushing (KLD)	Total (KLD)											
	1.	Summer	123	61	184											
	2.	Winter	123	61	184											
	3.	Rainy	123	61	184											
	S.No.	Season	Basis ltr/sqm/day	Green Area (sqm)	Treated waste water requirement KLD											
	1.	Summer	5.5	6561	36											
	2.	Winter	1.8 ltr/sqm/day	6561	10											
	3	Rainy	0 ltr/sqm/day	6561	0											

	S.No.	Description	Source of water																
	1.	Domestic	Borewell																
	2	Flushing purposes	Treated waste water																
	3	Green Area	Treated waste water																
16.	Treatment & Disposal arrangements of waste water in Construction Phase Handling of waste material during construction phase		Wastewater generated (2.4 KLD) will be treated in septic tank and treated waste water will be used for plantation purposes. Earth soil shall be stacked and re used for filling low-lying areas. Brick & other solid waste generated during construction period shall be further reused in pavement & roads.																
17.	Disposal Arrangement of Waste water in Operation Phase		Total wastewater generation will be 147 KLD which will be treated in proposed STP of 220 KLD capacity to be installed within the project premises. Reuse of treated wastewater and discharge of surplus treated wastewater is given as under: - <table border="1" data-bbox="715 1003 1497 1249"> <thead> <tr> <th>Season</th> <th>Flushing (KLD)</th> <th>Green area (KLD)</th> <th>Sewer (KLD)</th> </tr> </thead> <tbody> <tr> <td>Summer</td> <td>61</td> <td>36</td> <td>50</td> </tr> <tr> <td>Winter</td> <td>61</td> <td>10</td> <td>76</td> </tr> <tr> <td>Monsoon</td> <td>61</td> <td>0</td> <td>86</td> </tr> </tbody> </table> To a query of SEAC, the project proponent submitted an affidavit to the effect that he would submit the required EDC fee for the project with the concerned competent authority for laying of sewerage pipeline. In case, the concerned authority is unable to provide the project proponent the sewerage pipelines, the project proponent would connect it from their own end to the STP of MC, Zirakpur which is at a distance of about 25 m from the project. The project proponent has also submitted that no possession would be given till the project proponent lays the sewerage line upto the STP.	Season	Flushing (KLD)	Green area (KLD)	Sewer (KLD)	Summer	61	36	50	Winter	61	10	76	Monsoon	61	0	86
Season	Flushing (KLD)	Green area (KLD)	Sewer (KLD)																
Summer	61	36	50																
Winter	61	10	76																
Monsoon	61	0	86																
18.	Rain water recharging Detail		11070 m ³ /hr rain water will be collected in 16 no. of Rain water recharging pits.																
19.	Solid waste generation and its Disposal		a) 544 kg/day b) Solid wastes will be appropriately segregated (at source by providing bins) into recyclable, Bio-degradable Components and non-biodegradable.																

		c) Bio-degradable will be Converted into Manure through mechanical composter d) Non-biodegradable or dry waste will be Handed over to authorized waste pickers			
20.	Hazardous Waste & E- Waste	Used oil from DG sets will be sold to registered recyclers and E-waste will be disposed off as per the E-waste (Management) Amendment Rules 2018.			
20.	Green Belt Development Plan including no. of trees to be planted & its species.	Total 340 no. of trees will be planted against the requirement of 328 tree (i.e 1 tree @ 80 sqm of land area of 26244 sqm) (To a query of SEAC, the project proponent submitted a revised layout plan providing details of the trees to be planted inside the project)			
21.	Energy Requirements & Saving	a) 1500 KW from PSPCL. b) 1x 63 KVA, 2x 240& 500 KVA capacity (silent DG set) <u>Energy Saving measures:</u> i) Solar Light 10 No = 15 KWHD ii) Common area (250) lights replaced with LED = 135 KWHD iii) Total Energy saved/day 15+135 = 150 KWHD			
22.	Environment Management Plan along with Budgetary breakup phase wise and responsibility to implement	Description	Capital cost (lakhs)	Recurring cost (lakhs)	Monitoring of Air, Noise, water (per annum) Rs.
		Construction	83.50	5.0	2.25
		Operation	-	9.5	2.70
23	CER activities along with budgetary break up and responsibility to implement				
	i) Partner of the company will be responsible for implementation of CER (Corporate Environment Responsibility). The estimated cost of the project is Rs. 70 Crores. Thus, Rs. 42 lakhs is reserved for C.E.R activities as per Office Memorandum vide F. No. 22-65/ 2017-IA.III dated 01.05.2018. It was proposed to spent Rs 42/- lacs for providing waste water treatment of village pond (to be provided by the Department of Rural Developments and Panchayats, Govt. of Punjab), as per the design evolved by Punjab Pollution control Board.				

3.0 Recommendations

After deliberations, SEAC decided to award 'Silver Grading' to the project proposal and to forward the application of the project proponent to SEIAA with the recommendations to grant Environmental Clearance for establishment of the project namely "Primegate

Tower” having built up area of 75786 sqm in total land area of 26244 sqm located at village Singhpura, Zirakpura, Distt. SAS Nagar as per the details mentioned in the Form 1, 1A, EMP & subsequent presentation /clarifications made by the project proponent and his consultant with, proposed measures, conditions prescribed in **Annexure-I** subject to following additions, amendments and deletions given as under:

Conditions to be added in the Annexure-I as under :-

- i) In case, the Municipal Council, Zirakpur is not able to lay down the sewer line to connect the outlet of the STP with the STP of Municipal Council, Zirakpur, the project proponent shall lay down the sewer line at its own cost.
- ii) The project proponent shall not give possession of property till the time connection from outlet of STP is made with the STP of Municipal Council, Zirakpur.
- iii) The project proponent shall plant 340 no. of trees of native varieties within the project as per the guidelines of MoEF/SEIAA.

Conditions to be amended in the Annexure-I as under :-

Condition no. iv), v-a) & xv) of III. Water quality monitoring and preservation

- iv) The total domestic water requirement for the project will be 184 KLD, out of which 123 KLD shall be met through own tube well and remaining through recycling of treated waste water. Total fresh water use shall not exceed the proposed requirement as provided in the project details.
- v) a)The total wastewater generation from the project will be 147 KLD, which will be treated in STP of capacity @ 220 KLD on SBR technology within the project premises. As proposed, reuse of treated wastewater and discharge of surplus treated wastewater shall be as under: -

Sr. No.	Season	For Flushing purposes (KLD)	Green Area (KLD)	Into Sewer* (KLD)
1.	Summer	61	36	50
2.	Winter	61	10	76
3.	Rainy	61	0	86

* Note : Surplus treated wastewater will be discharged into MC sewer as and when sewer connection is available with the project.

- xv) A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. Thus, 16 nos of rain water harvesting recharge pits shall be provided for ground water recharging as per CGWA norms. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.

X. Condition no. i) & iv) of X of Corporate Environment Responsibility

- ii) The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility. The project proponent shall adhere to the commitments made in the proposal for CER activities for spending at least minimum amount of Rs. 42,00,000/- for providing waste water treatment of village pond (to be provided by the Department of Rural Developments and Panchayats, Govt. of Punjab), as per the design evolved by Punjab Pollution control Board.
- iv) Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. The project proponent shall spend minimum amount of Rs 83.50 Lacs towards capital cost and Rs 7.25 Lacs/annum towards recurring cost in Construction phase of the project including the environmental monitoring cost and shall spend minimum amount of Rs 12.20 Lacs/annum towards recurring cost in operation phase of the project including the environmental monitoring cost. The entire cost of the environmental management plan will continue to be borne by the project proponent until the responsibility of environmental management plan is transferred to the occupier/residents society under proper MOU under intimation to SEIAA, Punjab. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six-Monthly Compliance Report.

Item No. 188.07 Application for Environmental Clearance under EIA notification dated 14.09.2006 for Group Housing Project namely "Exotic Magnifiq" located at Village Kishanpura, Tehsil Derabassi, Distt. SAS Nagar (Mohali), Punjab by M/s Exotic Builders and Developers (Proposal No. SIA/PB/MIS/127251/2019).

1.0 Background

The project proponent has filed an application for obtaining Environment Clearance under EIA notification, 2006 for establishment of a group Housing project Exotic Magnifiq located at Village Kishanpura, Tehsil Derabassi, Distt. SAS Nagar (Mohali).

2.0 Deliberations during the 188th meeting of SEAC held on 04.03.2020

The case was considered by SEAC in its 188th meeting held on 04.03.2020. SEAC observed that the Environmental Engineer, PPCB, Nodal Office, Mohali vide letter no 1151 dated 14.02.2020 has intimated that no construction work has been started by the promoter company and boundary has been demarcated. The site of the project was

conforming to the siting guidelines laid down by the Govt. of Punjab, Department of Science Technology and Environment vide order dated 25/07 /2008 as amended on 30/10/2009.

Environmental consultant of the promoter company presented the salient features of the project. SEAC raised certain observations to which project proponent submit the reply. After considering the reply to the observations of SEAC, the details of updated salient features of the project are as under:-

S.No.	Item	Details
1.	Online Proposal No.	SIA/PB/MIS/127251/2019
2.	Name and Location of the project	"Exotic Magnifiq" located at Village Kishanpura, Tehsil Derabassi, Distt. SAS Nagar (Mohali), Punjab
3.	Latitude & Longitude	The corner co-ordinates of project location are: A: 30°39'6.03"N and 76°51'12.15"E B: 30°39'5.41"N and 76°51'14.01"E C: 30°39'8.76"N and 76°51'15.37"E D: 30°39'9.55"N and 76°51'12.89"E E: 30°39'8.19"N and 76°51'12.35"E F: 30°39'7.93"N and 76°51'12.93"E
4.	Project/activity covered under item of scheduled to the EIA Notification, 14.09.2006.	S.No. 8(a) - 'Building & Construction Project'
5.	Whether the project is in critical polluted area or not.	No
6.	Does the project involve diversion of forest land. If yes, a. Extent of the forest land. b. Status of the forest clearance.	No.
7.	Does the project cover under PLPA, 1900	No
8.	Does the project fall within 10 km of eco-sensitive area/ National park/Wild Life Sanctuary. if yes, Status of NBWL clearance.	Yes, Khol Hi – Raitan Wildlife Sanctuary, Panchkula is located at a distance of 5.5 km from the project location. But, eco-sensitive zone of the sanctuary is 925 m from the boundary of the sanctuary. Thus, there is no requirement of NBWL clearance.
9.	Classification/Land use pattern as per Master Plan.	The proposed project site falls in the in the Residential zone as per the Master Plan of Zirakpur.
10.	Cost of the project	Rs. 48.49 Crores.

11.	Total Plot area, Built- up area and Greenarea.	Sr. No.	Description	Total (sqm)				
		1.	Land area	7,190.635sq.m. (or 1.776 acres)				
		2.	Built-up area	22,163.25 sq.m				
		3.	Green Area	1,302.940sq.m				
12	EC fee details	Rs 44330/- NEFT No S4507787 dated 04.11.2019						
13	Population (when fully operational)	539 persons.						
14.	Water requirements & source in Construction Phase	<p>Treated waste water will be used for construction purposes The water demand of 20 KLD (max) may be there depending upon phases of construction and the same will be met from nearby STPs by using private water tankers</p> <p>Domestic demand for 50 workers during peak period @ 3 KLD (@ 45 lpcd) shall be met from the ground water.</p>						
15	Breakup of Water Requirements & source in Operation Phase(Summer, Rainy, Winter):							
	During operational phase, water supply will be provided from 2 borewells. The total domestic water requirement will be 69 KLD. However, net fresh water requirement will be 46 KLD. 27.5 KLD of sewage (black water) will be generated from the project which will be treated in STP of 40 KLD capacity based on MBBR Technology. While, 27.5 KLD of grey water will be generated from the project which will be treated in WWTP of 45 KLD.Break-up of the same is given below:							
	S. No.	Seasons	Fresh water		Reuse water		Total water (KLD)	
			Domestic (KLD)	Others (Pl define KLD)	Flushing purpose (KLD)	Green area (KLD)	HVAC If any (KLD)	
	1.	Summer	46	-	23	7	-	76
	2.	Winter	46	-	23	2	-	71
	3.	Rainy	46	-	23	1	-	70
S.No.	Season	Basis		Green Area	Treated waste water requirement			

	Unit	ltr/sqm/day	(sqm)	KLD		
1.	Summer	5.5	1303	7		
2.	Winter	1.8 ltr/sqm/day	1303	2		
3	Rainy	5.5 ltr/sqm/day	1303	1		
Sources of water:						
S.No.	Purposes	Source of water				
1.	Domestic	Ground water : 01 Borewell. (In reply to the observation of SEAC, the project proponent submitted an undertaking dated 04.03.2020 to the effect that he will construct only one borewell for groundwater abstraction after obtaining necessary approvals from CGWA. Further, the project proponent will use 10 HP power motor for the tubewell.)				
2.	Flushing purposes	Treated waste water				
3.	Green area	Treated waste water				
16.	Treatment & disposal arrangements of wastewater in Construction Phase	Septic Tank For plantation on green area.				
17.	Disposal arrangement of wastewater in Operation Phase	Total 55 KLD of wastewater will be generated. Out of which, 27.5 KLD of sewage (black water) generated from the project will be treated in STP of 40 KLD capacity based on MBBR Technology. While, 27.5 KLD of grey water generated from the project will be treated in WWTP of capacity 45 KLD to be installed within project premises. Reuse of treated wastewater and discharge of surplus treated wastewater is given as under: -				
		S. No.	Seasons	Flushing purpose (KLD)	Green area (KLD)	MC sewer, if any (KLD)
		1.	Summer	23	7	24
		2.	Winter	23	2	29
		3.	Rainy	23	1	33
18.	Rain water recharging detail	Internally rain water recharging pit has been proposed. Thus, rain water recharging will be done by collecting the runoff generated from rooftop area, paved/road area, open area and green area within the project premises. 5 rain water recharging				

		pits has been proposed within the project premises.														
19.	Solid waste generation and its disposal	During Operation Phase, about 206 kg/day (@ 0.40 kg/capita/day for residential and @ 0.2 kg/capita/day for floating) of solid waste will be generated. Garbage chute system will be provided. The solid waste shall be duly segregated into biodegradable and non-biodegradable components. A separate area will be earmarked for segregation of solid waste. Biodegradable waste will be composted by use of Mechanical Composter. Inert waste will be dumped to authorized dumping site. The recyclable waste shall be sold to resellers.														
20.	Green Belt Development Plan including no. of trees to be planted & its species.	Total 100 no. of trees will be planted against the requirement of 90 tree (i.e 1 tree @ 80 sqm of land area of 7191 sqm) (In reply to the observation of SEAC, the project proponent submitted a revised layout plan providing details of the trees to be planted inside the project														
21.	Hazardous Waste & E- Waste	Hazardous waste in the form of used oil will be generated which will be disposed off to authorized vendors as per Solid Waste Management Rules, 2016 and E-waste will be disposed off as per the E-waste Management Rules,2018.														
22.	Energy requirements & saving	<p>a) 803 KVA from Punjab State Power Corporation Limited (PSPCL).</p> <p>b) 2 DG sets of capacity 250 KVA each (silent DG sets).</p> <p><u>Energy saving measures:</u></p> <p>a) Solar panels have been proposed on the roof top of the towers. The total area covered by solar panels is 2,964 sq.ft. (or 275 sq.m) which is 30% of terrace area i.e. 9,881 sq.ft. (or 918 sq.m) which will generate 23 KW of power generation.</p> <p>b) LED lights will be used.</p>														
23	Environment Management Plan along with Budgetary break up phase wise and responsibility to implement	<p>During construction phase, 164 lakhs will be responsible for implementation of EMP and during operation phase, 13 lakhs will be allocated as recurring cost for EMP.</p> <table border="1"> <thead> <tr> <th>Description</th> <th>Capital cost (in lakhs)</th> <th>Recurring cost per annum (in lakhs)</th> <th>Monitoring of Air, Noise, water per annum (in lakhs)</th> </tr> </thead> <tbody> <tr> <td>Construction</td> <td>164</td> <td>9.5</td> <td>1</td> </tr> <tr> <td>Operation</td> <td>-</td> <td>13</td> <td>1</td> </tr> </tbody> </table>			Description	Capital cost (in lakhs)	Recurring cost per annum (in lakhs)	Monitoring of Air, Noise, water per annum (in lakhs)	Construction	164	9.5	1	Operation	-	13	1
Description	Capital cost (in lakhs)	Recurring cost per annum (in lakhs)	Monitoring of Air, Noise, water per annum (in lakhs)													
Construction	164	9.5	1													
Operation	-	13	1													
24.	CER activities along with budgetary break up and responsibility to implement.															

Mr. Neeraj Garg & Mr. Ankur Juneja (Partners) of M/s Exotic Builders and Developers will be responsible for implementation of CER (Corporate Environmental Responsibility) as well as Environment Management Plan (EMP) till the project is handed over. As per Office Memorandum dated 01.05.2018; project proponent will spend Rs. 15 lakhs on CER activities mentioned in Table below:

S. No.	Activities	Annual expenditure (in Rs. Lakhs)	Timeline	Total expenditure in 5 years (in Rs. Lakhs)
1.	<p>Infrastructure: Adoption of Village Kishanpura, Zirakpur for their better regulation and expansion of facilities as per their needs such as:</p> <ul style="list-style-type: none"> • Construction/maintenance of village roads. • Providing solar lights along the roads and common areas. • Maintenance of Govt. Elementary school in Kishanpura Village. 	5	3 years	15
25.	Other important facts (Applicable to EC projects only)	<p>i) EO, MC, Zirakpur vide letter no 3051 dated 21.11.2019 issued No objection certificate to the effect that MC has no objection in giving the sewer connection to project "Exotic Magnifiq" as the line of main MC sewer is passing in front of project site. Therefore, after deposition of requisite charges, 50 KLD of excess treated sewage can be discharged into MC, Zirakpur Sewer</p> <p>ii) EO, MC, Zirakpur vide letter no 3051 dated 21.11.2019 intimated that MC, Zirakpur shall make necessary arrangement regarding lifting of garbage and expenditure occurred on this will be paid by the promoter company.</p>		

3.0 Recommendations

After deliberations, SEAC decided to award 'Silver Grading' to the project proposal and to forward the application of the project proponent to SEIAA with the recommendations to grant Environmental Clearance for establishment of the project namely "Exotic Magnifiq" having built up area of 22163.25 sqm in total land area of 7190.635 sqm

located at village Kishanpura, Dera Bassi, Distt. SAS Nagar as per the details mentioned in the Form 1, 1A, EMP & subsequent presentation /clarifications made by the project proponent and his consultant with, proposed measures, conditions prescribed in **Annexure-I** subject to following additions, amendments and deletions given as under:

Conditions to be added in the Annexure-I as under :-

- i) The project proponent shall plant 100 no. of trees within the projects of native varieties as per the guidelines of the MoEF/SEIAA.
- ii) The project proponent shall utilize only one borewell having motor power as mentioned in the CGWA application to abstract the ground water. Other borewell, if any, will be sealed/buried and compliance of the same be submitted to the SEIAA along with six monthly report.

Conditions to be amended in the Annexure-I as under :-

Condition no. iv), v-a) & xv) of III. Water quality monitoring and preservation

- iv) The total domestic water requirement for the project will be 69 KLD, out of which 46 KLD shall be met through own tube well and remaining through recycling of treated waste water. Total fresh water use shall not exceed the proposed requirement as provided in the project details.
- v) a)The total wastewater generation from the project will be 55 KLD, out of which, 27.5 KLD of sewage (black water) generated from the project will be treated in STP of 40 KLD capacity based on MBBR Technology. While, 27.5 KLD of grey water generated from the project will be treated in WWTP of capacity 45 KLD to be installed within project premises. As proposed, reuse of treated wastewater and discharge of surplus treated wastewater of 54 KLD available at the outlet of STP & WWTP after considering evaporation & other losses shall be as under: -

Sr. No.	Season	For Flushing purposes (KLD)	Green Area (KLD)	Into Sewer* (KLD)
1.	Summer	23	7	24
2.	Winter	23	2	29
3.	Rainy	23	1	33

* Note : Surplus treated wastewater will be discharged into MC sewer as and when sewer connection is available with the project

- xv) A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. Thus, 5 nos of rain water harvesting recharge pits shall be provided for ground water recharging as per CGWA norms. In areas where ground water recharge is

not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority..

X. Condition no. i) & iv) of X of Corporate Environment Responsibility

- i) The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility. The project proponent shall adhere to the commitments made in the proposal for spending Rs. 15 lakhs on CER activities mentioned as per details given below:

S. No.	Activities	Annual expenditure (in Rs. Lakhs)	Timeline	Total expenditure in 5 years (in Rs. Lakhs)*
1.	<p>Infrastructure: Adoption of Village Kishanpura, Zirakpur for their better regulation and expansion of facilities as per their needs such as:</p> <ul style="list-style-type: none"> • Construction/maintenance of village roads. • Providing solar lights along the roads and common areas. • Maintenance of Govt. Elementary school in Kishanpura Village. 	5	3 years	15

*Note :- The amount to be spent on CER activities shall be proportionate to the amount spent on project & such activities shall run parallel to the project execution. All the activities must be completed with the completion of the project.

- iv) Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. The project proponent shall spend minimum amount of Rs 164.00 Lacs towards capital cost and Rs 10.5 Lacs/annum towards recurring cost in Construction phase of the project including the environmental monitoring cost and shall spend minimum amount of Rs 14.0 Lacs/annum towards recurring cost in operation phase of the project including the environmental monitoring cost. The entire cost of the environmental management plan will continue to be borne by the project proponent until the responsibility of environmental management plan

is transferred to the occupier/residents society under proper MOU under intimation to SEIAA, Punjab. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six-Monthly Compliance Report.

Item No. 188.08: Application for Environmental Clearance under EIA notification dated 14.09.2006 for the establishment of a Commercial Project at Village-Bishangarh & Bishanpura Zirakpur, Tehsil Derabassi, S.A.S Nagar, Punjab by M/s V.R. Developers(Proposal No. SIA/PB/MIS/135168/2020).

1.0 Background

The project proponent has filed an application for obtaining Environment Clearance under EIA notification, 2006 for establishment of a commercial project at Village-Bishangarh & Bishanpura Zirakpur, Tehsil Derabassi, Distt. S.A.S Nagar, Punjab.

2.0 Deliberations during the 188th meeting of SEAC held on 04.03.2020

The case was considered by SEAC in its 188th meeting held on 04.03.2020. SEAC observed that the Environmental Engineer, PPCB, Nodal Office, Mohali vide letter no 1155 dated 14.02.2020 has intimated that no construction work has been started by the promoter company and boundary has been demarcated. The site of the project was conforming to the siting guidelines laid down by the Govt. of Punjab, Department of Science Technology and Environment vide order dated 25/07 /2008 as amended on 30/10/2009.

Environmental consultant of the promoter company presented the salient features of the project. SEAC raised certain observations to which project proponent submit the reply. After considering the reply to the observations of SEAC, the details of updated salient features of the project are as under:-

S.No.	Item	Details															
1.	Online Proposal No.	SIA/PB/MIS/135168/2020															
2.	Name and Location of the project	Commercial Project at Village-Bishangarh & Bishanpura Zirakpur, Tehsil Derabassi, S.A.S Nagar, Punjab															
3.	Latitude & Longitude	Corners coordinates: <table border="1" style="margin-left: 20px;"> <thead> <tr> <th>Corner</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>Corner-1</td> <td>30°38'19.12" N</td> <td>76°49'23.10" E</td> </tr> <tr> <td>Corner-2</td> <td>30°38'16.27" N</td> <td>76°49'30.38" E</td> </tr> <tr> <td>Corner-3</td> <td>30°38'14.72" N</td> <td>76°49'29.60" E</td> </tr> <tr> <td>Corner-4</td> <td>30°38'16.95" N</td> <td>76°49'23.50" E</td> </tr> </tbody> </table>	Corner	Latitude	Longitude	Corner-1	30°38'19.12" N	76°49'23.10" E	Corner-2	30°38'16.27" N	76°49'30.38" E	Corner-3	30°38'14.72" N	76°49'29.60" E	Corner-4	30°38'16.95" N	76°49'23.50" E
Corner	Latitude	Longitude															
Corner-1	30°38'19.12" N	76°49'23.10" E															
Corner-2	30°38'16.27" N	76°49'30.38" E															
Corner-3	30°38'14.72" N	76°49'29.60" E															
Corner-4	30°38'16.95" N	76°49'23.50" E															

4.	Project/activity covered under item of scheduled to the EIA Notification,14.09.2006	Sr .No. 8(a) 'Building & Construction Project'		
5.	Whether the project is in critical polluted area or not.	No.		
6.	Does the project involve diversion of forest land. If yes, a. Extent of the forest land. b. Status of the forest clearance.	Project Proponent submitted a copy of NOC issued by Forest Officer, SAS Nagar vide no 10274 dated 04.03.20, which was taken on the record by SEAC. .		
7.	Does the project cover under PLPA, 1900	No		
8.	Does the project fall within 10 km of eco-sensitive area/ National park/Wild Life Sanctuary.	No		
9.	Classification/Land use pattern as per Master Plan	Existing Built-up area		
10.	Cost of the project	Rs. 65 crores		
11.	Total Plot area, Built- up Area and Green area	S.No.	Description	Area
		1.	Plot area (Total scheme area)	10,682.61(or 2.63 acres)
		2.	Built-up area	27,862.282 m ²
		3.	Green area	745.69 m ²
11 -a	EC fee details	Rs 55730/- Vide NEFT No. N002201024521174 dated 02.01.2020		
12.	Population (when fully operational)	5,311 persons.		
13.	Water Requirements & source in Construction Phase	Treated waste water will be used for construction purposes The water demand of 10 KLD (max) may be there depending upon phases of construction and the same will be met from nearby STPs by using private water tankers Domestic demand for 50 workers during peak period @ 3 KLD (@ 45 lpcd) shall be met from the ground water.		
14.	Breakup of Water Requirements & source in Operation Phase (Summer, Rainy, Winter):			
	Sr.No.	Season	Fresh water	Reuse water
				Total

		Domestic (KLD)	Others (Green area) (KLD)	Flushing (KLD)	Green area (KLD)	HVAC (KLD)	(KLD)
1.	Summer	212	-	85	4.0	-	301.0
2.	Winter	212	-	85	1.5	-	298.5
3.	Rainy	212	-	85	0.5	-	297.5

S.No.	Season	Basis	Green Area	Treated waste water requirement
	Unit	ltr/sqm/day	(sqm)	KLD
1.	Summer	5.5	746	4.0
2.	Winter	1.8 ltr/sqm/day	746	1.5
3	Rainy	0 ltr/sqm/day	746	0.5

S.No.	Description	Source of water
1.	Domestic	Borewell (To a query of SEAC, the project proponent submitted an undertaking dated 04.03.2020 to the effect that he will construct only one borewell for groundwater abstraction after obtaining necessary approvals from CGWA. Further, the project proponent will use 10 HP power motor for the tubewell.)
2	Flushing purposes	Treated waste water
3.	Green area	Treated waste water

15.	Treatment & Disposal arrangements of waste water in Construction Phase Handling of waste material during construction phase	Wastewater generated (2.4 KLD) will be treated in septic tank and treated waste water will be used for plantation purposes. Waste Material handling will be carried out as per Construction and Demolition (C&D) Waste Management Rules, 2016.
16.	Disposal Arrangement of Waste water in Operation Phase	Total wastewater generation will be 238 KLD (80% of 297 KLD) out of which black water will be 166 KLD (kitchen @ 81 KLD +Flushing @85 KLD) and grey water will be 72 KLD (Washing + Bathing). 166 KLD black water will be treated in STP of capacity 200 KLD based

		<p>on MBBR technology and 72 KLD grey water will be treated in WWTP of capacity 100 KLD to be installed within the project premises. Reuse of treated wastewater and discharge of surplus treated wastewater is given as under: -</p> <table border="1"> <thead> <tr> <th>Season</th> <th>Flushing (KLD)</th> <th>Green area (KLD)</th> <th>Sewer (KLD)</th> </tr> </thead> <tbody> <tr> <td>Summer</td> <td>85</td> <td>4.0</td> <td>144</td> </tr> <tr> <td>Winter</td> <td>85</td> <td>1.5</td> <td>146.5</td> </tr> <tr> <td>Monsoon</td> <td>85</td> <td>0.5</td> <td>152.5</td> </tr> </tbody> </table>	Season	Flushing (KLD)	Green area (KLD)	Sewer (KLD)	Summer	85	4.0	144	Winter	85	1.5	146.5	Monsoon	85	0.5	152.5
Season	Flushing (KLD)	Green area (KLD)	Sewer (KLD)															
Summer	85	4.0	144															
Winter	85	1.5	146.5															
Monsoon	85	0.5	152.5															
17.	Rain water recharging detail	165 m ³ /hr rain water will be collected in 3 no. of Rain water recharging pits with dual bore.																
18.	Solid waste generation and its disposal	<p>a) 1,062 kg/day</p> <p>b) The solid waste shall be duly segregated into biodegradable and non-biodegradable components. A separate area will be earmarked for segregation of solid waste.</p> <p>c) 478 Kg/day of Bio-degradable will be Converted into Manure using 1 Mechanical Composter of size 500 kg.</p> <p>d) 563Kg/day of Non-biodegradable or dry waste will be Handed over to authorized waste pickers</p> <p>e) 21 Kg/day Domestic hazardous waste will be Disposed off to authorized vendors as per Solid Waste Management Rules, 2016.</p>																
19.	Green Belt Development Plan including no. of trees to be planted & its species.	<p>Total 150 no. of trees will be planted against the requirement of 134 tree (i.e 1 tree @ 80 sqm of land area of 10683 sqm)</p> <p>(To a query of SEAC, the project proponent submitted a revised layout plan providing details of the trees to be planted inside the project</p>																
20.	Hazardous Waste & E- Waste	Used oil from DG sets will be sold to registered recyclers and E-waste will be disposed off as per the E-waste(Management)AmendmentRules2018.																
21.	Energy Requirements & Saving	<p>a)2272 KW from PSPCL.</p> <p>b)3 DG sets (i.e. 2 Nos. of 1010 KVA and 1 of 750 KVA)</p> <p><u>Energy Saving measures:</u></p> <p>Solar panels have been proposed on the roof top of the building. The total area covered by solar panels is 1,230 m² (which is 30% of terrace area i.e. 4,100 m²) which will generate 103 KW of power generation.</p> <p>i. Roof top area = 4100 m²</p>																

		ii. Space available for solar panel = 1,230 m ² iii. Area Req. per K.W = 12 m ² iv. Solar Power Generated = 103 KW v. Cost approx. Rs. 65000 per KW vi. Total Cost approx. = Rs. 67 Lakhs			
22.	Environment Management Plan along with Budgetary breakup phase wise and responsibility to implement				
		Description	Capital cost (lakhs)	Recurring cost (lakhs)	Monitoring of Air, Noise, water (per annum) Rs.
		Construction	215	11	1
		Operation	-	18.5	1
22.	CER activities along with budgetary break up and responsibility to implement				
Mr. Raj Kumar (Partner) of M/s. V R Developers will be responsible for implementation of CER (Corporate Environmental Responsibility) within 5 years. Rs. 20 Lakhs have been reserved for CER activities under following activities:					
	S.No.	Activities	Annual Expenditure (in Lakhs)	Timeline(2020 to 2025)	Total Expenditure in 5 Years
	1.	Adoption of Government Senior Secondary School, Village Lohgarh, Zirakpur, Mohali. Punjab. <ul style="list-style-type: none"> Provision of solar lights Up gradation of the facilities in school by providing aid in order to purchase books and furniture. 	20	One time	20
		Total	20		20

3.0 Recommendations

After deliberations, SEAC decided to award 'Silver Grading' to the project proposal and to forward the application of the project proponent to SEIAA with the recommendations to grant Environmental Clearance for establishment of the commercial project having built up area of 27862.282 sqm in total land area of 10682.61 sqm located at village Bishangarh & Bishanpura, Zirakpur, Tehsil Dera Bassi, Distt. SAS Nagar as per the details mentioned in the Form 1, 1A, EMP & subsequent presentation /clarifications made by the project proponent and his consultant with, proposed measures, conditions prescribed in **Annexure-I** subject to following additions, amendments and deletions given as under:

Conditions to be added in the Annexure-I as under :-

- i) The project proponent shall plant 150 no. of trees within the projects of native varieties as per the guidelines of the MoEF/SEIAA.
- ii) The project proponent shall utilize only one borewell having motor power as mentioned in the CGWA application to abstract the ground water. Other borewell, if any, will be sealed/buried and compliance of the same be submitted to the SEIAA along with six monthly report.

Conditions to be amended in the Annexure-I as under :-

Condition no. iv), v-a) & xv) of III. Water quality monitoring and preservation

- iv) The total domestic water requirement for the project will be 297 KLD, out of which 212 KLD shall be met through own tube well and remaining through recycling of treated waste water. Total fresh water use shall not exceed the proposed requirement as provided in the project details.
- v) a)The total wastewater generation from the project will be 238 KLD out of which black water will be 166 KLD and grey water will be 75 KLD and same will be treated in proposed STP of capacity 200 KLD based on MBBR technology and WWTP of capacity 100 KLD, respectively, to be installed within the project premises. As proposed, reuse of treated wastewater and discharge of surplus treated wastewater of 233 KLD available at the outlet of STP& WWTP after considering the evaporation & other losses, shall be as under: -

Sr. No.	Season	For Flushing purposes (KLD)	Green Area (KLD)	Into Sewer* (KLD)
1.	Summer	85	4.0	144
2.	Winter	85	1.5	146.5
3.	Rainy	85	0.5	152.5

* Note : Surplus treated wastewater will be discharged into MC sewer as and when sewer connection is available with the project

- xv) A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. Thus, 3 nos of rain water harvesting recharge pits (with dual bore) shall be provided for ground water recharging as per CGWA norms. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority..

X. Condition no. i) & iv) of X of Corporate Environment Responsibility

- i) The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility. The project proponent shall adhere to the commitments made in the proposal for spending Rs. 20 Lakhs on CER activities mentioned as per details given below:

S.No.	Activities	Annual Expenditure (in Lakhs)	Timeline (2020 to 2025)	Total Expenditure in 5 Years
1.	Adoption of Government Senior Secondary School, Village Lohgarh, Zirakpur, Mohali. Punjab. <ul style="list-style-type: none"> • Provision of solar lights • Up gradation of the facilities in school by providing aid in order to purchase books and furniture. 	20	One time	20
	Total	20		20

*Note :- The amount to be spent on CER activities shall be proportionate to the amount spent on project & such activities shall run parallel to the project execution. All the activities must be completed with the completion of the project.

- iv) Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. The project proponent shall spend minimum amount of Rs 215.00 Lacs towards capital cost and Rs 12.0 Lacs/annum towards recurring cost in Construction phase of the project including the environmental monitoring cost and shall spend minimum amount of Rs 19.5 Lacs/annum towards recurring cost in operation phase of the project including the environmental monitoring cost. The entire cost of the environmental management plan will continue to be borne by the project proponent until the responsibility of environmental management plan is transferred to the occupier/residents society under proper MOU under intimation to SEIAA, Punjab. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six-Monthly Compliance Report.

Item No: 188.09 : Application for Environmental Clearance under EIA notification dated 14.09.2006 for expansion of Integrated Township namely "Quark City" located at Plot Nos. A-40A & A-45, Focal Point Industrial Area, Phase VIII B, Mohali (Punjab) by M/s Quark City India Pvt. Ltd. (Proposal No. SIA/PB/MIS/ 31373/2017).

1.0 Background

Earlier, M/s Quark City India Private Ltd was granted Environmental clearance under EIA notification dated 14.09.2006 by MoEF&CC vide no. J.12011/160/2005-IA (CIE) dated 11.04.2007 for the development of Information Technology and Knowledge Based Industry Park/Special Economic Zone by constructing multi-storey buildings for housing, offices, commercial space and activities related to human living in an area of 51.3 acres having built up area 4,15,531.21 sqm.

Thereafter, TORs were issued for expansion of the project by the MoEF&CC vide O.M FNo. 21-122/2017-IA-III dated 2nd June, 2017.

M/s Quark City India Pvt. Ltd has submitted EIA report vide proposal no SIA/PB/MIS/31373/2017 to SEIAA, Punjab for obtaining fresh Environmental Clearance under EIA notification dated 14.09.2006 for the expansion of Integrated Township namely "Quark City" located at Plot Nos. A-40A & A-45, Focal Point Industrial Area, Phase VIII B, Mohali (Punjab) in an plot area of 51.30 acres and overall built-up area of 7,47,088.902 sqm.

EIA report was scrutinized by the AEE & Essential Details were sought on 03/05/19 and 03/09/2019 to which he replied on 24.07.2019 and 19.09.2019, respectively.

2.0 Deliberations during the 188th meeting of SEAC held on 04.03.2020

The case was considered by SEAC in its 188th meeting held on 04.03.2020. SEAC was apprised that in compliance to the Ministry circular dated 07.09.2017 regarding environmental clearance to the expansion projects/activities under the EIA Notification, 2006, Regional Office of the Ministry was requested vide letter no 943 dated 13.11.2019 to submit certified compliance report of the conditions of environmental clearance granted to M/s Quarkcity India Private Ltd .

Accordingly, the Regional Office of the Ministry vide letter no 5-81/2007-RO(NZ)/ 132 dated 14.02.2020 has sent the certified compliance report of the conditions of environmental clearance, which was perused by the SEAC. SEAC observed that project proponent has complied with condition no (viii), (x) and (xvii) of construction phase and condition no (iv), (v), (vi) and (ix) of the operation phase. However, condition no (i), (iii) and (viii) of the operation phase has not fully complied with. To query of SEAC regarding the compliance of these conditions, the project proponent submitted an undertaking dated 04.03.2020 as under: -

- i) With reference to the non-compliance mentioned at point no (i) regarding submission of STP adequacy report certified by an independent expert, it was submitted that they had hired expert for preparing STP adequacy report and same will be submitted within a month time.
- ii) With reference to the non-compliance mentioned at point no (iii) regarding not having in-vessel bio-conversion technique for handling solid waste, it was submitted that solid waste generated from the project will be handled as per Solid Waste Management Rules,2016. Bio-methanation will be done in order to process the bio-degradable solid waste generated from the project.
- iii) With reference to the non-compliance mentioned at point no (vii) regarding application of solar energy in common areas, it was submitted that solar panels having 200 KW will be installed on the roof top of building within 12months time.

SEAC was not satisfied from the reply of the project proponent.

However, on the request of SEAC allowed the environmental consultant of the project proponent to present salient features of the project. The details of the project as per the application form and as presented by the environmental consultant along with various details as submitted during the meeting are as under:

S.No.	Item	Details
1.	Online Proposal No.	SIA/PB/NCP/31373/2017
2.	Name and Location of the project	Integrated Township namely "QuarkCity" located at Plot Nos. A-40A & A-45, Focal Point Industrial Area, Phase VIIIB, Mohali (Punjab)
3.	Latitude & Longitude	30°40'25"N Latitude 76°40'25"E Longitude.
4.	Project/activity covered under item of scheduled to the EIA Notification, 14.09.2006	Sr. No. 8(b) 'Township and Area Development Projects'.
5.	Whether the project is in critical polluted area or not.	No
6.	If the project involves diversion of forest land. If yes, a. Extent of the forest land. b. Status of the forest clearance.	No.
7.	Does the project covered under PLPA, 190.	No
8.	Does the project fall within 10 km of eco-sensitive area/ National park/Wild Life Sanctuary. If yes, a. Name of eco-sensitive area/ National park/Wild Life Sanctuary and distance from the project site.	Yes i) City Bird Sanctuary is situated at a distance of 9.2 km from the project location. ii) Project is located outside the eco-sensitive zone of City Bird Sanctuary as Eco-Sensitive Zone of Sanctuary is 80 to 125 meters from the boundary of Sanctuary.

	b. Status of clearance from National Board for Wild Life (NBWL).	iii) However, application has been filed for NBWL clearance on 27.08.2016.																																										
9.	Classification/Land use pattern as per Master Plan	Industry & warehouse zone.																																										
10.	Cost of the project	Rs. 1500 Crores																																										
10 a	Environmental Clearance. Fee detail	Rs 7,47,090/- vide DD No. 761128/- dated 13.09.2019																																										
11.	Total Plot area, Built- up Area and Green area	The details of project is as under: <table border="1" style="margin-left: 20px;"> <thead> <tr> <th>S.No.</th> <th>Description</th> <th>Area</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>Plot area</td> <td>51.30 acres</td> </tr> <tr> <td>2.</td> <td>Built-up area</td> <td>7,47,088.902 sq.m.</td> </tr> <tr> <td>3.</td> <td>Green area</td> <td>45,200 sq.m.</td> </tr> </tbody> </table>	S.No.	Description	Area	1.	Plot area	51.30 acres	2.	Built-up area	7,47,088.902 sq.m.	3.	Green area	45,200 sq.m.																														
S.No.	Description	Area																																										
1.	Plot area	51.30 acres																																										
2.	Built-up area	7,47,088.902 sq.m.																																										
3.	Green area	45,200 sq.m.																																										
12.	Population (when fully operational)	Residential : 4990 Floating : 33862																																										
13.	Water Requirements & source in Construction Phase	The treated waste water will be used for construction purposes and requirement of the same, will be met from treated water from existing STP. Domestic demand for 200 workers during peak period @ 9 KLD (@ 45 lpcd) shall be met from the ground water																																										
14.	Break up of Water Requirements including expansion & source in Operation Phase (Summer, Rainy, Winter):																																											
	<table border="1" style="width: 100%;"> <thead> <tr> <th rowspan="2">S.No.</th> <th rowspan="2">Season</th> <th colspan="2">Fresh water</th> <th colspan="3">Reuse water</th> <th rowspan="2">Total (KLD) including green area</th> </tr> <tr> <th>Domestic (KLD)</th> <th>Make up water for Swimming pool (KLD)</th> <th>Flushing (KLD)</th> <th>Green area (KLD)</th> <th>HVAC (KLD)</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>Summer</td> <td>1755</td> <td>30</td> <td>766</td> <td>249</td> <td>620</td> <td>3420</td> </tr> <tr> <td>2.</td> <td>Winter</td> <td>1755</td> <td>30</td> <td>766</td> <td>81</td> <td>-</td> <td>2632</td> </tr> <tr> <td>3.</td> <td>Rainy</td> <td>1755</td> <td>30</td> <td>766</td> <td>23</td> <td>620</td> <td>3194</td> </tr> </tbody> </table>							S.No.	Season	Fresh water		Reuse water			Total (KLD) including green area	Domestic (KLD)	Make up water for Swimming pool (KLD)	Flushing (KLD)	Green area (KLD)	HVAC (KLD)	1.	Summer	1755	30	766	249	620	3420	2.	Winter	1755	30	766	81	-	2632	3.	Rainy	1755	30	766	23	620	3194
S.No.	Season	Fresh water		Reuse water			Total (KLD) including green area																																					
		Domestic (KLD)	Make up water for Swimming pool (KLD)	Flushing (KLD)	Green area (KLD)	HVAC (KLD)																																						
1.	Summer	1755	30	766	249	620	3420																																					
2.	Winter	1755	30	766	81	-	2632																																					
3.	Rainy	1755	30	766	23	620	3194																																					
	<table border="1" style="width: 100%;"> <thead> <tr> <th>S.No.</th> <th>Description</th> <th>Source of water</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>Domestic</td> <td>Borewells (12 Nos)</td> </tr> <tr> <td>2.</td> <td>Flushing purposes</td> <td>Treated waste water</td> </tr> <tr> <td>3.</td> <td>Green area</td> <td>Treated waste water</td> </tr> <tr> <td>4.</td> <td>HVAC</td> <td>Treated waste water</td> </tr> </tbody> </table>							S.No.	Description	Source of water	1.	Domestic	Borewells (12 Nos)	2.	Flushing purposes	Treated waste water	3.	Green area	Treated waste water	4.	HVAC	Treated waste water																						
S.No.	Description	Source of water																																										
1.	Domestic	Borewells (12 Nos)																																										
2.	Flushing purposes	Treated waste water																																										
3.	Green area	Treated waste water																																										
4.	HVAC	Treated waste water																																										

15.	Treatment & Disposal arrangements of waste water in Construction Phase	<p>Wastewater generated will be treated in existing STP and treated waste water will be used for plantation purposes .</p> <p>Waste Material handling will be carried out as per Construction and Demolition (C&D) Waste Management Rules, 2016. Site contractor will be responsible for collection & storage of construction and demolition waste generated on the site.</p>					
16.	Disposal Arrangement of Waste water in Operation Phase	<p>Total waste water generated will be 2170 KLD out of which 1404 KLD (grey water) will be treated in WWTP of existing 750, 150 & 32 KLD capacity and Proposed 500 KLD capacity and remaining waste water 766 KLD (black water which includes 572 KLD existing waste water generation) will be treated in existing STPs of 800, 100 in F7, 150 in F2 and 48 KLD in R7.</p> <p>Reuse of treated wastewater available at outlet of STP of 2127 KLD after considering evaporation losses @ 2% in 2170 KLD and discharge of surplus treated wastewater is given as under: _</p>					
	Season	Flushing (KLD)	Green area (KLD)	Make up water for HVAC cooling tower	Sewer (KLD)	Total KLD	
	Summer	766	249	620	492	2127	
	Winter	766	81	0	1280	2127	
	Monsoon	766	23	620	718	2127	
17.	Rain water recharging detail	6433.1 m ³ /hr of rain water will be collected in 6 existing & 7 proposed rainwater recharging pits. Hence, total 13 recharging pit shall be provided.					
18.	Solid waste generation and its disposal	<p>a) 8,769 kg/day</p> <p>b) Solid waste is being duly segregated (at source by providing bins) into Bio-degradable, non-biodegradable components and hazardous waste.</p> <ul style="list-style-type: none"> • A separate area is earmarked for segregation of solid waste. • Biodegradable waste of existing buildings is being composted by vermicomposting, while mechanical composter has also been proposed for the future buildings. • A shed area of total 678.74 square feet, sufficient to accommodate four vermi beds about 20'.4" x 5'.10" x 3'.3", 24'.9" x 7'.6" x 3'.3", 20'.0" x 7'.6" x 3'.3" & 20'.4" x 6'.0" x 3'.3" has been provided. 					

		<ul style="list-style-type: none"> • Non-biodegradable or dry waste is being handed over to authorized waste pickers • Domestic hazardous waste is being disposed off to authorized vendors as per Solid Waste Management Rules, 2016. 												
	Parking requirement	Required : 7146 ECS Proposed : 8025 ECS												
19.	Hazardous Waste & E- Waste	Used oil from DG sets will be sold to registered recyclers and E-waste will be disposed off as per the E-waste (Management) Amendment Rules 2018.												
20.	Energy Requirements & Saving	<p>a) 30 MW from PSPCL. b) Total 3 DG Sets of 1650 KVA each are already provided for backup of existing buildings and 13 DG Sets of 1250 KVA each are proposed for future buildings for emergency purposes.</p> <p><u>Energy Saving measures:</u> solar panels have been proposed on the roof top of the proposed buildings. The total area covered by solar panels will be 18,730 m² which will generate solar power generation.</p>												
21.	Environment Management Plan along with Budgetary break up phase wise and responsibility to implement	<table border="1"> <thead> <tr> <th>Description</th> <th>Capital cost (lakhs)</th> <th>Recurring cost (lakhs)</th> <th>Monitoring of Air, Noise, water (per annum) Rs.</th> </tr> </thead> <tbody> <tr> <td>Construction</td> <td>2043</td> <td>-</td> <td>2</td> </tr> <tr> <td>Operation</td> <td>-</td> <td>28</td> <td>2</td> </tr> </tbody> </table>	Description	Capital cost (lakhs)	Recurring cost (lakhs)	Monitoring of Air, Noise, water (per annum) Rs.	Construction	2043	-	2	Operation	-	28	2
Description	Capital cost (lakhs)	Recurring cost (lakhs)	Monitoring of Air, Noise, water (per annum) Rs.											
Construction	2043	-	2											
Operation	-	28	2											
22.	CER activities along with budgetary break up and responsibility to implement													
Mr. Rajesh Sharma will be responsible for implementation of CER (Corporate Environmental Responsibility) within 7 years of time. Rs 3.75 Crores (0.25% of Rs. 1,500 Crores) has been planned to be reserved for CER.														

SEAC raised certain observation to which proponent replied as under :

1) Observation 1 :

Submit compliance of following condition of the earlier granted environmental Clearance of the operation phase, which was reported "not complied" by MoEF & CC :-

- i) Condition no (i) of operation phase regarding submission of STP adequacy report certified by an independent expert. Report must comment upon the capacity of all the existing STP/WWTP installed by the promoter company.
- ii) Condition no (iii) of operation phase (iii) regarding not having in-vessel bio-conversion technique for handling solid waste.

- iii) Condition no (vii) of operation phase (vii) regarding application of solar energy in common areas.

Reply 1

- i) Presently, one STP of 800 KLD capacity is operational in the project. The plant comprises of primary, secondary and tertiary treatment consisting of screen chamber, oil & grease trap, collection tank, aeration tank, pressure sand filter, activated carbon filter, hypo dosing, etc. The capacity of STP is 800 KLD which is sufficient to handle the existing sewage load of 572 KLD generated from the project. The certificate in this aspect from Eco Paryavaran Engineers & Consultant Pvt. Ltd. was submitted. Further, treated water from STP was being monitored regularly for its performance. Copy of recent test report from IDMA Laboratories Limited was submitted which indicates that the treated wastewater is meeting the prescribed standards for all the parameters.
- ii) Presently, the biodegradable solid waste being generated from the existing buildings is being composted through vermicomposting. A shed area of total 678.74 square feet, having four vermibeds with dimensions 20'.4" x 5'.10" x 3'.3", 24'.9" x 7'.6" x 3'.3", 20'.0" x 7'.6" x 3'.3" & 20'.4" x 6'.0" x 3'.3" have been provided. Layout of the vermiculture plant was also submitted

Further, as suggested, Bio-methanation plant of 4,000 kg/day will also be looked into in order to process the bio-degradable solid waste generated from the project. Site layout plan showing location of Solid waste management area including segregation was also submitted. Revised EMP stating cost during construction & operation phase including all the environment related measures was also submitted. The details of the same is given below:-

Table 1(a): EMP cost during Construction Phase

S. No.	Environmental Aspect	Cost (Rs. in Crores)
1.	Rain water harvesting & ground water recharge	1.5
2.	Wastewater and Sewage Treatment Plant & Sewage Pumping stations	3.75
3.	Solid Waste Management	3.15
4.	Noise pollution Control	0.5
5.	Green Areas	2.33
6.	Fire fighting	10.5
7.	Solar Panels	12

8.	Monitoring expenses	0.02
9.	Miscellaneous	0.1
Total Cost on EMP		Rs. 33.85 Crores

Table 1(b): EMP cost during Operation Phase

S.No.	Environmental Aspect	Recurring Cost per annum (Rs. in Lakhs)
1.	Rain water harvesting & ground water recharge	2
2.	Wastewater and Sewage Treatment Plant & Sewage Pumping stations	13
3.	Solid Waste Management	10
4.	Noise Pollution Control	0.5
5.	Green Areas	6.5
6.	Fire fighting	2
7.	Solar panels	5
8.	Monitoring expenses	2
Total recurring Cost on EMP		Rs. 41 Lakhs

- iii) The solar panel with power generation capacity of 200 KW will be installed on the roof top of the building within 12 months of time. In addition to it, common areas solar lights will be installed for external lightening within a month's time. Undertaking in this regard was submitted. The cost for solar panel has already been included in EMP cost

2) Observation 2

Submit concrete proposal of revised CER activities as per the OM dated 01.05.2018 indicating the timeline and corresponding amount to be spent in the nearby villages along with consent of their Sarpanch.

Reply 2

Rajesh Sharma (Chief Operating Officer) of M/s QuarkCity India Pvt. Ltd.; developers of Project "QuarkCity" located at Plot Nos. A-40A & A-45, Focal Point Industrial Area, Phase VIIIIB, Mohali, Punjab submitted that overall cost of the project is Rs. 1500 Crores. Thus, 0.25% of Rs. 1500 Crores i.e. Rs. 375 Lakhs needs to be spent on CER as per Office Memorandum dated 01.05.2018. M/s

QuarkCity India Pvt. Ltd. proposes to spend Rs. 375 lakhs in 7 years of times per the following activities: _

S. No.	Activities	Time plan							Total expenditure (in 7 years)
		1	2	3	4	5	6	7	
1.	Adoption of Village Badi Naggal								
	● Setting up of sewerage system.	35	30	20	-	-	-	-	85
	● Construction & maintenance of Village road	-	-	-	-	35	-	-	35
	● Maintenance of school building.	-	-	-	-	-	-	25	25
	● Digging of borewell and providing drinking water supply to the villagers.	-	-	-	-	-	-	10	10
	● Installation of solar panel on the govt. buildings in the village	-	-	-	-	-	25	-	25
	● Waste water treatment of village pond (to be provided by the Department of Rural Developments and Panchayats, Govt. of Punjab), as per the design evolved by Punjab Pollution control Board.	-	-	-	35	-	-	-	35
2.	Adoption of Village Choti Naggal								
	● Setting up of sewerage system.	-	35	10	-	-	-	-	45
	● Providing drinking water supply to the villagers.	-	-	-	-	-	-	10	10
	● Waste water treatment of village pond as per the design evolved by Punjab Pollution control Board .	-	-	35	-	-	-	-	35
3.	Waste water treatment of village pond as per the design evolved by Punjab Pollution control Board in Village Padol	-	-	-	-	35	-	-	35
4.	Waste water treatment of village pond as per the design evolved by Punjab Pollution control Board in Village Mullanpur	-	-	-	-	-	35	-	35
	Total amount to be spent on CER	35	65	65	35	70	60	45	375

3) Observation 3

Clarify as to whether proposed building such as M 1, M 2 & M 3: Site for Hotels, Multiplex & Shopping Mall etc., C1: Site for common facilities, R 1, R 2, R 3, R 4 & R 5: Site for residential buildings, are permissible in the "Industry & warehouse zone" of the Master Plan.

Reply 3

As per the Master plan of SAS Nagar, "in Industry & warehouse zone"; green & orange category industries and logistics are permitted with a minimum site area requirement of 50 acres. Computer software development; Knowledge Park; Assembly and repair of computer hardware and electronic equipment; Printing, publishing and allied industries; Packing of dried foodstuff; Warehouse except for storage of chemicals, etc. are some of the examples of development permitted in the said zone.

The plot area of the project is 51.3 acres which is more than permissible area of 50 acres. Out of which, 10% is reserved for common facilities, 60% is reserved for industrial purposes (nonpolluting knowledge driven industries like information technology, business processes outsourcing), 30% for residential purposes and 10% for commercial purposes.

All these components have already been approved by GMADA during the time of layout/building plan approval vide Memo No. 8195 CTP(Pb)/SC-122 dated 17.12.2019. In addition to it, existing buildings have been granted Consent to Operate from PPCB. Also, earlier Environmental Clearance has been accorded for developing Information Technology and Knowledge based Industry Park, Special Economic Zone for housing, offices, commercial space, etc.

Thus, buildings such as M 1, M 2 & M 3 (site for Hotels, Multiplex & Shopping Mall etc.); C1 (site for common facilities); R1, R2, R3, R4 & R5 (site for residential buildings) are permissible in the project.

4) Observation 4

Specify what kind of low-rise Non-polluting industry allowed in the project site.

Reply 4

As project comprises of the components such as Information Technology, Business processes outsourcing etc.), etc. which comes under orange and green category industries. Further, no project covered under Category A or B as per EIA Notification, 2006 and its amendments will be allowed except Schedule 8(a) & 8(b). In addition to it, no chemicals and hazardous storage is allowed in the project.

5) Observation 5

Details of green area proposed in the project.

Reply 5

- i) Green belt has been proposed all along the boundary of the project.
- ii) Green area of 45,200 sqm. (i.e. more than the permissible green area requirement) has been proposed along the roads as well as within the designated sites.
- iii) No. of trees required = 1 tree per 80 sqm. of plot area
- iv) No. of trees required = $2,07,602.123 / 80 = 2,595$ trees.
- v) No. of trees proposed = 5,000 trees out of which, 3,018 trees have been planted within the project so far.

6) Observation 6

Submit the proposal for treatment of waste water to make it fit for utilizing as make up water for HVAC cooling.

Reply 6

The wastewater treatment comprises of steps such as pH adjustment, primary coagulation, sedimentation tank, pH adjustment, secondary coagulation, sedimentation tank and treated water will be obtained. The treated wastewater will be further passed through softener to make it suitable for use in HVAC. The soft water will be having TDS less than 10 mg/l and will be used as make up water for HVAC cooling. The cost for softener has already been included in EMP cost.

7) Observation 7

Submit the details of Requirement of water, waste water generation and treatment for the existing, proposed expansion and after expansion, separately.

Reply 7

- i) Existing population of the project is 13,400 persons. Details of the actual existing population in comparison to the overall estimated population is calculated as under:

Sr. No.	Description	Actual Population	Proposed	Overall after expansion
1.	Residents	400	4,590	4,990
2.	Floating population	13,000	20,862	33,862
	Total Estimated Population	13,400	25,452	38,852

- ii) Water requirement and wastewater generation is calculated as under:-

SI. No.	Description	Criteria	Existing (in KLD)	Proposed (in KLD)	Overall after expansion (in KLD)
1.	Residential	@ 200 lpcd	80	918	998

2.	Floating population	@ 45 lpcd	585	938	1,523
	Total water req.		665 KLD	1,856 KLD	2,521 KLD
	Wastewater load		572 KLD	1,598 KLD	2,170 KLD
	Treatment		WWTP of 750, 150 & 32 KLD capacity have been installed and STP of 800, 100, 150 & 48 KLD capacity. Out of which, STP of 800 KLD is operational.	WWTP of 500 KLD capacity	WWTP of 750, 150, 32 & 500 KLD capacity and STP of 800, 100, 150 & 48 KLD capacity.

- iii) Presently, WWTP of 750, 150 & 32 KLD capacity have been installed and STP of 800, 100, 150 & 48 KLD capacity have been installed at site.

Initially, small modular STP & WWTP were installed as per quantity of sewage/wastewater generation. Hence, gradually with the increase in quantity of sewage/wastewater generation, new plants of higher capacities were installed instead of upgrading the smaller units. However, presently one STP of 800 KLD capacity is operational which is sufficient to cater sewage load of 572 KLD and small modular types are currently non-functional. The plant comprises of primary, secondary and tertiary treatment consisting of screen chamber, oil & grease trap, collection tank, aeration tank, pressure sand filter, activated carbon filter, hypo dosing, etc. The cost has already been included in EMP cost. 500 KLD capacity of WWTP is proposed in addition to the existing STP/WWTPs.

8) Observation 8

Submit the concrete proposal of bio-methanization to handle the solid waste in an environment sound manner.

Reply 8

The detailed write up for bio-methanation along with cost was submitted. Site layout plan indicating the location of Solid waste management area including segregation was submitted. If in any case, the option for installation of bio-methanation plant is not found suitable, pyrolysis of the solid waste generated from the project will be done. Further, it is to assure you that no solid waste will be dumped outside the project premises and it will be treated within the project premises only.

SEAC was satisfied from the reply of the project proponent and took the reply on record.

3.0 Recommendations

After deliberations, SEAC decided to award 'Silver Grading' to the project proposal and to forward the application of the project proponent to SEIAA with the recommendations to grant Environmental Clearance for 2006 for the expansion of Integrated Township namely "Quark City" having built-up area of 7,47,088.902 sqm in total land of 51.30 acres located at Plot Nos. A-40A & A-45, Focal Point Industrial Area, Phase VIIIIB, Mohali (Punjab) as per the details mentioned in the Form 1, 1A, EMP & subsequent presentation /clarifications made by the project proponent and his consultant with, proposed measures, conditions prescribed in **Annexure-I** subject to following special conditions, additions, amendments and deletions given as under:

Special conditions

- i) No industry covered under Category "A" and "B" falling in the Schedule appended to the EIA notification, 2006 (as amended from time to time) shall be allowed to be established except category under 8 (a) and 8(b) in Integrated Township namely "QuarkCity" located at Plot Nos. A-40A & A-45, Focal Point Industrial Area, Phase VIIIIB, Mohali. However, other industries (not covered in the EIA notification, 2006), although categorized as Orange, Green and White as per the PPCB classification are allowed to be established.
- ii) Orange, Green and White category of industries such as Information Technology, Business processes outsourcing, Computer software development; Knowledge Park; Assembly and repair of computer hardware and electronic equipment; Printing, publishing and allied industries; Packing of dried foodstuff; Warehouse except for storage of chemicals and hazardous storage etc., are allowed to be set up as per the layout plan approved by the GMADA.
- iii) Each individual industry or project will obtain mandatory permissions like consent to establish, Consent to operate and Hazardous Waste authorization under the pollution control laws from the Punjab Pollution Control Board.
- iv) No water intensive industries shall be allowed to establish and plots will be allotted to those Industries which will achieve Zero Liquid Discharge.
- v) High Air Polluting industry like cement grinding units, Induction (more than 500 kgs/ heat)/ Cupola furnaces/ Reheating Rolling Mills, Brick Kilns, Salla Plants, etc. shall not be allowed to be established.
- vi) All DG sets shall be equipped with canopies.
- vii) The project proponent shall provide Piezometers at the project site as per the CGWA guidelines.
- viii) Individual industry/plot holder shall not install any groundwater abstraction structure without permission from the CGWA or competent authority.
- ix) In case of future requirements, no ground water will be abstracted by "Quark City" without obtaining NOC from competent authority.

Conditions to be added in section III of Water quality monitoring and preservation of Annexure-I as under: -

- i) Softener shall be installed for treated wastewater to make it fit (TDS \leq 10 mg/l) for HVAC cooling and the cost of same will be included in Environment Management Plan.
- ii) The waste water generated from swimming pool(s) shall not be discharged and the same shall be reused within the premises for purposes such as horticulture, HVAC etc

Conditions to be amended in the Annexure-I as under :-

Condition no. iv), v-a) & xv) of III. Water quality monitoring and preservation

- iv) The total water requirement for the project including the demand of swimming pool and landscaping in summer season will be 3420 KLD, out of which 2551 KLD shall be met through ground water and remaining through recycling of treated waste water. Total fresh water use shall not exceed the proposed requirement as provided in the project details.
- v) a)The total wastewater generation from the project will be 2170 KLD, which will be treated in WWTP of capacity 750, 150, 32 (existing) & 500 KLD (additional proposed) and STP of capacity 800, 100, 150 & 48 KLD (Existing) , within the project premises However, 2127 KLD treated waste water will be available at the outlet of STPs after considering evaporation losses. As proposed, reuse of treated wastewater and discharge of surplus treated wastewater shall be as under: -

Sr. No.	Season	Flushing (KLD)	Green Area (KLD)	Make up water for cooling Tower (KLD)	Sewer (KLD)	Total (KLD)
1.	Summer	766	249	620	492	2127
2.	Winter	766	81	0	1280	2127
3.	Rainy	766	23	620	718	2127

- xv) A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. Thus, 13 nos of rain water harvesting recharge pits (with dual bore) shall be provided for ground water recharging as per CGWA norms. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.

Additional Condition no. vii of V. Energy Conservation Measures.

- vii) As proposed, solar plant of capacity 200 KW, shall be installed on the roof top of building, within 12 months of time. Also, solar lights in the common area, will be installed for external lightening within a month time.

Condition no. iv of VI. Waste Management.

- iv) Bio methanation Plant of minimum capacity of 4,000 kg/day to treat biodegradable waste must be installed. As proposed, an amount of Rs 1.4 Crores shall be kept in the environment Management Plan for the same.

Condition no. ii of VII. Green Cover.

- vi) Minimum 5000 trees will be planted and maintained in the project site. Also, Green area of 45,200 sqm. (i.e. more than the permissible green area requirement) shall be maintained on the designated sites and along the road sides. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping.

X. Condition no. i) & iv) of X of Corporate Environment Responsibility

- iv) The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility. The project proponent shall adhere to the commitments made in the proposal for spending Rs. 375 Lakhs on CER activities mentioned as per details given below:

S. No.	Activities	Time plan							Total expenditure (in 7 years)
		1	2	3	4	5	6	7	
1.	Adoption of Village Badi Naggal								
	• Setting up of sewerage system.	35	30	20	-	-	-	-	85
	• Construction & maintenance of Village road	-	-	-	-	35	-	-	35
	• Maintenance of school building.	-	-	-	-	-	-	25	25
	• Digging of borewell and providing drinking water supply to the villagers.	-	-	-	-	-	-	10	10

	<ul style="list-style-type: none"> Installation of solar panel on the govt. buildings in the village 	-	-	-	-	-	25	-	25
	<ul style="list-style-type: none"> Waste water treatment of village pond (to be provided by the Department of Rural Developments and Panchayats, Govt. of Punjab), as per the design evolved by Punjab Pollution control Board. 	-	-	-	35	-	-	-	35
2.	Adoption of Village Choti Naggal								
	<ul style="list-style-type: none"> Setting up of sewerage system. 	-	35	10	-	-	-	-	45
	<ul style="list-style-type: none"> Providing drinking water supply to the villagers. 	-	-	-	-	-	-	10	10
	<ul style="list-style-type: none"> Waste water treatment of village pond as per the design evolved by Punjab Pollution control Board . 	-	-	35	-	-	-	-	35
3.	Waste water treatment of village pond as per the design evolved by Punjab Pollution control Board in Village Padol	-	-	-	-	35	-	-	35
4.	Waste water treatment of village pond as per the design evolved by Punjab Pollution control Board in Village Mullanpur	-	-	-	-	-	35	-	35
	Total amount to be spent on CER	35	65	65	35	70	60	45	375

*Note :- The amount to be spent on CER activities shall be proportionate to the amount spent on project & such activities shall run parallel to the project execution. All the activities must be completed with the completion of the project

iv) Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. The project proponent shall spend minimum amount of Rs 3385 Lacs towards capital cost in Construction phase of the project including the environmental monitoring cost and shall spend minimum amount of Rs 41 Lacs/annum towards recurring cost in operation phase of the project including the environmental monitoring cost. The entire cost of the

environmental management plan will continue to be borne by the project proponent until the responsibility of environmental management plan is transferred to the occupier/resident's society under proper MOU under intimation to SEIAA, Punjab. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six-Monthly Compliance Report.

Item No. 188.10 Application for issuance of TORs to M/s Saeco Strips Pvt. Ltd. for manufacturing of Steel Ingots/Billets with enhanced capacity of 92,400 TPA & Structural Steel (Round, Coil, Flats, Wire Rod, TMT Bars) with capacity of 73,100 TPA using two no. of Induction Furnaces, One existing Induction Furnace of capacity 8 TPH & proposed Induction Furnace of capacity of 15 TPH and a CCM respectively at Village-Doraha, Rampur road, Tehsil- Payal, District- Ludhiana, Punjab (Proposal No. SIA/PB/IND/41203/2019).

1.0 Background

The project proponent has applied for issuance of TORs to M/s Saeco Strips Pvt. Ltd. for increasing the production capacity from 29,400 TPA to 92,400 TPA for manufacturing of Steel Ingots/Billets & Structural Steel (Round, Coil, Flats, Wire Rod, TMT Bars) with enhanced capacity of 73,100 TPA with one existing Induction Furnace of capacity 8 TPH & proposed Induction Furnace of capacity of 15 TPH and a CCM respectively at Village-Doraha, Rampur road, Tehsil- Payal, District- Ludhiana, Punjab (Proposal No. SIA/PB/IND/41203/2019). Project is covered under Activity 3(a) & Category 'B1'.

The project proponent submitted the Form I (Appendix I), Pre-feasibility report and other additional documents online on 20.08.2020. He has also deposited the requisite fee amounting to Rs. 60,100/- (25% of the total fee) through RTGS vide UTR No. CBINH9283139553 dated 10/10/2019 (V. R. No. 4370 dated 10.10.2019).

The application was scrutinized by the AEE & Essential Details were sought on 07/10/2019,17/02/2020 and 18/02/2020 to which he replied on 24.12.2019,17.02.2019 and 28.02.2020, respectively.

Environmental Engineer, PPCB, RO-2, Ludhiana was requested vide email dated 31.12.2019 & 03.02.2020 to send the construction status of the project site. Accordingly, he replied vide letter no 183 dated 12.02.2020 that the industry was visited on 10.02.2020 and it was observed as under:-

S.No.	Point	Reply
1.	Construction/Installation status of the expansion proposal of the proposed project of the industry.	The industry has not made any expansion as on date.
2.	As to whether existing production is less than 30000 TPA. Please send the detailed report.	The production is less than 30000 TPA.
3.	Distance of unit from the boundary of MC Limit and Critically Polluted Area.	8.3 KM as per DTP certificate No. 3748 dated 03.12.2019.

4.	Status of physical structures within 500 m radius of the site including the status of industries, if any	Railway line on left side, Jai Bhole Industries & Mahajan Steel & wire on the opp. Side, Canal at about 500 M on the back side. Rest agriculture fields.
5.	Status of consents issued to existing unit under Air Act, 1981 and Water Act, 1974.	Consents are valid.
6.	As to whether the existing unit is complying with condition of consent to Operate under Air Act, 1981 and Water Act, 1974 granted to it.	Yes, complying with the condition.

2.0 Deliberations during the 188th meeting of SEAC held on 04.03.2020

To a query of SEAC, the project proponent informed that project does not fall within the 5.0 Km radius from the boundary of MC Limit of Ludhiana. Therefore, competency to decide the project lies with SEIAA/SEAC.

Environmental consultant of the promoter company presented the salient features of the project. SEAC raised certain observations to which project proponent submit the reply. After considering the reply to the observations of SEAC, the details of updated salient features of the project are as under: -

Sr. No.	Description	Details
1.	Online Proposal No.	SIA/PB/IND/41203/2019
2.	Name and Location of the project	M/s Saeco Strips Pvt. Ltd, Village- Doraha, Rampur Road, Tehsil- Payal, District- Ludhiana, Punjab
3.	Nature of project (TOR/Fresh EC/Expansion Amendment/Others)	TOR for Fresh EC
4	a) Category b) Activity (As per schedule appended to EIA Notification, 2006 as amended time to time.)	a) B-1 b) 3(a) Metallurgical Industries (Ferrous & Non Ferrous Alloys). Capacity > 30,000 TPA
5	Undertaking to reflect that project is neither located near to PLPA area nor fall in the PLPA area	No (Submitted undertaking with EDS reply dated 31.12.2019.)
6	Area Details	
	Details	Existing
	Plot Area	10075 Sqm.
		Additional Land

		After Expansion
		10075 Sqm.
7.	Co-ordinates of the project site	Latitude: - 30 ⁰ 48'40.23"N, 30 ⁰ 48'41.04"N 30 ⁰ 48'36.39"N, 30 ⁰ 48'37.81"N Longitude:-

		76°02'03.19"E, 76°02'03.90"E, 76°02'09.22"E, 76°02'10.46"E (mentioned at page no. 6 of PFR)		
8.	Project Cost (After expansion)	Rs. 24.04 Crores (Submitted CA certificate mentioning above project cost with EDS reply dated 31.12.2019)		
9	Classification/Land use pattern as per Master Plan	Industrial		
10	Raw Material requirement (After expansion)	Iron Steel Scrap @98,772 TPA & Steel Ingots/Billets @92,500 TPA		
11.	Production Capacity (After expansion)	Steel Ingots/Billets@92,400 TPA Structural Steel@73,100 TPA (Round, Coil, Flats, Wire Rod, TMT Bars)		
12	Details of major productive machinery/plant (After expansion)	(i) 2 Nos induction furnaces (1X8 TPH – Existing & 1X15 TPH-Proposed) (ii) 01 CCM (Proposed)		
13.	Manpower (After expansion)	150 persons		
14.	Water Requirements & its source(After expansion)	Total Water Demand: 30.5KLD i) Domestic: 7.5 KLD ii) Cooling: 23.0 KLD Source: Existing Borewell To a query of SEAC, Project proponent informed that the project does not fall under Khanna Block. Hence, project does not fall under notified Block.		
15.	Details of Effluent (After expansion)			
	Sr. No.	Details	Quantity (After Expansion)	Remarks
	i)	Industrial Effluent	Nil	No industrial effluent generated
	ii)	Domestic Effluent	6 KLD	Existing Wastewater generated from the project is being treated in the septic tank & used for plantation. After expansion, STP will be installed for the treatment of waste water. The treated water will be used for cooling purposes.
16.	Details of Emissions (After expansion)			
	Sr. No.	Source	Capacity	Chimney Height (m)
	i)	Induction Furnace	1X8 TPH & 1X15 TPH	30 m each
				Air Pollution Control Device Provision of Bag Filter (Submitted undertaking to install Pulse jet bag filter APCD with offline

					cleaning technology along presentation dated 04.03.2020)
17.	Details of Hazardous waste and its disposal(After expansion)				
	Sr. No.	Hazardous Waste	Category	Quantity (After expansion)	Disposal
	1.	Gas Cleaning Residue (APCD dust)- Bag filter	35.1	185.5PA	To M/s Madhav alloys for metal recovery.
	2.	Gas Cleaning Residue (APCD dust)- Alkali scrubber	35.1	57 TPA	To M/s Nimbua Greenfield (Punjab) Limited
	3.	Used Oil	5.1	0.02kl/annum	Authorized Recyclers/Lubricant within the Industry
18.	Solid waste generation and its disposal (After expansion)				
	Sr. No.	Solid Waste	Quantity (After Expansion)	Disposal	
	(i)	Slag	40.0 TPD	To a query of SEAC, project proponent informed that slag will be disposed off to manufacturer of cement concrete blocks, pavers & tiles with proper agreement.	
19.	Energy Requirements (After expansion)			i) Power load: 11,000 KVA through PSPCL.	
20	Environment Management Plan			During presentation on 04.03.2020, project proponent informed that EMP for this industry will be prepared keeping in view the existing conditions and it will include air and water pollution control measures.	
21.	CER activities along with budget			The proposed project is Green Field. As per OM F.No.-22-65/2017-IA-III dated on 01 st May, 2018, the organization will spend Rs. 15.0 Lakhs on Corporate Environment Responsibility. The details of CER activity will be given in the final EIA report. (Project proponent submitted undertaking for revised cost of CER activities i.e Rs.24 Lacs during presentation on 04.03.2020).	
22	Proposed ToRs			Standard ToRs have been proposed.	

3.0 Recommendations

After detailed deliberations, it was decided to categorize the project under Activity 3(a) ; B-1 with public consultation as required for the project. The base line study shall be carried out by Environmental Consultant for one complete season except monsoon season, which includes at least three days traffic study. The Committee approved the following Terms of Reference for preparing Environmental Impact Assessment (EIA) report for the proposed project and recommended to SEIAA to issue the following TORs:

A. STANDARD TERMS OF REFERENCE

1) Executive Summary

Report in about 8-10 pages incorporating the following:

- (i) Project name and location (Village, Distt., State, Industrial Estate (if applicable))
- (ii) Products and capacities. If expansion proposal, then existing products with capacities and reference to earlier EC.
- (iii) Requirement of land, raw material, water, power, fuel, with source of supply (Quantitative)
- (iv) Process description in brief, specifically indicating the gaseous emission, liquid effluent and solid and hazardous wastes.
- (v) Measures for mitigating the impact on the environment and mode of discharge or disposal.
- (vi) Capital cost of the project, estimated time of completion
- (vii) Site selected for the project - Nature of land - Agricultural (single/double crop), barren, Govt./private land, status of its acquisition, nearby (in 2-3 km.) water body, population, with in 10 km other industries, forest, eco-sensitive zones, accessibility, (note - in case of industrial estate this information may not be necessary)
- (viii) Baseline environmental data - air quality, surface and ground water quality, soil characteristic, flora and fauna, socio-economic condition of the nearby population Identification of hazards in handling, processing and storage of hazardous material and safety system provided to mitigate the risk.
- (ix) Identification of hazards in handling, processing and storage of hazardous material and safety system provided to mitigate the risk
- (x) Likely impact of the project on air, water, land, flora-fauna and nearby population
- (xi) Emergency preparedness plan in case of natural or in plant emergencies
- (xii) Issues raised during public hearing (if applicable) and response given
- (xiii) CSR/CER plan with proposed expenditure.
- (xiv) Occupational Health Measures
- (xv) Post Project monitoring plan

(xvi) Synopsis of the project (as available on web site i.e www.pbdecc.gov.in)

2) Introduction

- (i) Details of the EIA Consultant including NABET accreditation
- (ii) Information about the project proponent
- (iii) Importance and benefits of the project

3) Project Description

- (i) Cost of project and time of completion.
- (ii) Products with capacities for the proposed project.
- (iii) If expansion project, details of existing products with capacities and whether adequate land is available for expansion, reference of earlier EC if any.
- (iv) List of raw materials required and their source along with mode of transportation.
- (v) Other chemicals and materials required with quantities and storage capacities.
- (vi) Details of Emission, effluents, hazardous waste generation and their management.
- (vii) Requirement of water (breakup for induction and rolling mill), power, with source of supply, status of approval, water balance diagram, man-power requirement (regular and contract).
- (viii) Process description along with major equipment and machineries, process flow sheet (quantitative) from raw material to products to be provided
- (ix) Hazard identification and details of proposed safety systems.
- (x) In case of Expansion/modernization proposals:
 - a) Status of compliance of Consent to Operate for the ongoing /existing operation of the project from SPCB shall be attached with the EIA-EMP report.
 - b) In case the existing project has not obtained environmental clearance, reasons for not taking EC under the provisions of the EIA Notification 1994 and/or EIA Notification 2006 shall be provided. Copies of Consent to Establish/No Objection Certificate and Consent to Operate (in case of units operating prior to EIA Notification 2006, CTE and CTO of FY 2005-2006) obtained from the SPCB shall be submitted. Further, compliance report to the conditions of consents from the SPCB shall be submitted.

4) Site Details

- (i) Location of the project site covering village, Taluka / Tehsil, District and State, Justification for selecting the site, whether other sites were considered. Copy of Master Plan indicating a land use pattern of the site is in conformity of proposals of Master Plan shall be attached with EIA report.

- (ii) A topo sheet of the study area of radius of 10 km and site location on 1:50,000/1:25,000 scale on an A3/A2 sheet. (Including all eco-sensitive areas and environmentally sensitive places)
 - (iii) Details w.r.t. option analysis for selection of site.
 - (iv) Co-ordinates (lat-long) of all four corners of the site.
 - (v) Google map-Earth downloaded of the project site
 - (vi) Layout maps indicating existing unit as well as proposed unit indicating storage area of raw material, finished products, greenbelt area with marking of tree, Location of STP/ETP, Solid waste storage area, Parking space, Firefighting equipment layout, First aid room, Location of Tube wells, DG Sets & Transformers and any other utilities
 - (vii) If located within an Industrial area/Estate/Complex, layout of Industrial Area indicating location of unit within the Industrial area/Estate.
 - (viii) Photographs of the proposed and existing (if applicable) plant site. If existing, show photographs of plantation/greenbelt, in particular.
 - (ix) Land use break-up of total land of the project site (identified and acquired), government/private - agricultural, forest, wasteland, water bodies, settlements, etc. shall be included. (not required for industrial area)
 - (x) A list of major industries with name and type within study area (10 km radius) shall be incorporated. Land use details of the study area.
 - (xi) Geological features and Geo-hydrological status of the study area shall be included.
 - (xii) Details of Drainage of the project up to 5km radius of study area. If the site is within 1 km radius of any major river, peak and lean season river discharge as well as flood occurrence frequency based on peak rainfall data of the past 30 years. Details of Flood Level of the project site and maximum Flood Level of the river shall also be provided. (mega green field projects)
 - (xiii) Status of acquisition of land. If acquisition is not complete, stage of the acquisition process and expected time of complete possession of the land.
 - (xiv) R&R details in respect of land in line with state Government policy
- 5) Forest and wildlife related issues (if applicable):
- (i) Permission and approval for the use of forest land (forestry clearance), if any, and recommendations of the State Forest Department. (if applicable).
 - (ii) Land use map based on High resolution satellite imagery (OPS) of the proposed site delineating the forestland (in case of projects involving forest land more than 40 ha).
 - (iii) Status of Application submitted for obtaining the stage I forestry clearance along with latest status shall be submitted.
 - (iv) The projects to be located within 10 km of the National Parks, Sanctuaries, Biosphere Reserves, Migratory Corridors of Wild Animals, the project proponent shall submit the map duly authenticated by Chief Wildlife Warden

showing these features vis-a-vis the project location and the recommendations or comments of the Chief Wildlife Warden-thereon.

- (v) Wildlife Conservation Plan duly authenticated by the Chief Wildlife Warden of the State Government for conservation of Schedule I fauna, if any exists in the study area.
- (vi) Copy of application submitted for clearance under the Wildlife (Protection) Act, 1972, to the Standing Committee of the National Board for Wildlife.

6) Environmental Status

- (i) Determination of atmospheric inversion level at the project site and site specific micro-meteorological data using temperature, relative humidity, hourly wind speed and direction and rainfall.
- (ii) AAQ data (except monsoon) at 8 locations for PM 10, PM2.5, SO₂, NO_x, CO and other parameters relevant to the project shall be collected. The monitoring stations shall be based CPCB guidelines and take into account the pre dominant wind direction, population zone and sensitive receptors including reserved forests.
- (iii) Raw data of all AAQ measurement for 12 weeks of all stations as per frequency given in the NAQQM Notification of Nov. 2009 along with - min., max., average and 98% values for each of the AAQ parameters from data of all AAQ stations should be provided as an annexure to the EIA Report.
- (iv) Surface water quality of nearby River (100m upstream and downstream) and other surface drains at eight locations as per CPCB/MoEF& CC guidelines.
- (v) Whether the site falls near to polluted stretch of river identified by the CPCB/MoEF& CC.
- (vi) Ground water monitoring at minimum at 8 locations shall be included.
- (vii) Noise levels monitoring at 8 locations within the study area.
- (viii) Soil Characteristic as per CPCB guidelines.
- (ix) Traffic feasibility / serviceability study for at least 3 days based on Indian Standard Codes. Further it shall also include the details of cross section of the road on which industry is located, vehicles movement w.r.t. the industry, traffic load of other vehicles on the road incorporating the haulage time for the vehicles for loading/unloading within the premises and parking requirement to avoid the traffic congestions on the link and adjoining roads. Traffic study shall be conducted considering the traffic of the industries located in the vicinity.
- (x) Detailed description of flora and fauna (terrestrial and aquatic) existing in the study area shall be given with special reference to rare, endemic and endangered species. If Schedule-I fauna are found within the study area, a Wildlife Conservation Plan shall be prepared and furnished.
- (xi) Socio-economic status of the study area.

7) Impact Assessment and Environment Management Plan

- (i) Assessment of ground level concentration of pollutants from the stack emission based on site-specific meteorological features. In case the project is located on a hilly terrain, the AQIP Modeling shall be done using inputs of the specific terrain characteristics for determining the potential impacts of the project on the AAQ. Cumulative impact of all sources of emissions (including transportation) on the AAQ of the area shall be well assessed. Details of the model used and the input data used for modeling shall also be provided. The air quality contours shall be plotted on a location map showing the location of project site, habitation nearby, sensitive receptors, if any.
- (ii) Water Quality modelling.
- (iii) Impact of the transport of the raw materials and end products on the surrounding environment shall be assessed and provided. In this regard, options for transport of raw materials and finished products and wastes (large quantities) by rail or rail-cum road transport or conveyor-cum-rail transport shall be examined.
- (iv) A note on treatment, recycling and reuse of wastewater from different plant operations, extent for different purposes shall be included. Complete scheme of effluent treatment. Characteristics of untreated and treated effluent to meet the prescribed standards of discharge under EPA Rules.
- (v) Details of stack emission and action plan for control of emissions to meet standards.
- (vi) Measures for fugitive emission control
- (vii) Details of hazardous waste generation and their storage, utilization and disposal. Copies of MOU regarding utilization of solid and hazardous waste shall also be included. EMP shall include the concept of waste-minimization, recycle/reuse/recover techniques, Energy conservation, and natural resource conservation.
- (viii) Proper utilization of fly ash shall be ensured as per Fly Ash Notification, 2009. A detailed plan of action shall be provided.
- (ix) Action plan for the green belt development in 33 % area with not less than 1,500 trees per hectares. giving details of species, width of plantation, planting schedule, post plantation maintenance plan for 3 years shall be included. The green belt shall be around the boundary and a scheme for greening of the roads used for the project shall also be incorporated
- (x) Action plan for rainwater harvesting measures at alternative sites shall be submitted to harvest rainwater from the roof tops and storm water drains to recharge the ground water and also to use for the various activities to conserve fresh water and reduce the water requirement from other sources.
- (xi) Total capital cost and recurring cost/annum for environmental pollution control measures shall be included.
- (xii) Action plan for post-project environmental monitoring shall be submitted.
- (xiii) Onsite and Offsite Disaster (natural and Man-made) Preparedness and Emergency Management Plan including Risk Assessment and damage control.

Disaster management plan should be linked with District Disaster Management Plan.

8) Occupational health

- (i) Details of existing Occupational & Safety Hazards. What are the exposure levels of above-mentioned hazards and whether they are within Permissible Exposure level (PEL)? If these are not within PEL, what measures the company has adopted to keep them within PEL so that health of the workers can be preserved,
- (ii) Details of exposure specific health status evaluation of worker. If the workers' health is being evaluated by pre designed format, chest x rays, Audiometry, Spirometry, Vision testing (Far & Near vision, colour vision and any other ocular defect) ECG, during pre-placement and periodical examinations give the details of the same. Details regarding last month analyzed data of abovementioned parameters as per age, sex, duration of exposure and department wise.
- (iii) Annual report of health status of workers with special reference to Occupational Health and Safety.
- (iv) Plan and fund allocation to ensure the occupational health & safety of all contract and casual workers.

9) Corporate Environment Policy

- (i) Does the company have a well laid down Environment Policy approved by its Board of Directors? If so, it may be detailed in the EIA report.
- (ii) Does the Environment Policy prescribe for standard operating process / procedures to bring into focus any infringement / deviation / violation of the environmental or forest norms / conditions? If so, it may be detailed in the EIA.
- (iii) What is the hierarchical system or Administrative order of the company to deal with the environmental issues and for ensuring compliance with the environmental clearance conditions? Details of this system may be given.
- (iv) Does the company have system of reporting of non-compliances / violations of environmental norms to the Board of Directors of the company and / or shareholders or stakeholders at large? This reporting mechanism shall be detailed in the EIA report

10) Details regarding infrastructure facilities such as sanitation, fuel, restroom etc. to be provided to the labour force during construction as well as to the casual workers including truck drivers during operation phase.

11) Enterprise Social Commitment (ESC)

- (i) To address the Public Hearing issues, 2.5% of the total project cost of (Rs. ___crores), amounting to Rs. ___crores, shall be earmarked by the project proponent, towards Enterprise Social Commitment (ESC). Distinct ESC projects shall be carved out based on the local public hearing issues. Project estimate shall be prepared based on PWD schedule of rates for each distinct Item and schedule for time bound action plan shall be prepared. These ESC projects as

indicated by the project proponent shall be implemented along with the main project. Implementation of such program shall be ensured by constituting a Committee comprising of the project proponent, representatives of village Panchayat & District Administration. Action taken report in this regard shall be submitted to the Ministry's Regional Office. No free distribution/donations and or free camps shall be included in the above ESC budget

- 12) Any litigation pending against the project and/or any direction/order passed by any Court of Law against the project, if so, details thereof shall also be included. Has the unit received any notice under the Section 5 of Environment (Protection) Act, 1986 or relevant Sections of Air and Water Acts? If so, details thereof and compliance/ATR to the notice(s) and present status of the case.
- 13) A tabular chart with index for point wise compliance of above TORs.

B. STANDARDISED SPECIFIC TERMS OF REFERENCE FOR EIA STUDIES FOR INDUCTION/ ARC FURNACES/CUPOLA FURNACES 5TPH OR MORE

- (i) Details of proposed layout clearly demarcating existing & proposed features of the project within the plant.
- (ii) Total no. of furnaces & details including capacity of each furnace.
- (iii) Detail of the mechanical shredder to reduce the size of raw material.
- (iv) Complete process flow diagram describing each unit, its processes and operations, along with material and energy inputs and outputs (material and energy balance).
- (v) Details on design and manufacturing process for all the units.
- (vi) Details on environmentally sound technologies for recycling of hazardous materials, as per CPCB Guidelines, may be mentioned in case of handling scrap and other recycled materials.
- (vii) Details on requirement of raw materials, its source and storage at the plant.
- (viii) Details on requirement of energy and water along with its source and authorization from the concerned department. Location of water intake and outfall points (with coordinates).
- (ix) Details on toxic metal content in the waste material and its composition and end use (particularly of slag).
- (x) Details on toxic content (TCLP), composition and end use of chrome slag. Details on the recovery of the Ferro chrome from the slag and its proper disposal.

C. ADDITIONAL SPECIFIC TORS DECIDED DURING MEETING OF SEAC

- (i) Public consultation is required for the projects as not located in notified industrial parks/estates.
- (ii) Submit proof of ownership of land (existing owner) such as copy of latest Jamabandi (not more than one month old) and credible document showing

status of land acquisition w.r.t. project site as prescribed in OM dated 07.10.2014 issued by MoEF)

- (iii) Submit dully filled prescribed field data sheets and analysis reports along with exact location of sampling / monitoring point marked on the layout map. Also submit the status of approvals of Laboratories.
- (iv) Submit cost of the project duly certified by Chartered Engineer/ Approved valuer / Chartered Accountant. In the absence of above, the project proponent may submit self-certified detail of cost of the project mentioning the cost of Land, building, infrastructure and plant & machinery
- (v) Certificate from the concerned authority w.r.t the location of protected areas as notified under the Wild Life Protection Act, 1972 within 5 km radius from the boundary of the project site.
- (vi) Certificate from the Department of Town & Country Planning or concerned authorities to support the claim made by project proponent that the project site is located in the industrial zone as per the provisions of Master Plan of Town/City in the jurisdiction of which the project site is located.
- (vii) Compliance of the siting criteria, standard operating practices, code of practice and guidelines if any prescribed by the SPCB/CPCB/MoEF&CC for such type of units.
- (viii) Necessary permissions from the Central Ground Water Authority (CGWA)/ State Ground Water Authority (SGWA)/concerned authority for the abstraction of ground water for the existing requirements as well as for the expanded unit. In case of not allowing such permission by the concerned authority for the abstraction of additional ground water for the expanded project, the project proponent shall propose alternative arrangements to meet out the additional water requirements. It shall be ensured that:-
 - a) In the projects where ground water is proposed as water source, the project proponent shall apply to the Central Ground Water Authority (CGWA)/ State Ground Water Authority (SGWA), as the case may be, for obtaining No Objection Certificate (NOC) if applicable.
 - b) Approval /permission of the CGWA/SGWA shall be obtained before drawing ground water for the project activities.
 - c) In the absence of approval, submit a copy of acknowledgement along with set of application filed to CGWA /Competent Authority for obtaining permission for abstraction of ground water
- (ix) Minimize the water consumption in the steel plant complex by segregation of used water, practicing cascade use and by recycling treated water.
- (x) STP for treatment of waste water & reutilization of the treated water for core/non-core activities so as to achieve the Zero Liquid Discharge Condition as per the III (iv) of OM dated 09/08/2018 issued by the MoEF&CC for such units.
- (xi) Reuse of cooling tower blow down, simultaneously ensuring the standards prescribed for such purge waters. If required, necessary arrangements shall be made to keep this waste stream within the parameters required for reuse.

- (xii) In case of any acid pickling activity, the spent acid / effluents generated from such activities shall be utilized through authorized re-processors for converting the same into useful by-products like FeSO_4 etc. An agreement to this effect shall be made with the authorized agencies.
- (xiii) Adequate area to be reserved and marked on the layout plan for the green belt as per the conditions laid down by the MoEF&CC as per the Standard EC Conditions prescribed for Induction/ Electric Arc Furnace & Rolling Mills circulated vide OM dated 09/08/2018.
- (xiv) Detailed study report along with calculation for reserving land for loading or unloading of raw material, products, slag, hazardous waste as well as for storage of these materials and the area to be reserved for parking incorporating the time required for loading and unloading of vehicles for respective activities and minimum/maximum period for which storage of the above material is required in the premises. The areas for the respective activities to be marked on the layout plan.
- (xv) Action plan for the compliance of standard operating procedures and upgradation of suction and treatment arrangement for the secondary emissions as prescribed by the State Pollution Control Board or by CPCB/MoEF&CC.
- (xvi) Compliance of standard operating procedures and up gradation of suction / treatment systems for the control of secondary emissions within the time frame prescribed by the State Pollution Control Board. Similar action is to be implemented in the proposed expansion project.
- (xvii) Whole of the vehicle movement area as well as approach road to the gate /weighing bridge shall be paved with pucca / metalled / cement concrete road to control the dust emissions expected from the vehicle movement.
- (xviii) The vehicles to be used for loading / unloading purpose shall not be parked along roadside so as to avoid the traffic congestion and dedicated parking place to be provided for the same.
- (xix) Adopt green technologies to conserve the water and energy including shearing / cutting / bundling machines. Also to provide abrasive resistant fire bricks in the crucibles to reduce the periodic maintenance & disposal of discarded fire bricks.
- (xx) Use of natural gas (if available) as substitute fuel wherever possible in the existing industry/ for expansion project.
- (xxi) Delineate the concrete proposal regarding activities to be undertaken under Corporate Environmental Responsibility indicating the followings :-
 - i) various activities to be undertaken as per the provision of OM dated 01.05.2018
 - ii) proportionate provisions of funds,
 - iii) the period in which CER activities is to be implemented
 - iv) the person(s) responsible for the implementation. .
- (xxii) Submit compliance w.r.t. condition no.II [(i) & (iii)] subtitled as "Air Quality Monitoring & Preservation" regarding continuous emission monitoring system

and continuous ambient air quality monitoring as prescribed in the Standard EC Conditions for Induction/ Electric Arc Furnace & Rolling Mills issued by the MoEF&CC, New Delhi vide OM dated 09/08/2018.

(xxiii) Examine and submit the proposal for: -

- a) Recovery of iron from slag before disposing it off.
- b) Identify the areas for utilization of slag in scientific manner and explore its usage in cement / construction industry / manufacturing of pavers & tiles/ road laying etc.
- c) Recovery of precious metals like Zinc, lead and iron etc. from the APCD dust (Hazardous waste) through authorized re-processor.

(xxiv) Air Pollution Control Arrangement details shall be provided as below:

Plant /Unit	Pollutants	Qty generated	Method used to Control /specifications (attach Separate Sheet to furnish Details)	Number of units planned & Capacity	Budget	Estimated Post Control Qty Pollutant	
						Per Unit	Per day

(xxii) Submit compliance regarding installation of Pulse jet bag filter with offline cleaning technology as APCD with the proposed induction furnace.

(xxiii) List the species with heavy foliage, broad leaves and wide canopy cover. The landscape planning should include plantation of native species. Water intensive and/or invasive species should not be used for landscaping

The following general points shall be noted:

- (i) The EIA document shall be printed on both sides, as for as possible.
- (ii) All documents shall be properly indexed, page numbered.
- (iii) Period/date of data collection shall be clearly indicated.
- (iv) The letter/application for environmental clearance shall quote the MOEF / SEIAA file No. and also attach a copy of the letter.
- (v) The copy of the letter received from the Ministry / SEIAA shall be also attached as an annexure to the final EIA-EMP Report.
- (vi) The index of the final EIA-EMP report must indicate the specific chapter and page no. of the EIA-EMP Report.
- (vii) While preparing the EIA report, the instructions for the proponents and instructions for the consultants issued by MOEF vide notification dated 03.03.2016 which is available on the website of this Ministry shall also be followed.

- (viii) The consultants involved in the preparation of EIA-EMP report after accreditation with Quality Council of India (QCI) /National Accreditation Board of Education and Training (NABET) would need to include a certificate in this regard in the EIA-EMP reports prepared by them and data provided by other organization/Laboratories including their status of approvals etc. Name of the Consultant and the Accreditation details shall be posted on the EIA-EMP Report as well as on the cover of the Hard Copy of the Presentation material for EC presentation.

The Terms of Reference (ToR) prescribed by the State Expert Appraisal Committee (SEAC), Punjab should be considered for the preparation of EIA / EMP report for the project in addition to all the relevant information as per the Generic Structure of EIA given in Appendix III and IIIA in the EIA Notification, 2006.

Where the documents provided are in a language other than English, an English translation shall be provided. The draft EIA-EMP report shall be submitted to the State Pollution Control Board of the concerned State for conduct of Public Hearing. The SPCB shall conduct the Public Hearing/public consultation, district-wise, as per the provisions of EIA notification,2006. The Public Hearing shall be chaired by an Officer not below the rank of Additional District Magistrate. The issues raised in the Public Hearing and during the consultation process and the commitments made by the project proponent on the same shall be included separately in EIA-EMP Report in a separate chapter and summarized in a tabular chart with financial budget (capital and revenue) along with time-schedule of implementation for complying with the commitments made.

If any part of the data/information submitted by the project proponent is found to be false or misleading at any stage, then SEIAA & SEAC will not be responsible for the expenditure incurred on the project due to issuance of this ToR or subsequent work carried out by the project proponent for conducting EIA study or for any other activity related to the project.

The 'Terms of Reference' (TORs) prescribed will be valid for a period of three years from its issuance. The final EIA report shall be submitted to the SEIAA, Punjab for obtaining environmental clearance.

Item No.188.11: Application for Environmental clearance for expansion of steel manufacturing unit having existing capacity of 28,000 TPA to 1,00,800 TPA of Steel Ingots & Castings for Steel Ingots by replacement of induction furnace with new furnaces of capacity 2X12 TPH each & addition of concast machine in revenue estate of village Tooran, Amlah Road, Mandi Gobindgarh, Distt. Fatehgarh Sahib, Punjab by M/s Samana Concast (Proposal no SIA/PB/IND/50002/2018)

1.0 Background

The project proponent has applied for obtaining Environmental Clearance under EIA notification dated 14.09.2006 for increasing the production capacity from 28000 TPA to 1,00,800 TPA for manufacturing of Steel ingots & castings / billets by replacement of induction furnace with new Induction Furnaces of capacity 2X12 TPH each & addition of concast machine in revenue estate of village Tooran, Amlah Road, Mandi Gobindgarh, Distt. Fatehgarh Sahib, Punjab. Project is covered under Activity 3(a) & Category 'B1' as per EIA Notification, 2006.

The case was considered by SEAC in the 167th meeting held on 26.05.2018 and was forwarded to SEIAA with recommendation to grant TORs. Accordingly, SEIAA in its 134th meeting held on 09.07.2018 decided to issue the TORs. In compliance to the said decision, TORs were issued to the project proponent vide letter no. SEIAA/2018/925 dated 16.07.2018. The public hearing was conducted by PPCB on 03.06.2019. The application for obtaining EC was submitted online on 01.03.2020 and accordingly the requisite fee (Rs 80,000/- vide NEFT No 0037493435 dated 06.02.2020 & Rs 7200/- Vide UTR no.- SBIN220060456045) for obtaining EC was deposited by the project proponent.

Further, on the basis of scrutiny of EIA report, EDS were raised on 18.02.2020 and 28.02.2020 to which project proponent replied on 27.02.2020 & 01.03.2020 respectively.

2.0 Deliberations during the 188th meeting of SEAC held on 04.03.2020

The project proponent informed that project falls within the 5.0 Km radius of the boundary of MC Limit of Mandi Gobindarh. But, as per the latest assessment of CPCB, CEPI Score of Mandi Gobindarh has been reduced from 75.08 to 53.91, which was reported by PPCB vide letter no.38244 dated 23.12.2019. Therefore, the said project has been considered by the SEAC.

Environmental consultant of the promoter company presented the salient features of the project. SEAC raised certain observations to which project proponent submit the reply. After considering the reply to the observations of SEAC, the details of updated salient features of the project are as under:-

1.	Name and Location of the project	M/s Samana Concast, Village- Tooran, Amloh Road, Mandi Gobindgarh, District- Fatehgarh Sahib, Punjab		
2.	Nature of project (Fresh/Expansion Amendment/Others)	Fresh EC project		
3.	a) Category b) Activity (As per schedule appended to EIA Notification, 2006 as amended time to time.)	a) B-1 b) 3(a) Metallurgical Industries (Ferrous & Non Ferrous Alloys).		
4.	Whether the project area falls in whole or partially within 5.0 Km from the boundary of critical polluted area notified by MoEF&CC. (Please specify in yes/No)	No, as the revised CEPI score of Mandi Gobindgarh is 53.91. Thus, it does not fall in the list of Critically Polluted Area.		
5.	Properly filled Form 2 along with signed declaration.	Submitted		
6.	Relevant proof of the ownership of land	Submitted		
7.	Area Details			
	Details	Existing	Additional Land	After Expansion
	Plot Area	10323.23 Sqm.	---	10323.23 Sqm.
8.	Co-ordinates of the project site	Latitude: - 30°38'38.78"N, 30°38'40.38"N 30°38'35.50"N, 30°38'35.44"N Longitude:- 76°16'14.10"E, 76°16'15.56"E, 76°16'15.51"E, 76°16'13.98"E		
9.	Revised Project Cost (After expansion)	Existing Cost of project : Rs. 2.15 Cr. Proposed Cost of project : Rs. 6.56 Cr Total Project Cost of the project: Rs. 8.71 Cr (The project cost revised by the project proponent during presentation made before SEAC on 04.03.2020)		
10.	Raw Material requirement (After expansion)	MS Scrap @1,09,650 TPA & Ferro Alloys @2,238 TPA		
11.	Production Capacity (After expansion)	Steel Ingots & Castings @ 1,00,800 TPA		

12.	Details of major productive machinery/plant (After expansion)	(i) 2 Nos new induction furnaces (2 x 12 TPH) (ii) 01 Concast			
13.	Manpower (After expansion)	200 persons			
14.	Water Requirements & its source(After expansion)	Total Water Demand: 26.0 KLD			
		Description	Existing (KLD)	Proposed (KLD)	Total (KLD)
		Domestic	3.0	6.0	9.0
		Cooling Water	5.0	12.0	17.0
		Total	8.0	18.0	26.0
		Water demand shall be met through existing tubewell after obtaining permission from CGWA/DAC. Till the grant of NOC, treated water of STP Mandi Gobindgarh or nearby industries will be used for industrial purposes.			
15.	Details of Effluent (After expansion)				
	Details	Existing	After Expansion	Remarks	
	Industrial Effluent	No industrial effluent will be generated. A small quantity of purge water is/will be generated from cooling side and same will be sent to STP for treatment.			
	Domestic Effluent	2.4KLD	7.2 KLD	Existing Wastewater generated from the project is being treated in the septic tank & used for plantation. After expansion, STP will be installed for the treatment of waste water. The treated water will be used for cooling purposes.	
16.	Details of Emissions (After expansion)				
	Sr. No.	Source	Capacity	Chimney Height (m)	Air Pollution Control Device
	i)	Induction Furnace	2X12 TPH each	30 m each	Pulse Jet Bag Filter with Offline Cleaning
	ii)	DG sets	63KVA	2.5 m	Equipped with Canopy
17.	Details of Hazardous waste and its disposal (After expansion)				
	Sr. No.	Hazardous Waste Category	Quantity (After expansion)	Disposal	

	i)	Cat.35.1 – Exhaust air or Gas cleaning Residue	280 TPA	To M/s Madhav alloys for metal recovery.
	ii)	Cat.5.1 – Used Oil	0.02 KL per annum	Authorized Recyclers/Lubricant within the Industry
18.	Solid waste generation and its disposal(After expansion)			
	Sr. No.	Solid Waste	Quantity	Disposal
	(i)	Slag	17.47 TPD	Co - processed for manufacturing of bricks (Submitted during presentation made before SEAC on 04.03.2020)
19.	Green Belt Development plan including no. of trees to be planted & its species.		100 trees have already planted within the industry. In addition, 421 trees to be planted in 3474 sqm area (33% of total area). (Submitted during presentation made before SEAC on 04.03.2020)	
20.	Energy Requirements (After expansion)		ii) Power load: 10,000 KW through PSPCL. iii) DG set of capacity 82.5 kVA & 200 kVA as stand-by arrangement.	
21.	Revised Environment Management Plan Environment Management Cell (EMC) shall be responsible for implementation of EMP which consists of Director of the company, representative of management, process-in-charge, in-charge maintenance and a representative of environmental consultant. The budgetary requirement for implementation of EMP is as under: -			
	Sr.No	Title	Capital Cost Rs. Lakh	Recurring Cost Rs. Lakh
	i)	Pollution Control during construction stage	5.0	---
	ii)	Air Pollution Control (Installation of APCD)	71.0	5.0
	iii)	Water Pollution Control / Septic tank up-gradation	10.0	0.5
	iv)	Solid Waste Management	5.0	0.5
	v)	Environment Monitoring and Management	5.0	0.5

	vi)	Occupational Health, Safety and Risk Management	5.0	0.5														
	vii)	Rain Water Harvesting	5.0	0.5														
	viii)	Miscellaneous	5.0	---														
		Total	116.0	10.0														
	Revised Environment Management Plan for Rs. 116 Crore submitted in presentation dated 04.03.2020.																	
22.	Revised Rain Water Harvesting proposal		<p>About 36817 m³ of rain water will be recharged through Jalapur village pond. Further, all the waste water of the near by Jalapur village which will be directed towards the village ponds will be first treated in trenches through CSIR-NEERI's Phytorid wastewater treatment technology and overflow water will be discharged into the pond.</p> <p>(Revised Rain Water Harvesting proposal submitted along presentation dated 04.03.2020)</p>															
23.	Revised water requirement for Green area w.r.t. summer, winter and rainy season		<p>The project proponent submitted the Revised water requirement for Green area as under: -</p> <table border="1"> <thead> <tr> <th>S.No.</th> <th>Season</th> <th>Green area water demand in KLD</th> <th>Source of water</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Summer</td> <td>19.1</td> <td rowspan="3">Balance Green area water demand will be met from treated waste water from STP of MC- Mandi Gobindgarh and nearby industries.</td> </tr> <tr> <td>2</td> <td>Winter</td> <td>6.25</td> </tr> <tr> <td>3</td> <td>Rainy</td> <td>1.74</td> </tr> </tbody> </table> <p>(Revised water requirement for Green area submitted along presentation dated 04.03.2020)</p>		S.No.	Season	Green area water demand in KLD	Source of water	1	Summer	19.1	Balance Green area water demand will be met from treated waste water from STP of MC- Mandi Gobindgarh and nearby industries.	2	Winter	6.25	3	Rainy	1.74
S.No.	Season	Green area water demand in KLD	Source of water															
1	Summer	19.1	Balance Green area water demand will be met from treated waste water from STP of MC- Mandi Gobindgarh and nearby industries.															
2	Winter	6.25																
3	Rainy	1.74																
24.	NOC from District Advisory Committee as the industry is located in 'Notified area' and Undertaking for use of water for industrial purpose.		<p>Submitted undertaking regarding application to DAC vide letter dated 19.02.2020 for obtaining required NOC and till the grant of NOC, will use treated water of STP of MC Mandi Gobindgarh or STP of nearby industries for industrial purposes. Further, ground water from the existing borewell will not be used for proposed industrial use.</p> <p>(Submitted an undertaking along presentation dated 04.03.2020.)</p>															

25.	Revised CER activities along with budgetary break up and responsibility to implement	CER activities will be implemented in Pujya Shri Gian Muni Jain Public School, Shanti Nagar, Mandi Gobindgarh as per the detail given as under:-																																															
				<table border="1"> <thead> <tr> <th rowspan="2">S.No.</th> <th rowspan="2">Activity</th> <th rowspan="2">Environment Aspect</th> <th rowspan="2">Cost (Rs. Lac)</th> <th colspan="2">Timeline</th> </tr> <tr> <th>Start</th> <th>End</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>Science Lab</td> <td>Infrastructure</td> <td>2.0</td> <td>June 2020</td> <td>Dec. 2020</td> </tr> <tr> <td>2.</td> <td>Separate toilet for boys & girls</td> <td>Water hygiene & sanitation</td> <td>2.0</td> <td>June 2021</td> <td>July 2021</td> </tr> <tr> <td>3.</td> <td>Ramp for Access to 1st Floor</td> <td>Infrastructure</td> <td>2.5</td> <td>Dec. 2021</td> <td>June 2022</td> </tr> <tr> <td>4.</td> <td>Green board for classes</td> <td>Infrastructure</td> <td>0.5</td> <td>As per Need</td> <td></td> </tr> <tr> <td>5.</td> <td>Air conditioner for Science lab and furniture</td> <td>Infrastructure</td> <td>1.0</td> <td>As per Need</td> <td></td> </tr> <tr> <td colspan="3">TOTAL</td> <td>8.0</td> <td colspan="2"></td> </tr> </tbody> </table>		S.No.	Activity	Environment Aspect	Cost (Rs. Lac)	Timeline		Start	End	1.	Science Lab	Infrastructure	2.0	June 2020	Dec. 2020	2.	Separate toilet for boys & girls	Water hygiene & sanitation	2.0	June 2021	July 2021	3.	Ramp for Access to 1 st Floor	Infrastructure	2.5	Dec. 2021	June 2022	4.	Green board for classes	Infrastructure	0.5	As per Need		5.	Air conditioner for Science lab and furniture	Infrastructure	1.0	As per Need		TOTAL			8.0		
S.No.	Activity	Environment Aspect	Cost (Rs. Lac)	Timeline																																													
				Start	End																																												
1.	Science Lab	Infrastructure	2.0	June 2020	Dec. 2020																																												
2.	Separate toilet for boys & girls	Water hygiene & sanitation	2.0	June 2021	July 2021																																												
3.	Ramp for Access to 1 st Floor	Infrastructure	2.5	Dec. 2021	June 2022																																												
4.	Green board for classes	Infrastructure	0.5	As per Need																																													
5.	Air conditioner for Science lab and furniture	Infrastructure	1.0	As per Need																																													
TOTAL			8.0																																														
<p>The entire activities proposed under CER shall be treated as project and shall be monitored. The monitoring report shall be submitted to the regional office as a part of half-yearly compliance report and to the District Collector.</p> <p>(Submitted revised CER activities and NOC from adopted school along with presentation made on 04.03.2020)</p>																																																	

3.0 Recommendations

After detailed deliberations, SEAC decided to award 'Silver Grading' to the project proposal and to forward the application to SEIAA with the recommendations to grant Environmental Clearance for expansion of its existing unit located in the revenue estate of of village Jalapur, Mandi Gobindgarh, Distt. Fatehgarh Sahib, Punjab as per the details mentioned in the Form 1, 1A, EMP & subsequent presentation /clarifications made by the project proponent and his consultant, proposed measures with aforesaid salient features, conditions prescribed in **Annexure-II** subject to additions, amendments and deletions given as under:-

Conditions to be added in the Annexure-II as under

- i. The project proponent shall minimize the water consumption in the steel plant complex by segregation of used water, practicing cascade use and by recycling treated water.
- ii. The project proponent shall provide STP for treatment of waste water & reutilization of the treated water for core/non-core activities so as to achieve the Zero Liquid Discharge Condition as per the III (iv) of OM dated 09/08/2018 issued by the MoEF&CC for such units.
- iii. The project proponent shall reuse of cooling tower blow down, simultaneously ensuring the standards prescribed for such purge waters. If required, necessary arrangements shall be made to keep this waste stream within the parameters required for reuse.
- iv. A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site. Sand, murrum, loose soil, cement, stored on site shall be covered adequately and Water sprinkling system be put in place so as to prevent dust pollution.
- v. The project proponent shall reserve land for loading or unloading of raw material, products, slag, hazardous waste as well as for storage of these materials and the area to be reserved for parking. The area to be reserved by considering the time required for loading and unloading of vehicles for respective activities and minimum/maximum period for which storage of the above material is required in the premises. The areas for the respective activities to be marked on the layout plan.
- vi. The project proponent shall comply with the standard operating procedures and upgradation of suction and treatment arrangement for the secondary emissions as prescribed by the State Pollution Control Board or by CPCB/MoEF&CC.
- vii. Whole of the vehicle movement area as well as approach road to the gate /weighing bridge shall be paved with pucca / metalled / cement concrete road to control the dust emissions expected from the vehicle movement.
- viii. The vehicles to be used for loading / unloading purpose shall not be parked along roadside so as to avoid the traffic congestion and dedicated parking place to be provided for the same.
- ix. The project proponent shall adopt green technologies to conserve the water and energy including shearing / cutting / bundling machines. Also to provide abrasive resistant fire bricks in the crucibles to reduce the periodic maintenance & disposal of discarded fire bricks.
- x. The project proponent shall use natural gas (if available) as substitute fuel wherever possible in the existing industry/ for expansion project.
- xi. The project proponent shall take necessary action w.r.t. the following:-

- a) Recovery of iron from slag before disposing it off.
 - b) Identify the areas for utilization of slag in scientific manner and its usage in cement / construction industry / road laying etc.
 - c) Recovery of precious metals like Zinc, lead and iron etc. from the APCD dust (Hazardous waste) through authorized re-processor.
- xii. The project proponent shall install the pulse jet bag filter APCD with offline cleaning technology with the proposed induction furnace.
 - xiii. The project proponent shall not abstract the ground water from the existing borewell for proposed/expansion industrial use. Till the grant of NOC, the industry will use treated water of STP of MC Mandi Gobindgarh or STP of nearby industries for industrial purposes.

Conditions to be amended in the Annexure-II as under :-

Condition no. viii) of III. Water quality monitoring and preservation

- viii. The project proponent shall adopt pond located in the Village Jalalpur for practicing rain water harvesting after desilting @ 36817 m³/annum. As an additional safety measure, the stream carrying waste water of the village shall be diverted in one corner of Phytoid plants trench (designed based on the technology developed by CSIR-NEERI's) divided in different parts, the overflow of each chamber shall be allowed to enter into another chamber which will ultimately lead to purification of water and collected into pond to avoid any contamination of ground water aquifer. Pond water will percolate through natural strata (without injection) to augment the ground water and remaining water shall be used for irrigation purposes by pumping method in the nearby fields.

X. Condition no. i) & iv) of X of Corporate Environment Responsibility

- ii) The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility. The project proponent shall adhere to the commitments made in the proposal for CER activities for spending at least minimum amount of Rs. 8,00,000/- towards following CER activities in Pujya Shri Gian Muni Jain Public School, Shanti Nagar, Mandi Gobindgarh: -

S.No.	Activity	Environment Aspect	Cost (Rs. Lac)	Timeline	
				Start	End
1.	Science Lab	Infrastructure	2.0	June 2020	Dec. 2020
2.	Separate toilet for boys & girls	Water hygiene & sanitation	2.0	June 2021	July 2021

3.	Ramp for Access to 1 st Floor	Infrastructure	2.5	Dec. 2021	June 2022
4.	Green board for classes	Infrastructure	0.5	As per Need	
5.	Air conditioner for Science lab and furniture	Infrastructure	1.0	As per Need	

However, CER activities shall strictly be in accordance with the activities listed out in the OM dated 01.05.2018 and as per the proposal submitted by the project proponent. The amount to be spent on CER activities shall be proportionate to the amount spent on project & such activities shall run parallel to the project execution. All the activities must be completed with the completion of the project.

- iv) Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. The project proponent shall spend minimum amount of as proposed i.e Rs 116.0 Lacs towards capital cost and Rs 10.0 Lacs/annum towards recurring cost including the environmental monitoring cost for the implementation of EMP. The entire cost of the environmental management plan will continue to be borne by the project proponent. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six-Monthly Compliance Report.

Item No. 188.12: Application for obtaining Environmental Clearance under EIA notification dated 14.09.2006 for Expansion of Residential Township (Phase IV) at Village Raman & Tarakhwala, Distt. Bathinda, Punjab by M/s HPCL Mittal Energy Ltd.(HMEL) (SIA/PB/MIS/48965/2009)

1.0 Background

Earlier, the project was granted Environmental Clearance from MoEF, Govt. of India vide no. 139/SEAC(P)/2010-IA.III dated 07.10.2010 for the development of township for staff of the Guru Gobind Singh Refinery having plot area 59.76 Ha and Built-up area 149078.61 sqm and the said Environmental Clearance was expired on 06.10.2015.

The project proponent has now filed an application for obtaining Environment Clearance under EIA notification, 2006 for expansion of Residential Township (Phase IV) at Village Raman & Tarakhwala, Distt. Bathinda, Punjab. After expansion, plot area will remain same i.e., 59.76 acre and built-up area will increase to 2,65,228 sqm.

TORs have been issued to the project proponent vide SEIAA letter no 666 to 668 dated 22/08/2019.

Baseline monitoring has been carried out for 3 months i.e., 15.10.2018 to 15.01.2019 and then one month additional data was collected i.e., 27.05.2019 to 15.06.2019.

The project proponent has now submitted the EIA report.

2.0 Deliberations during the 188th meeting of SEAC held on 04.03.2020

The case was considered by SEAC in its 188th meeting held on 04.03.2020.

SEAC observed that the project proponent has submitted action taken report on the observations made by the MoEF during its visit on 11.01.2019. The project proponent also submitted the documentary evidences in support of compliances made by it. The Environmental Consultant of the project proponent further submitted that the points of specific conditions mentioned at i) and ix) were verified by visit by M/s Transven Consulting Pvt. Ltd and has informed as under:

- i) The project proponent has provided the Central Treatment Plant and the flow chart.
- ii) The solar panels have been installed for power fence. Project proponent is going to provide and exceed the solar requirement as per MoEF in the coming phases of development. The calculation of the same was also provided.

SEAC was satisfied from the reply given on the observations made by the MoEF.

Environmental consultant of the promoter company presented the salient features of the project. SEAC raised certain observations to which project proponent submit the reply. After considering the reply to the observations of SEAC, the details of updated salient features of the project are as under:-

S.No.	Item	Details																								
1.	Online Proposal No.	SIA/PB/MIS/48965/2009																								
2.	Name and Location of the project	Expansion of Residential Township Project "HMEEL Township" at Village Raman & Tarakhanwala, District Bathinda, Punjab																								
3.	Latitude & Longitude	<p>Corners coordinates:</p> <table border="1"> <thead> <tr> <th>Corner</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>29.952862° N</td> <td>74.916739° E</td> </tr> <tr> <td>B</td> <td>29.951939° N</td> <td>74.917005° E</td> </tr> <tr> <td>C</td> <td>29.950315° N</td> <td>74.919346° E</td> </tr> <tr> <td>D</td> <td>29.949466° N</td> <td>74.921558° E</td> </tr> <tr> <td>E</td> <td>29.951916° N</td> <td>74.923500° E</td> </tr> <tr> <td>F</td> <td>29.950346° N</td> <td>74.927354° E</td> </tr> <tr> <td>G</td> <td>29.950653° N</td> <td>74.928899° E</td> </tr> </tbody> </table>	Corner	Latitude	Longitude	A	29.952862° N	74.916739° E	B	29.951939° N	74.917005° E	C	29.950315° N	74.919346° E	D	29.949466° N	74.921558° E	E	29.951916° N	74.923500° E	F	29.950346° N	74.927354° E	G	29.950653° N	74.928899° E
Corner	Latitude	Longitude																								
A	29.952862° N	74.916739° E																								
B	29.951939° N	74.917005° E																								
C	29.950315° N	74.919346° E																								
D	29.949466° N	74.921558° E																								
E	29.951916° N	74.923500° E																								
F	29.950346° N	74.927354° E																								
G	29.950653° N	74.928899° E																								

		H	29.955124° N	74.928853° E
		I	29.955893° N	74.928450° E
		J	29.957086° N	74.926615° E
		K	29.954766° N	74.924786° E
		L	29.953905° N	74.924070° E
		M	29.955310° N	74.922200° E
		N	29.955686° N	74.922647° E
		O	29.955952° N	74.922291° E
		P	29.956610° N	74.922936° E
		Q	29.956503° N	74.919588° E
		R	29.956054° N	74.919239° E
		S	29.955707° N	74.919522° E
4.	Project/activity covered under item of scheduled to the EIA Notification, 14.09.2006	Sr .No. 8(b) 'Townships and Area Development Projects'		
5.	Whether the project is in critical polluted area or not.	No		
6.	Does the project involves diversion of forest land. If yes, a. Extent of the forest land. b. Status of the forest clearance.	No		
7.	Does the project cover under PLPA, 1900	No		
8.	Does the project fall within 10 km of eco-sensitive area/ National park/Wild Life Sanctuary.	No		
9.	Classification/Land use pattern as per Master Plan	Residential Area Further, CLU has been obtained from the Department of Town & Country Planning, Punjab vide memo no. 9588 CTP(Pb)/ SP 432-B dated 11.12.2008.		
10.	Cost of the project	Rs. 256 Crores		
11.	Total Plot area, Built- up Area and Green area	The details of project is as under:		
		S.No.	Description	Area
		1.	Plot area (Total scheme area)	5,97,580 (or 147.66 acres)
		2.	Built-up area after expansion	2,65,228 m ²
		3.	Green area	1,50,691 m ²
12.	Population (when fully operational)	6556 Persons.		
13.	Water Requirements & source in Construction Phase	The project proponent will utilize the treated wastewater from the STP installed within the premises of HMEL for the construction purposes.		

14.	Break up of Water Requirements & source in Operation Phase (after expansion) (Summer, Rainy, Winter): As per undertaking dated 04.03.2020 submitted by the project proponent in the meeting :			
Total Domestic Water Requirement				
S.No.	Season	Fresh water Domestic (KLD)	Reuse water Flushing (KLD)	Total domestic water requirement (KLD)
1.	Summer	589	296	885
2.	Winter	589	296	885
3.	Rainy	589	296	885
Treated waste water requirement				
S.No.	Season	Basis ltr/sqm/day	Green Area (sqm)	Treated waste water requirement (KLD)
1.	Summer	5.5	150691	829
2.	Winter	1.8 ltr/sqm/day	150691	271
3	Rainy	0 ltr/sqm/day	150691	0
Source of water				
S.No.	Description	Source of water		
1.	Domestic	Water Supply from Refinery i.e. Canal Water		
2	Flushing purposes	Treated waste water from inhouse STP		
3.	Green area	433 KLD Treated waste water from inhouse STP and 396 KLD from canal Water		
15.	Treatment & Disposal arrangements of waste water in Construction Phase	Wastewater generated will be treated in the septic tank of adequate capacity and the treated wastewater will be utilised onto land for plantation.		
16.	Disposal Arrangement of Waste water in Operation Phase	Total wastewater generation will be 767 KLD which will be treated in STPs of 993 KLD (493 KLD +500 KLD) capacity. 729 KLD treated waste water available at the outlet of STPs. Reuse of treated wastewater and discharge of surplus treated wastewater is given as under: -		
		Season	Flushing (KLD)	Green area (KLD)
		Summer	296	433
		Winter	296	271
		Monsoon	296	0
				Storage in Artificial pond* (KLD)
				0
				162
				433
* Note: Existing Pond = 400 KLD (320 sqm x 1.5) Proposed Pond =1000 KLD (500 sqm x 2)				

		<p>To queries of SEAC, Project Proponent submitted as under:</p> <ul style="list-style-type: none"> i) STP of 993 KLD has been proposed considering future developments after expansion. However, STP shall be developed on module basis. ii) Excess treated water will be stored in two artificial ponds having total capacity of 1400 KL (Existing- 400 KL & proposed: 1000 KL), which will sufficient to store treated waste water more than 8 days during winter season. iii) During winter season, excess treated waste water shall be given to nearby farmers for irrigation purpose after getting mutual consent and also used for road sprinkling & construction purposes.
	Rain water recharging detail	17210 m ³ /hr rain water will be collected in 189 no. of Rain water recharging pits.
18.	Solid waste generation and its disposal	<ul style="list-style-type: none"> a) Total Waste generation 3359 Kg/day b) Solid wastes will be appropriately segregated (at source by providing bins) into recyclable, Bio-degradable Components and non-biodegradable. c) 1969 Kg/day Biodegradable waste will be composted within the site in existing Natural process by using Organic Waste Convertor d) 979 Kg/day Non-biodegradable or dry waste will be Handed over to authorized recycler. e) 326 Kg/day of inert waste will be disposed to landfill site.
19.	Hazardous Waste & E- Waste	Used oil from DG sets will be sold to registered recyclers and E-waste will be disposed off as per the E-waste (Management) Amendment Rules 2018.
20.	Energy Requirements & Saving	<ul style="list-style-type: none"> a) 10115.18 KW from State grid. b) DG sets – 7 x 500 KVA & 4 x 500 KVA (silent DG set) <p><u>Energy Saving measures:</u> Solar panels have been proposed on the roof top of all the building. The total capacity of solar panel is 290 KW which is approx. 2.22% of the total power demand. Area covered by solar panels is 3480 m² (which is 4.27% of rood top area i.e. 81495 m²) which will generate 290 KW of power generation.</p> <ul style="list-style-type: none"> i) Roof top area = 81495 m² ii) Space proposed for solar panel = 3480 m² iii) Cost approx. Rs. 80,000 per KW iv) Total Cost approx. = Rs. 2.32 Crores

21.	Environment Management Plan along with Budgetary break up phase wise and responsibility to implement	Description	Capital cost (lakhs)	Recurring cost (lakhs)	Monitoring of Air, Noise, water (per annum) Rs.
		Construction	16.0	3.0	2
		Operation	270	30	2

22. CER activities along with budgetary break up and responsibility to implement
Mr. Satish Kumar Kalra of M/s HPCL Mittal Energy Ltd. will be responsible for implementation of CER (Corporate Environment Responsibility). The estimated cost of the project is Rs. 256 Crores and Rs. 192.5 lacs has been proposed under C.E.R activities as per Office Memorandum vide F. No. 22-65/ 2017-IA.III dated 01.05.2018, which will be spent on the following activities :

Proposed Budget (in Lacs)

S.No.	CER Activities	2020-21	2021-22	2022-23	2023-24	2024-25	Total budget
1.	Provision of Water cooler in Public places/ Schools/ hospitals etc.	7	7	7	7	7	35
2.	Waste water treatment of village pond (to be provided by the Department of Rural Developments and Panchayats, Govt. of Punjab), as per the design evolved by Punjab Pollution control Board.	30	30	30	30	30	150
3.	Provision of toilet blocks or upgradation of existing toilets facilities in schools/ health care centres/ villages	3	3	3	3	3	15
	Total	39	39	39	39	39	195

23 Other observations of SEAC Submitted an undertaking dated 04.03.2020 along with presentation to the effect that it shall not install Reverse Osmosis (Ros) plant in the individual apartment/Villas/Guest Rooms etc. for water treatment.

3.0 Recommendations

After deliberations, SEAC decided to award 'Silver Grading' to the project proposal and to forward the application of the project proponent to SEIAA with the recommendations

to grant Environmental Clearance for 2006 for expansion of Residential Township (Phase IV) "HMEL Township" having built up area of 265228 sqm in total land area of 597580 sqm located at Village Raman & Tarakhwala, Distt. Bathinda, Punjab as per the details mentioned in the Form 1, 1A, EMP & subsequent presentation /clarifications made by the project proponent and his consultant with, proposed measures, conditions prescribed in **Annexure-I** subject to following additions, amendments and deletions given as under:

Conditions to be added in the Annexure-I as under: -

- iii) Committee decided that the project proponent shall not install Reverse Osmosis (Ros) plant in the individual apartment/Villas/Guest Rooms etc. for water treatment.

Conditions to be amended in the Annexure-I as under :-

Condition no. iv), v-a) & xv) of III. Water quality monitoring and preservation

- vi) The total water requirement for the project including the demand of landscaping in summer season will be 1281 KLD, out of which 985 KLD shall be met through canal water and remaining through recycling of treated waste water. Total fresh water use shall not exceed the proposed requirement as provided in the project details.
- vii) a)The total wastewater generation from the project will be 767 KLD, which will be treated in proposed STP of 993 KLD (493 KLD and 500 KLD) capacity to be installed within the project premises However, 729 KLD treated waste water will be available at the outlet of STPs after considering evaporation losses. As proposed, reuse of treated wastewater and discharge of surplus treated wastewater shall be as under: -

Sr. No.	Season	Flushing (KLD)	Green area (KLD)	Storage in Artificial pond (KLD)*
1.	Summer	296	433	0
2.	Winter	296	271	162
3.	Rainy	296	0	433

Note* Stored treated waste water shall be given to nearby farmers for utilizing the same for irrigation purpose after getting mutual consent and/or for road sprinkling/construction purposes.

- xvi) A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. Thus, 189 nos of rain water harvesting recharge pits (with dual bore) shall be provided for ground water recharging as per CGWA norms. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for

reuse. The ground water shall not be withdrawn without approval from the Competent Authority.

X. Condition no. i) & iv) of X of Corporate Environment Responsibility

viii) The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility. The project proponent shall adhere to the commitments made in the proposal for spending Rs. 195 Lakhs on CER activities mentioned as per details given below:

Proposed Budget (in Lacs)							
S.No.	CER Activities	2020-21	2021-22	2022-23	2023-24	2024-25	Total budget
1.	Provision of Water cooler in Public places/ Schools/ hospitals etc.	7	7	7	7	7	35
2.	Waste water treatment of village pond (to be provided by the Department of Rural Developments and Panchayats, Govt. of Punjab), as per the design evolved by Punjab Pollution control Board.	30	30	30	30	30	150
3.	Provision of toilet blocks or upgradation of existing toilets facilities in schools/ health care centres/ villages	3	3	3	3	3	15
	Total	39	39	39	39	39	195

*Note :- The amount to be spent on CER activities shall be proportionate to the amount spent on project & such activities shall run parallel to the project execution. All the activities must be completed with the completion of the project

iv) Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by

competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. The project proponent shall spend minimum amount of Rs 16.0 Lacs towards capital cost and Rs 5.0 Lacs/annum towards recurring cost in Construction phase of the project including the environmental monitoring cost and shall spend minimum amount of Rs 270 Lacs towards capital cost and Rs 32.0 Lacs/annum towards recurring cost in operation phase of the project including the environmental monitoring cost. The entire cost of the environmental management plan will continue to be borne by the project proponent until the responsibility of environmental management plan is transferred to the occupier/resident's society under proper MOU under intimation to SEIAA, Punjab. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six-Monthly Compliance Report.

Meeting ended with a vote of thanks to the Chair.

Annexure-I

Standard EC Conditions for Project/Activity 8(a/b) : Building and construction projects /Townships and Area Development projects as approved for similar projects by SEIAA

I. Statutory compliance:

- i) The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.
- ii) The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc as per National Building Code including protection measures from lightening etc.
- iii) The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
- iv) The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- v) The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board / Committee.
- vi) The project proponent shall obtain the necessary permission for drawl of ground water/ surface water required for the project from the competent authority.
- vii) A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.
- viii) All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.
- ix) The provisions of the Solid Waste (Management) Rules, 2016, E-Waste (Management) Rules, 2016, Construction & Demolition Waste Rules,2016 and the Plastics Waste (Management) Rules, 2016 shall be followed.
- x) The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly.
- xi) The project site shall confirm to the suitability as prescribed under the provisions laid down under the master plan of respective city/ town. For that, the project proponent shall either to submit the NOC/ land use

conformity certificate from Deptt of Town and Country Planning or other concerned Authority under whom jurisdiction, the site falls.

- xii) Besides above, the project proponent shall also comply with siting criteria / guidelines, standard operating practices, code of practice and guidelines if any prescribed by the SPCB/CPCB/MoEF&CC for such type of projects.
- xiii) The project proponent shall get the layout plans approved from the Competent Authority for the activities / establishments to be set up at project site in consonance of the project proposal for which this environment clearance is applied.

II. Air quality monitoring and preservation

- i) Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.
- ii) A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.
- iii) The project proponent shall install system to carryout Ambient Air Quality monitoring for common /criterion parameters relevant-to the main pollutants released (e.g. PM10 and PM2.5) covering upwind and downwind directions during the construction period.
- iv) Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State Pollution Control Board.
- v) Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3m height or 1/3rd of the building height and maximum upto 10m). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murrum and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.
- vi) No Excavation of soil shall be carried out without adequate dust mitigation measures in place.
- vii) No loose soil or sand or construction & demolition waste or any other construction material that causes dust shall be left uncovered.
- viii) No uncovered vehicles carrying construction material and waste shall be permitted

- ix) All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- x) Grinding and Cutting of building material in open area shall be prohibited. Wet jet shall be provided for grinding and stone cutting.
- xi) Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.
- xii) All construction and demolition debris shall be stored at the site within earmarked area and road side storage of construction material and waste shall be prohibited. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Rules 2016.
- xiii) The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise emission standards.
- xiv) The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.
- xv) For indoor air quality the ventilation provisions as per National Building Code of India.
- xvi) Roads leading to or at construction site must be paved and blacktopped (i.e. metallic road)
- xvii) Dust Mitigation measures shall be displayed prominently at the construction site for easy public viewing.
- xviii) Construction and Demolition Waste Processing and Disposal site shall be identified and required dust mitigation measure be notified at the site.

III. Water quality monitoring and preservation

- i) The natural drain system should be maintained for ensuring unrestricted flow of water.
- ii) No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water.
- iii) Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.
- iv) The total water requirement for the project will be _____ KLD, out of which _____ KLD shall be met through own tube well and remaining through recycling of treated waste water. Total fresh water use shall not exceed the proposed requirement as provided in the project details.

- v) a) The total wastewater generation from the project will be _____ KLD, which will be treated in STP of capacity of _____ KLD based on _____ technology within the project premises. As proposed, reuse of treated wastewater and discharge of surplus treated wastewater shall be as under:-

Sr. No.	Season	For Flushing purposes (KLD)	Green Area (KLD)	Plantation area (_____ acres) in addition to the green area adjoining to the project or Sewer* (KLD)
1.	Summer			
2.	Winter			
3.	Rainy			

* Note : Surplus treated wastewater will be discharged into MC sewer as and when sewer connection is available with the project.

- b) Storage tank of adequate capacity shall be provided for the storage of treated wastewater and all efforts shall be made to supply the same for construction purposes.
- c) During construction phase, the project proponent shall ensure that the waste water being generated from the labour quarters/toilets shall be treated and disposed in environment friendly manner. The project proponent shall also exercise the option of modular bio-toilets or will provide proper and adequately design septic tanks for the treatment of such waste water and treated effluents shall be utilized for green area/plantation
- vi) The project proponent shall ensure safe drinking water supply to the habitants. Adequate treatment facility for drinking water shall be provided, if required.
- vii) The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
- viii) A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed, the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.

- ix) At least 20% of the open spaces as required by the local building bye-Laws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.
- x) Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.
- xi) The respective project proponent shall discourage the installation of R.O. plants in their projects in order to save the wastage in form of RO reject. However, in case the requirement of installing RO plant is utmost necessary then the rejected stream from the RO shall be separated and shall be utilized by storing the same within the particular component i.e. (Tower/Mall) or in a common place in the project premises.
- xii) The project proponent shall also adopt the new/innovating technologies like less water discharging taps (faucet with aerators)/urinals with electronic sensor system /water less urinals / twin flush cisterns/ sensor based alarming system for overhead water storage tanks and make it a part of the environmental management plans / building plans so as to reduce the water consumption/ground water abstraction in their Building Construction & Industrial projects.
- xiii) The project proponent will provide plumbing system for reuse of treated wastewater for flushing/ HVAC/ other purposes etc. and colour coding of different pipe lines carrying water/wastewater from different sources / treated wastewater as follows:

Sr. No	Nature of the Stream	Color code
a)	Fresh water	Blue
b)	Untreated wastewater from Toilets/ urinal & from Kitchen	Black
c)	Untreated wastewater from Bathing/shower area, hand washing (Washbasin / sinks) and from Cloth Washing	Grey
d)	Reject water streams from RO plants & AC condensate (this is to be implemented wherever centralized AC system and common RO has been proposed in the Project). Further, in case of individual houses/establishment this proposal may also be implemented wherever possible.	White
e)	Treated wastewater (for reuse only for plantation purposes) from the STP treating black water	Green
f)	Treated wastewater (for reuse for flushing purposes or any other activity except plantation) from the STP treating grey water	Green with strips
g)	Storm water	Orange

- xiv) Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.

- xv) A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. Thus, _____ nos of rain water harvesting recharge pits shall be provided for ground water recharging as per CGWA norms. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.
- xvi) All recharge should be limited to shallow aquifer.
- xvii) No ground water shall be used during construction phase of the project. Only treated sewage/wastewater shall be used. A proper record in this regard should be maintained and available at site.
- xviii) Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.
- xix) The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
- xx) Sewage shall be treated in the STP with tertiary treatment. STP shall be installed in phased manner viz a viz in module system designed in a such a way so as to efficiently treat the waste water with increase in its quantity due to rise in occupancy. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water and gardening. No treated water shall be disposed in to municipal stormwater drain.
- xxi) No sewage or untreated effluent water would be discharged through storm water drains. Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.
- xxii) Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP.
- xxiii) Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.

IV. Noise monitoring and prevention

- i) Ambient noise levels shall conform to residential area/commercial area/industrial area/silence zone both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/SPCB.
- ii) Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
- iii) Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.

V. Energy Conservation measures

- i) Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC.
- ii) Outdoor and common area lighting shall be LED.
- iii) Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased. day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications.
- iv) Energy conservation measures like installation of LEDs for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.
- v) Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1 % of the demand load or as per the state level/ local building bye-laws requirement, whichever is higher.
- vi) Solar power by utilizing at least 30% of the roof top area shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.

VI. Waste Management

- i) A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.
- ii) Disposal of muck during construction phase shall not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
- iii) Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials.
- iv) Organic waste compost/ Vermiculture pit/ Organic Waste Converter within the premises with a minimum capacity of 0.3 kg /person/day must be installed for treatment and disposal of the waste.
- v) All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.
- vi) Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.
- vii) Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials.
- viii) Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003 and 25th January, 2016. Ready mixed concrete must be used in building construction.
- ix) Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Rules, 2016.
- x) Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination.

VII. Green Cover

- i) No tree can be felled/transplant unless exigencies demand. Where absolutely necessary, tree felling shall be with prior permission from the concerned regulatory authority. Old trees should be retained based on girth and age regulations as may be prescribed by the Forest Department. Plantations to be ensured species (cut) to species (planted).

- ii) At least single line plantation all around the boundary of the project as proposed shall be provided. The open spaces inside the plot should be suitably landscaped and covered with vegetation of indigenous species/variety. A minimum of one tree for every 80 sqm of total project land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping. The plantation should be provided as per SEIAA guidelines.
- iii) Where the trees need to be cut with prior permission from the concerned local Authority, compensatory plantation in the ratio of 1: 10 (i.e. planting of 10 trees for every 1 tree that is cut) shall be done and maintained. Plantations to be ensured species (cut) to species (planted). Area for green belt development shall be provided as per the details provided in the project document.
- iv) Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.
- v) The project proponent shall not use any chemical fertilizer /pesticides /insecticides and shall use only Herbal pesticides/insecticides and organic manure in the green area.
- vi) The green belt along the periphery of the plot shall achieve attenuation factor conforming to the day and night noise standards prescribed for residential land use.

VIII. Transport

- i) A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria.
 - a) Hierarchy of roads with proper segregation of vehicular and pedestrian traffic.
 - b) Traffic calming measures.
 - c) Proper design of entry and exit points.
 - d) Parking norms as per local regulation.
- ii) Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should

conform to applicable air and noise emission standards be operated only during non-peak hours.

- iii) A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.
- iv) Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.

IX. Human health issues

- i) All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.
- ii) For indoor air quality the ventilation provisions as per National Building Code of India.
- iii) Emergency preparedness plan based on the Hazard identification and Risk Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- iv) Occupational health surveillance of the workers shall be done on a regular basis.
- v) A First Aid Room shall be provided in the project both during construction and operations of the project.

X. Corporate Environment Responsibility

- i) The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility. The project proponent shall adhere to the commitments made in the proposal for CER activities for spending at least minimum amount of Rs. _____/- towards following CER activities: -

Sr No.	Proposed CER Activity	Amount (INR)	Start date	End date

- ii) The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- iii) A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
- iv) Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. The project proponent shall spend minimum amount of Rs _____Lacs towards capital cost and Rs _____Lacs/annum towards recurring cost in Construction phase of the project including the environmental monitoring cost and shall spend minimum amount of Rs _____Lacs towards capital cost and Rs _____Lacs/annum towards recurring cost in operation phase of the project including the environmental monitoring cost. The entire cost of the environmental management plan will continue to be borne by the project proponent until the responsibility of environmental management plan is transferred to the occupier/residents society under proper MOU under intimation to SEIAA, Punjab. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.

XI. Validity

- i) This environmental clearance will be valid for a period of seven years from the date of its issue or till the completion of the project, whichever is earlier.

XII. Miscellaneous

- i) The project proponent before allowing any occupancy shall obtain completion and occupancy certificate from the Competent Authority and submit a copy of the same to the SEIAA, Punjab.
- ii) The project proponent shall comply with the conditions of CLU.

- iii) The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEFCC/SEIAA website where it is displayed.
- iv) The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- v) The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- vi) The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at Environment Clearance portal.
- vii) The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- viii) The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
- ix) The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
- x) The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
- xi) No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
- xii) Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- xiii) The SEIAA/Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- xiv) The SEIAA/ Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.

- xv) The Regional Office of this Ministry and Punjab Pollution Control Board shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data/ information/monitoring reports.
- xvi) The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
- xvii) Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Annexure-II

Standard EC Conditions for Project/Activity 3(a) : Induction/ Electric Arc Furnace & Rolling Mills as approved for similar projects by SEIAA

I. Statutory compliance:

- i. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
- ii. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- iii. The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report. (in case of the presence of schedule-I species in the study area)
- iv. The project proponent shall obtain Consent to Establish/ Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board/ Committee.
- v. The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of drawl of ground water from the competent authority concerned in case of drawl of surface water required for the project. In case of non- grant of permission by CGWA for ground water abstraction, the industry shall make alternative arrangements by using surface water or treated city sewage effluent after obtaining permission from competent authority.
- vi. The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time.
- vii. The project proponent shall comply with the siting criteria, standard operating practices, code of practice and guidelines if any prescribed by the SPCB/CPCB/MoEF&CC for such type of units.
- viii. The project proponent shall comply with the CLU conditions imposed by competent authority, if any

II. Air quality monitoring and preservation

- i. The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R 277 (E) dated 31stMarch 2012 (applicable to IF/EAF) as amended from time to time; S.O. 3305 (E) dated 7th December 2015 (Thermal Power Plants) as amended from time to time) and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment

supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.

- ii. The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through laboratories recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- iii. The project proponent shall install system carryout Continuous Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM₁₀ and PM_{2.5} in reference to PM emission, and SO₂ and NO_x in reference to SO₂ and NO_x emissions) within and outside the plant area (at least at four locations one within and three outside the plant area at an angle of 120° each), covering upwind and downwind directions. (case to case basis small plants: Manual; Large plants: Continuous).
- iv. The project proponent shall submit monthly summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality/ fugitive emissions to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six monthly monitoring report.
- v. Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources.
- vi. The project proponent shall provide leakage detection and mechanized bag cleaning facilities for better maintenance of bags.
- vii. Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads, shop floors, roofs, regularly.
- viii. Recycle and reuse iron ore fines, coal and coke fines, lime fines and such other fines collected in the pollution control devices and vacuum cleaning devices in the process after briquetting/ agglomeration.
- ix. The project proponent shall use leak proof trucks/dumpers carrying coal and other raw materials and cover them with tarpaulin.
- x. The project proponent shall provide covered sheds for raw materials like scrap and sponge iron, lump ore, coke, coal, etc.
- xi. The project proponent shall provide primary and secondary fume extraction system at all melting furnaces.
- xii. Design the ventilation system for adequate air changes as per ACGIH document for all tunnels, motor houses, Oil Cellars.

III. Water quality monitoring and preservation

- i. The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R 277 (E) dated 3151 March 2012 (applicable to IF/EAF) as amended from time to time; S.O. 3305 (E) dated 7thDecember 2015 (Thermal Power Plants) as amended from time to time) and

connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories. (case to case basis small plants: Manual; Large plants: Continuous)

- ii. The project proponent shall monitor regularly ground water quality at least twice a year (pre and post monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognized under Environment (Protection) Act, 1986 and NABL accredited laboratories.
- iii. The project proponent shall submit monthly summary report of continuous effluent monitoring and results of manual effluent testing and manual monitoring of ground water quality to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.
- iv. Adhere to 'Zero Liquid Discharge'.
- v. Sewage Treatment Plant shall be provided for treatment of domestic wastewater to meet the prescribed standards.
- vi. The project proponent shall provide the ETP for effluents of rolling mills to meet the standards prescribed in G.S.R 277 (E) 31stMarch 2012 (applicable to IF/EAF) as amended from time to time.
- vii. Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off
- viii. The project proponent shall practice rainwater harvesting to maximum possible extent.
- ix. The project proponent shall make efforts to minimize water consumption in the steel plant complex by segregation of used water, practicing cascade use and by recycling treated water.

IV. Noise monitoring and prevention

- i. Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
- ii. The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time.

V. Energy Conservation measures

- i. The project proponent shall provide waste heat recovery system (pre-heating of combustion air) at the flue gases of reheating furnaces.
- ii. Practice hot charging of slabs and billets/blooms as far as possible.
- iii. Ensure installation of regenerative type burners on all reheating furnaces.

- iv. Provide solar power generation on rooftops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly.
- v. Provide the project proponent for LED lights in their offices and residential areas.

VI. Waste management

- i. Used refractories shall be recycled as far as possible.
- ii. Oily scum and metallic sludge recovered from rolling mills ETP shall be mixed, dried, and briquetted and reused melting Furnaces
- iii. 100% utilization of fly ash shall be ensured. All the fly ash shall be provided to cement and brick manufacturers for further utilization and Memorandum of Understanding in this regard shall be submitted to the Ministry's Regional Office.
- iv. The waste oil, grease and other hazardous waste shall be disposed of as per the Hazardous & Other waste (Management & Transboundary Movement) Rules, 2016.
- v. Kitchen waste shall be composted or converted to biogas for further use.(to be decided on case to case basis depending on type and size of plant)

VII. Green Belt

- i) Green belt shall be developed in an area equal to 33% of the plant area with a native tree species in accordance with CPCB guidelines. The greenbelt shall inter alia cover the entire periphery of the plant. The industry shall ensure that most of the periphery shall be provided with green belt by removing the unwanted/non-productive structures already provided in the existing project near the boundary wall.
- ii) The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programme for reduction of the same including carbon sequestration including plantation.

VIII. Public hearing and Human health issues

- i. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- ii. The project proponent shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per the norms of Factory Act.
- iii. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- iv. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.

- v. The project proponent shall carry out the activities apart from CER activities and spent an amount as committed during the Public Hearing as per the Public Hearing Action Plan.

IX. Corporate Environment Responsibility

- i. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility. The project proponent shall adhere to the commitments made in the proposal for CER activities for spending atleast minimum amount of Rs. _____ Lacs towards following CER activities:

Sr. No.	Activities	Total Expenditure	Timeline	Total Expenditure (in Lacs)
1.				

However, CER activities shall strictly be in accordance with the activities listed out in the OM dated 01.05.2018 and as per the proposal submitted by the project proponent. The amount to be spent on CER activities shall be proportionate to the amount spent on project & such activities shall run parallel to the project execution. All the activities must be completed with the completion of the project.

- ii. The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- iii. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
- iv. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six-Monthly Compliance Report.
- v. Self-environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.

- vi. All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the plants shall be implemented.

XI. Validity

- i) This environmental clearance will be valid for a period of seven years from the date of its issue or till the completion of the project, whichever is earlier

XII. Miscellaneous

- i. The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.
- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- iii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- iv. The project proponent shall monitor the criteria pollutants level namely; PM10, SO₂, NO_x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.
- v. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- vi. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- vii. The project proponent shall inform the Regional Office of the Ministry and PPCB, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
- viii. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
- ix. The project proponent shall abide by all the commitments and recommendations made in the EIA /EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.

- x. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
- xi. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- xii. The SEIAA/Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- xiii. The SEIAA/ Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- xiv. The Regional Office of this Ministry or Punjab Pollution Control Board shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- xv. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
- xvi. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
