

# State Level Environment Impact Assessment Authority, Uttar Pradesh

## Directorate of Environment, U.P.

Vineet Khand-1, Gomti Nagar, Lucknow - 226 010

Phone : 91-522-2300 541, Fax : 91-522-2300 543

E-mail : doeuplko@yahoo.com

Website : www.seiaaup.in

## Minutes of the 295<sup>th</sup> Meeting of the State Level Environment Impact Assessment Authority, UP (SEIAA) held on 20/07/2019

The meeting of 295<sup>th</sup> State Level Environment Impact Assessment Authority, UP (SEIAA) was held on 20/07/2019 at the Directorate of Environment. The following were present in the meeting:-

1. Prof. Rana Pratap Singh
2. Dr. (Smt.) Madhu Bhardwaj
3. Sri Ashish Tiwari

- Chairman, SEIAA, U.P.  
Member, SEIAA, U.P.  
Member Secretary, SEIAA, U.P.

### Agenda-A; b/letters –NIL

### Agenda-B; Replies-

1. Proposed of "Mall" at Khasra No.-548mi, 534mi, 534/1mi, 542/2, 543/1, 543/2, 544, 545mi, 548mi, 547mi, at Village- Obri, Pargana & Tehsil- Nawabganj, District- Barabanki, U.P. File No. 4781/Proposal No. SIA/UP/MIS/103560/2019

SEIAA noted that the above project was taken in its meeting dated 11/06/2019 in which SEIAA opined that the project proponent should submit structural design certificate vetted from a Govt. institution and also a revised water balance for monsoon and non monsoon season and details of the discharge of surplus treated effluent not reused/recycled. The project proponent has submitted his reply by letter no. nil dated 01/07/2019. SEIAA noted that revised water balance submitted is vague/inadequate. 9 KLD treated water has been mentioned to be used for firefighting, during non monsoon season. During monsoon season 10 KLD treated waste water has been proposed to be discharged in the nearby drain. No information on the final disposal of treated waste water has been submitted. SEIAA opined that project proponent shall submit the adequate information on the above points along with the supporting documents.

Minutes of the 295<sup>th</sup> Meeting of the SEIAA UP held on 20/07/2019

2. States Disaster Response Force, SDRF Battalion at Gata No.- 856 Mi, 862, 864 Mi, 866 Mi, 867, 942, 973, 986 Mi, 987 Mi, 966 Mi, 994, 1010 Mi, 1011, 1012, 1013, 1014, 1015, 1016, 1017, 913 Mi, 919, 920, 849, 868 Mi, 870, 871, 836 Mi, 841, 842, 848, 858, 851, 854, 855, Gram- Noor Nagar Bhadarsa, Paragana- Bijinour, Tehsil- Sarojini Nagar, District- Lucknow, M/s U.P. States Disaster Response Force, File No. 3944/Proposal No. (SIA/UP/ NCP /71751/2018)

SEIAA noted that the above project was taken in its meeting dated 15/05/2018 in which SEIAA opined that project proponent should submit the details of Bio- Medical waste such as quantity generated, segregation, treatment and disposal along with details of liquid waste from hospital. A letter no. nil dated 09/07/2019 has been received regarding the project. SEIAA noted that reply submitted does not bear signature of project proponent. No authorization letter from project proponent regarding authorized signatory has been attached. Hence SEIAA opined that the project proponent should submit clarification in this regard, along with the supporting documents.

Agenda-C; 407<sup>th</sup> SEAC Meeting Dated 01/07/2019

1. Pradhan Mantri Awas Yojna-II at Gata No.- 2830, 2832, 2833, 2835, 2838, 2840, 2841, 2842, 2843, 2844, Village-Para, District-Lucknow. M/s. Nagar Nigam, Lucknow. File No. 4804/Proposal No. SIA/UP/NCP/92208/2019

The SEIAA agreed with the recommendation of SEAC to defer the matter till online information is received. The matter will be discussed only after submission of online request on prescribed online portal.

2. "Government Medical College, Mirzapur- U.P." on Vacant Land .Total Plot area of the project 40468.6 mt. with built up area of 58752.75 mt. File No. 4823/Proposal No. SIA/UP/MIS/105753/2019




SEIAA agreed with the recommendation of SEAC to defer the matter as per the request made by the project proponent.

3. Construction of five Star Hotel "Holiday Inn" at Khasra No.- 285, 286, 287, 288 of Village- Behsa & Khasra No.-348 of Village- Farukhabad Chilawan, Kanpur Road, Lucknow. M/s Awasthi Hotels and Resorts Pvt. Ltd. File No. 4832/Proposal No. SIA/UP/MIS/105877/2019

The SEIAA agreed with the recommendation of SEAC to defer the matter for the next meeting as requested by the project proponent.

4. Proposed Construction of "Emergency Medicine Block at Sanjay Gandhi Post Graduate Institute, Raibareilly Road, Lucknow, U.P. File No. 4844/Proposal No. SIA/UP/MIS/106332/2019

SEIAA agreed with the recommendations of the SEAC to close the file as the project proponent has been withdrawn the project through letter dated 01/07/2019.



5. Group Housing "Vihaan Heights" at Plot No.- 2B/GH-04, Vrindavan Yojna-2, Sector, Reabareilly Road, U.P, M/s Vivek Infratech Pvt. Ltd. File No. 4856/Proposal No. SIA/UP/MIS/98191/2018

SEIAA agreed with the recommendation of SEAC to defer the matter as per the request made by the project proponent. The matter will be discussed only after submission of online request on prescribed online portal.

6. Revision and Expansion of Group Housing Project "Fortune Residency" at Khasra No.- 1116 & 1123, Village- Noor Nagar, Raj Nagar Extension, Ghaziabad, U.P., M/s Vasu Infrastructure Pvt. Ltd. File No. 4543/Proposal No. SIA/UP/NCP/83017/2018

SEIAA noted that SEAC has recommended to discuss the matter after receipt of inspection report to be undertaken by one member of SEAC. SEIAA opined that the site should be inspected at least by two SEAC members and Deputy director, Directorate of Environment, Regional Office, Noida.

7. Expansion of Group Housing at Khasra No. 1005-1008, Village Noor Nagar, Ghaziabad, U.P. File No. 4455/Proposal No. SIA/UP/NCP/76741/2018

SEIAA noted that SEAC has recommended to grant EC to the project. SEIAA gone through file and documents and found that it is an expansion project. SEIAA noted that 572 KLD of waste water is mentioned to be generated out of which 296 KLD is proposed to be treated at site for which STP of capacity 330 KLD is proposed. SEIAA noted that remaining 303/327 KLD of waste water is proposed to be discharged in CSTP of GDA. SEIAA opined that since it is an expansion project the project proponent should submit certified compliance report from MoEF&CC. Project proponent shall also submit MOU or consent letter signed by the competent authority to discharge the waste water in CSTP for treatment and also submit a copy of the valid consent to operate from UPPCB for CSTP.

8. Group Housing "Chitvan" at Village- Sunarkh Banger, Vrindavan, U.P. M/s Hi- Tech Buildcon Pvt. Ltd File No. 3917/Proposal No. SIA/UP/NCP/71480/2017

The SEIAA agreed with the recommendation of SEAC to defer the matter till online information is received.

9. Installation of 5000 TCD new sugar plant with 27 MW cogeneration power plant at Piparaich, District-Gorakhpur, U.P. M/s UP State Sugar Corporation Ltd. File No. 4047/Proposal No. SIA/UP/IND2/21866/2018

SEIAA gone through the recommendation of the SEAC through its minutes of 407<sup>th</sup> SEAC meeting dated 01/07/2019. The project is to be established within an area relates to the prestigious Matreyi project of Government of UP. SEIAA noted that Government order dated 15/04/2004 has banned the air polluting industrial activities within 50 km radius of the proposed bronze statue of Mahatma Buddha at Kushinagar. SEIAA opined that a reference be made to UP Government by member secretary, SEIAA to seek latest information, if there is any change/amendment in the G.O. issued in year 2004.



Minutes of the 295<sup>th</sup> Meeting of the SEIAA UP held on 20/07/2019

10. Establishment of Sugar Mills having capacity 5000 TCD along with 27 MW cogeneration power plant at Village-Munderwa, Distt- Basti, U.P. M/s U.P. State Sugar Corporation Ltd. File No. 4048/Proposal No. SIA/UP/IND2/21867/2018

SEIAA agreed with the recommendations of SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC.

11. Capacity Expansion from 16,804 KL to 17,862 KL (i.e. 1,058 KL additional capacity: 858 KL capacity for Bio Diesel A/G based Cone roof tank and 200 KL capacity for Eathanol based U/G tank) at BPCL Anola Depot. Village- Noorpur, Tehsil- Anola, District- Bareilly, U.P. File No. 4853/Proposal No. SIA/UP/IND2/34522/2019

SEIAA agreed with the recommendation of SEAC to defer the matter as per the request made by the project proponent. The matter will be discussed only after submission of online request on prescribed online portal.

12. Expansion of Galgotia University at Plot No.- 2, Sector- 17 A, Yamuna Expressway, Greater Noida, District- Gautam Budha Nagar, U.P., M/s Smt. Shakuntala Educational & Welfare Society, File No. 4854/4258/Proposal No. SIA/UP/MIS/107004/2018

SEIAA agreed with the recommendation of SEAC to defer the matter as per the request made by the project proponent. The matter will be discussed only after submission of online request on prescribed online portal.

13. Capacity Extension of Sugar Plant from 2750 TCD to 5000 TCD with 27 MWH Cogen Power Plant at UP Cooperative Sugar Factories Ltd. Ramala Unit, Village- Ramala Tehsil- Baraut, District- Bagpat, U.P. File No. 4046/Proposal No. SIA/UP/IND2/21865/2018

SEIAA agreed with the recommendation of SEAC to discuss the matter after receipt of inspection report to be undertaken by two member of SEAC.

14. Industrial Plotted Development at Khasra No.- 1-25, 27-32, 37-40, 41 MT, 2, Jhandapur Khasra No.- 4974/6, Pasonda & Khasra No.- 451, 448, 449, 450/1, 452/2, 453/1, 454, 456/1, 457, 458, 460, 461, 463, 464/2, 465/1, 466, 467, 468, MT/2, Jagola, District- Ghaziabad, U.P., M/s Durga Enterprises Pvt. Ltd. File No. 4840/Proposal No. SIA/UP/NCP/36626/2019

SEIAA agreed with the recommendation of SEAC to defer the matter as per the request made by the project proponent. The matter will be discussed only after submission of online request on prescribed online portal.

 Anil Bhardwaj RPS:ph



**15. Revision and Expansion of Group Housing Project "Vilaasa" at Plot No.- GH-01B (2), Sector- ETA-2, Greater Noida, District- Gautam Buddha Nagar, U.P., M/s Yamuna Bultech Pvt. Ltd. File No. 4846/Proposal No. SIA/UP/NCP/36700/2019**

The SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposed for conducting EIA studies. The SEIAA also added the following points to TOR;-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- Copy of all the analysis reports signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
- 3- The MOU signed between the project proponent and the consultant should be submitted.

**16. Expansion of Phase-1 of "Haier North Industrial Park" at Plot No.- H-6, DMIC Integrated Industrial Township Greater Noida, District-Gautam Buddha Nagar, U.P., M/s Haier Appliance (India) Pvt. Ltd. File No. 4849/Proposal No. SIA/UP/NCP/36928/2019**


The SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposed for conducting EIA studies. The SEIAA also added the following points to TOR;-


- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- Copy of all the analysis reports signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
- 3- The MOU signed between the project proponent and the consultant should be submitted.

**17. Proposed 100 TPD Cement Grinding Unit at Plot No.-B - 61, Industrial Area, Satharia (SIDA), Jaunpur. U.P., M/s Ganesh Laxmi Cements Pvt. Ltd. File No. 4855/Proposal No. SIA/UP/IND/37208/2019**

The SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposed for conducting EIA studies. The SEIAA also added the following points to TOR;-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- Copy of all the analysis reports signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
- 3- The MOU signed between the project proponent and the consultant should be submitted.
- 4- Public hearing is to be conducted as per EIA notification 2006(as amended.)

 Anand Bhardwaj

 RPS



Minutes of the 295<sup>th</sup> Meeting of the SEIAA UP held on 20/07/2019

**18. Discussion on Letter No.457/ICDM, Dated 14-06-2019 of Mr. Ajay Kumar Jaiswal, Executive Engineer, Irrigation Construction Division, Mauranipur, Jhansi-284204**

SEIAA noted that SEAC has commented that the project does not categorized in any of the defined categories of EIA notification 2006 (as amended) on the basis of the project activities vis-à-vis the installed capacity in respect of hydropower generation or culturable command area which are listed in 1(c) (i) and 1(c)(ii) of the schedule. SEIAA is of the opinion that SEAC shall also review the project in the light of its total build-up area and its total area development limit.

**19. Discussion on Letter Dated 14-05-2019 of Accountant General (Economic and Revenue Sector Audit) regarding List of activities to be carried out before obtaining Environment Clearance (EC) in matters falling Category "B" of Government of India Notification dated 14 September, 2006**

SEIAA agreed with the recommendation of SEAC that list of activities to be carried out before obtaining Environment Clearance is clearly mentioned in MoEF&CC O.M. No. J-11013/41/2006-IA.II(I) dated 19/08/2010.

**20. Proposed "Soil Excavation "Project at Gata No.- 266, 91, 92, 90, Village- Pashchim Gaon, Tehsil- Bakshi Ka Talab, District- Lucknow, U.P., (Leased Area-1.4875 Ha) File No. 4876/Proposal No. SIA/UP/MIN/37898/2019**

SEIAA noted that SEAC has recommended to grant EC with all general and specific condition. SEIAA gone through file and documents and found that in application and document submitted by the project proponent mentions lease area as 1.4875 ha whereas in DM letter no. 961/vari.saha(khanan 2019) dated 27/06/2019 mentions lease area as 2.27 hac. Hence SEIAA opined that the project proponent should submit clarification in this regard along with the relevant documents.

**21. Discussion on site inspection report of 2.0 MTPA Stand alone Cement Grinding & Packing Unit at Tikaria-II, Cement Plant, ACC Ltd. at B1-S, B-9-10, C19-21, E16-18, E24-26, UPSIDC Tikaria Industrial Area, Gauri ganj, District- CMS Nagar File No. 446/Proposal No. SIA/UP/IND/33182/2012**


SEIAA gone through the recommendation of SEAC and also file and documents and noted that inspection report is not available in the file. Hence SEIAA opined that Nodal SEIAA shall collect the report from Nodal SEAC and put up along with the file in the next meeting.

**22. Discussion on site inspection report of Proposed "Ordinary Sand Mining" Project In Yamuna River at Gata No.-483/2 & 483/3, Village- Asgarpur Jagir, Tehsil-Dadri, District- Gautam Buddha Nagar, U.P., M/s Grit & Moxi Infra Pvt. Ltd.,(Leased Area: 19.02 Ha) File No. 4110/Proposal No. (SIA/UP/ MIN/73039/2018)**

SEIAA agreed with the recommendation of the SEAC to discuss the matter after receiving online information on prescribed portal.








With the permission of the chairman

1. Proposed Project of Building Stone (Khandas & Gitti, Boulder) Mining Project at Gata No.- 01, Khand No.- 01, Area-0.809 ha, Village- Baghwa, Tehsil- Mahoba, District- Mahoba, U.P., (Leased Area-0.809 ha) File no- 4674

SEIAA noted that the above project was taken in its meeting dated 06/07/2019 in which inadvertently SEIAA has mentioned the aforesaid project as a grant of environmental Clearance. After reviewing the file and documents SEIAA noted that SEAC in its meeting dated 09/03/2019 has recommended to issue the terms of reference (TOR) for the preparation of EIA. Hence, The SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR;-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- Copy of all the analysis reports signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
- 3- MOU signed between the project proponent and the consultant should be submitted.
- 4- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.

  
(Shri Ashish Tiwari, IFS)  
Member-Secretary  
SEIAA

  
(Dr. (Smt.) Madhu Bhardwaj)  
Member  
SEIAA

  
(Prof. Rana Pratap Singh)  
Chairman  
SEIAA