

# State Level Environment Impact Assessment Authority, Uttar Pradesh

## Directorate of Environment, U.P.

Vineet Khand-1, Gomti Nagar, Lucknow - 226 010

Phone : 91-522-2300 541, Fax : 91-522-2300 543

E-mail : docuplko@yahoo.com

Website : www.seiaaup.com

### Minutes of the 792<sup>th</sup> Meeting of the State Level Environment Impact Assessment Authority, UP (SEIAA) held on 19-01-2024

The meeting of 792<sup>th</sup> State Level Environment Impact Assessment Authority, UP (SEIAA) was held on-line on 19.01.2024 the Directorate of Environment. The following were present in the meeting:-

1. Smt. Mamta Sanjeev Dubey,
2. Shri Paras Nath,
3. Shri Sanjeev Kumar Singh

Chairman, SEIAA, U.P  
Member, SEIAA, U.P  
Member Secretary, SEIAA, U.P

### Agenda-A - Minutes of 816th SEAC-2 Meeting Dated 14/12/2023

1. "Highway Greens Residential Colony" situated at Khasra No.- 313, 314, 341, 340, 336, 339, 337, 335, 320, 319, 318, 338, 334, 333, 332, 321, 327, 328, 329, 330, 331, 322, 326, 325, 323, 670, 671, 682, 680, 681, 683, 686 and 679, Village – Jaliyamau, Tehsil & District –Lucknow, Shri Vinod Kumar Yadav, M/s Devpuri Construction Pvt. Ltd., 8474/SIA/UP/INFRA2/451539/2023.

SEIAA agreed with the recommendations of SEAC to close/delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.

2. Building Stone (Khanda, Boulder, Ballast) Mining Project at Araj No. 669 Mi, Khand No-05, Village: Khailar, Tehsil: Sadar, Jhansi, Shri Abhishek Yadav, Area: 2.00 Ha., 8476/SIA/UP/MIN/452371/2023.

SEIAA agreed with the recommendations of SEAC to close/delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.

3. "Silica Sand Mine" at Gata No – part of 522, at Village-Aswan (block 01), Tehsil- Bara, District- Prayagraj, Shri Satyadev Mishra, Shree Bajrang Road Lines, Area – 15.75 ha., 8478/7108/SIA/UP/MIN/449808/2023.

SEIAA agreed with the recommendations of SEAC to close/delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.

4. Commercial At Plot No. Sector-A, Pocket-1, At Sushant Golf City Sultanpur Road, Lucknow, Shri Feroz Khan., 8480/SIA/UP/INFRA2/452537/2023.

SEIAA noted the comments of SEAC to defer the matter and the matter will be discussed only after submission of online request on prescribed portal.



5. "Building Stone (Khanda, Gitti, Boulder)" Project at Gata No.- 339 Khand No.- 15 (New), Village- Daharra, Mahoba, Shri Jainendra Singh Contractor, Shri Jainendra Singh, Area : 1.012 ha., 8482/SIA/UP/MIN/452424/2023.

SEIAA noted that SEAC has recommended to grant ToR. In light of notice dated 15.01.2024 in O.A. No. 801 of 2023 SEIAA opined to defer the above till the matter of approval of DSR is resolved.

6. Soil Mining Project Gata No.- 560/975ml, 583, 510, Village Tiulak, Tehsil Shahjahanpur, District- Shahjahanpur, Shri Kant Verma, M/s Shri Shyam ji Enterprises, Area- 0.822 ha., 8486/SIA/UP/MIN/452649/2023.

SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC taking into consideration discussion held in SEIAA meeting no. 597 dated 05.05.2022 regarding reply of SEAC-1 and SEAC-2 for compliance/action taken on TOR/Public hearing, adding following specific conditions:-

1. If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate.
2. Validity period of this EC is 6 months from the date of issue as the Lol has been issued for a period of 6 months or co-terminus with the validity of current mine plan or current lease period whichever is earlier. After this period the EC will become null and void.
3. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam, 2023 and submit before the start of work.
4. The mining lease holders shall ensure to comply with mine reclamation plan as submitted
5. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
6. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or district plantation committee, for planting at least 1,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Also, the coordinates of area earmarked for plantation should be clearly spelt and polygon should be attached and submitted within a month. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.
7. The project proponent shall ensure that water bodies do not get polluted due to mining activity and in consultation with District Environment Authority or an Authority



nominated by concerned DM, project proponent will prepare a conservation and management plan for rejuvenation and management of all water bodies within periphery of 5 km. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.

8. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.
9. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, GoI, Lucknow.
10. The project proponent shall install rooftop solar plant in one school in the vicinity of project area and construct toilets especially in girls' school as part of CER activity.

**7. "Granite Gitti, Khanda/ Boulder" Project at Gata No.- Khand No.- 1078 / 21, Village- Gonda, Tehsil- Karwi, District- Chitrakoot, Shri Naveen Kumar Gupta, Area : 1.417 ha., 8488/SIA/UP/MIN/452663/2023.**

SEIAA noted that SEAC has recommended to grant ToR. In light of notice dated 15.01.2024 in O.A. No. 801 of 2023 SEIAA opined to defer the above till the matter of approval of DSR is resolved.

**8. "Building Stone Boulder-Khanda-Ballast Mining Project" located at Gata No.- 683 MI, 1189, Village- Digra, Tehsil- Sadar & Jhansi, Shri Mahendra Kumar Saraogi., 8490/SIA/UP/MIN/452688/2023.**

SEIAA agreed with the recommendations of SEAC to close/delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.

**9. "Building Stone As Khanda, Boulder, Ballast Mine" located at Arajai No.- 8, 10, Village- Dimroni, Tehsil – Sadar, District: Jhansi, Shri Anurag Singh Yadav, Area- 0.809 ha., 8492/SIA/UP/MIN/451871/2023.**

SEIAA agreed with the recommendations of SEAC to close/delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.

**10. "Ordinary Earth Excavation Project" at Gata No.-796, Village: Dhatingara, Tehsil: Bakshi Ka Talab, District- Lucknow, Shri Shiv Baran, Area: 0.3955 Ha., 8494/SIA/UP/MIN/452785/2023.**

SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC taking into consideration discussion held in SEIAA meeting no. 597 dated 05.05.2022 regarding reply of SEAC-1 and SEAC-2 for compliance/action taken on TOR/Public hearing, adding following specific conditions:-

1. If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed

conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate.

2. Validity period of this EC is 3 months from the date of issue as the Lol has been issued for a period of 3 months or co-terminus with the validity of current mine plan or current lease period whichever is earlier. After this period the EC will become null and void.
3. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam, 2023 and submit before the start of work.
4. The mining lease holders shall ensure to comply with mine reclamation plan as submitted
5. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
6. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or district plantation committee, for planting at least 1,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Also, the coordinates of area earmarked for plantation should be clearly spelt and polygon should be attached and submitted within a month. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.
7. The project proponent shall ensure that water bodies do not get polluted due to mining activity and in consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepare a conservation and management plan for rejuvenation and management of all water bodies within periphery of 5 km. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
8. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.
9. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, GoI, Lucknow.
10. The project proponent shall install rooftop solar plant in one school in the vicinity of project area and construct toilets especially in girls' school as part of CER activity.





11. "Morrum Mining" from private land (NijiBhoomi) at Arazi No. 166 Kh, Village- Nagwa, Tehsil- Dudhi, District- Sonbhadra, Smt Malti Devi, Area- 1.30 ha., 8496/SIA/UP/MIN/452847/2023.

SEIAA noted that SEAC has recommended to grant EC. In light of notice dated 15.01.2024 in O.A. No. 801 of 2023 SEIAA opined to defer the above till the matter of approval of DSR is resolved.

12. Building stone, Khanda, Boulder, Balast (Gitti) (Granite)" located at Arazi No- 339 (Khand No: 23 Naya, 25 Purana) Village Daharra Tehsil Sadar, Mahoba, Shri Jainendra Singh, Area- 1.012 ha., 8272/SIA/UP/MIN/444785/2023.

SEIAA noted that SEAC has recommended to grant ToR. In light of notice dated 15.01.2024 in O.A. No. 801 of 2023 SEIAA opined to defer the above till the matter of approval of DSR is resolved.

13. "Morrum Mining" on the riverbed of Kanhar River at Arazi No.- 485 K, 485 Kh, 485 D, Village- Bodhadheeh, Tehsil- Tehsil- Dudhi, District- Sonbhadra, Area 0.91 Ha., 7920/7165/SIA/UP/MIN/430411/2023.

SEIAA noted that SEAC has recommended to grant EC. In light of notice dated 15.01.2024 in O.A. No. 801 of 2023 SEIAA opined to defer the above till the matter of approval of DSR is resolved.

14. "Building Stone (Granite Khanda, Boulder, Bailast (Gitti))" Project at Gata No.- 342/6 (Khand No.- 02), Village- Jujhar, Tehsil- Mahoba, District- Mahoba, Shri Tauheed Ahmad, Area: 2.024 ha., 8118/7585/SIA/UP/MIN/440451/2023.

SEIAA noted that SEAC has recommended to grant EC. In light of notice dated 15.01.2024 in O.A. No. 801 of 2023 SEIAA opined to defer the above till the matter of approval of DSR is resolved.

15. UPAL Warehouse at Khasra No.- 1251 (part), 1252 KHA, 1253, 1296 (part), 1257 KHA, 1258 KA, 1258 KHA, 1259 KHA, 1259 KA, 1260, 1261, 1262, 1263 (KA & KHA), 1297, 1298 & 1299 (part), 1300 at Village – Mau, Tehsil – Mohanlalganj, District – Lucknow, Shri Sunil Mehta, M/s U.P. Asbestos Ltd., 5816/SIA/UP/MIS/305380/2023.

SEIAA agreed to amend the environmental clearance letter no. 448/Parya/SEAC/5816/2019, dated 15/10/2020 as requested. All the other contents mentioned in EC letter dated 15/10/2020 shall remain the same. The authority also stipulated following additional conditions:

- 1- The project proponent shall submit within the next 1 month approved building plans.
- 2- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 3- The project proponent shall ensure to plant broad leaf trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 4- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same like water harvesting pits and carbon sequestration parks / designed ecosystems. At least one school in the vicinity of project area should be provided with rooftop solar plant, toilets in public place or in school of nearby villages and if there is a girl's school then girls toilet properly equipped with overhead water tank should be constructed.

sk



- 5- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 6- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 7- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge.
- 8- Under any circumstances untreated sewage shall not be discharged to municipal sewer line.
- 9- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to Inform the public the steps taken to control air pollution as per air act 1981 (as amended) and the Construction and Demolition Waste Management Rules, CAQM guidelines.
- 10- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam, 2023 and submit before the start of work.
- 11- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
- 12- Provision for charging of electric vehicles as per the guidelines of GoI / GoUP should be submitted within the next 3 months.
- 13- PP should display EC granted to them on their website. 6-monthly compliance report should be displayed on their website and to be given every six month to residents / occupants of the building.
- 14- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
- 15- The project proponent shall install organic bio converter.

#### **Agenda-B**

**1. Environment Clearance of proposed Group Housing/Commercial/Club "Nilansh Celeste" at Part of Plot No 4, Mill Road, Railway Land, Aishbagh, Lucknow, Uttar Pradesh by M/s NSSN Infra Pvt Ltd File no- 7844**

SEIAA noted that the above project was taken in its 761<sup>th</sup> meeting in which SEIAA found that the project proponent has submitted his reply vide letter dated 28.06.2023 Stating that demand letter for sanctioned maps generated by LDA has been submitted although the said letter has not been submitted to SEIAA. The project proponent has submitted his reply vide letter dated 06.11.2023 along with demand letter of LDA dated 13.04.2023. Hence SEIAA in light of discussion held in SEIAA meeting no. 597 dated 05.05.2022 SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit within the next 3 months the details of solar power



- plant and solar electrification details within the project.
- 2- The project proponent shall ensure to plant broad leaf trees and their maintenance. The CPCB guidelines in this regard shall be followed.
  - 3- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same like water harvesting pits and carbon sequestration parks / designed ecosystems .At least one school in the vicinity of project area should be provided with rooftop solar plant, toilets in public place or in school of nearby villages and if there is a girl's school then girls toilet properly equipped with overhead water tank should be constructed.
  - 4- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
  - 5- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
  - 6- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge.
  - 7- Under any circumstances untreated sewage shall not be discharged to municipal sewer line.
  - 8- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per air act 1981 (as amended) and the Construction and Demolition Waste Management Rules, CAQM guidelines.
  - 9- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam, 2023 and submit before the start of work.
  - 10- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
  - 11- Provision for charging of electric vehicles as per the guidelines of GoI / GoUP should be submitted within the next 3 months.
  - 12- PP should display EC granted to them on their website. 6-monthly compliance report should be displayed on their website and to be given every six month to residents / occupants of the building.
  - 13- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
  - 14- The project proponent shall install organic bio converter.
2. **Proposed Commercial Residential project "Shalimar Sky Garden" at Plot No. TC-47 & 48, Vibhuti Khand, Gomti Nagar, Lucknow-226010, Uttar Pradesh. File no- 8297.**

SEIAA noted that the above project was taken in its 771<sup>th</sup> meeting in which SEIAA found that lot of green cover is seen in and around the area. Hence, SEIAA opined that the



project proponent shall submit NOC from Forest Department within 15 days that no forest land is involved. The project proponent has submitted his reply vide letter dated 20.11.2023 along with Forest Department letter 4517/2022-10 Lucknow dated 14.12.2023 Hence SEIAA in light of discussion held in SEIAA meeting no. 597 dated 05.05.2022 SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 2- The project proponent shall ensure to plant broad leaf trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 3- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same like water harvesting pits and carbon sequestration parks / designed ecosystems .At least one school in the vicinity of project area should be provided with rooftop solar plant, toilets in public place or in school of nearby villages and if there is a girl's school then girls toilet properly equipped with overhead water tank should be constructed.
- 4- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 5- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 6- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge.
- 7- Under any circumstances untreated sewage shall not be discharged to municipal sewer line.
- 8- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per air act 1981 (as amended) and the Construction and Demolition Waste Management Rules, CAQM guidelines.
- 9- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam, 2023 and submit before the start of work.
- 10- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
- 11- Provision for charging of electric vehicles as per the guidelines of GoI / GoUP should be submitted within the next 3 months.
- 12- PP should display EC granted to them on their website. 6-monthly compliance report should be displayed on their website and to be given every six month to residents / occupants of the building.
- 13- EC is granted with the condition that EC is valid only for the building plan which has



been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.

14- The project proponent shall install organic bio converter.

**3. Environmental clearance for proposed Residential, hotel and commercial project at plot No. G/C-1(part) Tajnagari Phase-2, (Khasra No. 94-98, 1955-1959, 1962, 1986-88, 1995, 1996 & Part of Khasra No. 99, 103, 1963, 1994 & 1997) Fatehabad Road, District – Agra, U.P. File no- 7291.**

SEIAA noted that the above project was taken in its 761<sup>th</sup> meeting in which SEIAA opined that the project proponent shall submit certified compliance report and total project cost incurred up to the date of filing of application from Government approved evaluator. The project proponent has submitted his reply however SEIAA noted that the above project comes under violation category. SEIAA also gone through OM F. No. IA3-3/4/2024-IA.III (E230791) dated 08.01.2024 which states that:-

*5. However, the Hon'ble Supreme Court in W.P (C) no 1394/2023 title Vanashakti vs. Union of India has stayed the operation of both OMs dated 07.07.2021 and 28<sup>th</sup> January 2022.*

Hence SEIAA opined that EC cannot be granted in light of the above and a letter may be send to MoEFCC regarding guideline for disposal of violation cases where ToR has been granted or penalty/ bank guarantee has been submitted by project proponent before the decision of Hon'ble court since such violation cases were being dealt by SEIAA till now as per extant orders and OMs.

**4. Proposed Construction of Sanfran Sarovar Heights Multistoried Residential Building at Arazi No.-134, 135, 136, 137, 98 & 97/2 Lahargird, Jhansi, Uttar Pradesh File no- 7468.**

SEIAA noted that the above project was taken in its 780<sup>th</sup> meeting in which SEIAA opined that since the project is near the river a letter shall be sent to Jhansi Development Authority to submit its comment regarding overall security of the building and flood plain area. The project proponent has submitted his reply vide letter dated 05.01.2024 along with JDA letter no. 2350/JDA/2023-2024 dated 05.01.2024. Hence SEIAA in light of discussion held in SEIAA meeting no. 597 dated 05.05.2022 SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 2- The project proponent shall ensure to plant broad leaf trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 3- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same like water harvesting pits and carbon sequestration parks / designed ecosystems. At least one school in the vicinity of project area should be provided with rooftop solar plant, toilets in public place or in school of nearby villages and if there is a girl's school then girls toilet properly equipped with overhead water tank should be constructed.
- 4- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.

sk



- 5- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
  - 6- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge.
  - 7- Under any circumstances untreated sewage shall not be discharged to municipal sewer line.
  - 8- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per air act 1981 (as amended) and the Construction and Demolition Waste Management Rules, CAQM guidelines.
  - 9- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam, 2023 and submit before the start of work.
  - 10- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
  - 11- Provision for charging of electric vehicles as per the guidelines of GoI /GoUP should be submitted within the next 3 months.
  - 12- PP should display EC granted to them on their website. 6-monthly compliance report should be displayed on their website and to be given every six month to residents / occupants of the building.
  - 13- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
  - 14- The project proponent shall install organic bio converter.
5. Expansion of Proposed Group Housing at Plot No. GH-04B, Sector-10, Greater Noida, Uttar Pradesh. File no- 8052.

SEIAA noted that the above project was taken in its 786<sup>th</sup> meeting in which SEIAA opined that the project proponent shall submit legible approved building plans of original and expansion proposal along with details. The project proponent has submitted his reply vide letter dated 17.01.2024. Hence SEIAA in light of discussion held in SEIAA meeting no. 597 dated 05.05.2022 SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 2- The project proponent shall ensure to plant broad leaf trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 3- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same like water harvesting pits and carbon sequestration parks / designed



- ecosystems. At least one school in the vicinity of project area should be provided with rooftop solar plant, toilets in public place or in school of nearby villages and if there is a girl's school then girls toilet properly equipped with overhead water tank should be constructed.
- 4- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
  - 5- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
  - 6- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge.
  - 7- Under any circumstances untreated sewage shall not be discharged to municipal sewer line.
  - 8- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per air act 1981 (as amended) and the Construction and Demolition Waste Management Rules, CAQM guidelines.
  - 9- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhinyam, 2023 and submit before the start of work.
  - 10- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
  - 11- Provision for charging of electric vehicles as per the guidelines of GoI / GoUP should be submitted within the next 3 months.
  - 12- PP should display EC granted to them on their website. 6-monthly compliance report should be displayed on their website and to be given every six month to residents / occupants of the building.
  - 13- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
  - 14- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
  - 15- DG sets shall be gas based and Guidelines issued by CAAQMS for NCR region regarding the use of DG sets during construction and operational phase should be followed.
  - 16- The project proponent shall install organic bio converter.
6. Group Housing Project "R. G. Luxury Homes" at Plot No.GH-07 A, Sector-16B, Greater Noida, Uttar Pradesh File no- 7333-4622.

SEIAA gone through the letter of project proponent dated 16.01.2024. SEIAA noted that the above project was taken in its 786<sup>th</sup> meeting in which SEIAA opined that PP should submit relevant documents regarding action taken report certified from IRO, which has not been submitted yet.

sk



**7. "KHORABAR AWASIYA YOJNA (TOWNSHIP) & MEDICITY" at Khorbar, Deoria Road, District- Gorakhpur, U.P. File no- 8236-7805.**

SEIAA gone through the letter of project proponent dated 22.11.2023. SEIAA noted that the above project was taken in its 773<sup>th</sup> meeting in which SEIAA opined that project proponent shall submit location of STP and DG sets on layout plan and its drainage pattern, final discharge of treated waste water, details of 72 hospital/nursing homes, clear demarcation of Khorabar Awasiya Yojna (Township) & Medicity on layout plan, details of power backup, double plumbing and Bio Medical waste disposal. SEIAA noted that the reply has not been submitted online on parivesh portal. Hence SEIAA opined that the project proponent shall submit the reply online on parivesh portal.

**8. Proposed Warehouse at Khasra No. 1251part, 1252ka (part), 1252kha (part), 1253, 1257kha, 1258ka, 1258kha, 1259, 1259Ka, 1260, 1261,1262, 1263, 1267(part), 1268, 1297, 1298 and 1299 at Village- Mau, Tehsil- Mohanlalganj, Lucknow, UP. of M/s UPAL Wareh File no- 5816**

SEIAA noted that the above project was taken in its 617<sup>th</sup> meeting in which SEIAA opined that a factual report shall be sought from UPPCB regarding the actual status of the project in relation to a complaint received. Factual report from UPPCB has been received vide letter dated 23.11.2023 stating that the above plot is vacant and no construction has been done. The matter is thus disposed.

**9. Environment Clearance of the Group Housing Project "Sharanam" located at Plot No. GH-02, Sector-107, Noida, Uttar Pradesh File no- 8333-7181.**

SEIAA noted that the above project was taken in its 782<sup>th</sup> meeting in which SEIAA noted that SEAC has recommended to grant EC to the above project under violation category SEIAA gone through file and document and found that in MoM it is mentioned that 80% of the work has been completed where as in the EIA report submitted by project proponent it is mentioned that 100% work has been completed, hence SEIAA opined that the project proponent shall submit clarification in this regard and a Cost Certificate from Government approved evaluator regarding total cost of the project till date should be submitted.

The project proponent has submitted his reply vide letter dated 05.01.2024. SEIAA also gone through OM F. No. IA3-3/4/2024-IA.III (E230791) dated 08.01.2024 which states that:-

*5. However, the Hon'ble Supreme Court in W.P (C) no 1394/2023 title Vanashakti vs. Union of India has stayed the operation of both OMs dated 07.07.2021 and 28<sup>th</sup> January 2022.*

Hence SEIAA opined that EC cannot be granted in light of the above and a letter may be send to MoEFCC regarding guideline for disposal of violation cases where ToR has been granted or penalty/ bank guarantee has been submitted by project proponent Hence SEIAA opined that EC cannot be granted in light of the above and a letter may be sent to MoEFCC regarding guideline for disposal of violation cases where ToR has been granted or penalty/ bank guarantee has been submitted by project proponent before the decision of Hon'ble court since such violation cases were being dealt by SEIAA till now as per extant orders and OMs.

**10. M/s ATS Dolce Apartment Owner Association Letter dated 30-12-2023 file no 2084**

SEIAA gone through the letter of the project proponent regarding factual report of site inspection conducted on 11.07.2023 by RO, UPPCB, Greater Noida as per resolution



passed in 438<sup>th</sup> SEAC meeting which states that:-

SEAC gone through the complaint of President, M/s Dolce Residents Group dated 30/11/2019 and opined that the following two actions may be taken simultaneously:-

1. A factual report may be sought from Regional Officer, UPPCB, Greater Noida.
2. SEIAA may seek a point wise explanation from the project proponent M/s Domus Greens Pvt. Ltd., Greater Noida at plot no. GH-12A, Sector-Zeta-1, Greater Noida.

Hence SEIAA opined that a letter be sent to UPPCB for factual report and a copy be sent to project proponent for point wise explanation.

**11. Group Housing Project at Plot No 3, SP-05, Sector-3, Siddharth Vihar, Ghaziabad, U.P., M/s T and T Infra Developers Private Limited, Shri Nikhil Sisidiya., File No. 6640/Proposal No. SIA/UP/MIS /296430/ 2023**

SEIAA noted that the above project was taken in its 718<sup>th</sup> meeting in which SEIAA agreed with the recommendation of the SEAC to amend EC Identification No. EC228038UP192605, dated 07/07/2022 as below:-

Details mentioned in EC	Proposed amendment in EC
"Group Housing Project at Plot No 3, SP-03, Sector-3, Siddharth Vihar, Ghaziabad, U.P., M/s T and T Infra Developers Private Limited"	"Group Housing Project at Plot No 3, SP-05, Sector-3, Siddharth Vihar, Ghaziabad, U.P., M/s T and T Infra Developers Private Limited"

All the contents mentioned in Environmental Clearance Identification No. EC228038UP192605, dated 07/07/2022 shall remain same.

**Agenda-C**

**1. Sand Mining Project from Ghaghra River at Gata No. 1150 Mi, Village-Narainpur, Tehsil-Dhanghata, District- Sant Kabir Nagar, U.P. M/s Rai Construction, (Lease Area 25 Ha) File No. 3922/4139/Proposal No. (SIA/UP/ MIN/22499/2018)**

SEIAA gone through the letter of UPPCB letter no. H05416/C-6/sehmati jal/sa-766/bandi/Sant kabir nagar/2024 dated 09.01.2024 regarding Hon'ble NGT order dated 17.10.2023 in O.A. no. 176/2022 Aman Chaudhary Vs Union of India which states that:-

*"...15. The Director Geology and Mining Department, Uttar Pradesh, the District Magistrates and the Superintendent of Police in the State of Uttar Pradesh are directed to ensure that no mining is allowed to commence or continue without obtaining of CTE/CTO from UPPCB as the case may be which fact has to be verified by them with reference to the information uploaded by UPPCB on its website from time to time..."*

UPPCB vide letter dated 09.01.2024 has informed that the above project has not obtained CTE/CTO. SEIAA noted that ToR was issued vide letter no. 145/parya/SEAC/3922/2017 dated 02.02.2018 which is not valid now, hence no action is required.

**2. Sand Mining from Ghaghra Riverbed located at Gata No.- 767, Village- Sahbadiya Sultanpur, Tehsil- Sagari, District- Azamgarh., Shri Anil Kumar., Area: 4.94 ha. File No. 5912/Proposal No. SIA/UP/MIN/176791/2020**

SEIAA gone through the letter of UPPCB letter no. H05421/C-6/sehmati jal/sa-766/bandi/AZM/2024 dated 09.01.2024 regarding Hon'ble NGT order dated 17.10.2023 in O.A. no. 176/2022 Aman Chaudhary Vs Union of India which states that:-

*"...15. The Director Geology and Mining Department, Uttar Pradesh, the District*



*Magistrates and the Superintendent of Police in the State of Uttar Pradesh are directed to ensure that no mining is allowed to commence or continue without obtaining of CTE/CTO from UPPCB as the case may be which fact has to be verified by them with reference to the information uploaded by UPPCB on its website from time to time..."*

UPPCB vide letter dated 09.01.2024 has informed that the above project has not obtained CTE/CTO, hence SEIAA opined that UPPCB may take necessary action as per NGT order.

**3. Sand Mining from Rohin River Bed at Gata No.-247Ga, Village- Baikunthpur, Tehsil-Nautanwa, Maharajgaj., Shri Sandhya Pandey, Area -5.475 ha, File NO. 6013 /Proposal No. SIA/UP/MIN/ 58559/2020.**

SEIAA gone through the letter of UPPCB letter no. H05422/C-6/sehmati jal/sa-766/bandi/Maharajgaj/2024 dated 09.01.2024 regarding Hon'ble NGT order dated 17.10.2023 in O.A. no. 176/2022 Aman Chaudhary Vs Union of India which states that:-  
*"...15. The Director Geology and Mining Department, Uttar Pradesh, the District Magistrates and the Superintendent of Police in the State of Uttar Pradesh are directed to ensure that no mining is allowed to commence or continue without obtaining of CTE/CTO from UPPCB as the case may be which fact has to be verified by them with reference to the information uploaded by UPPCB on its website from time to time..."*

UPPCB vide letter dated 09.01.2024 has informed that the above project has not obtained CTE/CTO, hence SEIAA opined that the matter pertain to UPPCB hence UPPCB may take necessary action as per NGT order.

**4. Sand/Morrum/Bajri Mining from Yamuna River bed at Gata No.- 1/1, Production Capacity (9,47,368 cum/annum), M.L. Area- 52.63 ha, Near Village- Dariya Baramad, Tehsil & District- Saharanpur, U.P., M/s Prime Vision Industries Pvt. Ltd.,(Leased Area- 52.63 ha). File No. 4460/Proposal No. SIA/UP/MIN/ 28751/2018**

SEIAA gone through the letter of UPPCB letter no. H05482/C-3/sa-322/khanan /2024 dated 10.01.2024 regarding Hon'ble NGT order dated 17.10.2023 in O.A. no. 176/2022 Aman Chaudhary Vs Union of India which states that:-

*"...15. The Director Geology and Mining Department, Uttar Pradesh, the District Magistrates and the Superintendent of Police in the State of Uttar Pradesh are directed to ensure that no mining is allowed to commence or continue without obtaining of CTE/CTO from UPPCB as the case may be which fact has to be verified by them with reference to the information uploaded by UPPCB on its website from time to time..."*

UPPCB vide letter dated 09.01.2024 has Informed that the above project has not obtained CTE/CTO, hence SEIAA opined that the matter pertain to UPPCB hence UPPCB may take necessary action as per NGT order.

**5. River Bed Sand/ Morrum Mining Project from Rapti River bed at Block No.-02, Gata No.- 04, Village- Tal Mahulani, Tehsil- Campiorganj, District-Gorakhpur, U.P., (Leased Area: 5.0 ha.). File No. 5723/Proposal No. SIA/UP/MIN/162566/2020**

SEIAA gone through the letter of UPPCB letter no. H05417/C-6/sehmati jal/sa-766/bandi/GKP/2024 dated 09.01.2024 regarding Hon'ble NGT order dated 17.10.2023 in O.A. no. 176/2022 Aman Chaudhary Vs Union of India which states that:-

*"...15. The Director Geology and Mining Department, Uttar Pradesh, the District Magistrates and the Superintendent of Police in the State of Uttar Pradesh are directed to ensure that no mining is allowed to commence or continue without obtaining of CTE/CTO from UPPCB as the case may be which fact has to be verified by them with reference to the*



information uploaded by UPPCB on its website from time to time..."

UPPCB vide letter dated 09.01.2024 has informed that the above project has not obtained CTE/CTO, hence SEIAA opined that the matter pertain to UPPCB hence UPPCB may take necessary action as per NGT order.

**6. Proposed Sand Minor Mineral Mines at Gata No.-228 over an area of 20.469 ha, Village- Bidauli, Distt.- Shamli, M/s Deep Builders, File No. 3918/Proposal No. SIA/UP/MIN/71401/2017**

SEIAA gone through the letter of UPPCB letter no. H05483/ C-3/sa-322/khanan /2024 dated 10.01.2024 regarding Hon'ble NGT order dated 17.10.2023 in O.A. no. 176/2022 Aman Chaudhary Vs Union of India which states that:-

*"...15. The Director Geology and Mining Department, Uttar Pradesh, the District Magistrates and the Superintendent of Police in the State of Uttar Pradesh are directed to ensure that no mining is allowed to commence or continue without obtaining of CTE/CTO from UPPCB as the case may be which fact has to be verified by them with reference to the information uploaded by UPPCB on its website from time to time..."*

UPPCB vide letter dated 09.01.2024 has informed that the above project has not obtained CTE/CTO, hence SEIAA opined that the matter pertain to UPPCB hence UPPCB may take necessary action as per NGT order.

**7. Sand Mining from Rapti River bed at Gata No.-10/2, Block No.- 02, Village- Nadua Lalpur Ehatmali, Tehsil- Sadar, Gorakhpur, U.P., Shri Rakesh Chauhan, M/s R.C. Groups of Companies., Area: 5.0 ha. File No. 5926/Proposal No. SIA/UP/MIN/177371/2020**

SEIAA gone through the letter of UPPCB letter no. H05418/C-6/sehmati jal/sa-766/bandi/GKP/2024 dated 09.01.2024 regarding Hon'ble NGT order dated 17.10.2023 in O.A. no. 176/2022 Aman Chaudhary Vs Union of India which states that:-

*"...15. The Director Geology and Mining Department, Uttar Pradesh, the District Magistrates and the Superintendent of Police in the State of Uttar Pradesh are directed to ensure that no mining is allowed to commence or continue without obtaining of CTE/CTO from UPPCB as the case may be which fact has to be verified by them with reference to the information uploaded by UPPCB on its website from time to time..."*

UPPCB vide letter dated 09.01.2024 has informed that the above project has not obtained CTE/CTO, hence SEIAA opined that the matter pertain to UPPCB hence UPPCB may take necessary action as per NGT order.

**8. Sand Mining from Ganghra river at Gata No.- 648, Village- Malauli, Tehsil- Gola, District- Gorakhpur, U.P., Shri Sanjay Kumar Maddeshiya., Area -5.0 ha. File No. 5990/Proposal No. SIA/UP/MIN/185038/2020**

SEIAA gone through the letter of UPPCB letter no. H05419/C-6/sehmati jal/sa-766/bandi/GKP/2024 dated 09.01.2024 regarding Hon'ble NGT order dated 17.10.2023 in O.A. no. 176/2022 Aman Chaudhary Vs Union of India which states that:-

*"...15. The Director Geology and Mining Department, Uttar Pradesh, the District Magistrates and the Superintendent of Police in the State of Uttar Pradesh are directed to ensure that no mining is allowed to commence or continue without obtaining of CTE/CTO from UPPCB as the case may be which fact has to be verified by them with reference to the information uploaded by UPPCB on its website from time to time..."*

UPPCB vide letter dated 09.01.2024 has informed that the above project has not obtained CTE/CTO, hence SEIAA opined that the matter pertain to UPPCB hence UPPCB may take necessary action as per NGT order.

sk



**9. Sand Mining at Gata No.- 609Ka, 610Ka, Village- Kyotana Hardopatti, Tehsil- Laharpur, Distt.- Sitapur, U.P., (Leased Area 5.706 ha) M/s Radhey Construction, File No. 3869**

SEIAA gone through the letter of UPPCB letter no. H05411/C-5/125/OA no. 393/2022/2023 dated 09.01.2024 regarding Hon'ble NGT order dated 17.10.2023 in O.A. no. 176/2022 Aman Chaudhary Vs Union of India which states that:-

*"...15. The Director Geology and Mining Department, Uttar Pradesh, the District Magistrates and the Superintendent of Police in the State of Uttar Pradesh are directed to ensure that no mining is allowed to commence or continue without obtaining of CTE/CTO from UPPCB as the case may be which fact has to be verified by them with reference to the information uploaded by UPPCB on its website from time to time..."*

UPPCB vide letter dated 09.01.2024 has informed that the above project has not obtained CTE/CTO, hence SEIAA opined that the matter pertain to UPPCB hence UPPCB may take necessary action as per NGT order.

**10. Sand Mining from Ghaghra Riverbed at Gata No.-Gha, Block No.-04, Village Ratanpura, Tehsil-Gola, Gorakhpur, U.P., Smt. RajniShahi, M/s Aarchis Enterprises, Area: 5.0 Ha. File No. 6410/Proposal No. SIA/UP/MIN/216502/2021**

SEIAA gone through the letter of UPPCB letter no. H05420/C-6/sehmati jal/sa-766/bandi/GKP/2024 dated 09.01.2024 regarding Hon'ble NGT order dated 17.10.2023 in O.A. no. 176/2022 Aman Chaudhary Vs Union of India which states that:-

*"...15. The Director Geology and Mining Department, Uttar Pradesh, the District Magistrates and the Superintendent of Police in the State of Uttar Pradesh are directed to ensure that no mining is allowed to commence or continue without obtaining of CTE/CTO from UPPCB as the case may be which fact has to be verified by them with reference to the information uploaded by UPPCB on its website from time to time..."*

UPPCB vide letter dated 09.01.2024 has informed that the above project has not obtained CTE/CTO, hence SEIAA opined that the matter pertain to UPPCB hence UPPCB may take necessary action as per NGT order.

**11. Sand Mining at Khasra No.-257 Ka, Village- Dhanwan, Tehsil- Biswan, Sitapur. M/s Saini Traders (Area 6.00 Hac.) File no-3868**

SEIAA gone through the letter of UPPCB letter no. H05410/C-5/125/OA no. 393/2022/2023 dated 09.01.2024 regarding Hon'ble NGT order dated 17.10.2023 in O.A. no. 176/2022 Aman Chaudhary Vs Union of India which states that:-

*"...15. The Director Geology and Mining Department, Uttar Pradesh, the District Magistrates and the Superintendent of Police in the State of Uttar Pradesh are directed to ensure that no mining is allowed to commence or continue without obtaining of CTE/CTO from UPPCB as the case may be which fact has to be verified by them with reference to the information uploaded by UPPCB on its website from time to time..."*

UPPCB vide letter dated 09.01.2024 has informed that the above project has not obtained CTE/CTO, hence SEIAA opined that the matter pertain to UPPCB hence UPPCB may take necessary action as per NGT order.

**12. Proposed 'River Bed Ordinary Sand Mining at River Jauraha' Project at Gata No.- 947, Village-Manjha, Tehsil- Nighasan, District- Kheri, U.P.(Leased Area-11.809 hac.) Shri Harprit Singh Dhaliwal File No. 3975/Proposal No. (SIA/UP/MIN/72201/2018)**

SEIAA gone through the letter of UPPCB letter no. H05409/C-5/125/OA no. 393/2022/2023 dated 09.01.2024 regarding Hon'ble NGT order dated 17.10.2023 in O.A. no. 176/2022 Aman Chaudhary Vs Union of India which states that:-



*"...15. The Director Geology and Mining Department, Uttar Pradesh, the District Magistrates and the Superintendent of Police in the State of Uttar Pradesh are directed to ensure that no mining is allowed to commence or continue without obtaining of CTE/CTO from UPPCB as the case may be which fact has to be verified by them with reference to the information uploaded by UPPCB on its website from time to time..."*

UPPCB vide letter dated 09.01.2024 has informed that the above project has not obtained CTE/CTO, hence SEIAA opined that the matter pertain to UPPCB hence UPPCB may take necessary action as per NGT order.

**13. Proposed "Ordinary Sand Mining" Project at Sharda River at (Khand- Aa) Gata No.-8 Ka/195, Village- Ratauli, Tehsil- Laharpur, District-Sitapur, M/s Abhaya Pratap Singh (Leased Area:8.782 Ha), File No. 4275/Proposal No. (SIA/UP/ MIN /74831/2018)**

SEIAA gone through the letter of UPPCB letter no. H05414/C-5/125/OA no. 393/2022/2023 dated 09.01.2024 regarding Hon'ble NGT order dated 17.10.2023 in O.A. no. 176/2022 Aman Chaudhary Vs Union of India which states that:

*"...15. The Director Geology and Mining Department, Uttar Pradesh, the District Magistrates and the Superintendent of Police in the State of Uttar Pradesh are directed to ensure that no mining is allowed to commence or continue without obtaining of CTE/CTO from UPPCB as the case may be which fact has to be verified by them with reference to the information uploaded by UPPCB on its website from time to time..."*

UPPCB vide letter dated 09.01.2024 has informed that the above project has not obtained CTE/CTO, hence SEIAA opined that the matter pertain to UPPCB hence UPPCB may take necessary action as per NGT order.

**14. Proposed "Ordinary Sand Mining" Project at Gomti River at Gata No.-337 Mi & 330, Village- Ajizpur, Tehsil- Mishrikh, District- Sitapur, M/s Bharat Construction (Leased Area:5.12 Ha), File No. 4274/Proposal No. (SIA/UP/ MIN /74829/2018)**

SEIAA gone through the letter of UPPCB letter no. H05413/C-5/125/OA no. 393/2022/2023 dated 09.01.2024 regarding Hon'ble NGT order dated 17.10.2023 in O.A. no. 176/2022 Aman Chaudhary Vs Union of India which states that:-

*"...15. The Director Geology and Mining Department, Uttar Pradesh, the District Magistrates and the Superintendent of Police in the State of Uttar Pradesh are directed to ensure that no mining is allowed to commence or continue without obtaining of CTE/CTO from UPPCB as the case may be which fact has to be verified by them with reference to the information uploaded by UPPCB on its website from time to time..."*

UPPCB vide letter dated 09.01.2024 has informed that the above project has not obtained CTE/CTO, hence SEIAA opined that the matter pertain to UPPCB hence UPPCB may take necessary action as per NGT order.

**15. Proposed "Ordinary Sand Mining" in Sharda River at Gata No.-8 Ka/ 195, Village- Ratauli, Tehsil- Laharur, District- Sitapur, U.P. M/s Sanjay Singh Construction, (Leased Area: 8.0 Ha) File No. 4113/Proposal No. (SIA/UP/ MIN/73108/2018)**

SEIAA gone through the letter of UPPCB letter no. H05412/C-5/125/OA no. 393/2022/2023 dated 09.01.2024 regarding Hon'ble NGT order dated 17.10.2023 in O.A. no. 176/2022 Aman Chaudhary Vs Union of India which states that:-

*"...15. The Director Geology and Mining Department, Uttar Pradesh, the District Magistrates and the Superintendent of Police in the State of Uttar Pradesh are directed to ensure that no mining is allowed to commence or continue without obtaining of CTE/CTO from UPPCB as the case may be which fact has to be verified by them with reference to the*



*information uploaded by UPPCB on its website from time to time..."*

UPPCB vide letter dated 09.01.2024 has informed that the above project has not obtained CTE/CTO, hence SEIAA opined that the matter pertain to UPPCB hence UPPCB may take necessary action as per NGT order.

**16. River Sand/Bajari/Boulder Mining Project at Khand No./Gata No.-03, Lot No.-03, Village- Rehna, Tehsil- Behat, District- Saharanpur, U.P. (Leased Area – 8.05 Ha). File No. 4294/Proposal No.SIA/UP/MIN/74910/2018**

SEIAA gone through the letter of UPPCB letter no. H05481/ C-3/sa-322/khanan /2024 dated 10.01.2024 regarding Hon'ble NGT order dated 17.10.2023 in O.A. no. 176/2022 Aman Chaudhary Vs Union of India which states that:-

*"...15. The Director Geology and Mining Department, Uttar Pradesh, the District Magistrates and the Superintendent of Police in the State of Uttar Pradesh are directed to ensure that no mining is allowed to commence or continue without obtaining of CTE/CTO from UPPCB as the case may be which fact has to be verified by them with reference to the information uploaded by UPPCB on its website from time to time..."*

UPPCB vide letter dated 09.01.2024 has informed that the above project has not obtained CTE/CTO. SEIAA noted that the EC issued and transferred EC both have already been canceled vide letter no. 25/parya/SEAC/4294/2018 dated 27.05.2021 and 24/parya/SEAC/4294/2018 dated 27.05.2021 respectively.

**Agenda-D-Minutes of 817th SEAC-1 Meeting Dated 18/12/2023**

**1. "Sand/Morrum Mining Project" at Gata No. – 1064 (Khand No. 04) located in village – Kahta Hamirpur, Tehsil – Kalpi & District - Jalaun, Shri Devendra Kumar Gupta, Area 12.12 Ha., 8443/7750/SIA/UP/MIN/451320/2023**

SEIAA noted the comments of SEAC that Hon'ble NGT has passed an order dated 27/04/2023 in appeal no. 07/2022 Ghanai Vs. SEIAA, U.P. & Ors. regarding crocodile habitat in District- Jalaun. Hence, the committee directed the project proponent to submit NOC from Forest Department/competent authority regarding the crocodile habitat. The SEIAA will send a letter to DFO, Jalaun in this regard and copy of the letter will be sent to District Magistrate, Jalaun and DGM, U.P. for information and necessary action.

SEIAA agreed with the above and in light of notice dated 15.01.2024 in O.A. No. 801 of 2023 SEIAA opined to defer the above till the matter of approval of DSR is resolved.

**2. "Sand/Morrum Mining" on the riverbed of River Dhasan at Gata No.- 908N (Khand 03), Village- Kharwanch, Tehsil- Garautha, District- Jhansi, Shri Mohammad Javed, Area- 12.146 Ha., 8445/SIA/UP/MIN/451244/2023.**

SEIAA noted that SEAC has recommended to grant ToR. In light of notice dated 15.01.2024 in O.A. No. 801 of 2023 SEIAA opined to defer the above till the matter of approval of DSR is resolved.

**3. Sand/Morrum Mining project at Gata No.- 434, Village- Kharwanch, Tehsil- Garautha, District: Jhansi, Dr. Kunal Singh, M/s Kayden Mines and Minerals Private Limited, Area: 24.281 ha., 8447/SIA/UP/MIN/451262/2023.**

SEIAA noted that SEAC has recommended to grant ToR. In light of notice dated 15.01.2024 in O.A. No. 801 of 2023 SEIAA opined to defer the above till the matter of approval of DSR is resolved.

*sk*



4. Expansion of Existing Sugar unit from 4850 TCD to 8000 TCD along without change in Co gen power – 19.80 MW within existing premises at Village: Parsendi , Tehsil: Kaisarganj, District: Bahraich, Shri Anil Sakhuja, M/s Parle Biscuits Private Limited, Unit: Sugar., 8449/7230/SIA/UP/IND2/ 451357/2023.

SEIAA agreed with the recommendation of SEAC to grant EC to the above project adding the following conditions:-

- 1- The project proponent shall follow MoEFCC notification 35 (E) dated 14 January 2016 in letter and spirit.
- 2- The project proponent shall handle boiler ash properly.
- 3- Dedicated space for storage of boiler ash with proper fencing should be ensured.
- 4- The project proponent shall get chemical analyses of boiler ash done and submit the results to SEIAA.

5. Building stone Sand Stone Mine at Gata No.- 732, Sl. No.- 43, Village Bhagautidei, Tehsil- Chunar, District- Mirzapur, Smt Sandhya Singh, Area- 0.8090 ha., 8451/SIA/UP/MIN/451426/2023.

SEIAA agreed with the recommendations of SEAC to close/delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.

6. Reciprocal Warehousing at Village – Benti & Bhokapur, Tehsil- Sarojini Nagar, Lucknow, Shri Jay Ram Jalan, M/s Reciprocal Logistics LLP., 8453/SIA/UP/INFRA2/451434/2023.

SEIAA noted that SEAC has recommended to grant EC to the above project. SEIAA gone through file and documents and opined that project proponent shall submit approved map from competent authority, purpose of 304 Permanent Residing Staff resident and objective of warehouse is not clear, proposal for disposal of biodegradable waste?????///

7. "Building Stone (Granite Khanda, Boulder, Ballast)" Mining Project at Araj No.- 93 (Khand No.- 25) Village: Bari, Tehsil: Sadar, District: Mahoba, Smt. Prema Devi, Area: 1.012 Ha., 8455/7884/SIA/UP/MIN/451494/2023.

SEIAA agreed with the recommendations of SEAC to close/delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.

8. Dolostone (Gitti, Boulders) Mining Project at Araj No- 4822, 4825, 4838, 4839, 4840, 4841 Kh& 4842 Ka, Village- Billimarkundi, Tehsil- Obra, District-Sonbhadra Shri Naveen Kumar Srivastava, Area- 3.2300 Ha., 8457/SIA/UP/MIN/451207/2023.

SEIAA agreed with the recommendations of SEAC to close/delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.

9. Building stone Sand Stone Mine at Gata No.- 732, Sl. No.- 44, Village- Bhagautidei, Tehsil- Chunar, District- Mirzapur, Shri Rajesh Bhai Patel, Area 1.01 Ha., 8459/SIA/UP/MIN/451581/2023.

SEIAA noted that SEAC has recommended to grant ToR. In light of notice dated 15.01.2024 in O.A. No. 801 of 2023 SEIAA opined to defer the above till the matter of approval of DSR is resolved.

SK



10. "Sand/Morrum Mine" from Riverbed of Yamuna River at (Gata No. Part of 56, 57, 92/6, 93/1, 94, 95/2, & Part of 60/1/3) Village- Sadimadanpur Tehsil- Pailani, Banda, Shri Ashok Kumar, M/s A.S. Traders, Area -18.50 Ha., 8461/SIA/UP/MIN/439858/2023.

SEIAA noted that SEAC has recommended to grant ToR. In light of notice dated 15.01.2024 in O.A. No. 801 of 2023 SEIAA opined to defer the above till the matter of approval of DSR is resolved.

11. "Sand/Morrum Mining" on the riverbed of River Betwa at Gata No.- 1129,Village- Dikaull, Tehsil- Garautha, District- Jhansi, Shri Ram Singh, Area- 12.140 ha., 8463/SIA/UP/MIN/451737/2023.

SEIAA noted that SEAC has recommended to grant ToR. In light of notice dated 15.01.2024 in O.A. No. 801 of 2023 SEIAA opined to defer the above till the matter of approval of DSR is resolved.

12. "Sand/ Bajri/ Boulder (RBM) Excavation Project" at Gata No. – 1/1 /1,Village – Nooniyari Aht, Tehsil – Behat & District - Saharanpur, Shri Subhash Tyagi, Area- 19.0 Ha., 8465/SIA/UP/MIN/451762/2023

SEIAA noted that SEAC has gone through Hon'ble NGT, New Delhi has passed an order dated 08/11/2023 in original application no. 188/2023 (I.A. No. 76/2023, I.A. No. 91/2023 & I.A. No. 92/2023) Gaurav Kumar Vs. State of Uttar Pradesh & Ors. and is of the opinion that the SEIAA may decide that whether the terms of reference (TOR) for the mentioned projects may be granted or not. SEIAA opined to refer back the project to SEAC for appraisal and recommendation of DSR strictly as per MoEFCC letter no. F. No. L-11011/13/2021-IA-II (M) dated 04.12.2023.

13. Sand/Morrum Mine from Riverbed of Yamuna River, Village- Patyora, Khand No.- 31/3, Tehsil- Hamirpur, District- Hamirpur, Shri Sharad Pratap Singh, M/s Sharad Enterprises, Area- 36.437 ha., 8157/SIA/UP/MIN/441455/2023

SEIAA noted the comments of SEAC that committee has gone through the reply submitted by the project proponent and opined that the reply submitted by the project proponent seems to be satisfactory and recommended to issue the terms of reference for the preparation of EIA report as earlier prescribed 780th SEAC meeting dated 01/09/2023. In light of notice dated 15.01.2024 in O.A. No. 801 of 2023 SEIAA opined to defer the above till the matter of approval of DSR is resolved.

14. IT SEZ Project on Plot No.- TZ-6, Greater Noida, District- Gautam Budha Nagar, Shri Chanderkant, M/s Ansal IT City and Parks Ltd., 8211/8071/SIA/UP/INFRA2/442944/2023.

SEIAA noted the comments of SEAC to defer the matter and the matter will be discussed only after submission of online request on prescribed portal.

15. "Ordinary Soil Excavation" Project at Gata No.- 934, Village – Siras Kheda, Tehsil & District-Moradabad, Mohd. Rafi, Area: 2.719 Ha., 8235/SIA/UP/MIN/442447/2023

SEIAA noted the comments of SEAC to share the complaint letter dated 14/12/2023 of Shri Ramswarup with the Project Proponent/Consultant to submit points-wise reply and the complaint letter also be sent to District Magistrate, Moradabad to provide factual report regarding the complaint letter.

sh



**16. Commercial Project "Lotus Nikko Hotel & Convention Centre Unit" at Plot No: 1, Circuit House Road, Padleygunj, Gorakhpur, M/s Lotus Trans Travel Pvt. Ltd., 8057/SIA/UP/INFRA2/439572/2023.**


SEIAA noted that SEAC has recommended to grant EC to the above project. SEIAA gone through file and documents and opined that project proponent shall submit prior permission for discharge of treated sewage in public sewer from competent authority and proposal for waste disposal.

**Nodal Officer**

**SEIAA, UP**

MoM prepared by Secretariat in consultation with Chairman & Members on the basis of decisions taken by SEIAA during the meeting.

(Smt. Mamta Sanjeev Dubey)  
Chairman  
SEIAA

  
( Sanjeev Kumar Singh)  
Member-Secretary  
SEIAA

(Paras Nath)  
Member  
SEIAA