

# State Level Environment Impact Assessment Authority, Uttar Pradesh

## Directorate of Environment, U.P.

Vineet Khand-1, Gomti Nagar, Lucknow - 226 010

Phone : 91-522-2300 541, Fax : 91-522-2300 543

E-mail : doeuplko@yahoo.com

Website : www.seiaaup.com

### **Minutes of the 595<sup>th</sup> Meeting of the State Level Environment Impact Assessment Authority, UP (SEIAA) held on 02.05.2022**

The meeting of 595<sup>th</sup> State Level Environment Impact Assessment Authority, UP (SEIAA) was held on-line on 02.05.2022 at the Directorate of Environment. The following were present in the meeting:-

- |                           |                              |
|---------------------------|------------------------------|
| 1. Dr. Rajiv Kumar Garg   | Chairman, SEIAA, U.P         |
| 2. Shri Paras Nath        | Member, SEIAA, U.P           |
| 3. Shri Ajay Kumar Sharma | Member Secretary, SEIAA, U.P |

#### **Agenda:A:- Minutes of 645<sup>th</sup> SEAC-1 Meeting Dated 20/04/2022**

#### **1. Stone (Khanda/Gitti/Boulder/Ililly Red Morrum) Mining at Gata No.-715 (Khand No.-12A), Village- Gonda, Tehsil- Karwi, District-Chitrakoot, Shri Narendra Kumar., Area- 0.910 Ha. File No. 6765/Proposal No. SIA/UP/MIN/70141/2021**

SEIAA agreed with the recommendation of the SEAC-1 to issue additional ToR to the title proposal for conducting EIA studies. The SEIAA also added the following points to ToR-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with FIA. FIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 3- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 4- Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.
- 5 SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 6- KML file for the area and mining lease area should be provided.
- 7- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.

Minutes of the 595<sup>th</sup> Meeting of the SEIAA, UP held on 02.05.2022

- 8- In case project proponent intends to temporarily store mined out material or any tools, equipments or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 9- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 10- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
  - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
  - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 11- In case of expansion / renewal of earlier EC, following information should be submitted
  - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, GoI, Lucknow.
  - b. Copy of CTE and CTO issued by SPCB.
  - c. Status of submission of six-monthly compliance report to EC granted earlier
  - d. Court cases, if any.
- 12- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out in EIA-EMP report.
- 13- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 1,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
- 14- In consultation with District Environment Authority or an authority nominated by concerned DM, Project Proponent will prepare a conservation and management plan for the rejuvenation and management of water bodies having a total surface area of not less than 5 ha. Funds for the same will be kept in a separate bank account and six-monthly implementation status will be presented by the Project Proponent before the nominated authority in the district.
- 15- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.

A



**2. Stone (Khanda / Gitti / Boulder / Pahadi Lal Morrum Mining at Gata No.-1078 (Khand No.-27, Village- Gonda, Tehsil-Karwi, District- Chitrakoot, Shri Laxhan Singh., Area- 3.036 Ha. File No. 6963/Proposal No. SIA/UP/MIN/72813/2022**

SEIAA agreed with the recommendation of the SEAC-1 to issue additional ToR to the title proposal for conducting EIA studies. The SEIAA also added the following points to ToR-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 3- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 4- Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.
- 5- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 6- KML file for the area and mining lease area should be provided.
- 7- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 8- In case project proponent intends to temporarily store mined out material or any tools, equipments or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 9- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 10 The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and
  - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
  - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 11- In case of expansion / renewal of earlier EC, following information should be submitted
  - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, GoI, Lucknow.
  - b. Copy of CTE and CTO issued by SPCB.
  - c. Status of submission of six-monthly compliance report to EC granted earlier
  - d. Court cases, if any.



Minutes of the 595<sup>th</sup> Meeting of the SEIAA, UP held on 02.05.2022

- 12- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out in EIA-EMP report.
- 13- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 4,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
- 14- In consultation with District Environment Authority or an authority nominated by concerned DM, Project Proponent will prepare a conservation and management plan for the rejuvenation and management of water bodies having a total surface area of not less than 20 ha. Funds for the same will be kept in a separate bank account and six-monthly implementation status will be presented by the Project Proponent before the nominated authority in the district.
- 15- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.

**3. Granite Dimensional Stone Mining at Arajai No- 132, 133, (Khand -01), Village Kala Pahar, District-Lalitpur, Shri Ravaraja., Area 1.072 Ha. File No. 6964/Proposal No. SIA/UP/MIN/72869/2022**

SEIAA agreed with the recommendation of the SEAC-1 to issue additional ToR to the title proposal for conducting EIA studies. The SEIAA also added the following points to ToR-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 3- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 4- Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.
- 5- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 6- KML file for the area and mining lease area should be provided.
- 7- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.





Minutes of the 595<sup>th</sup> Meeting of the SEIAA, UP held on 02.05.2022

- 8- In case project proponent intends to temporarily store mined out material or any tools, equipments or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 9- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 10- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
  - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
  - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 11- In case of expansion / renewal of earlier EC, following information should be submitted
  - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, GoI, Lucknow.
  - b. Copy of CTE and CTO issued by SPCB.
  - c. Status of submission of six-monthly compliance report to EC granted earlier
  - d. Court cases, if any.
- 12 Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out in EIA-EMP report.
- 13- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 2,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
- 14 In consultation with District Environment Authority or an authority nominated by concerned DM, Project Proponent will prepare a conservation and management plan for the rejuvenation and management of water bodies having a total surface area of not less than 10 ha. Funds for the same will be kept in a separate bank account and six-monthly implementation status will be presented by the Project Proponent before the nominated authority in the district.
- 15- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.



**4. Stone (Khanda, Boulder, Bailast (Gitti))" Mining at Gata No.- 638 (Khand No.- 02), Village- Ratauli, District- Mahoba, Shri Jai Singh. Area : 3.00 ha. File No. 6967/Proposal No. SIA/UP/MIN/72993/2022**

SEIAA agreed with the recommendation of the SEAC-1 to issue additional ToR to the title proposal for conducting EIA studies. The SEIAA also added the following points to ToR-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 3- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 4- Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.
- 5- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 6- KML file for the area and mining lease area should be provided.
- 7- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 8- In case project proponent intends to temporarily store mined out material or any tools, equipments or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 9- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 10- The project proponent should clearly spell out whether It is a green field or brown field project. In case it is a brown field project and -
  - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
  - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA EMP report.
- 11- In case of expansion / renewal of earlier EC, following information should be submitted
  - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, Gol, Lucknow.
  - b. Copy of CTE and CTO issued by SPCB.
  - c. Status of submission of six-monthly compliance report to EC granted earlier
  - d. Court cases, if any.





Minutes of the 595<sup>th</sup> Meeting of the SEIAA, UP held on 02.05.2022

- 12- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out in EIA-EMP report.
  - 13- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 3,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
  - 14- In consultation with District Environment Authority or an authority nominated by concerned DM, Project Proponent will prepare a conservation and management plan for the rejuvenation and management of water bodies having a total surface area of not less than 15 ha. Funds for the same will be kept in a separate bank account and six-monthly implementation status will be presented by the Project Proponent before the nominated authority in the district.
  - 15- Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
  - 16- Department of Geology & Mines, GoUP In consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.
  - 17- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.
5. Stone (Khanda, Boulder, Ballast, Grit) Mining at Gata No.- 638 (Khand No.-01), Village- Ratauli, District- Mahoba, Shri Jai Singh. Area : 3.00 ha. File No. 6968/Proposal No. SIA/UP/MIN/72973/2022
- SEIAA agreed with the recommendation of the SEAC-1 to issue additional ToR to the title proposal for conducting EIA studies. The SEIAA also added the following points to ToR-
- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
  - 2- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
  - 3- Public hearing shall be conducted as per EIA notification, 2006 (as amended).



Minutes of the 595<sup>th</sup> Meeting of the SEIAA, UP held on 02.05.2022

- 4- Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.
- 5- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 6- KML file for the area and mining lease area should be provided.
- 7- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 8- In case project proponent intends to temporarily store mined out material or any tools, equipments or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 9- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 10- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
  - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
  - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 11- In case of expansion / renewal of earlier EC, following information should be submitted
  - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, Gol, Lucknow.
  - b. Copy of CTE and CTO issued by SPCB.
  - c. Status of submission of six-monthly compliance report to EC granted earlier
  - d. Court cases, if any.
- 12- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out in EIA-EMP report.
- 13- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 3,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
- 14- In consultation with District Environment Authority or an authority nominated by concerned DM, Project Proponent will prepare a conservation and management plan for the rejuvenation and management of water bodies having a total surface area of not less than 15 ha. Funds for the same will be kept in a separate bank account and





Minutes of the 595<sup>th</sup> Meeting of the SEIAA, UP held on 02.05.2022

six-monthly implementation status will be presented by the Project Proponent before the nominated authority in the district.

- 15- Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
- 16- Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.
- 17- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.

6. Stone (Gitti/ Khanda/ Boulders/ Pahari Red Morram) Mining at Gata No.-1078 (KhandNo.-38), Village- Gonda, Tehsil- Karwi, District-Chitrakoot., Shri Mahesh Prasad Jaiswal, Area-2.0240 ha, File No. 6969/Proposal No. SIA/UP/MIN/73011/ 2022

SEIAA agreed with the recommendation of the SFAC-1 to issue additional ToR to the title proposal for conducting EIA studies. The SEIAA also added the following points to ToR-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 3- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 4- Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.
- 5- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 6- KML file for the area and mining lease area should be provided.
- 7- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 8- In case project proponent intends to temporarily store mined out material or any tools, equipments or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and

Minutes of the 595<sup>th</sup> Meeting of the SEIAA, UP held on 02.05.2022

associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.

- 9- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 10- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
  - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
  - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 11- In case of expansion / renewal of earlier EC, following information should be submitted
  - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, Gol, Lucknow.
  - b. Copy of CTE and CTO issued by SPCB.
  - c. Status of submission of six-monthly compliance report to EC granted earlier
  - d. Court cases, if any.
- 12- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out in EIA-EMP report.
- 13- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 3,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
- 14- In consultation with District Environment Authority or an authority nominated by concerned DM, Project Proponent will prepare a conservation and management plan for the rejuvenation and management of water bodies having a total surface area of not less than 15 ha. Funds for the same will be kept in a separate bank account and six-monthly implementation status will be presented by the Project Proponent before the nominated authority in the district.
- 15- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.





Agenda:B:- Minutes of 646th SEAC-1 Meeting Dated 21/04/2022 (Part- A)

1. Environment Clearance of Group Housing Project "Excella Kutumb" at Khasra No- 2678/1, 2688/2, 2692/1, 2695/1, 2677, 2693, 2694, 2677, 2833/2, 2834, 2837 Sa, 2675 Sa, 2677, Village Bakkas, Tehsil-Mohanlalgaoni, District- Lucknow, Uttar Pradesh, M/s ABC Infra Promoters Pvt. Ltd./Consortium, File No. 6210/Proposal No, SIA/UP/MIS/199015/2021

SEIAA took cognizance of MoM of SEAC-1 that the project proponent/consultant provided false information. Therefore, in the light of above observations SEAC-1 withdraws its recommendation for grant of environmental clearance for the aforesaid project in its 552nd meeting dated 23/07/2021.

SEIAA noted that the above project was earlier taken in its 534<sup>th</sup> meeting dated 10.12.2021 in which it was noted that a complaint was made against this project and the file was under examination in GoUP. Hence SEIAA opined that a reference be sent to DM, Lucknow, MS, SPCB and VC, LDA to ensure that no construction takes place without valid EC and in case construction has been carried out without EC, appropriate legal action should be initiated against the PP. A letter bearing no. 871/parya/SEIAA samanya/2021 dated 13.01.2022 has been sent to all.

In light of said facts coming to the knowledge, SEIAA opined as follows –

- Legal action be initiated against the PP u/s 15 & u/s 19 of EPA, 1986
- Construction work be stopped immediately
- Legal action be initiated against the consultant for misguiding the PP and SEIAA & SEAC
- With the facts of the case, a reference be sent to QCI / NABET for cancellation of accreditation of the consultant. It was also brought to the notice that the consultant is not registered in QCI/NABET and is working on the basis of Hon'ble Court Order, SEAC should ensure that such cases are not repeated.

File will remain active for taking action against PP and consultant but the proposal be closed

**Assistant Nodal/Nodal Officer  
SEIAA, UP**

MoM prepared by Secretariat in consultation with  
Chairman & Members on the basis of decisions  
taken by SEIAA during the meeting.



**(Ajay Kumar Sharma)  
Member-Secretary  
SEIAA**

**(Paras Nath)  
Member  
SEIAA**

**(Dr. Rajiv Kumar Garg)  
Chairman  
SEIAA**