

State Level Environment Impact Assessment Authority, Uttar Pradesh

Directorate of Environment, U.P.

Vineet Khand-1, Gomti Nagar, Lucknow - 226 010

Phone : 91-522-2300 541, Fax : 91-522-2300 543

E-mail : doeuplko@yahoo.com

Website : www.seiaaup.com

Minutes of the 462nd Meeting of the State Level Environment Impact Assessment Authority, UP (SEIAA) held on 21.05.2021

The meeting of 462nd State Level Environment Impact Assessment Authority, UP (SEIAA) was held on 21.05.2021 at the Directorate of Environment. The following were present in the meeting:-

1. Prof. Rana Pratap Singh
2. Dr. (Smt.) Madhu Bhardwaj
3. Sri Ashish Tiwari

Chairman, SEIAA, U.P.
Member, SEIAA, U.P.
Member Secretary, SEIAA, U.P.

Agenda-A: -Complaints/letters –Nil

Agenda-B: -Reply –Nil

Agenda-C: - Minutes of 530th SEAC Meeting Dated 09/03/2021

1. Commercial/Multiplex Building at Plot No.- C.P.-138, Sector- D-1, Kanpur Road, Lucknow., Shri Sachin Agarwal, Dalmandi Rakabganj, Lucknow. File No. 6128/Proposal No. SIA/UP/MIS/193053/2021

SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 2- The project proponent shall ensure to plant broad leave trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 3- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
- 4- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 5- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 6- The project proponent shall ensure that waste water is properly treated in STP and

For

Madhu Bhardwaj

RPS, ph 27/5/21

- maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge.
- 7- Under any circumstances untreated sewage shall not be reused or discharged to municipal sewer line.
 - 8- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
 - 9- The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to and water harvesting pits and carbon sequestration parks / designed ecosystems.
 - 10- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.
 - 11- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
2. Up Gradation of District Hospital LakhimpurKheri from 140 to 500 Bedded at Lakhimpur. Dr. R.C. Agrawal, Chief Medical Superintendent, Police Line Road, Mohammdi, LakhimpurKheri. File No. 6140/Proposal No. SIA/UP/MIS/195183/2021
- SEIAA noted that the above project has already been taken on 05.05.21. Hence no further action is required.
3. Construction of New Fire Training Academy inclusive of auditorium and hostel block in Civil Aviation Training College, Bamrauli, District-Prayagraj, U.P., Shri Rajiv Ratan Pandey, Deputy General Manager (Engg-Civil) behalf of Principal/ Executive Director, Airports Authority of India. File No. 6143/Proposal No. SIA/UP/MIS/195535/2021
- SEIAA agreed with the recommendation of the SEAC that since the project proposal relates to Construction of New Fire Training Academy inclusive of auditorium and hostel block in Civil Aviation Training College which falls under category of school/college/hostel hence, provisions of exemption given under Notification no. S.O. 3252(E), dated 22/12/2014 shall be applicable. Being an educational institution EC is this case is not required. Further, it is also directed to project proponent to ensure sustainable environmental management, solid and liquid waste management, rain water harvesting and use of recycled materials such as fly ash bricks in the construction/operation of the project as stipulated under Notification, dated 22/12/2014 and regular compliance reports should be submitted.

[Signature]

Madan Bhardwaj

RPS, ph

4. Up Gradation of Existing District Hospital, Sonbhadra from 210 Bedded to 330 Bedded at District- Sonbhadra, U.P., Dr.P. B. Gautam, C.M.S., District Hospital, Robertsganj, Sonbhadra, U.P. File No. 6146/Proposal No. SIA/UP/MIS/195999/2021

SEIAA noted that the above project has already been taken on 05.05.21. Hence no further action is required.

5. Government Medical College for Admission & Up gradation of District Hospital upto 500 Beds at Bulandshahar, U.P. Dr. Rajeev Prasad, Chief Medical Superintendent, B.B.D. Govt. Hospital, Bulandshahr, U.P. File No. 6154/Proposal No. SIA/UP/MIS/196317/2021

SEIAA noted that the above project has already been taken on 05.05.21. Hence no further action is required.

6. New Medical College attached with existing District/Referral Hospital and Upgradation of district hospital to 500 bedded Hospital at Pilibhitt, U.P., Shri Vipin Rai, Superintending Engineer, M/s Public Works Department. File No. 6158/Proposal No. SIA/UP/MIS/196929/2021

SEIAA agreed with the recommendation of the SEAC that since the distance between proposed new medical college and existing hospital is about 9.5 Km. the said proposal is totally against the provision of EIA notification, 2006 (as amended). The file is closed/rejected. The PP/Consultant may apply on online portal afresh for further consideration.

7. New Medical College attached with existing district /Referral Hospital and Up gradation of district hospital to 500 bedded Hospital at Chandauli, U.P., Shri Vipin Rai, Superintending Engineer, M/s Public Works Department. File No. 6159/Proposal No. SIA/UP/MIS/197058/2021


SEIAA agreed with the recommendation of the SEAC that since the distance between proposed new medical college and existing hospital is about 5 Km. the said proposal is totally against the provision of EIA notification, 2006 (as amended). The file is closed/rejected. The PP/Consultant may apply on online portal afresh for further consideration.


8. Upgradation & Expansion of Existing District Hospital at Gonda, Dr. Ghanshyam Singh, Chief Medical Superintending, Department of Medical Education, Gonda, U.P. File No. 6182/Proposal No. SIA/UP/MIS/197384/2021

SEIAA noted that the above project has already been taken on 05.05.21. Hence no further action is required.

9. Construction of Government Medical College at Sonbhadra, Dr. P. B. Gautam, C.M.S., Sonbhadra District Hospital, Robertsganj, Sonbhadra. File No. 6184/Proposal No. SIA/UP/MIS/195854/2021

SEIAA agreed with the recommendation of the SEAC that the project should be listed again on the online request of project proponent when he has the time to come before the committee.

 *P. B. Gautam*

 *R. P. Singh*

10. Construction of 100 Admission Government Medical College with expansion of 150 Admission & Up gradation of District Hospital upto 500 Beds at Lalitpur, U.P., Shri Navneet Singh Rajput, Provincial Division, Public Works Department PWD, Lalitpur, U.P. File No. 6187/Proposal No. SIA/UP/MIS/197702/2021

SEIAA noted that the above project has already been taken on 05.05.21. Hence no further action is required.

11. Common Biomedical Waste Management Facility at Khasra No.-1161, Village-Kumraua, Block- Saron, Tehsil & District- Kasganj, U.P., M/s Indo Tech Waste Solution. File No. 6191/Proposal No. SIA/UP/MIS/60737/2021

SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR;-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- Copy of all the analysis reports duly signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
- 3- MOU signed between the project proponent and the consultant should be submitted.
- 4- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 and submit along with EIA.
- 5- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 6- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.

12. Sand/Morrum Mining from Yamuna River Bed River at Khand No.- 9/8 to 9/10, Village-Umarwal, Tehsil- Chail, Kaushambi., Smt. Mansi Rastogi W/o Shri Deepak Rastogi, M/s Balaji Coal Company, Area: 18.00 ha. File No. 6204/5324/Proposal No. SIA/UP/MIN/60868/2019

SEIAA agreed with the recommendation of the SEAC that since the project proponent did not show any baseline monitoring data within 500m (core zone) of the lease area, the project proponent/consultant should present baseline data as per EIA Notification, 2006 (as amended) for appraisal.

13. Sand Mining from Yamuna River Bed at Gata No.-13, Village-Palpur, Imiliya Kalinjara, Tehsil-Karchhana, Allahabad., M/s Sakshi Construction, Area-10.0 Ha. File No. 4009/Proposal No. SIA/UP/MIN/ 72441/2018

SEIAA agreed with the recommendation of the SEAC that in the light of SSMMG, 2016 and EMGSM-2020, the lease area is almost submerged, and hence, the environmental clearance may not be recommended at this stage and thus the file should be closed/rejected.

14. Sand Mining from Yamuna River Bed at Gata No.-20, Village Fulwa, Bisauna & Jonhwal, Tehsil-Sadar, Allahabad, U.P., M/s Laxmi Construction, Area-8.0 Ha). File No. 4010/Proposal No. SIA/UP/MIN/ 72444/2018

SEIAA agreed with the recommendation of the SEAC that in the light of SSMMG, 2016 and EMGSM-2020, the lease area is almost submerged, and hence, the

Madh Bhardwaj

environmental clearance may not be recommended at this stage and thus the file should be closed/rejected.

15. Sand Mining from Yamuna River Bed at Khand No.- 09, Village- Jagdishpur, Tehsil- Bara, Allahabad, U.P., M/s Sakshi Construction Company., Area-6.00 ha. File No. 4314/Proposal No. SIA/UP/MIN/ 75076/2018

SEIAA agreed with the recommendation of the SEAC that in the light of SSMMG, 2016 and EMGSM-2020, the lease area is almost submerged, and hence, the environmental clearance may not be recommended at this stage and thus the file should be closed/rejected.

16. Sand Mining from Yamuna River Bed, Khand No.-15, Village-Mohabbatganj, Tehsil- Karchhana, District- Allahabad, U.P. Area of 8.0 Ha File No. 4443/Proposal No. SIA/UP/MIN/ 76100/2018


SEIAA agreed with the recommendation of the SEAC that in the light of SSMMG, 2016 and EMGSM-2020, the lease area is almost submerged, and hence, the environmental clearance may not be recommended at this stage and thus the file should be closed/rejected.


With the permission of the Chairman:-


1. Sand/Morrum Mining from Yamuna Riverbed at Gata No.-303mi, 313mi, 290mi, 301mi, 303, 304mi, 314mi, 297mi, 298mi, 302mi, 311mi, 312mi, 313, 314, Khand No.- 02, Village- Panchayara, Loni, Ghaziabad., Area: 12.512 ha. File No. 5793/Proposal No. SIA/UP/MIN/ 55952/2020

SEIAA gone through the government letter no. 355/PS/Mantri/van Parya evam Ja. Udyan/2021 dated 18.05.2021 regarding the above subject. SEIAA agreed with the recommendation of the SEAC dated 13.04.2021 to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC adding following specific condition as follows:-

1. Directions/suggestions given during public hearing and commitment made by the project proponent should be strictly complied.
2. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.
3. The mining lease holders shall, after ceasing mining operations, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora fauna etc.
4. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.










2. Barahmauri Morrum Mining Project at Aarji No.- 385, Khand No.- A, at Village - Barahmauri, Tehsil- Robertsganj, District- Sonbhadra, U.P.,(Leased Area-12.146 Ha), Shri Praveen Kumar File No. 4042/Proposal No. (SIA/UP/MIN/72472/2018)

SEIAA gone through the letter of M/S Mastergenie Services Pvt Ltd, dated 20.03.2021 regarding transfer of EC of the above project granted vide letter no.- 241/parya/seac/4042/2018 dated 16/3/18. SEIAA gone through the file, documents, letter of DM dated 07.12.2019 and found that – a Joint Committee constituted by Hon'ble NGT vide its order dated 05/08/2019 in O.A. number 278 and 279 of 2019 to prepare a plan for restoration of environment as well as for recovery of compensation from previous proponent, has recommended to revoke the EC dated 16/3/18 and in compliance to the above, letter no.-241/parya/seac/4042/2018 dated 16/3/18 has been revoked. The project proponent through letter dated 24.03.2021 has requested to transfer the EC since EC was revoked due to non-compliance of Environmental conditions. SEIAA opined that since previous EC was cancelled due to non-compliance of environmental conditions, it should be referred to SEAC for review/comments in the light of NGT Order dated 05/08/2019.


(Shri Ashish Tiwari, IFS)
Member-Secretary
SEIAA


(Dr. (Smt.) Madhu Bhardwaj)
Member
SEIAA


(Prof. Rana Pratap Singh)
Chairman
SEIAA
22/5/21