

Minutes of the 464th Meeting of the State Level Environment Impact Assessment Authority, UP (SEIAA) held on 24.05.2021

The meeting of 464th State Level Environment Impact Assessment Authority, UP (SEIAA) was held on 24.05.2021 at the Directorate of Environment. The following were present in the meeting:-

1. Prof. Rana Pratap Singh
2. Dr. (Smt.) Madhu Bhardwaj
3. Sri Ashish Tiwari

Chairman, SEIAA, U.P.
Member, SEIAA, U.P.
Member Secretary, SEIAA, U.P.

Agenda-A: -Complaints/letters –Nil

Agenda-B: -Reply- Nil

Agenda-C: - Minutes of 532nd SEAC Meeting Dated 15/03/2021

1. Assembling of Led Lights & Components at Plot No.- 10, Sector-156, Noida., Shri Hardeep Singh, CEO, M/s Ikio Solution Pvt. Ltd. File No. 6190/Proposal No. SIA/UP/MIS/197982/2021

SEIAA agreed with the recommendation of SEAC that the matter shall be discussed after submission of online information on prescribed portal.


2. Up gradation of existing district /Referral Hospital from 266 to 500 bedded Hospital at Kushinagar, U.P., M/s Chief Medical Superintending, Kushinagar, U.P. File No. 6194/Proposal No. SIA/UP/MIS/198161/2021

SEIAA noted that the above project has already been taken on 05.05.21. Hence no further action is required.


3. Cement (Clinker) Grinding Unit Capacity 1100 TPD at Khasra No.- 357, Village- Kodra, Post- Purani Basti, District- Basti, U.P. M/s Bala Ji Industry. File No. 6195/Proposal No. SIA/UP/IND/60660/2021

SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR;-




- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- Copy of all the analysis reports duly signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.





 28/5/21

- 3- MOU signed between the project proponent and the consultant should be submitted.
 - 4- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 and submit along with EIA.
 - 5- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
 - 6- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
4. Up gradation & Expansion of Existing District Hospital at Village –Kadipur, Tehsil – Manjhanpur, District-Kaushambi. Dr. Dipak Seth, CMS, Govt. District Hospital Kaushambi. File No. 6197/Proposal No. SIA/UP/MIS/198357/2021
- SEIAA noted that the above project has already been taken on 05.05.21. Hence no further action is required.
5. Up gradation of Existing District Hospital from 170 to 500 bedded Hospital at Kanpur Dehat. Chief Medical Superintending, Akbarpur, Mattird, District-Kanpur Dehat, U.P. File No. 6203/Proposal No. SIA/UP/MIS/198583/2021
- SEIAA noted that the above project has already been taken on 05.05.21. Hence no further action is required.
6. Sand Mining from Ghaghra River bed at Gata No.- GHA, Village-Hariharpur, The. Gola, Gorakhpur., Shri Jitendra Nishad, Area-5.00 Ha. File No. 6160/Proposal No. SIA/UP/MIN/193450/2021
- SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC but the SEIAA replaces the specific condition regarding cluster certificate as "If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate". And adding following conditions:-
1. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.
 2. The mining lease holders shall, after ceasing mining operations, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora fauna etc.

7. Stone (Khand, Boulder, Bailast&Gitti)Mining at Gata No.-989, Khand No.-18, at Village-Makarbai,Mahoba., Shri FazalUddinRahmani, Area 1.619 ha. File No. 6167/Proposal No. SIA/UP/MIN/59556/2021

SEIAA noted that SEAC has recommended to issue ToR. SEIAA gone through file, documents and letter no. 8439/MMC-30 dated 08/03/2021 of Mines Officer, Mahoba. SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR;-


- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- Copy of all the analysis reports duly signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
- 3- MOU signed between the project proponent and the consultant should be submitted.
- 4- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 and submit along with EIA.
- 5- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 6- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 7- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.


8. Stone Mining at Gata No.-478/2, Khand No.-03 at Village-Bilbai, Mahoba., Shri Rajendra Kumar, Area -1.012 ha. File No. 6168/Proposal No. SIA/UP/MIN/59769/2021

SEIAA noted that SEAC has recommended to issue ToR. SEIAA gone through file, documents and letter no. 8428/MMC-30 dated 06/03/2021 of Mines Officer, Mahoba. SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR;-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- Copy of all the analysis reports duly signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
- 3- MOU signed between the project proponent and the consultant should be submitted.
- 4- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 and submit along with EIA.
- 5- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public






Page 3 of 10

hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.

- 6- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 7- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.

9. Stone Mining at Gata No.-339, Khand No.-12 Old 28 New, Village-Daharra, Sadar, Mahoba. Shri Harpal Singh, Area-0.809 ha. File No. 6169/Proposal No. SIA/UP/MIN/59855/2021

SEIAA noted that SEAC has recommended to issue ToR. SEIAA gone through file, documents and letter no. 8431/MMC-30 dated 08/03/2021 of Mines Officer, Mahoba. SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR;-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- Copy of all the analysis reports duly signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
- 3- MOU signed between the project proponent and the consultant should be submitted.
- 4- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 and submit along with EIA.
- 5- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 6- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 7- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.

10. Stone (Khanda, Boulder, Gitti, Bailast) Mining at Gata No.-339, Khand No.-21 Old 32 New, Village-Daharra, Sadar, Mahoba., Smt. Amita Singh, Area-1.619 ha. File No. 6170/Proposal No. SIA/UP/MIN/59845/2021

SEIAA noted that SEAC has recommended to issue ToR. SEIAA gone through file, documents and letter no. 8430/MMC-30 dated 08/03/2021 of Mines Officer, Mahoba. SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR;-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- Copy of all the analysis reports duly signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.

Member Secretary

- 3- MOU signed between the project proponent and the consultant should be submitted.
- 4- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 and submit along with EIA.
- 5- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 6- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 7- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.



11. Stone (Boulder & Gitti) Mining at Gata No.- 946, Village- Makarbai, Mahoba, M/s Pradeep Kumar Agrawal., Area -4.445 ha. File No. 6171/Proposal No. SIA/UP/MIN/59789/2021

SEIAA noted that SEAC has recommended to issue ToR. SEIAA gone through file, documents and letter no. 8438/MMC-30 dated 08/03/2021 of Mines Officer, Mahoba. SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR;-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- Copy of all the analysis reports duly signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
- 3- MOU signed between the project proponent and the consultant should be submitted.
- 4- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 and submit along with EIA.
- 5- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 6- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 7- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.

12. Stone (Khand, Boulder, Gitti, Bailast) Mining at Gata No.-398, Khand No.-20, Village- Makarbai, Mahoba., Shri Mohammad Mateen Khan, Area-0.809 ha. File No. 6172/Proposal No. SIA/UP/MIN/59825/2021

SEIAA noted that SEAC has recommended to issue ToR. SEIAA gone through file, documents and letter no. 8437/MMC-30 dated 08/03/2021 of Mines Officer, Mahoba. SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the


Page 5 of 10


title proposal for conducting EIA studies. The SEIAA also added the following points to TOR;-



- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- Copy of all the analysis reports duly signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
- 3- MOU signed between the project proponent and the consultant should be submitted.
- 4- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 and submit along with EIA.
- 5- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 6- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 7- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.

13. Sand/Morrum Mining from Yamuna River bed at Gata No.-2/2, Khand No.-02, Village-Tirghumai Gangu, Rajapur, Chitrakoot., Shri Vijay Kumar Sen., Area-23.00 Ha. File No. 6173/Proposal No. SIA/UP/MIN/60633/2021

SEIAA noted that SEAC has recommended to issue ToR. SEIAA gone through file and documents and found that there is mismatch in the area applied for and area mentioned in the . SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR;-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- Copy of all the analysis reports duly signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
- 3- MOU signed between the project proponent and the consultant should be submitted.
- 4- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 and submit along with EIA.
- 5- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 6- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 7- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.



14. Sand Mine at Gata No.-159, Village-Sitarampur, Tehsil-Harraiya, Basti.,M/s Mahakal Traders, Area-1.182 Ha. File No. 6174/Proposal No. SIA/UP/MIN/197184/2021

SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC but the SEIAA replaces the specific condition regarding cluster certificate as "If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate". And adding following conditions:-


1. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.
2. The mining lease holders shall, after ceasing mining operations, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora fauna etc.


15. Group Housing "SKA Orion" at Plot No.-GH-01/A2, Sector- 143, Noida., Shri Sanjay Sharma, M/s Provence Developer Pvt. Ltd. File No. 6120/Proposal No. SIA/UP/MIS/192361/2021

SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 2- The project proponent shall ensure to plant broad leave trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 3- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
- 4- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 5- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 6- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge.









- 7- Under any circumstances untreated sewage shall not be reused or discharged to municipal sewer line.
- 8- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
- 9- The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to and water harvesting pits and carbon sequestration parks / designed ecosystems.
- 10- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.
- 11- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
- 12- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.

16. Construction of at Pocket-1, Land Developer and GrahthanYojna (Ajantapuram),Loni Road, Ghaziabad., Shri Devendra Bhandari, M/s Shri Rama Krishna Sehkar AWAS Samiti Ltd. File No. 6125/Proposal No. SIA/UP/MIS/192680/2021

SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 2- The project proponent shall ensure to plant broad leave trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 3- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
- 4- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 5- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 6- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge.







- 7- Under any circumstances untreated sewage shall not be reused or discharged to municipal sewer line.
- 8- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
- 9- The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to and water harvesting pits and carbon sequestration parks / designed ecosystems.
- 10- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.
- 11- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
- 12- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.


17. Construction of project at Pocket-2, Land Developer and GrahsthanYojna (Ajantapuram), Loni Road, Ghaziabad., Shri Devendra Bhandari, M/s Shri Rama Krishna Sehkari Awas Samiti Ltd. File No. 6126/Proposal No. SIA/UP/MIS/192527/2021

SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-

- 1- The The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 2- project proponent shall ensure to plant broad leave trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 3- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
- 4- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 5- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 6- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge.










- 7- Under any circumstances untreated sewage shall not be reused or discharged to municipal sewer line.
- 8- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
- 9- The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to and water harvesting pits and carbon sequestration parks / designed ecosystems.
- 10- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.
- 11- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
- 12- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.

18. Transfer of Environment Clearance for Sand Mining Khand No.- Gha (Block 20, Gata No.-Gha), Village-Ratanpura, Tehsil-Gola, Gorakhpur, U.P., Area 5.0 ha.

SEIAA gone through the undated letter of Smt. Rajani Shahi, M/s Aarchis Enterprises regarding transfer of Environmental Clearance to the above project issued vide letter no. 139/Parya/DEAC/Sand/E-tender/Gorakhpur/2018 dated 19.03.2018. SEIAA gone through file and documents and found that the geo-coordinates mentioned in the EC dated 19.03.2018 are different from geo-coordinates mentioned in LOI issued vide letter no. 443/Kha.Li-letter intent-2020 dated 09.10.2020. Hence SEIAA opined that the Environmental Clearance dated 19.03.2018 cannot be transferred since geo-coordinates are different.


(Shri Ashish Tiwari, IFS)
Member-Secretary
SEIAA


(Dr. (Smt.) Madhu Bhardwaj)
Member
SEIAA


(Prof. Rana Pratap Singh)
Chairman
SEIAA