

State Level Environment Impact Assessment Authority, Uttar Pradesh

Directorate of Environment, U.P.

Vineet Khand-1, Gomti Nagar, Lucknow - 226 010

Phone : 91-522-2300 541, Fax : 91-522-2300 543

E-mail : doeuplko@yahoo.com

Website : www.seiaaup.com

Minutes of the 465th Meeting of the State Level Environment Impact Assessment Authority, UP (SEIAA) held on 25.05.2021

The meeting of 465th State Level Environment Impact Assessment Authority, UP (SEIAA) was held on 25.05.2021 at the Directorate of Environment. The following were present in the meeting:-

1. Prof. Rana Pratap Singh
2. Dr. (Smt.) Madhu Bhardwaj
3. Sri Ashish Tiwari

Chairman, SEIAA, U.P
Member, SEIAA, U.P
Member Secretary, SEIAA, U.P

Agenda-A: -Complaints/letters –Nil

Agenda-B: -Reply- Nil

Agenda-C: - Minutes of 533rd SEAC Meeting Dated 16/03/2021

1. Stone (Sand Stone) Mining at Gata No.-760, 762, 766, 768, 769 & 770, at Village-SemriMangardaha, Tehsil-Lalganj, Mirzapur., Shri Dilip Singh Suryavanshi, M/s DilipBuildcon Ltd. , Area -1.61 ha. File No. 6127/Proposal No. SIA/UP/MIN/192916/2021

SEIAA noted that SEAC has recommended to grant EC to the above project. SEIAA gone through file and documents and found that the name of the project proponent is different in mine plan, LOI and that mentioned in the minutes. Hence SEIAA opined to refer back the project to SEAC for review/comments.


2. Stone (Sand Stone) Mining at Gata No.-764, Village-SemriMangardaha, Tehsil-Lalganj, Mirzapur.,Shri Dilip Singh Suryavanshi, M/s DilipBuildcon Ltd., Area-2.504 ha. File No. 6129/Proposal No. SIA/UP/MIN/193047/2021

SEIAA noted that SEAC has recommended to grant EC to the above project. SEIAA gone through file and documents and found that the name of the project proponent is different in mine plan, LOI and that mentioned in the minutes. Hence SEIAA opined to refer back the project to SEAC for review/comments.

3. Soil Mine at Khasra/Gata No.- 1740Kha, 1714, 1738, 1643Kha, 1734, 1739, 1758Kha, 1713, 1755Kha, 1705Kha, 1746, 1717Ka, 1700, 1769 Kha, 1708, 1186, 1675, 1689, 1208Kha, 1781Ga & 1717 Kha, Village- Mustafabad, Sadar, Varanasi., Shri Akash Rai, M/s Akash Enterprises, Area-4.527 Ha. File No. 6156/Proposal No. SIA/UP/MIN/196025/2021

SEIAA agreed with the recommendation of SEAC that the matter shall be discussed after submission of online information on prescribed portal.





 RPS, 28/05/21

4. Stone Crusher at Khasra No.-415, Village- Aslampur Bartha, Tehsil-Behat, Saharanpur., Shri Rajesh Kamboj, M/s Jai Laxmi Stone Crusher. File No. 5774

SEIAA decided to go with the recommendation of the SEAC to grant EC to the above project adding one specific condition:-

1. In case any direction/opinion is given by MoEF&CC, Govt. of India, the environmental clearance shall be amended accordingly.

5. Stone Crusher at Khasra No.439Ma, 396, 397/2, Village- Aslampur Bartha, Tehsil-Behat, Saharanpur., M/s Gangotri Crusher Stone Crusher & Screening. File No. 5775

SEIAA decided to go with the recommendation of the SEAC to grant EC to the above project adding one specific condition:-

1. In case any direction/opinion is given by MoEF&CC, Govt. of India, the environmental clearance shall be amended accordingly.

6. Stone Crusher at Khasra No.-154/1, 179, 154/2, Village- Bartha Korsi, Tehsil-Behat, Saharanpur., Shri Sukhvinder Singh, M/s S.S. Stone Crusher. File No. 5776

SEIAA decided to go with the recommendation of the SEAC to grant EC to the above project adding one specific condition:-

1. In case any direction/opinion is given by MoEF&CC, Govt. of India, the environmental clearance shall be amended accordingly.

7. Stone Crusher at Khasra No.-280, 299, 300, 301, 302, Village- Aslampur Bartha, Tehsil-Behat, Saharanpur., M/s Shree Shakumbhari Stone Crusher. File No. 5777

SEIAA decided to go with the recommendation of the SEAC to grant EC to the above project adding one specific condition:-

1. In case any direction/opinion is given by MoEF&CC, Govt. of India, the environmental clearance shall be amended accordingly.

8. Stone Crusher at Khasra No.-398, 417, 418, 419, Village-Aslampur Bartha, Tehsil-Behat, Saharanpur., Shri Karan Singh, M/s Shree Raja Ram Enterprises. File No. 5778

SEIAA decided to go with the recommendation of the SEAC to grant EC to the above project adding one specific condition:-

1. In case any direction/opinion is given by MoEF&CC, Govt. of India, the environmental clearance shall be amended accordingly.




9. Stone Crusher at Khasra No.-229/2, 235/3, 237, 235, 236, 238, 241, Village- Bartha Korsi, Tehsil-Behat, Saharanpur., M/s Mohit Stone Crusher. File No. 5779

SEIAA decided to go with the recommendation of the SEAC to grant EC to the above project adding one specific condition:-

1. In case any direction/opinion is given by MoEF&CC, Govt. of India, the environmental clearance shall be amended accordingly.

10. Stone Crusher at Khasra No.-210Ma, 211, Village- Bartha Korsi, Tehsil-Behat, Saharanpur., Shri Satish Kumar, M/s Sivam Mineral Industries. File No. 5780

SEIAA decided to go with the recommendation of the SEAC to grant EC to the above project adding one specific condition:-

1. In case any direction/opinion is given by MoEF&CC, Govt. of India, the environmental clearance shall be amended accordingly.

11. Stone Crusher at Khasra No.-256/1, Village-Bartha Korsi, Behat, Saharanpur. Shri Satypal Singh, M/s Shri Radhey Krishna Screening Plant. File No. 5799

SEIAA decided to go with the recommendation of the SEAC to grant EC to the above project adding one specific condition:-

1. In case any direction/opinion is given by MoEF&CC, Govt. of India, the environmental clearance shall be amended accordingly.

12. Stone Crusher at Khasra No.-414, Village- Aslampur Bartha, Tehsil-Behat, Saharanpur., Shri Satish Kumar., M/s Chaudhary Screening Plant. File No. 5802

SEIAA decided to go with the recommendation of the SEAC to grant EC to the above project adding one specific condition:-

1. In case any direction/opinion is given by MoEF&CC, Govt. of India, the environmental clearance shall be amended accordingly.


13. Transfer of Environment Clearance for Riverbed sand/Morum Mining at Gata no. 200, Village-Dighari, Tehsil-Karvi, Chitrakoot, U.P., (Leased Area : 2.065 ha). M/s Sharda Buildwell Pvt. Ltd.


SEIAA gone through the letter of Shri Manoj Kumar Mishra dated 12.02.2021 regarding transfer of Environmental Clearance to the above project issued vide letter no. 84/Parya(DEIAA)/2017-18 date 17.03.2018. SEIAA gone through file, documents and noted that the Environmental Clearance was issued to Shri Kamal Pathak S/o Shri Satya Prakash Pathak, M/s Sharda Buildwell Pvt. Ltd. 95- Dharamlok Nagar Mahauli Road, Mathura. But Geo-Coordinates are not mentioned in the above EC. Hence, SEIAA opined to refer the case to SEAC to review the case.

14. Commercial Development Ithum's 73, at Plot No.-04 Sector-73, Noida, M/s Sifal Infotech Pvt. Ltd. File No. 6019/Proposal No. SIA/UP/MIS/184160/2020

SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 2- The project proponent shall ensure to plant broad leave trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 3- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
- 4- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 5- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.






 RPS
Page 3 of 5

- 6- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge.
 - 7- Under any circumstances untreated sewage shall not be reused or discharged to municipal sewer line.
 - 8- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
 - 9- The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to and water harvesting pits and carbon sequestration parks / designed ecosystems.
 - 10- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.
 - 11- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
 - 12- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
15. "Stone Mininig" at Arajai No./Plot No.--989, Khand No.- 17, at Village- Makarbai, Tehsil-Sadar, District-Mahoba, U.P., (Leased area-4.048). File No.6157/Proposal No. SIA/UP/MIN/60589/2021


SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR;-


- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- Copy of all the analysis reports duly signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
- 3- MOU signed between the project proponent and the consultant should be submitted.
- 4- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 and submit along with EIA.
- 5- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public


   Page 4 of 5

hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.

- 6- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 7- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.


(Shri Ashish Tiwari, IFS)
Member-Secretary
SEIAA


(Dr. (Smt.) Madhu Bhardwaj)
Member
SEIAA


(Prof. Rana Pratap Singh)
Chairman
SEIAA