

Minutes of the 569th Meeting of the State Level Environment Impact Assessment Authority, UP (SEIAA) held on 02.03.2022

The meeting of 569th State Level Environment Impact Assessment Authority, UP (SEIAA) was held on-line on 02.03.2022 at the Directorate of Environment. The following were present in the meeting:-

1. Dr. Rajiv Kumar Garg
2. Shri Paras Nath
3. Shri Ajay Kumar Sharma

Chairman, SEIAA, U.P
Member, SEIAA, U.P
Member Secretary, SEIAA, U.P

Nodal Officer SEIAA informed that agenda is prepared by Secretariat and approved by MS SEIAA which is hereby put up for the consideration of SEIAA and placed files and documents related to below mentioned projects before SEIAA.

Agenda – A- Replies

1. Commercial Project at plot no.- C3-E1, Sector-129, Noida, M/s Gulshan Homes and Infrastructure Pvt. Ltd. File No. 3857/Proposal No. SIA/UP/MIS/154786/2020

SEIAA noted that the above project was taken in its 477th meeting in which SEIAA found that the reply regarding STP is not satisfactory. Hence SEIAA opined that the project proponent shall submit the same along with the current status of project. The project proponent has submitted his reply vide letter dated 27.07.2021. After reviewing the reply SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 2- The project proponent shall ensure to plant broad leaf trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 3- The project proponent shall submit within the next 3 months the details on

Minutes of the 569th Meeting of the SEIAA held on 02.03.2022

quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.

- 4- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 5- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 6- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge.
- 7- Under any circumstances untreated sewage shall not be discharged to municipal sewer line.
- 8- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
- 9- The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to and water harvesting pits and carbon sequestration parks / designed ecosystems.
- 10- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Forest (conservation) Act, 1980 and submit before the start of work.
- 11- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
- 12- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
- 13- Provision for charging of electric vehicles as per the guidelines of GoI / GoUP should be submitted within the next 3 months.

GP

A

del

213/11

✓ 2. Construction of Institutional Building at Plot No.- A 45 to A 52 & A 56 to 63, Sector-153, Noida, District- Gautam Budh Nagar, U.P., Shri Sumit Sardana, M/s Rail Vikas Nigam Ltd. File No. 6440/Proposal No. SIA/UP/MIS/211928/2021

SEIAA noted that the above project was taken in its 517th meeting in which SEIAA opined that the project proponent shall submit a letter/agreement from Noida development authority, legible copy of building plans and details of green belt, solid waste during construction should go to construction debris plant. The project proponent has submitted his reply vide letter dated 20.12.2021. After reviewing the reply SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 2- The project proponent shall ensure to plant broad leaf trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 3- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
- 4- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 5- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 6- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge.
- 7- Under any circumstances untreated sewage shall not be discharged to municipal sewer line.
- 8- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
- 9- The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to and water harvesting pits and carbon sequestration parks / designed ecosystems.
- 10- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of

Forest (conservation) Act, 1980 and submit before the start of work.

- 11- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
- 12- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
- 13- Provision for charging of electric vehicles as per the guidelines of GoI / GoUP should be submitted within the next 3 months.

3. Moram Mining at Yamuna River Bed at Khand No. 8/6 to 8/7, Village- Rushai Maharaniya KaPura, Tehsil- Chayal, Kaushambi, Shri Sandeep Mishra, M/s Sandeep Enterprises, Area- 15.0 ha File NO. 6642/ Proposal No. SIA/UP/MIN/ 58301/2020

SEIAA noted that the above project was taken in its 548th meeting in which SEIAA opined that SEAC-1 should clearly elaborate upon issues on which Hon'ble NGT has cancelled the earlier EC and how the project proponent has proposed to address these issues in his proposal. The project proponent has submitted his reply vide undated letter SEIAA opined to refer the letter to SEAC-1 for review/comments.

4. Group Housing Project at Plot No.-SC-01/C-A5, Sector- 150, Greater Noida, District- Gautam Buddha Nagar, U.P., M/s Augur Realtors Pvt. Ltd. File No. 5636/Proposal No. SIA/UP/MIS/ 150198/2020.

SEIAA noted that the above project was taken in its 471st meeting in which SEIAA opined that the project proponent shall submit amended Form-1 with the correct address since the address mentioned in form-1 submitted online does not mentions A5. The project proponent has submitted his reply vide letter dated 01.07.2021 mentioning that the amended hard copy of Form-1 has been submitted before, as per procedure defined they cannot file the amendment online. SEIAA agreed with the recommendation of committee dated 23.03.2021 that the corrected location of the project is "Group Housing Project at Plot No.-SC-01/C-A5, Sector- 150, Noida, District-Gautam Buddha Nagar, U.P., M/s Augur Realtors Pvt. Ltd."

5. Establishment of New Tannery Unit Of Capacity 1750 hides per day (Raw Hide to finished Leather) at Gata No-1698, 1726, 1729, 1735, 1736 & 1739, Vill-Banthar, District-Unnao, U.P., M/s Model Exims (India) Pvt Ltd. File No. 5127/ 3479/Proposal No. SIA/UP/ IND/44735/2019

SEIAA noted that the above project was taken in its 477th meeting in which SEIAA opined that the project proponent letter dated 20.05.2021 shall be referred to UPPCB for comments regarding ZLD in tannery. SEIAA noted that comments from UPPCB is still awaited. Hence SEIAA opined that a reminder letter shall be send to UPPCB.

4/8

A

bull

मि. मि. मि.

6. Sidharth Vishwavidyalaya, Kapilvastu at Khasra No.-2365, 2348, 266, 2249, 2265, 2424, 2421, 2381, 2420, 2425, 2349, 2358, 2345, 2348 Mi, 2346, 2367, 2351, 2419, 2352, 2267 Mi, 2263, 2250, 2252, 2376, 2239, 2255, 2251, 2253, 2383, 2429, 2384 Mi, 2259, 2257, 2258, 2260, 2240 Mi, 2355, 2422, 2363, 2350, 2368, 2254, 2372, 2242 Mi, 2417, 2377, 2382, 2248, 2256, 2418, 2261, 2362, 2427, 2342, 2361, 2364, 2357, 2241, 2359, 2360, 2378, 2380, 2243, 2266, 2428, 2353, 2354, 2426, 2264,, 2369, Village- Borderpur-1 Tappa Ghosh, Pargana& Tehsil- Naugarh, District- Sidharth Nagar, U.P., File No. 3934/Proposal No. (SIA/UP/ NCP /71753/2018)

SEIAA noted that the above project was taken in its various meetings in which SEIAA noted that the information regarding remedial plans of Arsenic/Fluoride, treatment/management of laboratory waste and disposal of waste water is not adequate/clear. The project proponent has submitted his reply vide letter no. 04.08.2021. After reviewing the reply SEIAA agreed with the recommendation of SEAC dated 21.06.2018 to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 2- The project proponent shall ensure to plant broad leaf trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 3- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
- 4- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 5- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 6- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge.
- 7- Under any circumstances untreated sewage shall not be discharged to municipal sewer line.
- 8- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
- 9- The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to and water harvesting pits and carbon sequestration parks / designed ecosystems.

- 10- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Forest (conservation) Act, 1980 and submit before the start of work.
- 11- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
- 12- Provision for charging of electric vehicles as per the guidelines of GoI / GoUP should be submitted within the next 3 months.

7. Group Housing at Plot No.- SC-02/E, Sector- 150, Noida, District- Gautam Buddha Nagar, U.P., M/s Samridhi Buildmart Pvt. Ltd. File No. 6221 Proposal No. SIA/UP/MIS/207473/2021

SEIAA gone through the letter of the project proponent dated 11.08.2021 and noted that the above project was taken in its 483rd meetings in which it was noticed that some information has been sought by SEAC-1. Hence SEIAA opined to refer the letter to SEAC-1.

8. IRO, MoEFCC, Lucknow e-mail dated 09.09.2021.

SEIAA gone through the IRO, MoEFCC, GoI Lucknow e-mail dated 09.09.2021 regarding compliance report of file no. 3638, 4324, 2891, 542, 1420, 2260 and 4459. SEIAA opined to refer this mail to UPPCB for necessary action.

9. "Rajkiya Allopathic Medical College" at Gat No.- 254, 257, 259, 263, 299, 300, 267, 268 ka, Gram- Siddikpur & Gata No.- 252 ka, Gram- Payagpur, Pargana- Haveli, Distt.- Jaunpur, U.P. File no- 3933 Proposal No. SIA/UP/NCP/ 71750/2017

SEIAA noted that the above project was taken in its 431st meetings in which SEIAA opined that the project proponent shall submit permission from the Irrigation Department since the ultimate disposal point of the treated waste water is Sharda Canal upstream. The project proponent has submitted his reply vide letter dated 17.09.2021 which is not satisfactory. SEIAA agreed with the recommendation of SEAC dated 16.09.2020 to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit within month permission from the Irrigation Department.
- 2- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 3- The project proponent shall ensure to plant broad leaf trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 4- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be

Minutes of the 569th Meeting of the SEIAA held on 02.03.2022

- related to mitigation of Environmental Pollution and awareness for the same.
- 5- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
 - 6- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
 - 7- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge.
 - 8- Under any circumstances untreated sewage shall not be discharged to municipal sewer line.
 - 9- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
 - 10- The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to and water harvesting pits and carbon sequestration parks / designed ecosystems.
 - 11- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Forest (conservation) Act, 1980 and submit before the start of work.
 - 12- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.

Minutes of 623rd SEAC-1 Meeting Dated 08/02/2022

1. Sand/Morrum Mining from River Bed Dhasan at Khand No.-06, Village- Tolakhangan, Tehsil- Rath, District- Hamirpur, U.P., (Area: 32.11 Ha). File No. 6633/5699/Proposal No. SIA/UP/MIN/68371/2020

SEIAA agreed with the recommendations of the SEAC to close the file as the project proponent did not appear and open only after submission of online request on prescribed online portal. A reference be sent to DM, Hamirpur that no mining should take place without valid EC.

SC
F

A

Sub

SEIAA

2. Sand/Morrum Mining from Riverbed of Betwa River at Gata No.-747, Khand No.- 04, Village- Pathrehta, Tehsil- Kalpi, District-Jalaun., Area: 16.194 ha. File No. 6648/5930/Proposal No. SIA/UP/MIN/67531/2020

SEIAA agreed with the recommendations of the SEAC to close the file as the project proponent did not appear and open only after submission of online request on prescribed online portal. A reference be sent to DM, Jalaun that no mining should take place without valid EC

3. Stone Gitti , Khanda & Boulder Mining at Gata No.-856, Khand No.-04, Village-Pali Pahari, Tehsil-Sadar, District- Jhansi, U.P., Lease area-0.728 ha. File No. 6421/Proposal No. SIA/UP/MIN/197551/2021

SEIAA noted that SEAC has recommended to grant EC to the above project. SEIAA gone through file and documents and found that as per the MoM, production per year has been shown as 21,840 cum while production for 5 years / 3 years has been shown as 54,755 cum (item no. 18, 19 & 20 in the table). There is mismatch in mineable reserve, production per year and production proposed in 5 years. SEAC-1 to clarify.

4. Stone (Khanda, Boulder, Gitti) at Araj No.-1195/11 & 1219/11, at Village- Digara, Tehsil-Sadar, District- Jhansi, U.P., Lease area-1.396 ha. File No. 6336/Proposal No. SIA/UP/MIN/208009/2021

SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC but the SEIAA replaces the specific condition regarding cluster certificate as "If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate" and adding following conditions:-

1. Validity period of this EC is co-terminus with the validity of current mine plan or current lease period or 5 years whichever is earlier.
2. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Forest (conservation) Act, 1980 and submit before the start of work.
3. The mining lease holders shall, after ceasing mining operations, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora fauna etc.

Sw
P

A

delh

20.3.21

4. Three tier green shelter belt of 7.5m width should be developed on the periphery of mine lease area. Local and native species should be planted in consultation with Forest/Horticulture Department/Agriculture University.
 5. Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.
 6. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
 7. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 2,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.
 8. In consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepared a conservation and management plan for rejuvenation and management of water bodies having total surface area of more than 10 ha. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
 9. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.
 10. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, GoI, Lucknow.
5. Group Housing at Plot No.-SC-01/A2, Sector- 79, Noida, Uttar Pradesh, M/s Sequel Buildicon Pvt. Ltd. File No. 1770/Proposal No. SIA/UP/MIS/243899/2021
- SEIAA noted that committee has recommended to extend the validity of the Environmental Clearance letter no. 1893/Parya/SEAC/1770/213/OSD(T)) dated 12/10/2013 for the period of 03 years i.e. 12/10/2021 to 11/10/2024. SEIAA opined that the project proponent shall submit current status of the project and certified compliance report from IRO, MoEFCC, GoI, Lucknow.
6. IT / ITES at Plot No. 17, Sector-Tech Zone-4, Noida Extension, U.P., M/s S.P. SAI I.T. Pvt. Ltd. File No. 1506/Proposal No. SIA/UP/MIS/245863/2021
- SEIAA agreed with the recommendations of the SEAC to defer the file and open only after submission of online request on prescribed online portal.

7. Morrum Mining at Arazi No.-824Kh (Khand 04), Village-Agori Khas, Tehsil- Obra, Sonbhadra., M/s Sudhakar Pandey and Associate, Area : 12.368 ha. File No. 6748/Proposal No. SIA/UP/MIN/248903/2021

SEIAA noted that committee has recommended to amend the environmental clearance letter dated 22/12/2021. As per the MoM, validity period of consultant expired on 03.02.2022 while the project was deliberated upon before SEAC-1 on 08.02.2022, SEAC-1 is advised not to allow the consultant to make presentation beyond their date of validity of accreditation. Any presentation made by consultant after the expiry of their QCI / NABET accreditation and recommendation made by SEAC is not tenable. SEAC-1 should again deliberate upon the project when the consultant produces QCI / NABET accreditation.

SEIAA further opined that in this regard a show-cause notice be served to consultant along with copy of this show-cause notice to QCI.

8. Stone, khanda, Gitty, boulder Mining. at Gata No.1127, Khand No.-2, Village-Chaukari, Tehsil-Garautha,Jhansi., Shri Sushil Parecha., Area 1.214 Ha. File No. 6836/6110/Proposal No. SIA/UP/MIN/69165/2021

SEIAA noted that SEAC has recommended to grant EC to the above project. As per the MoM, validity period of consultant expired on 03.02.2022 while the project was deliberated upon before SEAC-1 on 08.02.2022, SEAC-1 is advised not to allow the consultant to make presentation beyond their date of validity of accreditation. Any presentation made by consultant after the expiry of their QCI / NABET accreditation and recommendation made by SEAC is not tenable. SEAC-1 should again deliberate upon the project when the consultant produces QCI / NABET accreditation.

SEIAA further opined that in this regard a show-cause notice be served to consultant along with copy of this show-cause notice to QCI.

9. Khanda- Boulder/ Gitty-Ballast Mining at Gata No.310, Khand No.-4, Village-Dagariyarund, Tehsil-Sadar, District-Jhansi., Area 2.0 Ha. File No. 6837/6105/ Proposal No. SIA/UP/MIN/69139/2021

SEIAA noted that SEAC has recommended to grant EC to the above project. As per the MoM, validity period of consultant expired on 03.02.2022 while the project was deliberated upon before SEAC-1 on 08.02.2022, SEAC-1 is advised not to allow the consultant to make presentation beyond their date of validity of accreditation. Any presentation made by consultant after the expiry of their QCI / NABET accreditation and recommendation made by SEAC is not tenable. SEAC-1 should again deliberate upon the project when the consultant produces QCI / NABET accreditation.

SEIAA further opined that in this regard a show-cause notice be served to consultant along with copy of this show-cause notice to QCI.

GP


A

Sub

27.3.22

10. API Bulk Drugs and Intermediates Manufacturing at Khasra No. 827 & 828, Village-Mawana-II, Tehsil-Mawana, Meerut M/s Ezochem Organics India Pvt. Ltd. File No. 6809/Proposal No. SIA/UP/IND3/247851/2021

SEIAA agreed with the recommendation of SEAC that the matter shall be discussed after submission of online information on prescribed portal.


Assistant Nodal/Nodal Officer
SEIAA, UP


(Ajay Kumar Sharma)
Member-Secretary
SEIAA


(Paras Nath)
Member
SEIAA


(Dr. Rajiv Kumar Garg)
Chairman
SEIAA