

State Level Environment Impact Assessment Authority, Uttar Pradesh

Directorate of Environment, U.P.

Vineet Khand-1, Gomti Nagar, Lucknow - 226 010

Phone : 91-522-2300 541, Fax : 91-522-2300 543

E-mail : doeuplko@yahoo.com

Website : www.seiaaup.com

Minutes of the 566th Meeting of the State Level Environment Impact Assessment Authority, UP (SEIAA) held on 25.02.2022

The meeting of 566th State Level Environment Impact Assessment Authority, UP (SEIAA) was held on-line on 25.02.2022 at the Directorate of Environment. The following were present in the meeting:-

1. Dr. Rajiv Kumar Garg
2. Shri Paras Nath
3. Shri Ajay Kumar Sharma

Chairman, SEIAA, U.P
Member, SEIAA, U.P
Member Secretary, SEIAA, U.P

Nodal Officer SEIAA informed that agenda is prepared by Secretariat and approved by MS SEIAA which is hereby put up for the consideration of SEIAA and placed files and documents related to below mentioned projects before SEIAA.

Agenda-A: -Complaints/letters –

1. Public complain- "objection for grant of environmental clearance in village Bhagawa(Division-1), tehsil-Obra, District Sonebhadra" and "Objection for grant environmental clearance in village Agori Khas,(Division-30, tehsil-Obra, District Sonebhadra".

SEIAA gone through the letter of Additional Director/Scientist-E, IRO, MoEFCC Lucknow regarding the above subject. SEIAA opined that since the complaint relates to wild life sanctuary and geo-coordinates the above letter shall be referred to Forest Department and DGM, UP.

2. Representation seeking revocation/ cancellation of (4) Four Environmental Clearances for Sand/ Morrum Mining projects located in Tehsil – Obra, District Sonbhadra, UP, within 10 km of a Critically Polluted Area (CPA) by SEIAA, UP which ought to have been treated as a Category 'A' Project and appraised by the MOEF at the Central level

SEIAA gone through the e-mail of Vanshdeep Dalmia, AoR Supreme Court of India dated 24.02.2022 regarding the above subject and opined to refer the mail to SEAC-1 for comments.

Agenda-B:-Replies- Nil

Agenda-C:- Minutes of 620th SEAC-1 Meeting Dated 28/01/2022

1. Common Biomedical Waste Management Treatment Facility (CBWTF) at Arazi No.- 14, Village-Dakahi, Tehsil-Naugarh, Chandauli, U.P., M/s VRBA Bio Waste Solution Pvt. Ltd., File No. 6751/5661/Proposal No. SIA/UP/MIS/203729/2021

SEIAA agreed with the recommendation of SEAC-1 that the matter shall be discussed after submission of online information on prescribed portal.

2. Expansion of Integrated Paint Manufacturing Facility at UPSIDC Industrial Estate, Village Jainpur, Tehsil Akbarpur, Dist. Kanpur Dehat, M/s Kansai Nerolac Paints Ltd. File No. 6768/Proposal No. SIA/UP/IND3/69939/2021

SEIAA agreed with the recommendations of the SEAC-1 to defer the file as the project proponent did not appear and open only after submission of online request on prescribed online portal. A letter shall be send to DM, Kanpur Dehat to ensure that no construction activity is started until valid EC is obtained.

3. Group Housing" at Plot No.- 3 C, Sector- 12, Greater Noida, Gautam Budha Nagar, U.P., Shri Yogesh Goyal, M/s Blessings Homz Pvt. Ltd. File No. 6770/Proposal No. SIA/UP/MIN/245129/2021

SEIAA agreed with the recommendations of the SEAC-1 to defer the file as the project proponent did not appear and open only after submission of online request on prescribed online portal. A letter shall be send to DM, Gautam Buddha Nagar to ensure that no construction activity is started until valid EC is obtained.

4. Expansion of Residential Complex "Eco-Village 1" at Plot No. GH-08, Sector-01, Greater Noida, M/s Supertech Limited. File No. 6778/Proposal No. SIA/UP/MIS/70279/2021

SEIAA observed that SEAC-1 has written in their MoM that since being an expansion project the additional terms of reference is required in the matter. SEIAA opined that after the issuance of online standard ToR no additional ToR can be issued. However project proponent can be directed though a separate letter to submit certified compliance report from IRO, MoEFCC, GoI, Lucknow. Further, SEIAA opined that project proponent should also submit details of Court Cases if any, pending in any Court of Law.

5/

A

h

25.2.22

Minutes of the 566th Meeting of the SEIAA held on 25.02.2022

5. Group Housing at Khasra No.-276(P), 385(P), 386, 387, 388, 389, 390, 391, 392, 393(P), 394(P), 398, 399, 401(P), 402(P), 403(P), 404(P), 405(P), and 442(P), Village - Mauza Mau, Tehsil and Distt. Agra, U.P., M/s Paawan Sahakari Avas Samiti Ltd. File No. 6804/Proposal No. SIA/UP/MIS/68265/2021

SEIAA noted the comments of SEAC-1 that the case may be taken up only after nomination of representative of NEERI in SEAC meeting. The Secretariat is requested to do needful persuasion for nomination of NEERI representatives in SEAC, so that the project falls in TTZ may be taken up by SEACs.

6. API Bulk Drugs and Intermediates Manufacturing at Khasra No. 827 & 828, Village-Mawana-II, Tehsil-Mawana, Meerut M/s Ezochem Organics India Pvt. Ltd. File No. 6809/Proposal No. SIA/UP/IND3/247851/2021

SEIAA noted the comments of SEAC-1 that the project proponent/consultant has not sent the required documents to the Chairman and Members of the committee on time, so that the case cannot entertain for appraisal in the meeting. Hence, the committee directed to defer the matter and the case may be taken after online request received from project proponent.

7. Cement Grinding Unit of 1200 TPD at Plot No. B-10, Ramnagar Industrial Area-I, Village: Patana, Tehsil: Mughal Sarai, Chandauli., M/s Chunar Churk Cement Ltd. File No. 5740/Proposal No. SIA/UP/IND/55067/2020

SEIAA noted that SEAC-1 has recommended to grant EC to the above project. SEIAA gone through the file and documents and found that total area of the project is 6258.93 sq. mt. and capacity of the Project is 1200 TPD project needs a detailed scrutiny as the area statement and production capacity don't match. Further, SEIAA opined that it is not evident from the MoM of SEAC-1 whether entire ToR has been addressed while preparing EIA/EMP report or not, this should be deliberated upon by SEAC-1 and details in tabular form should be submitted. Further, it is not evident from MoM of SEAC-1 whether issues raised during public hearing have been addressed while preparing final EIA-EMP report or not, this should be deliberated upon by SEAC-1 and details in tabular form should be submitted.

8. Expansion for Manufacturing of Synthetic Organic Chemicals (API/Bulk Drugs / Pharmaceutical Products) at Plot No. G-373 - 376, Phase II, UPSIDC Industrial Area, M G Road, Hapur, U.P., M/s Organo Chem (India). File No. 6820/Proposal No. SIA/UP/IND3/248919/2021

SEIAA agreed with the recommendation of SEAC-1 to grant EC to the above project and adding following conditions:-

1. Directions/suggestions given during public hearing and commitment made by the project proponent should be strictly complied.
2. The unit shall establish Standard Operating Procedure for waste collection including expired drugs, waste handling, transportation, treatment and disposal as per Biomedical Waste Management Rules 2016.

21.3.21

Minutes of the 566th Meeting of the SEIAA held on 25.02.2022

3. If the proposed project is situated in notified area of ground water extraction where creation of new wells for ground water extraction is not allowed then the permission from the competent authority must be taken and be submitted to SEIAA.
9. Setting of Cement Grinding Unit (Production Capacity 1x150=150 TPD or 54,000 TPA) at Khasra No.-158 Mi, Village-Mai, Post-Rampur, Tehsil-Mariyahu, District- Jaunpur, U.P., M/s J.P.Cement & Chemicals. File No. 5684/Proposal No. SIA/UP/IND/53627/2020

SEIAA agreed with the recommendations of the SEAC-1 to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 2- The project proponent shall ensure to plant broad leaf trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 3- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
- 4- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge.
- 5- Under any circumstances untreated sewage shall not be discharged to municipal sewer line.
- 6- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
- 7- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Forest (conservation) Act, 1980 and submit before the start of work.
- 8- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.

4/

A

del

H.S. Ti

10. Non-Agro Warehouse (Industrial Shed) and logistic facility at Khasra No. 8477, 74, 64, 66, 67, 73, 72, 70, 71, 76, 69, 68, 65 situated in Village-Bani and Khasra No.- 313, 314, Situated in Village-Sarai Shehzadi, Post-Bijnor, Tehsil-Sarojini Nagar, District- Lucknow, U.P., M/s BG Link Infrastructure LLP. File No. 6413/Proposal No. SIA/UP/MIS/214363/2021

SEIAA noted that SEAC has recommended to grant EC to the above project. SEIAA gone through file and documents and found that in MoM of SEAC total plot area is mentioned as 54756.62 m² and in some place it is mentioned as 54281.62 m² which should be clarified by the project proponent. Details of final discharge of treated waste water and bifurcation of solid waste and its disposal should be submitted by the project proponent.

11. Proposed Hospital "Yashoda Medicity" at Plot Shakti Khand-2, Indirapuram, District- Ghaziabad, Shri Sunil Dagar, Yashoda-Medicity, M/s Yashoda Foundations, Hospital Plot, Shakti Khand-2, Indirapuram, Ghaziabad. File No. 6859/Proposal No. SIA/UP/MIS/250815/2022


SEIAA agreed with the recommendations of the SEAC-1 to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 2- The project proponent shall ensure to plant broad leaf trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 3- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
- 4- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 5- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 6- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge.
- 7- Under any circumstances untreated sewage shall not be discharged to municipal sewer line.
- 8- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
- 9- The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted

Minutes of the 566th Meeting of the SEIAA held on 25.02.2022

in addition to and water harvesting pits and carbon sequestration parks / designed ecosystems.

- 10- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Forest (conservation) Act, 1980 and submit before the start of work.
- 11- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
- 12- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
- 13- Provision for charging of electric vehicles as per the guidelines of GoI / GoUP should be submitted within the next 3 months.


Assistant Nodal/Nodal Officer
SEIAA, UP


(Ajay Kumar Sharma)
Member-Secretary
SEIAA


(Paras Nath)
Member
SEIAA


(Dr. Rajiv Kumar Garg)
Chairman
SEIAA