


**Minutes of the 709<sup>th</sup> Meeting held on 20<sup>th</sup> January 2022 afternoon.**

The 709<sup>th</sup> meeting of the State Level Environment Impact Assessment Authority (SEIAA) was held online under the Chairmanship of Shri H. K. Dash and attended by Prof. (Dr.) V. K. Srivastava, Member and Shri S. J. Pandit, Member Secretary of the State Level Environment Impact Assessment Authority (SEIAA).


The following cases were taken up during the meeting:-

| Sr. No  | Name of the project   | Proposal                     | Decision             |
|---|---|------------------------------|----------------------|
| 1.  | <b>Galaxy Dye Stuff Industries;</b> Plot No. 1101/2, GIDC Ankleshwar, Ta. Ankleshwar, Dist, Bharuch, 393002, Gujarat.<br>Chemical Industry Project – 5(f)<br>Application Date: 14.07.2021 | EC                           | Granted              |
| <b>Deliberation &amp; Decision of SEIAA</b>   |   |                              |                      |
| The proposal of SEAC dated 01.01.2022 recommending the grant of EC was discussed.   |   |                              |                      |
| After detailed deliberation, the Environment Clearance is Granted incorporating all the conditions stipulated by SEAC, including the additional conditions prescribed in the minutes of 665 <sup>th</sup> SEIAA meeting dated 06 <sup>th</sup> December 2021 and given herein.  |   |                              |                      |
| The Industrial waste water generation of 3.6 KLD be treated in primary ETP and shall be sent to CETP ETL after achieving the CETP inlet norms for further treatment, remaining 20.08 KLD be subjected to RO treatment out of which RO permeate 16.5 KLD shall be reused in process and RO reject 3.58 KLD be sent to CMEE of BEIL Ankleshwar. |   |                              |                      |
| 2.  | <b>Atharva Industries;</b> Plot No. C1B-1024, GIDC Industrial Estate, Panoli, Ta. Ankleshwar, Dist, Bharuch, Gujarat.<br>Chemical Industry Project – 5(f)<br>Application Date: 02.08.2021 | EC                           | Granted              |
| <b>Deliberation &amp; Decision of SEIAA</b>   |   |                              |                      |
| The proposal of SEAC dated 01.01.2022 recommending the grant of EC was discussed.   |   |                              |                      |
| After detailed deliberation, the Environment Clearance is Granted incorporating all the conditions stipulated by SEAC, including the additional conditions prescribed in the minutes of 665 <sup>th</sup> SEIAA meeting dated 06 <sup>th</sup> December 2021  |   |                              |                      |
| 3.  | <b>Kopran Research Laboratories Ltd;</b> Plot No.: 663, GIDC Industrial Estate, Panoli, Ta. Ankleshwar, Dist. Bharuch<br>Chemical Industry Project – 5(f)<br>Application Date: 29.03.2021 | Withdrawal of EC application | Withdrawal Permitted |
| <b>Deliberation &amp; Decision of SEIAA</b>   |   |                              |                      |
| The proposal of SEAC dated 01.01.2022 recommending the grant of EC was discussed.   |   |                              |                      |
| After detailed deliberation, the withdrawal of EC application is permitted as recommended by SEAC.  |   |                              |                      |




*H. K. Dash* *S. J. Pandit*

|  |  |                                    |                         |
|--|--|------------------------------------|-------------------------|
| 4.   | <b>Leogen PharmaChem;</b> Plot No. 1611P, 775, GIDC Industrial Estate-Vaghodia, Ta. Vaghodia, Dist. Vadodara<br>Chemical Industry Project – 5(f)<br>Application Date: 29.03.2021   | Withdrawal<br>of EC<br>application | Withdrawal<br>Permitted |
| <b>Deliberation &amp; Decision of SEIAA</b>  |  |                                    |                         |
| The proposal of SEAC dated 01.01.2022 recommending the grant of EC was discussed.<br><br>After detailed deliberation, the withdrawal of EC application is permitted as recommended by SEAC.  |  |                                    |                         |
| 5.   | <b>Faluck International;</b> Plot No. 189/A, Natraj Industrial Estate, Lyava-Vasana, Sanand Ahemdabad<br>Chemical Industry Project – 5(f)<br>Application Date: 25.09.2021  | Withdrawal<br>of EC<br>application | Withdrawal<br>Permitted |
| <b>Deliberation &amp; Decision of SEIAA</b>  |  |                                    |                         |
| The proposal of SEAC dated 01.01.2022 recommending the grant of EC was discussed.<br><br>After detailed deliberation, the withdrawal of EC application is permitted as recommended by SEAC.  |  |                                    |                         |
| 6.   | <b>Vapi Waste &amp; Effluent Management Co. Ltd.;</b> Plot No. 4807 & 4807-A, Phase-IV, GIDC Estate, Vapi, Ta. Pardi, Valsad<br>Common Hazardous Waste Treatment, storage and disposal facilities (TSDFs) – 7(d)<br>Application Date: 22.11.2021 | EC                                 | Granted                 |
| <b>Deliberation &amp; Decision of SEIAA</b>  |  |                                    |                         |
| The proposal of SEAC dated 12.01.2022 recommending the grant of EC was discussed.<br><br>After detailed deliberation, the Environment Clearance is Granted incorporating all the conditions stipulated by SEAC, including the additional conditions prescribed below.<br>a) Project proponent shall install all environment management systems as per the CPCB/GPCB directives regarding the effluent discharge and air emission in working condition.<br>b) Project proponent shall display the copy of Environment Clearance at the site prominently.<br>c) Project proponent shall prepare and follow regular and preventive maintenance plan. The copy of same shall be submitted to SEIAA.<br>d) Project Proponent will have to display the safety procedure in working area.<br>e) The project proponent shall obtain all required permissions for safety, health and fire from competent authorities like PESO/Fire Authority etc. and intimate SEIAA.<br>f) Project Proponent will intimate SEIAA/SEAC/GPCB after obtaining the membership of common facilities like CETP / TSDF / CHWIF / CMEE / Common Spray Dryer as the case may be.<br>g) Extra care will be taken by PP to avoid any accidental blast in boiler, reactor or any machinery in the plant.<br>h) Environment monitoring, training and disaster management plan should be undertaken and complied at regular interval. |  |                                    |                         |



*Handwritten signatures and initials at the bottom of the page.*

|   |   |     |            |
|---|---|-----|------------|
|   | i) Integrated Regional Office of MoEF&CC, Gandhinagar and GPCB will monitor all environment, safety & health norms as per the prevailing rules.                   |     |            |
| 7.  | <b>Narmada Clean tech; FETP No. 904/1, Jhagadia Industrial Estate, Bharuch</b><br>Common Effluent Treatment Plants (CETPs) – 7(h)<br>Application Date: 02.03.2021 | EC  | Granted    |
| <b>Deliberation &amp; Decision of SEIAA</b>   |   |     |            |
| <p>The proposal of SEAC dated 11/06/2021 was discussed and referred back to SEAC on 29.06.2021 for the verification of wastewater treatment scheme, conveyance system for the same and change in hydraulic load of existing pipeline.</p> <p>SEAC reconsidered the proposal in its meeting dated 29.07.2021 and 10.12.2021 and found the submission of treatment components as Equilisation tank, Mixing channel, Chemical Dosing, Clarifier, Disposal sump, Guard pond satisfactory. For conveyance of treated effluent PP presented that 1 MLD effluent will be received through tankers and 34 MLD through pipeline. It was also noted by SEAC that the MOEF&amp;CC has given CRZ clearance on 21.08.2015 for discharge of 75 MLD effluent through pipeline (40 MLD from Ankleshwar Panoli and 35 MLD from Jhagadia). SEAC found the submission satisfactory and recommended the proposal on 12.01.2022 for grant of EC.</p> <p>After detailed deliberation, the Environment Clearance is Granted incorporating all the conditions stipulated by SEAC, including the additional conditions prescribed below.</p> <ol style="list-style-type: none"> <li>A full-fledged analytical laboratory at site for finger print and comprehensive analysis shall be setup at site.</li> <li>A area of TSDF site shall put up boards of danger area zone at prominent places.</li> <li>Project proponent shall install all environment management systems as per the CPCB/GPCB directives regarding the effluent discharge and air emission in working condition.</li> <li>Project proponent shall display the copy of Environment Clearance at the site prominently.</li> <li>Project proponent shall prepare and follow regular and preventive maintenance plan. The copy of same shall be submitted to SEIAA.</li> <li>Project Proponent will have to display the safety procedure in working area.</li> <li>The project proponent shall obtain all required permissions for safety, health and fire from competent authorities like PESO/Fire Authority etc. and intimate SEIAA.</li> <li>Project Proponent will intimate SEIAA/SEAC/GPCB after obtaining the membership of common facilities like CETP / TSDF / CHWIF / CMEE / Common Spray Dryer as the case may be.</li> <li>Extra care will be taken by PP to avoid any accidental blast in boiler, reactor or any machinery in the plant.</li> <li>Environment monitoring, training and disaster management plan should be undertaken and complied at regular interval.</li> <li>Integrated Regional Office of MoEF&amp;CC, Gandhinagar and GPCB will monitor all environment, safety &amp; health norms as per the prevailing rules.</li> </ol> |   |     |            |
| 8.  | <b>Plutoeco Enviro Association; S. No. 434 to 439, Vil. Pilundra, Ta. Jambusar, Bharuch</b><br>Common Effluent Treatment Plants (CETPs) – 7(h)                    | TOR | Refer Back |



|    |   |     |          |
|----|---|-----|----------|
|    | Application Date: 01.12.2021  |     |          |
|    | <b>Deliberation &amp; Decision of SEIAA</b>   |     |          |
|    | <p>The proposal of SEAC dated 12.01.2022 recommending the grant of EC was discussed.</p> <p>After detailed deliberation, it was decided to refer back the case to SEAC for the verification of proposal with respect to siting criteria as the proposed site is located at 430 meter from the Joshipura pond and the distance from the Natural Drain/Nallah is not submitted with the recommendation. While preparing the EIA report, which TSDF site shall be utilised for the disposal of waste shall be covered in the report.</p> |     |          |
| 9. | <b>Greeneco Enviro Private Limited; S. No. 240 to 247, 249 to 255, 259 and 260, Vil. Limbad, Ta. Dasada, Surendranagar</b><br>Common Hazardous Waste Treatment, storage and disposal facilities (TSDFs) – 7(d)<br>Application Date: 02.11.2021  | TOR | Approved |
|    | <b>Deliberation &amp; Decision of SEIAA</b>   |     |          |
|    | <p>The proposal of SEAC dated 12.01.2022 recommending the approval of TOR was discussed.</p> <p>After detailed deliberation, the ToR is approved as recommended by the SEAC for the preparation of EIA, EMP, Risk Assessment report and to conduct the Public Hearing.</p> <p>a) A full-fledged analytical laboratory at site for finger print and comprehensive analysis shall be setup at site.</p> <p>b) A area of TSDF site shall put up boards of danger area zone at prominent places.</p>                                      |     |          |

| Sr. No. | NAME                         |                  |        |
|---------|------------------------------|------------------|--------|
| 1.      | Shri H. K. Dash              | Chairman         | H.K.?  |
| 2.      | Prof. (Dr.) V. K. Srivastava | Member           | Gay... |
| 3.      | Shri S. J. Pandit            | Member Secretary | Saw    |

