

## **NOTE TO EIA COORDINATORS**

1. Reply to the points raised by SEIAA should be furnished in a tabular format as under. References to EIA/PFR should invariably be given with page number, etc.

Sl.No.	SEIAAQUERY	REPLY	REFERENCE

Sl.No.	EDS/ADSQUERY	REPLY	REFERENCE

2. The power point presentation should be uploaded in Parivesh Portal and the presentation has to be made from the PPT uploaded in Parivesh. Presentation made from pen drive/external hard disk will not be allowed.
3. All the reply for ADS raised during committee shall be uploaded in the Parivesh Portal. Only upon the submission of ADS reply in Parivesh Portal, the subject will be placed before committee for appraisal.
4. Thus, you are advised to submit the additional documents/ information within a period of 30 days failing which your proposal will automatically get delisted from the list of pendency at PARIVESH portal.
5. In the power point presentation, all facts and data mentioned should be referenced to EIA report already furnished with page numbers.
6. The EIA Coordinator shall furnish the copy of the Form 1 submitted along with mining plan, in case of mining activity.
7. In case of mining proposal, RQP who is prepared the mining plan shall attend the meeting
8. Hard copies of the relevant portions of EIA Report in respect point 2 above should be circulated to all the expert members before making presentation.
9. In respect of ADS, replies must be given in a tabular form and sent to all the Members through email well in advance. Hard copy of the same should also be given to Members in the meeting.
10. The EIA coordinator shall furnish the details of Reserve Forests, Protected Areas, Sanctuaries, Tiger reserve etc., upto a radius of 25 km from the proposed site, after obtaining the details from the concerned DFO. The coordinator shall also state clearly that the proposed activity is not prohibited interms of any Government orders/Notifications related to Reserve Forest/Protected Area/Sanctuary/Tiger reserve.
11. Proposals of proponents defaulting in any of the above 10 requirements will not be taken for up consideration.

12. For construction projects concerned Architect should accompany with EIA coordinator during the meeting.
13. For construction projects, an undertaking as below should be submitted.
- The proposed construction will conform with IGBC Platinum/Gold norms and IGBC certification will be obtained before CTO.
  - We assure that we are liable for the operation and maintenance of STP for a period of 10 years from operation of the project.
  - Provision of hot water will be met from Solar Water Heaters.
  - 50% of the roof coverage should be specifically allocated for solar panels and should be used for the generation of solar energy.
  - We also assure that the storm water drain would not carry any untreated or treated sewage.
  - We also assure that our project site does not encroach any water bodies such as rivers, canals, nallas, lakes, ponds, tanks, etc., from its original boundary.
  - We assure that a temple pond in OSR will be maintained and surplus rainwater runoff will be drained in to the pond.
  - We assure that the pavements/parking pavements will be green/permeable pavements.
  - We assure that the CER activities will be completed as per the action plan submitted.
14. For B2 Rough Stone projects, the first slide of the PPT should be in the following format.

NAME OF THE PROPONANT					NAME OF EIA COORDINATOR	
File No:					Quarry Type:	
Category:					Land Type:	
Site Location					Lat-Long	
PP'S Address					Environmental Settings	
Description	Geological Reserves (m³)	Mineable Reserves (m³)		Annual Peak Production (m³)	Description	Years
Rough Stone (m³)					Life of Mine	
Gravel (m³)					Lease Period	
Depth (m)	Existing	Mining Plan (Ultimate)	This Production Plan	Water Table	Mining Plan	
					Existing Pit	
Previous History & CCR					Extent of Area	
EC Quantities as per SEAC Norms	Total Production	Annual Peak Production		Depth	EMP (Rs.)	
					CER (Rs.)	

**Schedule to be Appraised for the 496<sup>th</sup> State Expert Appraisal Committee Meeting on  
12.09.2024 (Thursday) Time: 11:00AM through Offline mode only.**

Forenoon						
Sl. No	File. No	Project Details	Proposal submitted	Proposal Online Number	Name of the Consultant	Units
<b>Confirmation of Earlier Minutes</b>						
<b>EIA B1 Mining</b>						
1.	11083	<b>Thiru. R. Arockiya Raj,</b> S.F.No. 210/7A Melur Village Kulathur Taluk Pudukottai District	To consider EC 1(a) B1 Roughstone & Gravel 1.68.0 Ha	SIA/TN/MIN/48 7502/2024	<a href="mailto:arockiyarajrsquarry@gmail.com">arockiyarajrsquarry@gmail.com</a> Eco tech	Unit- VI
2.	11178	<b>Thiru. N.Viswanathan,</b> S.F.No. 277/3A1B, 277/3A2, 278/2B, 278/3A4B, 282/13, 282/1A2 & 282/2B, Rayandapuram Village, Thandrapattu Taluk, Tiruvannamalai District	To consider EC 1(a) B1 Black Granite 1.07.5 Ha	SIA/TN/MIN/49 1424/2024	<a href="mailto:vishwanathann08@gmail.com">vishwanathann08@gmail.com</a> Eco tech	unit- II
<b>ToR B1 Mining Cluster</b>						
3.	11192	<b>Thiru. A. Venkatachalam,</b> S.F.No. 39/1, Kodangipalayam Village, Palladam Taluk, Tiruppur District	To consider ToR B1 Rough stone & Gravel 2.19.0 Ha	SIA/TN/MIN/49 3158/2024 <b>Cluster</b>	<a href="mailto:avenkatachalamquarry@gmail.com">avenkatachalamquarry@gmail.com</a> GEMS	Unit- IV
4.	11193	<b>Thiru. A. Venkatachalam,</b> S.F.No. 38/3, Kodangipalayam Village, Palladam Taluk, Tiruppur District	To consider ToR B1 Rough stone & Gravel 0.88.0 Ha	SIA/TN/MIN/49 2831/2024 <b>Cluster</b>	<a href="mailto:avenkatachalamquarry@gmail.com">avenkatachalamquarry@gmail.com</a> GEMS	Unit- VI
<b>Corrigendum/Amendment/Extension</b>						
5.	11087	<b>Thiru. S.Raghu</b> 381 (Part-1) Gopanapalli Village, Hosur Taluk, Krishnagiri District	To consider EC Corrigendum Rough stone 1.30.0 Ha	SIA/TN/MIN/48819 8/2024	<a href="mailto:rgu041@gmail.com">rgu041@gmail.com</a>	Unit- III
6.	11135	<b>Thiru.K.Balamurugan</b> S.F. Nos. 104/1A, 104/1B1, 104/1B2, 104/2A, 104/2B, 104/3, 104/4A1, 104/4A2, 104/4B, 104/4C, 104/5A, 104/5B, 104/6A, 104/6B, 104/7A, 104/7B, 104/8A, 104/8B, 104/8C, 104/8D & 104/8E, Konganakurichi	To consider EC Corrigendum Rough stone & Gravel 3.02.5 Ha	SIA/TN/MIN/489977/ 2024	k.balamurugan @yandex.com	unit- II

		Village, Aruppukottai Taluk, Virudhunagar District				
7.	11139	<b>Thiru.M. Ashok Kumar</b> S.F.No. 212/1(P) Nandivaram Village, Chengalpattu Taluk, Chengalpattu District	To consider EC Amendment Ordinary Earth 3.14.45 Ha	SIA/TN/MIN/47 8604/2024	<a href="mailto:ashokkumarmparivesh@gmail.com">ashokkumarmparivesh@gmail.com</a> Eco Tech	Unit-VII
8.	11141	<b>Thiru.M. Ashok Kumar</b> S.F.No. 4 (P) Madura Porur Village, Thiruporur Taluk, Chengalpattu District	To consider EC Amendment Ordinary Earth 2.83.0 Ha	SIA/TN/MIN/48 9765/2024	<a href="mailto:ashokkumarmparivesh@gmail.com">ashokkumarmparivesh@gmail.com</a> Eco Tech	unit-II
9.	11172	<b>Thiru.P.Madhu Premanathan</b> S.F.No. 306(Part-II), Pannapalli Village, Shoolagiri Taluk, Krishnagiri District	To consider EC Amendment Rough stone & Gravel 2.00.0 Ha	SIA/TN/MIN/49 2554/2024	<a href="mailto:madhu.premnathan@gmail.com">madhu.premnathan@gmail.com</a> GEMS	Unit-VI
10.	11173	<b>Thiru.V.Venkatachalam,</b> S.F.No. 306(Part-I), Pannapalli Village, Shoolagiri Taluk, Krishnagiri District	To consider EC Amendment Rough stone & Gravel 1.56.0 Ha	SIA/TN/MIN/49 2548/2024	<a href="mailto:horthub@gmail.com">horthub@gmail.com</a> GEMS	Unit-VII
11.	11186	<b>M/s. Tamil Nadu Minerals Limited,</b> S.F No. 170/1(Part), Vikravandi Taluk, Viluppuram District	To consider ToR Corrigendum Black Granite 20.28.0 Ha	SIA/TN/MIN/49 3283/2024	tamin@tamingranites.com	Unit-IV
12.	11198	<b>Thiru.S.Gurusamy</b> S.F.Nos. 216/1, 216/2A1 & 216/2A2A, Kattukuthagai Karisalkulam Village, Kariyapatti Taluk, Virudhunagar District	To consider EC Corrigendum Rough stone, Jelly & Gravel 1.57.0 Ha	SIA/TN/MIN/49 0814/2024	gurusamys852@gmail.com	Unit-IV
<b>ToR Proposals</b>						
13.	6192	<b>M/s. The India Cements Limited</b> 242/1B Maravankulam Village Tirunelveli Taluk Tirunelveli District	To consider Violation ToR Lime stone 11.69.7 Ha	SIA/TN/MIN/27153/2018	Creative Engineers	Unit-IV
14.	6191	<b>M/s. The India Cements</b>	To consider Violation ToR	SIA/TN/MIN/27169/2018	Creative	Unit-IV

		<b>Limited</b> 1005, 1006/1, 1023/2 & 1024/1 Tenkulam Village Tirunelveli Taluk Tirunelveli District	Lime stone 9.24.0 Ha		Engineers	
15.	4951	<b>M/s. The India Cements Limited</b> 136/1, 138/1, 138/2, 140/2, 151/2, 151/3, 152, 155, 156/1, 156/2, 156/3, 157/1C & 161, Selianallur Village Tirunelveli Taluk Tirunelveli District	To consider Violation ToR Lime stone 8.55.5 Ha	SIA/TN/MIN/24005 /2018	Creative Engineers	Unit- III
16.	4952	<b>M/s. The India Cements Limited</b> 140/1, 151/1, 171, 179 & 180, Selianallur Village Tirunelveli Taluk Tirunelveli District	To consider Violation ToR Lime stone 5.71.0 Ha	SIA/TN/MIN/27159/ 2018	Creative Engineers	Unit- IV
17.	6193	<b>M/s. The India Cements Limited</b> 728/2, 728/3..etc Sattankulam Village Sattankulam Taluk Thoothukudi District	To consider Violation ToR Lime stone 11.69.7 Ha	SIA/TN/MIN/23965 /2018	Creative Engineers	Unit- VI
<b>Court Case</b>						
18.	6440	<b>M/s. Fishing Harbour Project Division</b> 1 to 22, 186 to 191, 123 Thiruvottiyur Kuppam Madavaram Taluk Thiruvallur District	Court case (ADS)		tunafishingharb or@gmail.com	Unit- VIII
19.	10115	<b>Thiru.J.Sathyan Praveen,</b> S.F.Nos.839/2(Part) Sokkanur Village, Kinathukadavu Taluk, Coimbatore District	To consider EC Roughstone & Gravel 1.00.0 Ha (ADS)	SIA/TN/MIN/4 31805/2023	praveensathya n06@gmail.co m Eco tech	Unit- IV
20.	<b>To consider Sub Committee Reports</b>					
21.	<b>Refer back files</b>					
22.	<b>Any other matter</b>					