1:27:23 PM

State Expert Appraisal Committee (SEAC) Gujarat

613RD meeting of the State Level Expert Appraisal Committee, to be held on 17th April 2023 [NCP]

AGENDA

Venue: video conference

Please Check MoEF&CC Website at www.parivesh.nic.in for details and updates

From Date:17 Apr 2023


TO Date:17 Apr 2023

Date when Agenda was Created:10 Apr 2023

CONSIDERATION/RECONSIDERATION OF ENVIRONMENTAL CLEARANCE(Extension/Amendment/Corrigendum)									
S.No			Proposal		,				
	Vihav	Vihav Central Business District							
(1)	S. No.	State	District	Tehsil	Village				
	(1.)	Gujarat	Vadodara	Vadodara	Bhayali				
	[SIA/	[SIA/GJ/MIS/294611/2022 , SEIAA/GUJ/EC/8(a)/451/2017]							

	The F	 Balcony							٦
(=)	s.	State	Di	strict	Те	hsil	Vi	llage	1:2
(2)	No. (1.)	Gujarat	Ca	 andhinagar	Ca	ındhinaga	r In	droda	Ť
		GJ/MIS/298027/2							1
		gration of Resident							
	S.	Tation of Resident	.iai a		Jan	Project - L	Illeria	162 and 419	┨
3)	o. No.	State		District	Te	ehsil	Villa	age	l
,	(1.)	Gujarat		Vadodara	Vá	adodara	Sam	าล	
	[SIA/	GJ/MIS/297612/20) 23 ,	SIA/GJ/1820	01/2	022]			
	Prop	osed Project by M	r Sac	hinkumar Pa	atel				1
(+)	S. No.	State	Di	strict	Те	hsil	Vi	llage	
′	(1.)	Gujarat	Ga	andhinagar	Ga	ndhinaga	r Kı	udasan	1
	[SIA/GJ/MIS/296461/2023 SIA/GJ/40303/2022]								1
	Turq	uoise Splendour							1
)	S. No.	State		District		Tehsil	Villa	age	
	(1.)	Gujarat		Ahmedabad		Sanand	Gho	odhavi	1
	[SIA/	GJ/MIS/296414/20)23 ,	SIA/GJ/667	04/	2022]			
	L&T k	Knowledge City (R	eside	ential Project	:)				
	S. No.	State		District	Te	ehsil	Villa	age	
	(1.)	Gujarat		Vadodara	Va	aghodia	Ank	hol	
	[SIA/	GJ/MIS/296377/20)23 ,]					
	Liller	ia Oakwood							
)	S. No.	State		District	Te	ehsil	Villa	age	
	(1.)	Gujarat		Vadodara		adodara	Vad	sar	
		GJ/MIS/296553/20							
		ernization of existi	ng C	ricket Groun	d in	to a Stadiı	um		
3)	S. No.	State		District	T€	ehsil	Villa	age	
	(1.)	Gujarat		Vadodara	Vā	aghodia	Мој	e Kotambi	
	[SIA/	GJ/MIS/296595/2	023 ,	SEIAA/GUJ	I/EC	/8(a)/1823	/2021]	

		CONSIDERATION	ON OF TOR P	ROPOSALS					
.No			Proposal						
	German 7 Star								
	State of the project								
(1)	S. No.	State	District	Tehsil	Village				
	NIL								
	[SIA/GJ/INFRA2/400199/2022, SIA/GJ/INFRA2/25702/2023 OL]								
	ENVIRONMENT CLEARANCE NOC FOR INFRASTRUCTURE AND								
	CONSTRUCTION AT NID GANDHINAGAR								
	State of the project								
(2)	S. No.	State	District	Tehsil	Village				
	NIL								
	[SIA/GJ/INFRA2/411359/2022 . SIA/GJ/INFRA2/33903/2023]								



10.5 Discussion on any other item with permission of the Chair.

Important Note:

- The project proponents are requested to send the project details in respect of establishment/identification of violation (by SEIAA/MoEF&CC) in the format as per Annexure-I, Annexure-II, Annexure-III & Annexure-IV.
- (1) The project proponents should submit the Form-1, Pre-feasibility report for TOR along with other requisite documents, Environment Impact Assessment Report, public hearing report, queries subsequently raised by the Ministry, if anyincluding details of the court matters/Orders of the Court pertaining to the project if any, in original, duly signed by the company authorized signatory for Environmental Clearance, well in advance before meeting to Ministry's project section or utmost at the time of presentation, without which the proposal will not be considered.

Note:Submit a copy of each of above documents - <u>Hard and Soft</u>

<u>Copies (CD) to the Member secretary, Violation (Note: Not by Name)</u>
by speed post so as to reach well in time.

- (ii) Compliance Report from Regional Office, MoEF&CC (Applicable for projects already having EC).
- (iii) The KML/Shape files should be emailed to mentioned at para No. 7 below at least 5 days prior to the meeting.
- (iv) The above all documents are required to be forwarded to the Chairman/Members of the Expert Appraisal Committee along with soft copy.
- All the documents including the hard copy of the presentation material should be legible and printed on both sides on ordinary paper. In case the members of the Expert Appraisal Committee do not receive the proposals/documents before the meeting, the Committee will not consider the project.

- The Project Proponent or his or her authorized representative /consultant should avoid delivery of documents by hand and seeking 27:23 PM meeting with Chairman/Members. Members are also requested to discourage/ avoid the meeting with the PP/ consultants.
- 4 Further, it is requested that the project proponent or his/her authorized representative should attend the presentation meeting of EAC. They may also depute senior officers from the company (preferably not more than two representatives) who can make a presentation on their behalf on the salient features of the project, the related environmental issues, proposed Environmental Management Plan and also respond to the queries/suggestions of the Committee.
- Any changes/modification with respect to the Agenda, Venue etc., would be indicated in Ministry's website. You are also requested to keep track of the status of your project from the Ministry/s Website i.e., www.envfor.nic.in / www.envclearance.nic.in.
- 6 <u>Distribution of writing pads, pens, plastic folders and unnecessary</u> <u>stationery items during the meeting is not permitted.</u> Distribution of colour print out may be avoided unless it is stated specifically.
- No consultant is permitted into the meeting who has no accreditation with Quality Council of India (QCI)/National Accreditation Board of Education and Training (NABET) according to the MoEF OM dated 2nd December, 2009

DOWNLOAD REPORT



© Content Owned, Updated and Maintained by Ministry of Environment, Forest and Climate Change, Government of India

Terms & Conditions (TermsandConditions.aspx) | Privacy Policy (privacypolicy.aspx)| Copyright Policy (CopyrightPolicy.aspx) | Hyperlinking Policy (HyperlinkingPolicy.aspx)| Accessibility Statement (Accessibilitystatement.aspx) | Disclaimer (Disclaimer.aspx)| Contact Us (contact.aspx)

For any Technical support, Please Contact EFCCID, NIC, New Delhi, monitoring-fc(at)nic(dot)in