

**AGENDA & MINUTES**  
**FIFTY FOURTH MEETING OF THE STATE LEVEL EXPERT APPRAISAL COMMITTEE (SEAC), TAMILNADU,**  
**CHENNAI-15 HELD ON 16<sup>th</sup> APRIL 2014**

Item No.	File No	Agenda	Minutes
1		Confirmation of the minutes of 53 <sup>rd</sup> SEAC meeting held on 25.03.14 and the circulation minutes on less than 5 ha Mining Proposals (60 Nos.)	The Chairman welcomed the Members of the SEAC for the 54 <sup>th</sup> meeting. The minutes of 53 <sup>rd</sup> SEAC meeting and the less than 5 ha mining proposals (60 Nos.) were discussed and confirmed.
2	1927	To consider EC for the Proposed Construction of office complex, Regional store, Recreational block and expansion of residential flats M/s. Oil and Natural Gas Corporation Limited (ONGC) at S.No. 134pt, 135pt, 136pt, 137pt, 143pt, 144pt, 145pt, 146pt, 147pt, 156pt, 160pt, 161pt and 253 pt Padi Village, Ambattur Taluk, Thiruvallur District- 8(a) Building & Construction - Environmental Clearance – Regarding.	<p>The Committee decided to recommend the proposal for the grant of EC to SEIAA after obtaining and considering the following details.</p> <ol style="list-style-type: none"> <li>1. UV disinfection System should be installed in treatment system.</li> <li>2. Furnish the details of solid waste disposal based on BARC Technology</li> <li>3. Establishment of state of art knowledge centre, provision of basic amenities such as drinking water facility, sanitation and solar lighting etc. in the nearby Government school and improvement and maintenance of Kolathur lake shall be part CSR activity and furnished as affidavit</li> <li>4. Report on Scientific study on Soil percolation/Infiltration test for Rain Water Harvesting.</li> <li>5. Separate Layout Shows the location of percolation pits and roof rain water collection sumps</li> <li>6. Green belt layout with Green belt plant / tree species with large potential for carbon capture should be based on the recommendation of the DFO</li> <li>7. Regarding the green belt area, the following details needs to be furnished as affidavit. <ol style="list-style-type: none"> <li>a. Location of green belt area around the periphery of the project site with dimensions in a clear layout plan.</li> <li>b. List of native species to be planted in consultation with the forest department to ensure 100 % survival &amp; for carbon capture.</li> </ol> </li> </ol>

			8. Disaster/ Risk assessment and management plan 9. Terrace garden to be provided. 10. Detailed Traffic circulation Study report to be furnished 11. Scientific method of disposal of used CFL pulps
3	2300	To consider EC for the Proposed Construction of Residential Complex M/s. KGS Developers Pvt Ltd at Survey Nos. 77/5C, 77/5D, 77/5F, etc., Egattur Village, Chengalpattu Taluk, Kancheepuram District - 8(a) Building & Construction - Environmental Clearance - Regarding.	The Committee decided to recommend the proposal for the grant of EC to SEIAA after obtaining and considering the following details. <ol style="list-style-type: none"> <li>1. Furnish the details of solid waste disposal based on BARC Technology followed by Chennai Corporation/ Through NGO's</li> <li>2. Establishment of state of art knowledge centre, provision of basic amenities such as drinking water facility, sanitation and solar lighting etc. in the nearby Government school and improvement and maintenance of nearby lake shall be part CSR activity and furnished as affidavit</li> <li>3. Report on Scientific study on Soil percolation/Infiltration test for Rain Water Harvesting.</li> <li>4. Regarding the green belt area, the following details needs to be furnished as affidavit.           <ol style="list-style-type: none"> <li>a. Location of green belt area around the periphery of the project site with dimensions in a clear layout plan.</li> <li>b. List of native species to be planted in consultation with the forest department to ensure 100 % survival &amp; for carbon capture.</li> </ol> </li> <li>5. Scientific method of disposal of used CFL pulps</li> </ol>
4	2376	To consider EC for the Proposed Construction of " Oxygen" A Residential Development M/s. Urban Tree Infrastructures Pvt Ltd, at Survey Nos. 260/4A, 260/4B1, 260/4B2, etc., Perumbakkam Village, Solinganallur Taluk, Kancheepuram District - 8(a) Building & Construction -	The Committee decided to recommend the proposal for the grant of EC to SEIAA after obtaining and considering the following details. <ol style="list-style-type: none"> <li>1. Furnish the details of solid waste disposal based on BARC Technology followed by Chennai Corporation/ Through NGO's</li> <li>2. Establishment of state of art</li> </ol>

		Environmental Clearance – Regarding.	<p>knowledge centre, provision of basic amenities such as drinking water facility, sanitation and solar lighting etc. in the nearby Government school and improvement and maintenance of Perumbakam lake shall be part CSR activity and furnished as affidavit</p> <ol style="list-style-type: none"> <li>Report on Scientific study on Soil percolation/Infiltration test for Rain Water Harvesting.</li> <li>Regarding the green belt area, the following details needs to be furnished as affidavit. <ol style="list-style-type: none"> <li>Location of green belt area around the periphery of the project site with dimensions in a clear layout plan.</li> <li>List of native species to be planted in consultation with the forest department to ensure 100 % survival &amp; for carbon capture.</li> </ol> </li> <li>Scientific method of disposal of used CFL pulps</li> </ol>
5	2221	To consider EC for the Proposed Construction of Residential Apartment M/s. Barath Building Constructions (I) Pvt. Ltd. (BBCL-ASHRAYA),, at SF-No. 374/7B, 375/1A1, 375/1A2, 375/ 1B1, 402/2A1, 402/2A2, 402/2B1B, 402/2B2A, 402/2B2B, 402/2B2C, 402/2B2D, 402/2B2E at Thoraipakkam village, Sholinganallur Taluk, Kancheepuram District - 8(a) Building & Construction - Environmental Clearance – Regarding.	<p>The Committee decided to recommend the proposal for the grant of EC to SEIAA after obtaining and considering the following details.</p> <ol style="list-style-type: none"> <li>Furnish the details of solid waste treatment based on BARC Technology or disposed by one of the prominent NGO's in the field. Agreement between the identified NGO and the proponent shall be submitted.</li> <li>Extended Aeration system based Sewage treatment system should be installed.</li> <li>Establishment of state of art knowledge centre, provision of basic amenities such as drinking water facility, sanitation and solar lighting etc. in the nearby Government school and improvement and maintenance of Pallikaranai Mash forest shall be part CSR activity and furnished as affidavit</li> <li>Report on Scientific study on Soil percolation/Infiltration test for Rain</li> </ol>

			<p>Water Harvesting.</p> <p>5. Regarding the green belt area, the following details needs to be furnished as affidavit.</p> <ol style="list-style-type: none"> <li>1. Location of green belt area around the periphery of the project site with dimensions in a clear layout plan.</li> <li>2. List of native species to be planted in consultation with the forest department to ensure 100 % survival &amp; for carbon capture.</li> <li>6. Scientific method of disposal of used CFL pulps</li> </ol>
6	2025	<p>To consider EC for the Proposed construction of residential apartment by M/s. Barath Building construction (I) Pvt Ltd [BBCL], S.No 318/3A1B etc., Nolambur Village, Ambattur Taluk, Thiruvallur District, Tamil Nadu – Category “B”-8(a) Building and constructions- Environmental Clearance - Regarding</p>	<p>The Committee decided to recommend after obtaining the following details for the grant of EC to SEIAA:</p> <ol style="list-style-type: none"> <li>1. Regarding the green belt area, the following details needs to be furnished in the affidavit form in Rs. 50/- Non judicial stamp paper duly notarized by notary public. <ol style="list-style-type: none"> <li>a. Green belt area proposed in the project site is only 10 %of the total plat area. In the absence of 15-20% land availability, plantation needs to be assured in the Government land by the proponent.</li> <li>b. Location of green belt area in the periphery of the project site with dimensions in a clear layout plan.</li> <li>c. List of native species to be planted in consultation with the forest department to ensure 100 % survival &amp; for carbon capture.</li> </ol> </li> <li>2. Regarding the Sewage treatment plant, the following details needs to be furnished: <ol style="list-style-type: none"> <li>i. Revised design calculations of STP with extended aeration technology with dimensions of the individual components showing the complete scheme [Wastewater treatment system with primary treatment, recycle, reclamation and reuse] need to be furnished.</li> </ol> </li> </ol>

			<ul style="list-style-type: none"> <li>ii. The design, adequacy and efficiency of treatment technology to be verified and wetted by TNPCB.</li> <li>iii. Revised STP layout with quantity and dimensions needs to be furnished.</li> </ul> <p>3. Increase the budget allocation of funds for CSR activity:</p> <ul style="list-style-type: none"> <li>a. Establishment of state of art knowledge centre, provision of basic amenities such as drinking water facility, sanitation and solar lighting etc. in the nearby Government school and improvement shall be part CSR activity. Details work plan (Name of the selected nearby school, budget allocation for establishment and maintenance etc) and other details shall be furnished as affidavit.</li> <li>b. Maintenance of lakes/ ponds around the project site.</li> </ul> <p>4. The disposal of Municipal Solid waste should be by one of the agencies of NGO's.</p> <p>5. Report on Scientific study on Soil percolation/Infiltration test for Rain Water Harvesting.</p> <p>6. Clear readable Google image for 5 Km radius of the project site.</p> <p>7. Scientific method of disposal for CFL lamps.</p>
7	856	To consider EC for the Project of installation of 2x8MW Heavy Fuel Oil based Generators additionally to the existing DG sets 4x1250 KVA at Naranamangalam village, Kunnam taluk, Perambalur district by M/s MRF Limited.	<p>The Committee decided to recommend the proposal to SEIAA-TN, for issue of Environmental Clearance after considering the following details.</p> <ul style="list-style-type: none"> <li>1. NOC from Forest Department shall be obtained, as Scrub Forest is located within 10 kms radius from the project site.</li> <li>2. Air Quality Modelling study focusing risk aspects to the nearest residential habitation of Naranamangalam village around the project site using windrose diagram etc.</li> <li>3. Details on green belt development</li> </ul>

			specifying number of trees to be planted, informations on selection of species in consultation with DFO, location of plantation marked on a layout plan etc shall be furnished in an AFFIDAVIT Form.
8	2012	To consider TOR for the Project Proposal of Enhancement of Storage Capacity (from 1,04,719 KL to 1,81,836 KL) for HSD & MS and Conversion of Storage Products in two existing tanks from HSD to MS and SKO in the existing Irugur Installation of M/s Bharat Petroleum Corporation Limited at Ravathur village, Irugur taluk, Coimbatore district.	<p>The Committee decided to prescribe TORs (as per Annexure -1) with public consultation for the preparation of EIA Report along with the following specific details</p> <ol style="list-style-type: none"> <li>1. VoC emission study shall be conducted and a report shall be furnished.</li> <li>2. Base line study on ground water quality &amp; air quality shall be conducted and the details shall be furnished.</li> <li>3. Details on rain water harvesting facility (percolation pits) based on soil infiltration test shall be furnished.</li> <li>4. Details on green belt development specifying number of trees to be planted, informations on selection of species in consultation with DFO, location of plantation marked on a layout plan etc shall be furnished.</li> <li>5. Details on management of existing tank bottom sludge with action plan shall be furnished.</li> <li>6. On-site Emergency plan shall be furnished.</li> </ol>
9	487	To consider EC for the Project Proposal of Residential Development entitled "VGN STAFFORD" at Old S.Nos. 209/2 & 883 and T.S Nos. 4 & 35B of Thirumullaivoyal Village, Ambattur Taluk, Thiruvallur District by M/s VGN Developers Pvt Limited.	<p>The Committee decided to recommend the proposal to SEIAA-TN, for issue of Environmental Clearance after obtaining and considering the following details.</p> <ol style="list-style-type: none"> <li>1. As the project proposal includes retail shops in an extent area of 1500 sq.m, a detailed list of shops to be provided shall be furnished in an AFFIDAVIT Form.</li> <li>2. Details of solid waste management/disposal based on BARC Technology (or) with NGO tie-up for solid waste disposal.</li> <li>3. Revised Budgetary Allocation for CSR Activities shall be furnished in an AFFIDAVIT Form.</li> </ol>

			<p>4. Details on scientific disposal of failed CFC wastes.</p> <p>5. Details on rain water harvesting facility (percolation pits) based on soil infiltration test shall be furnished.</p> <p>6. Details on green belt development specifying number of trees to be planted, informations on selection of species in consultation with DFO, location of plantation marked on a layout plan etc shall be furnished in an AFFIDAVIT Form.</p>
10	942	To consider EC for the Proposed Colour granite mine over an extent of 8.10.5 ha By M/s. Tamilnadu Minerals Limited at S.F.no. 1078/5 (part), Vattamalai Village, Kangeyam Taluk, Tiruppur District, Tamilnadu- 1(a) –Mining of Minerals- Environmental Clearance - Regarding	<p>The Committee decided to recommend pertaining to the following conditions for the grant of EC to SEIAA:</p> <ol style="list-style-type: none"> <li>1. The workable depth should not intersect the ground water table at any point of the proposed mining activity.</li> <li>2. Regular free silica monitoring including the silica size should be conducted and reported.</li> <li>3. Regarding the green belt area, the following details needs to be furnished in the affidavit form in Rs. 50/- Non judicial stamp paper duly notarized by notary public. <ol style="list-style-type: none"> <li>a. Location of green belt area in the periphery of the project site with dimensions in a clear layout plan.</li> <li>b. List of native species to be planted in consultation with the forest department to ensure 100 % survival &amp; for carbon capture.</li> </ol> </li> </ol>
11	1459	To consider EC for the Proposed Colour granite mine over an extent of 22.26.0 ha By M/s. Tamilnadu Minerals Limited at S.F.no. 85 (part), Nachapuram Village, Arani Taluk, Tiruvannamalai District, Tamilnadu- 1(a) –Mining of Minerals- Environmental Clearance - Regarding	<p>The Committee decided to recommend pertaining to the following conditions for the grant of EC to SEIAA:</p> <ol style="list-style-type: none"> <li>1. The workable depth should not intersect the ground water table at any point of the proposed mining activity.</li> <li>2. Regular free silica monitoring including the silica size should be conducted and reported.</li> <li>3. Regarding the green belt area, the following details needs to be furnished in the affidavit form in Rs.</li> </ol>

			<p>50/- Non judicial stamp paper duly notarized by notary public.</p> <ol style="list-style-type: none"> <li>Location of green belt area in the periphery of the project site with dimensions in a clear layout plan.</li> <li>List of native species to be planted in consultation with the forest department to ensure 100 % survival &amp; for carbon capture.</li> </ol>
12	1034	To consider EC for the Proposed 1 × 3.7 MW Coal based captive Thermal Power Plant at S.No.9/1,2A,2B,3,17/1B &17/3A, Karanai Puducheri Village, Chengalpattu Taluk, Kancheepuram District. By M/s. Perfetti Van Melle India Pvt. Ltd – Regarding.	The committee decided to recommend for the issue of EC. The committee in its 54 <sup>th</sup> meeting held on 16.04.2014, is of the considered view that one more presentation to the committee is not required and recommended for the issue of EC to SEIAA.
13		Water requirement, Sewage and Solid Waste Disposal - Reg .	<p>The procedure adopted by Ministry of Environment and Forests, Government of India and other State Level Environment Impact Assessment Authorities were also perused. After detailed deliberations and taking into consideration the difficulties reported by proponents in getting firm commitment from the departments / agencies, the following were resolved:</p> <p><i>1.) “A commitment from the project proponents in a Rs.50/- non-judicial stamp paper about sourcing of water, disposal of treated sewage and disposal of solid waste as follows to be obtained and the proposals can be processed further”:</i></p> <ol style="list-style-type: none"> <li><u>Water supply :</u> <ol style="list-style-type: none"> <li>If the project site falls within the Corporation, Municipality, Town Panchayat, Township, etc. where protected water supply schemes are in operation or in the offing or under execution, then the project proponent should draw water only from these sources.</li> <li>Where the project site falls outside the above urban areas, or in areas where there is no</li> </ol> </li> </ol>



			<p>immediate possibility of any water supply scheme, the project proponent should be sourcing water only with the permission of the appropriate authority like Central Ground Water Authority or State Ground Water Board or the local village Panchayat.</p> <p>b. <u>Disposal of treated Sewage :</u></p> <p>(i). If the project site falls within the Corporation, Municipality, Town Panchayat, etc. Township where there is under-ground sewerage scheme already in operation or under execution or in the offing, then the project proponent should dispose the treated sewage only through the sewerage system of the local body concerned.</p> <p>(ii). If the project site falls outside the above areas, or in areas where there is no immediate possibility of any sewerage scheme, then the treated sewage should be disposed of to the water bodies or on the proponent's own land for irrigation or to the local body's usage only with the permission of these Authorities, and project proponent should produce an affidavit in a Rs.50/= non-judicial stamp paper committing as above.</p> <p>b. <u>Solid waste :</u></p> <p>(i). If the project site falls within the Corporation / Municipality / Town Panchayat / Township, etc, limits, where Solid waste disposal mechanism is already in place, the solid wastes shall be handed over to these local bodies.</p> <p>(ii). Where the project site falls</p>
--	--	--	---

			<p>outside the Corporation / Municipality / Town Panchayat / Township, etc, limits or in areas where there is village Panchayat limit, then the solid waste shall be disposed through a registered NGO or by BARC technology, or any other suitable Solid waste disposal Technology.</p> <p><i>II). Above decisions will be applicable to the project proposals which are under process in the Authority as well as to the new projects.</i></p>
14	Mining of Minor Minerals in less than 5 ha of Mining lease area		
14/1	934	To consider EC for the for the proposed Rough Stone quarry at S.F.No. S.F.No.309/B, Kothankulam, Rajapayalam, Virudhunagar District by Thiru A. Ramar	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/2	1430	To consider EC for the for the proposed Rough Stone quarry at S.F.No. 144/2(P), Mothakkal Village, Thandrapattu Taluk, Thiruvannamalai District by Thiru T. Selvaraj	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/3	1602	To consider EC for the proposed Rough Stone quarry at S.F.No. 311/2 Akkalamatty Village, Tiruchengodu Taluk, Namakkal District by Thiru T.M. Murugesan	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/4	1689	To consider EC for the proposed Rough Stone quarry at S.F.No. 158/1B, 1C, 1D Mathiyannallur Village, Illupur Taluk, Pudukottai District by Thiru S. Akbar Ali	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.

14/5	1769	To consider EC for the proposed Rough Stone and Gravel quarry at 35/1B, 35/2A2(P), 35/2B(P), Thollamur Village, Vanur Taluk, Villuppuram District by Thiru R. Alagurajan	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/6	1810	To consider EC for the proposed quarry at S.F.No. 117/3B, 117/3C Kadamanaickanpatti Village, Namakkal Taluk, Namakkal District by Tmt S.Selvi	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/7	1838	To consider EC for the proposed Rough Stone and Gravel quarry at 224/1, 2, 3A of Kokkalai Village, Tiruchengode Taluk, Namakkal District by Thiru P.A. Raja	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/8	1851	To consider EC for the proposed Rough Stone quarry at 3/3A2, 3/3B2, 3/3C2, 3/E2, 3G of Palaiyur Village, Pollachi Taluk, Coimbatore District by Thiru A. Tirumalaisamy	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/9	1882	To consider EC for the proposed Rough Stone quarry at S.F.No. 43/2, 44/10 Rayarpalayam Village, Kallakurichi Taluk, Villupuram District by Thiru A.S. Srinivasan	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/10	1890	To consider EC for the proposed Rough Stone quarry at S.F.No. 220/3D,2B,3A,3B,3C & 3D1 of Kolarpatti Village, Pollachi Taluk, Coimbatore District by Thiru R. Tamilmani	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of

			EC.
14/11	1923	To consider EC for the proposed Rough Stone quarry at S.F.No. 919/1A P.N.Patty Village, Mettur Taluk, Salem District by Thiru A. Manickam	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/12	1942	To consider EC for the proposed Rough Stone quarry at 14/6, 15/3, 4, 5, 16/5, Azhagiyapakkam Village, Tindivanam Taluk, Villuppuram District by Thiru S. Balaji	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/13	1980	To consider EC for the proposed Rough Stone quarry at S.F.No 1298/A1, 1298/A2, 1298/A8, 1298/B Punnam Village, Aravakurichi Taluk, Karur District by Thiru K.Karumanak Gounder	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/14	1983	To consider EC for the proposed Rough Stone quarry at S.F.No 200/1C, 200/2 Kokkalai Village, Tiruchencode Taluk, Namakkal District by Thiru M. Palanisamy	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/15	2014	To consider EC for the proposed Rough Stone quarry at S.F.No. 210/12B, 210/9C2, 210/12C1A, 210/8A1A, 210/20, Melur Village, Kulathur Taluk, Pudukottai District by Thiru A. Palanivel	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/16	2030	To consider EC for the proposed Grey Granite quarry at 1022(P), 1023/2(P), 1024/2(P), 1028(P) Puligunda Village, Krishnagiri Taluk, Krishnagiri District by Thiru T.R. Duraiselvam	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the

			same have to be obtained before issue of EC.
14/17	2106	To consider EC for the proposed Rough Stone quarry at S.F.No. 257/4B, Kalingiyam Village, Gopi Taluk, Erode District by Thiru S.Gopalakrishnan	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/18	2107	To consider EC for the proposed Rough Stone quarry at S.F.No. 18/1,18/3A1A, 15/1, 15/2,15/3C,15/5B, 15/6A,24/1A,24/1B, Achangulam Village, Thirumangalam Taluk, Madurai District by Tvl Suganya Blue Metals	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/19	2130	To consider EC for the proposed Rough Stone quarry at 211, Alur Village, Hosur Taluk, Krishnagiri District by M/s Sri.Chennai Mines	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/20	2144	To consider EC for the proposed Rough Stone quarry at S.F.No. 749/2, Kuppam Village, Aravakurichi Taluk, Karur District by Thiru E. Arulmani	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/21	2161	To consider EC for the proposed Red Earth quarry at S.F.No. 92/2, Muruganeri Village, Peraiyur Taluk, Madurai District by Thiru R. Balamurugan	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/22	2179	To consider EC for the proposed Rough Stone and Gravel quarry at S.F.No. 210, 192/2, M. Duraisampuram Village,	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the

		Sivakasi Taluk, Virudhunagar District by Thiru N. Dhanabalan	requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/23	2181	To consider EC for the proposed Rough Stone and Gravel quarry at S.F.No. 310, 311/2, Kangarseval Village, Sivakasi Taluk, Virudhunagar District by Thiru T. Ragavan	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/24	2182	To consider EC for the proposed Rough Stone and Gravel quarry at S.F.No. 915/3, 916/4B, 916/4C2, 916/7B, Nathikudi Village, Sivakasi Taluk, Virudhunagar District by Thiru S. Soundararajan	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/25	2232	To consider EC for the proposed Gravel quarry at 97/1 PWD Tank, Seerathakudi Village, Thirumayam Taluk, Pudukottai District by Thiru R. Saravanakumar	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/26	2258	To consider EC for the proposed Rough Stone quarry at 61/2, 3, 4, 6A, 6B, 6C, Sanankulam Village, Sattur Taluk, Virudhunagar District by Tmt S. Vathsala Devi	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/27	2259	To consider EC for the proposed Rough Stone and Gravel quarry at S.F.No. 61/2, 3, 4, 6A, 6B, 6C, Sanankulam Village, Sattur Taluk, Virudhunagar District by Thiru S. Sankaranarayanan	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/28	2263	To consider EC for the proposed Rough Stone quarry at S.F.No. 200/1A, 1C2,	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details,

		Pongupalayam Village, Tiruppur Taluk, Tiruppur District by Thiru K. Saravanasamy	if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/29	2265	To consider EC for the proposed Gravel quarry at 338/4, Ponparappi Village, Sendurai Taluk, Ariyalur District by Thiru N. Krishnamurthy	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/30	2266	To consider EC for the proposed Gravel quarry at S.F.No. 83/7(P), 83/8(P), Govindapuram Village, Ariyalur Taluk, Ariyalur District by M/s Alagumani Earth Movers	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/31	2297	To consider EC for the proposed Earth quarry at S.F.No. 1(P) PWD Tank, Redhills Village, Madavaram Taluk, Tiruvallur District by Thiru H. Sathishkumar	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/32	2299	To consider EC for the proposed Rough Stone and Gravel quarry at S.F.No. 877/5D & 877/5E, Nathikudi Village, Sivakasi Taluk, Virudhunagar District by Thiru M.Raja Muniyasamy	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/33	2322	To consider EC for the proposed Rough Stone and Gravel quarry at S.F.No. 1530, Ondipulinayakanur Village, Virudhunagar Taluk, Virudhunagar District by Tmt. P. Seeniammal	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/34	2323	To consider EC for the proposed Brick Earth quarry at S.F.No.	Recommended for the Issue of EC with usual conditions and subject to the

		916/1, Kottaiyoor Village, Srivilliputhur Taluk, Virudhunagar District by Thiru M. Badhusha	condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/35	2325	To consider EC for the proposed Savudu quarry at S.F.No. 167/1B, A.Punavasal Village, Kadaladi Taluk, Ramanathapuram District by Thiru K. Sathiyamoorthy	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/36	2327	To consider EC for the proposed Rough Stone quarry at S.F.No. 6/8, Kilarungunam Village, Tindivanam Taluk, Villupuram District by Thiru V. Gnanaguru	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/37	2334	To consider EC for the proposed Earth quarry at 72(P) PWD Tank, Sorancheri B Village, Poonamalle Taluk, Tiruvallur District by Thiru C.Sundarrajan	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/38	2337	To consider EC for the proposed Gravel quarry at S.F.No. 207/1(P), Vadaseri Village, Kulithalai Taluk, Karur District by Thiru K. Sritharan	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/39	2338	To consider EC for the proposed Gravel quarry at S.F.No. 139(P), Pachal Village, Tirupathur Taluk, Vellore District by Mr. R. Subraman, M/s. Thavam Constructions	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/40	2363	To consider EC for the proposed	Recommended for the Issue of EC with



		Charal Earth Soil quarry at S.F.No. 160, 162 (Thuppaspatti Poromboke Panchayath Union Tank ), Keezha Arasadi Village, Ottapidaram Taluk, Thoothukudi District by Thiru S. Sannasi	usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/41	2364	To consider EC for the proposed Charal Earth Soil quarry at S.F.No. 581/2 Kayamozhikulam Poromboke PWD Tank, Kayamazhi Village, Tiruchendur Taluk, Thoothukudi District by Thiru R. Nagamani	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/42	2366	To consider EC for the proposed Savudu Earth quarry at S.F.No. 87 Poromboke Panchayath Union Tank, Thodukadu Village, Tiruvallur Taluk, Tiruvallur District by Thiru P. Krishnamurthy	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/43	2383	To consider EC for the proposed Savudu quarry at 234 Poromboke PWD Tank, Pothur Village, Ambattur Taluk, Tiruvallur District by Thiru S. Nagarathinam	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/44	2385	To consider EC for the proposed Rough Stone and Earth quarry at 164/5B, 165/7A, 165/7B, 7C, 7D, 165/8, 9, 5, 6, Perumbakkam Village, Cheyyur Taluk, Kancheepuram District by Thiru K. Srinivasan	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/45	2390	To consider EC for the proposed Savudu quarry at S.F.No. 134/2A, 136/2B, 137/2A, Thirukottaram Village, Nannilam Taluk, Thiruvarur District by Thiru N. Renganathan	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.

14/46	2404	To consider EC for the proposed Savudu Earth quarry at S.F.No. 333/1B, Chittarkottai Village, Ramanathapuram Taluk, Ramanathapuram District by Thiru S. Shankar	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/47	2405	To consider EC for the proposed Savudu Earth quarry at S.F.No. 340/2, 5, Chittarkottai Village, Ramanathapuram Taluk, Ramanathapuram District by Tmt S. Priya	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/48	2418	To consider EC for the proposed Gravel quarry at S.F.No. 177(P), Kattampatti Village, Annur Taluk, Coimbatore District by Thiru A.R.Karuppaiah	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/49	2423	To consider EC for the proposed Savudu quarry at S.F.No. 112/2A, 112/3, 112/4A, 112/4B, 112/5, 112/6, 112/7, 112/8, 112/9, 112/10, 112/11, 112/12 & 112/13, Annadhanapuram Village, Nannilam Taluk, Tiruvarur District by Thiru E.Subbarayan	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/50	2432	To consider EC for the proposed Rough Stone and Gravel quarry at S.F.No. 175/1, 2, 3, 4, 176/1, 2, 177/1, 3, 178/1 Sengundrapuram Village, Virudhunagar Taluk, Virudhunagar District by Thiru K. Kannan	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/51	2438	To consider EC for the proposed Rough Stone and Gravel quarry at S.F.No. 495/2A, Puravipalayam Village, Pollachi Taluk, Coimbatore District by Tvl. Yencee's Blue Metal Pvt. Ltd	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of

			EC.
14/52	2440	To consider EC for the proposed Multicolor Granite quarry at S.F.No. 325/5, 326/2A, 2B, 2C, 326/3, 4, 327/3, 4 Balapathiraramapuram Village, Veerakeralamputhur Taluk, Tirunelveli District by M/s Jagajyoti Tie up Pvt.Ltd	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/53	2460	To consider EC for the proposed Brick Earth quarry at S.F.No. 213/3A, 3B, Manjur Village, Paramakudi Taluk, Ramanathapuram District by Thiru M.A. Abdul Munaf	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/54	2500	To consider EC for the proposed Multicolor Granite quarry at S.F.No. 292/5, 6, 7, 8, Paganatham Village, Karur Taluk, Karur District by M/s Booma Stone Metals	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/55	2359	To consider EC for the proposed Brick Earth quarry at S.F.No. 531/1A, Kadayam Perumpathu Village, Ambasamuthram Taluk, Tirunelveli District by Thiru R. Balamurugan	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/56	1443	To consider EC for the proposed Rough Stone quarry at S.F. No. 127/2,3,4 Themmavur Village, Kulathur Taluk, Pudukottai District by Tmt A.Mahalakshmi	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/57	1906	To consider EC for the proposed Rough Stone quarry at S.F.No. 50/9C, 50/12A(P) Edayapatty Village, Omalur Taluk, Salem District by Thiru A. Selvakumar	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the

			same have to be obtained before issue of EC.
14/58	2174	To consider EC for the proposed Rough Stone and Gravel quarry at S.F.No. 648(P), Myvadi Village, Madathukulam Taluk, Tiruppur District by Thiru K. Eswarasamy	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/59	1889	To consider EC for the proposed Rough Stone quarry at S.F.No. 456/3C2 Karamadai Village, Mettupalayam Taluk, Coimbatore District by Thiru K. Varadharajan	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/60	2110	To consider EC for the proposed Rough Stone and Gravel quarry at S.F.No. 228/1A, Kadayapatty Village, Omalur Taluk, Salem District by Thiru S.G.Thangavel	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/61	1460	To consider EC for the proposed Colour Granite quarry at S.F.No. 294 (P) Rayandapuram Village, Thandarampattu Taluk, Tiruvannamalai District by M/S Tamil Nadu Minerals Limited	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC. The following special condition is also stipulated: 1. A barricade is to be erected on the northern side between the PWD Cannal and the quarry site to prevent water entering into the quarry site if flood occurs.
14/62	2450	To consider EC for the proposed Savudu quarry at S.F.No. 283(P), Kizhkondaiyar Village, Ambattur Taluk, Tiruvallur District by Thiru J. Welfred	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of

			EC.
14/63	2316	To consider EC for the proposed Earth quarry at S.F.No. 364/2A, 365/2C, 366/2A, Palamathi Village, Vellore Taluk, Vellore District by Thiru V. Gopal	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/64	2320	To consider EC for the proposed Rough Stone quarry at S.F.No. 1199/1(P), 2(P), 3(P), 4(P), 5(P), 6(P), 7(P), 8(P), 9(P), 1200/1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12(P), 1201(P), Punnam Village, Aravakurichi Taluk, Karur District by Thiru V.G. Subramaniam	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/65	2249	To consider EC for the proposed Earth quarry at S.F.No. 224/3, Kudakottai Village, Ramanathapuram Taluk, Ramanathapuram District by Thiru K. Valamoorthy	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/66	2180	To consider EC for the proposed Rough Stone quarry at S.F.No. 1140/1B2, 1141/1A1, 1141/1A2, 1142/2, Ethirkottai Village, Sivakasi Taluk, Virudhunagar District by Thiru R. Ramar	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/67	2403	To consider EC for the proposed Gravel quarry at S.F.No. 878(P) Union Tank, Melapuliyangudi Village, Sivagiri Taluk, Tirunelveli District by Thiru K. Thiruvazhi	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/68	2340	To consider EC for the proposed Brick Earth quarry at S.F.No. 460/1, 461/1, 462/1, 465/3B, Anuppampattu Village, Ponneri Taluk, Tiruvallur District	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the

		by Thiru P. Mani	guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/69	2470	To consider EC for the proposed Rough Stone quarry at S.F.No. 54/1B1, Sundakottai Village, Aruppukottai Taluk, Virudhunagar District by Thiru V.Tahveethuraja	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/70	1501	To consider EC for the proposed Colour Granite quarry at S.F.No. 67/1, Mattaparai Village, Gingee Taluk, Villupuram District by M/S Tamil Nadu Minerals Limited	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.
14/71	2354	To consider EC for the proposed Brick Earth quarry at S.F.No. 2/4 of Keelapattam Village, Palayamkottai Taluk, Tirunelveli District by Thiru S. Dhanraj	Recommended for the Issue of EC with usual conditions and subject to the condition that wherever additional details, if any, are required to fulfill the requirements stipulated under the guidelines in the EIA Notification 2006, the same have to be obtained before issue of EC.