

**AGENDA & MINUTES**  
**FORTY NINTH MEETING OF THE STATE LEVEL EXPERT APPRAISAL COMMITTEE (SEAC),**  
**TAMILNADU, CHENNAI-15 HELD ON 9<sup>th</sup> JANUARY 2014**

Item No.	File No	Agenda	Minutes
1		Confirmation of the minutes of 48th SEAC meeting held on 02.01.14 and the circulation minutes on less than 5 ha Mining Proposals (16 Nos.)	The Chairman welcomed the Members of the SEAC for the Forty Ninth meeting. The minutes of 48 <sup>th</sup> SEAC meeting and the less than 5 ha mining proposals (16 Nos.) were discussed and confirmed.
2	778, 795, 942	Granite Quarry – M/s. TAMIN, Chennai in less than 25 ha. mine lease area.	As per guidelines issued in O.M No. J-13012/12/2013-IA/II (I) dated 24.12.2013 of the Ministry of Environment and Forests, Government of India, the Committee decided to withdraw the ToR already prescribed and to waive the Public Consultation.
3	C.No. 2270	Pongupalayam Village Rough Stone Association, Tiruppur – Quarrying in less than 25 ha., mine lease area.	As per guidelines issued in O.M No. J-13012/12/2013-IA/II (I) dated 24.12.2013 of the Ministry of Environment and Forests, Government of India, the Committee decided to withdraw the ToR already prescribed and to waive the Public Consultation.
4/1	1430	Thiru T. Selvaraj 144/2(P), Mothakkal Village, Thandrapattu Taluk, Thiruvannamalai District. Quantity: 19980 cu.m of Rough Stone & 2296 cu.m of Gravel for 5 Years	Recommended for E.C with usual conditions.
4/2	1650	Tmt L.Savithri, 45/4, 48/18, Eraiyur Village, Vanur Taluk, Viluppuram District. Quantity: 34640 cu.m of Rough Stone & 5983 cu.m of Top Soil & 10640 cu.m of Gravel for 5 years	Recommended for E.C with usual conditions.
4/3	1858	Thiru P.Gopi 26/4, Nalmukkal Village, Tindivanam Taluk, Viluppuram District.	Recommended for E.C with usual conditions.

		Quantity: 35045 cu.m of Rough Stone & 1797 cu.m of Top Soil & 11472 cu.m of Gravel for 5 years	
4/4	1898	Thiru M. Muruganatham 172/9A, 172/9B, Kovil Esanai Village, Ariyalur Taluk, Ariyalur District. Quantity: 5290 cu.m of Gravel for 1 Year	Recommended for E.C with usual conditions.
4/5	1971	Thiru B.Senthilmurugan 518/3A,518/3B,518/3C,518/3D, 518/3E,518/4A,518/4B,518/4C, 518/5 & 518/6, Udaiyarpalayam (East) Village, Udaiyarpalayam Taluk, Ariyalur District. Quantity: 19328 cu.m of Gravel for 3 Years	Recommended for E.C with usual conditions.
4/6	2029	M/s Tamaraparani Enterprises & Realty Pvt Ltd 102/1B, 103/2, 104/2, 227, 228, 229, 232, Srimulakarai Village, Srivaikundam Taluk, Thoothukudi District. Quantity: 373600 cu.m of Rough Stone & 50884 cu.m of Saral for 5 Years	Recommended for E.C with usual conditions.
4/7	2033	Thiru P. Suresh Babu 4/1(P), Pudhukulam III Bit Village, Madurai South Taluk, Madurai District. Quantity: 20000 cu.m of Gravel for 11 Months	Recommended for E.C with usual conditions.
4/8	2034	Thiru S. Rajapoorna chandran 62(P), Thuvariman Village, Madurai South Taluk, Madurai District. Quantity: 14400 cu.m of Gravel for 11 Months	Recommended for E.C with usual conditions.
4/9	2035	Thiru P. Saravanakumar 54/1(P), Thiruparankundram Village, Madurai South Taluk,	Recommended for E.C with usual conditions.

		Madurai District. Quantity: 20000 cu.m of Gravel for 11 Months	
4/10	2048	Thiru R.Vikramathithan 8/1A, 8/2, 9/2, 9/3, 9/7A, 9/7B, 9/7C, 9/8A, 9/8B, 9/8C,9/9,9/10A, 9/10B, Villanthai (North) Village, Udaiyarpalayam Taluk, Ariyalur District. Quantity: 39654 cu.m of Gravel for 3 Years	Recommended for E.C with usual conditions.
4/11	2058	Thiru S. Sakthivel 723/1(P), Salangapalayam Village, Bhavani Taluk, Erode District. Quantity: 39220 cu.m of Gravel for 2 Years	Recommended for E.C with usual conditions.
4/12	2063	Thiru G. Dhanapalan 51/2H(P), Piranmalai Village, Thirupathur Taluk, Sivagangai District. Quantity: 34432 cu.m of Gravel for 1 Year	Recommended for E.C with usual conditions.
4/13	1783	Thiru K. Balasubramaniyan 5/6A, 6B, 6C, 6D, 5/4, Adhanur Village, Vadipatti Taluk, Madurai District.	Recommended for E.C with usual conditions.
4/14	1784	Thiru P.Mohansamy 15/1, 2, 18 & 20/2A2, Adhanur Village, Vadipatti Taluk, Madurai District. Quantity: 42138 cu.m of Gravel for 2 Years	Recommended for E.C with usual conditions.
4/15	1967	Thiru S.A. Md. Azmathulla 59/1A, Ikonthamkothapalli Village, Krishnagiri Taluk, Krishnagiri District.	Recommended for E.C with usual conditions.
4/16	2108	Thiru E.Dhanapal 74/2,74/3A1A,74/3A1B,74/3A2 ,74/3B,75/2A1,75/1A,75/2A2,7 5/2B,75/3B & 75/3D, Veeriyapalayam Village,	Recommended for E.C with usual conditions.

		Krishnarayapuram Taluk, Karur District.	
4/17	2120	M/s GTP Granites Limited 1015/1A, 1B, 1C, 2A, 2B, 2C 3A, 3B, Burgur Village, Anthiyur Taluk, Erode District.	Recommended for E.C with usual conditions.
4/18	2053	Thiru L.Srinivasan 128/7(P), Thenkuthu Village, Kurinjipadi Taluk, Cuddalore District. Quantity: 10960 cu.m of Gravel for 1 Year	Recommended for E.C with usual conditions.
4/19	2092	M/s GVR IPL - PREMCO - MRT (JV) Ltd 236(P), M.M.Kovilur Village, Dindigul Taluk, Dindigul District Quantity: 49000 cu.m of Gravel for 11 Months	Recommended for E.C with usual conditions.
4/20	1756	Thiru BV.B. Mayandi 1579/2, Thimmarasanayakkanur- Bit II Village, Andipatti Taluk, Theni District Quantity: 28806 cu.m of Rough Stone for 5 Years	Recommended for E.C with usual conditions.
4/21	1807	Thiru R. Seenuvasan 65/4, 5, 7, 65/8A, 66/4, Elacheri Village, Cheyyar Taluk, Tiruvannamalai District. Quantity: 112605 cu.m of Rough Stone & 37550 cu.m of Gravel for 5 Years	Recommended for E.C with usual conditions.
4/22	2001	Thiru G.Natarajan 411/2, 412/4, 5,6 , 7, Kathakanni Village, Kangayam Taluk, Tiruppur District. Quantity: 44140 cu.m of Rough Stone & 11205 cu.m of Gravel for 5 Years	Recommended for E.C with usual conditions.
4/23	2090	Thiru P. Dharmalingam 35/1, 57/4, Adimalaipatti Village, Salem Taluk, Salem District.	Recommended for E.C with usual conditions.

		Quantity: 45870 cu.m of Gravel for 3 Years	
4/24	1905	Thiru R.S. Elamvazuthi 919/1B, 2, 6, P.N.Patty Village, Mettur Taluk, Salem District. Quantity: 24875 cu.m of Rough Stone & 2961 cu.m of Top Soil for 5 Years	Recommended for E.C with usual conditions.
4/25	1880	Thiru R. Balakrishnan 307/2A(P), 308/6(P), Akkalampatti Village, Tiruchencode Taluk, Namakkal District. Quantity: 138660 cu.m of Rough Stone & 24143 cu.m of Gravel for 5 Years	Recommended for E.C with usual conditions.
4/26	1988	Thiru T. Subramani 172/13, 14, Thuyam Ponndurai A Village, Erode Taluk, Erode District. Quantity: 44997 cu.m of Rough Stone & 2628 cu.m of Gravel for 5 Years	Recommended for E.C with usual conditions.
4/27	1829	Thiru A. Gunasekaran 149/1I, Munjanur Village, Tiruchencode Taluk, Namakkal District Quantity: 12570 cu.m of Rough Stone & 600 cu.m of Gravel for 5 Years	Recommended for E.C with usual conditions.
4/28	1910	Thiru S.Palanisamy 251, Kadachanallur Village, Tiruchencode Taluk, Namakkal District Quantity: 6000 cu.m of Gravel for 6 Months	Recommended for E.C with usual conditions.
4/29	2020	Thiru K. Gunasegaran 1/2A1, Thottipalayam Village, Tiruchencode Taluk, Namakkal District Quantity: 14580 cu.m of Rough Stone & 10260 cu.m of Top Soil	Recommended for E.C with usual conditions.

		for 5 Years	
4/30	2079	Thiru R. Ravikumar 126/8, 126/9, Thenkuthu Village, Kurinjipadi Taluk, Cuddalore District Quantity: 39936 cu.m of Gravel for 2 Years	Recommended for E.C with usual conditions.
4/31	2091	Thiru R. Ramasubbu 179/1, 179/4, Vayali Village, Sankarankoil Taluk, Tirunelveli District Quantity: 3318 cu.m of Kankar & 1325 cu.m of Top Soil for 3 Years	Recommended for E.C with usual conditions.
4/32	2105	Thiru V.Velu 202A/1(P), 202A/2, 202A/3 & 202A/4(P), Reddyvalam Village, Arakkonam Taluk, Vellore District Quantity: 5880 cu.m of Brick Earth for 1 Year	Recommended for E.C with usual conditions.
4/33	1662	Thiru T. Poosadhurai, 781/10, Chokkampatti Village, Thenkasi Taluk, Tirunelveli District Quantity: 15354 cu.m of Earth for 3 Years	Recommended for E.C with usual conditions.
4/34	1866	Thiru B. Vasanth 54/1A, Vittamanaickanpatti Village, Namakkal Taluk, Namakkal District. Quantity: 40270 cu.m of Rough Stone & 5642 cu.m of Gravel for 5 Years	Recommended for E.C with usual conditions.
4/35	1881	Thiru K. Kirubanathan 96/2A(P), Mallasamuthiram Kelmugam Village, Tiruchencode Taluk, Namakkal District Quantity: 144780 cu.m of Rough Stone & 3960 cu.m of Gravel for 5 Years	Recommended for E.C with usual conditions.
4/36	1832	Thiru P. Ramalingam	Recommended for E.C with usual

		285/3, Muthalankurichi Village, Sri Vaikuntham Taluk, Thoothukudi District. Quantity: 1278 cu.m of Brick Earth for 1 Year	conditions. To issue EC after obtaining details.
4/37	1831	Thiru C.Radhakrishnan 803 & 805/1, Vadavallanadu Village, Sri Vaikuntham Taluk, Thoothukudi District Quantity: 13314 cu.m of Brick Earth for 1 Year	Recommended for E.C with usual conditions. To issue EC after obtaining details.
4/38	1833	Thiru N. Jegatheesan 169/1, Vallanadu Kaspaa Village, Sri Vaikuntham Taluk, Thoothukudi District	Recommended for E.C with usual conditions. To issue EC after obtaining details.
4/39	1834	Thiru N. Jegatheesan 2, Thozhappan Pannai Village, Sri Vaikuntham Taluk, Thoothukudi District Quantity: 6039 cu.m of Brick Earth for 1 Year	Recommended for E.C with usual conditions. To issue EC after obtaining details.
4/40	1835	Thiru N. Jegatheesan 305/6, 7 & 268/1B, Muthalankurichi Village, Sri Vaikuntham Taluk, Thoothukudi District Quantity: 8051 cu.m of Brick Earth for 1 Year	Recommended for E.C with usual conditions. To issue EC after obtaining details.
4/41	1836	Thiru N. Jegatheesan 269/1, Nanalkadu Village, Sri Vaikuntham Taluk, Thoothukudi District Quantity: 1254 cu.m of Brick Earth for 1 Year	Recommended for E.C with usual conditions. To issue EC after obtaining details.
4/42	1844	Thiru C. Manohar 379/3, Kaliyavur Village, Sri Vaikuntham Taluk, Thoothukudi District Quantity: 7650 cu.m of Brick Earth for 1 Year	Recommended for E.C with usual conditions. To issue EC after obtaining details.
4/43	1845	Thiru C. Manohar 271/1, Nanalkadu Village, Sri Vaikuntham Taluk,	Recommended for E.C with usual conditions. To issue EC after obtaining details.

		Thoothukudi District Quantity: 441 cu.m of Brick Earth for 1 Year	
4/44	1846	Thiru C. Manohar 2, Tholapanpannai Village, Sri Vaikuntham Taluk, Thoothukudi District Quantity: 6039 cu.m of Brick Earth for 1 Year	Recommended for E.C with usual conditions. To issue EC after obtaining details.
4/45	1847	Thiru N. Senthil 315/2B, 319/2A, Muthalankurichi Village, Sri Vaikuntham Taluk, Thoothukudi District Quantity: 246 cu.m of Brick Earth for 1 Year	Recommended for E.C with usual conditions. To issue EC after obtaining details.
4/46	1848	Thiru N. Senthil 238/3, 240/1, 242/3C, Murappanadu pudhu Gramam Village, Sri Vaikuntham Taluk, Thoothukudi District Quantity: 2058 cu.m of Brick Earth for 1 Year	Recommended for E.C with usual conditions. To issue EC after obtaining details.
4/47	1849	Thiru N. Senthil 473/1A,Varadharajapuram Village, Sri Vaikuntham Taluk, Thoothukudi District Quantity: 2925 cu.m of Brick Earth for 1 Year	Recommended for E.C with usual conditions. To issue EC after obtaining details.
4/48	1532	Thiru M. Arumugam 541/5, Zamin Endathur Village, Maduranthakam Taluk, Kancheepuram District Quantity: 255770 cu.m of Rough Stone & 124120 cu.m of Gravel for 5 Years	Recommended for E.C with usual conditions.
4/49	1582	Thiru K. Selvakumar 829(P), Kadayam Perumbatthu Part I Village, Ammabasamudhram Taluk, Tirunelveli District Quantity: 127148 cu.m of Rough Stone & 16688 cu.m of	Recommended for E.C with usual conditions.



		Earth Soil for 5 Years	
4/50	1682	Thiru M. Subramaniyan 161/2A2, Kasthuri Rengapuram Village, Radhapuram Taluk, Tirunelveli District Quantity: 13778 cu.m of Rough Stone for 5 Years	Recommended for E.C with usual conditions.
4/51	1787	Thiru S. Surendran 489, 491/1B, 4A, 4C, 4E, 4F, 5A, 5B, 5C, 5D, Pakkam Village, Maduranthagam Taluk, Kancheepuram District Quantity: 65346 cu.m of Rough Stone & 14972 cu.m of Gravel for 5 Years	Recommended for E.C with usual conditions.
4/52	1998	Thiru R. Kandasamy 1168/3, 4, Kezhanmarainadu Village, Sivakasi Taluk, Virudhunagar District. Quantity: 27170 cu.m of Gravel for 3 Years	Recommended for E.C with usual conditions.
4/53	1974	Thiru T.Murugesan 37/3B,Thammanaickenpatti Village, Virudhunagar Taluk, Virudhunagar District. Quantity: 41904 cu.m of Rough Stone & 6804 cu.m of Gravel for 5 Years	Recommended for E.C with usual conditions.
4/54	1975	Thiru S.Vellaisamy 910/3B,6,7,8, Kangarakottai Village, Sattur Taluk, Virudhunagar District. Quantity: 73380 cu.m Rough Stone & 13500 cu.m of Top Soil for 5 Years	Recommended for E.C with usual conditions.
4/55	1999	Thiru V. Alphones 1228/2A, Chettikurichi Village, Aruppukottai Taluk, Virudhunagar District. Quantity: 253150 cu.m of Rough Stone for 5 Years	Recommended for E.C with usual conditions.
4/56	2031	Tmt K. Seeniammal 899/1B2, 901/1A2A, 901/2A,	Recommended for E.C with usual conditions.

		Nathikudi Village, Sivakasi Taluk, Virudhunagar District. Quantity: 123728 cu.m of Rough Stone & 46398 cu.m of Gravel for 5 Years	
4/57	2055	Thiru V.Ravichandran 90/1, 2, Poppinaickenpatti Village, Usilampatti Taluk, Madurai District. Quantity: 9000 cu.m of Gravel for 11 Months	Recommended for E.C with usual conditions.
4/58	2067	Thiru P. Adhiveeran 169/3A, 76/1, 176/3, Keeranur Village, Melur Taluk, Madurai District Quantity: 6120 cu.m of Gravel Earth for 11 Months	Recommended for E.C with usual conditions.
4/59	2081	Thiru K. Balamurugan 74 Poromboke Panchayath Union Tank, Kosevenkundu Village, Madurai South Taluk, Madurai District Quantity: 30000 cu.m of Gravel for 11 Months	Recommended for E.C with usual conditions.
4/60	1422	Thiru M. Shanmugam 428/1A, 60/1B & 61, Chikkaramapalayam Village, Mettupalayam Taluk, Coimbatore District Quantity: 56006 cu.m of Rough Stone & 13008 cu.m of Top Soil for 4 Years	Recommended for E.C with usual conditions.
4/61	1743	Thiru R.K. Selvakumar 33/2(P), 34/2A(P), Jadayampalayam Village, Mettupalayam Taluk, Coimbatore District Quantity: 16074 cu.m of Rough Stone & 2850 cu.m of Top Soil for 4 Years	Recommended for E.C with usual conditions.
4/62	1720	Thiru R. Mylvanan 34(P), Palathurai Village, Coimbatore South Taluk,	Recommended for E.C with usual conditions.

		Coimbatore District Quantity: 34738 cu.m of Rough Stone & 7337 cu.m of Top Soil for 4 Years	
4/63	2000	Thiru N.S.M. Thirugnanam 73/1, 2,3, 75/6B, 77/1, 3, Natchankulam Village, Devakottai Taluk, Sivagangai District Quantity: 28360 cu.m of Gravel for 1 Year	Recommended for E.C with usual conditions.
4/64	2018	Thiru S. Boominathan 57/11A, Kamuthi Village, Kamuthi Taluk, Ramanathapuram District Quantity: 4800 cu.m of Gravel for 1 Year	Recommended for E.C with usual conditions.
4/65	2087	Thiru P. Nagarajan 540/1C, 1E, 2A, Pullamadai Village, Thiruvadanai Taluk, Ramanathapuram District Quantity: 13034 cu.m of Earth for 1 Year	Recommended for E.C with usual conditions.
4/66	2088	Thiru R. Muthukumar 144/2B, Sirakikottai Village, Paramakudi Taluk, Ramanathapuram District Quantity: 4788 cu.m of Savudu for 1 Year	Recommended for E.C with usual conditions.
4/67	2089	Thiru K. Murugesan 211/3A, Manjur Village, Paramakudi Taluk, Ramanathapuram District Quantity: 13345 cu.m of Earth for 1 Year	Recommended for E.C with usual conditions.
4/68	1446	Thiru V. Sasi Kumar 36, Killukulavaipatti Village, Kulathur Taluk, Pudukottai District. Quantity: 4777 cu.m of Rough Stone & 1784 cu.m of Top Soil for 5 Years	Recommended for E.C with usual conditions. To obtain all details before issue of EC
4/69	1584	Tmt R. Manimegalai	Recommended for E.C with usual

		29/3,4,5A, Thudayur Village, Kulathur Taluk, Pudukottai District. Quantity: 28899 cu.m of Rough Stone & 8776 cu.m of Top Soil for 5 Years	conditions. To obtain all details before issue of EC
4/70	1689	Thiru S. Akbar Ali 158/1B, 1C, 1D, Mathiyanallur Village, Illupur Taluk, Pudukottai District. Quantity: 28440 cu.m of Rough Stone & 47520 cu.m of Top Soil for 5 Years	Recommended for E.C with usual conditions. To obtain all details before issue of EC
4/71	1981	Thiru G. Selvaganapathi 358/1(part), Adhanur Village, Thirumayam Taluk, Pudukottai District. Quantity: 19138 cu.m of Gravel for 3 Years	Recommended for E.C with usual conditions. To obtain all details before issue of EC
4/72	1296	Thiru. C. Rangaraj S.F No: 217/21,22,24, Sathiyamangalam Village, Kulathur Taluk, Pudukottai District. Quantity: 42723 cu.m of Rough Stone & 9900 cu.m of Top Soil for 5 Years	Recommended for E.C with usual conditions. To obtain all details before issue of EC
4/73	1896	Thiru G. Krishnakumar 32/2A, 33/1A, 33/3A, Vadavalli Village, Annur Taluk, Coimbatore District. Quantity: 15435 cu.m of Rough Stone & 3448 cu.m of Top Soil for 5 Years	Recommended for E.C with usual conditions. To obtain all details before issue of EC
4/74	1989	Thiru K. Muniyasamy 168/16, 17A, 17B, 18, Mathiyanallur Village, Illuppur Taluk, Pudukottai District. Quantity: 35720 cu.m of Rough Stone & 16416 cu.m of Top Soil for 5 Years	Recommended for E.C with usual conditions. To obtain all details before issue of EC
4/75	1990	Tmt P.Kavitha 482/1, Thevur Village, Sankari	Recommended for E.C with usual conditions.

		Taluk, Salem District. Quantity: 24029 cu.m of Rough Stone & 4552 cu.m of Top Soil for 5 Years	To obtain all details before issue of EC
4/76	1352	M/s. Transtroy Dindigul - Theni - Kumili Tollways (P) Ltd. 338/1(P), D.Vadipatti Village, Periyakulam Taluk, Theni District Quantity: 146512 cu.m of Rough Stone & 27040 cu.m of Top Soil for 2 Years	Recommended for E.C with usual conditions.
4/77	1153	Thiru M. Ramasamy, 139/2, 139/3 & 139/4, Kurumbapalayam Village, Sathyamangal Taluk, Erode District. Quantity: 71250 cu.m of Rough Stone & 5184 cu.m of Top Soil for 5 Years	Recommended for E.C with usual conditions.To obtain all details before issue of EC
4/78	1930	Thiru P.Sivaraj 118/12, 13, 14, Kurungulam Village, Srivaikundam Taluk, Thoothukudi District. Quantity: 60 cu.m of Brick Earth for 1 Year	Recommended for E.C with usual conditions.
4/79	2024	Thiru G. Krishnamurthy 213/6A Part, Naduveerapattu Village, Cuddalore Taluk, Cuddalore District. Quantity: 57072 cu.m of Gravel & 1164 cu.m of Pebbles for 2 Years	Recommended for E.C with usual conditions.
4/80	1916	Tmt Suryakani Ammal 1169/1C(P), Thippanampatti Village, Thenkasi Taluk, Tirunelveli District Quantity: 1534 cu.m of Earth Soil for 11 Months	Recommended for E.C with usual conditions.
4/81	1917	Thiru A. Marimuthu 478/5, Kadayamperumpathu Part II Village, Ambasamudram Taluk, Tirunelveli District	Recommended for E.C with usual conditions.

		Quantity: 8804 cu.m of Earth Soil for 3 Years	
4/82	1542	M/S V.V. Minerals, 299,300 & 301, Keelavallanadu Village, Srivaikundam Taluk, Thoothukudi District. Quantity: 509720 cu.m of Rough Stone & 187620 cu.m of Top Soil & Overburden for 5 Years	Recommended for E.C with usual conditions.
4/83	1679	Thiru T. Murugesan, 1345/1, 1405/7A, 7B, 7C, 7E, 8A, 8C, 8E, Naranapuram II Village, Sivagiri Taluk, Tirunelveli District. Quantity: 24125 cu.m of Brick Earth for 3 Years	Recommended for E.C with usual conditions.
4/84	1839	Thiru S. Ramesh 12/1B, 3A(P) & 5A(P), Thappalampuliyur-2 Village, Thiruvarur Taluk, Thiruvarur District. Quantity: 6440 cu.m of Savudu & 6771 cu.m of Top Soil for 2 Years	Recommended for E.C with usual conditions.
4/85	1107	M/s. Tamil Nadu Minerals Ltd. S.F No.412 (P), Sinjalanatham Village, Pennagaram Taluk, Dharmapuri District. Quantity: 534.945 cu.m of Granite & 20672.635 cu.m of Top Soil & Over Burden for 5 Years	Deferred for next meeting
4/86	1023	EE, PWD/WRO Cauvery Basin Division S.F.No1/A Karuppurpadugai Village, Papanasam Taluk, Thanjavur District.	Recommended for the issue of EC with usual conditions. After obtaining additional details EC may be issued.
4/87	1024	EE, PWD/WRO Cauvery Basin Division S.F.No1/A Vilangudi Village, Thiruvaiyaru Taluk, Thanjavur District.	Recommended for the issue of EC with usual conditions. After obtaining additional details EC may be issued.

4/88	1698	EE, PWD/WRO Gundar Basin Division S.F.No 96,97 & 130/2 of T.Punavasal & 42 Of Keelaparuthiyur Village, Kamuthi & Paramkudi Taluk, Ramanathapuram District.	Recommended for the issue of EC with usual conditions. After obtaining additional details EC may be issued.
4/89	2127	EE, PWD/WRO Lower Pennaiyar Basin Division S.F.No 428(P) Thirupachanur Village, Villuppuram Taluk, Viluppuram District	Recommended for the issue of EC with usual conditions. After obtaining additional details EC may be issued.
4/90	2158	EE, PWD/WRO Gundar Basin Division S.F.No 397/2(P) & 152(P) Karadi & Mudiyanur Village, Tirukoilur Taluk, Viluppuram District.	Recommended for the issue of EC with usual conditions. After obtaining additional details EC may be issued.