

State Level Environment Impact Assessment Authority, Uttar Pradesh

Directorate of Environment, U.P.

Vineet Khand-1, Gomti Nagar, Lucknow-226 010

Phone : 91-522-2300 541, Fax : 91-522-2300 543

E-mail : docuplko@yahoo.com

Website : www.seiaaup.com

Minutes of the 598th Meeting of the State Level Environment Impact Assessment Authority, UP (SEIAA) held on 05-05-2022

The meeting of 598th State Level Environment Impact Assessment Authority, UP (SEIAA) was held on-line on 05.05.2022 at the Directorate of Environment. The following were present in the meeting:-

1. Dr. Rajiv Kumar Garg	Chairman, SEIAA, U.P
2. Shri Paras Nath	Member, SEIAA, U.P
3. Shri Ajay Kumar Sharma	Member Secretary, SEIAA, U.P

Agenda-A: -Discussions

1. Stone (Khanda, Boulder, Bailast (Gitti)) at Gata No.-93, Khand No.- 07, Village- Bari, Mahoba, Smt. Sukirti Singh, Area : 1.012 ha., File No. 6898/6391/Proposal No. SIA/UP/MIN/71491/2021

SEIAA noted that in its 585th meeting SEIAA opined that it is not evident either from the MoM of SEAC-1 or from the file of this project whether entire ToR has been addressed by PP / consultant while preparing draft EIA-EMP report or not. Similarly it is not evident either from the MoM of SEAC-1 or from the file of this project whether issues raised during the PH have been addressed by PP / consultant while preparing final EIA-EMP report or not. Thus SEIAA decided to refer back the proposal to SEAC-1 for their observations / comments on above mentioned issues and their recommendations. SEIAA gone through the minutes of 645th SEAC-1 meeting dated 20.04.2022 which states that –

The committee noticed that the SEIAA is referring back few cases with the following remarks –

“SEIAA opined that it is not evident from the MoM of SEAC whether entire ToR has been addressed while preparing EIA/EMP report or not, this should be deliberated upon by SEAC and details in tabular form should be submitted. Further, it is not evident from MoM of SEAC whether issues raised during public hearing have been addressed while preparing final EIA-EMP report or not, this should be deliberated upon by SEAC and details in tabular form should be submitted. Hence SEIAA opined to refer back the project to SEAC for review/deliberations.”

Regarding putting in tabular form of the compliance/action taken on TOR/Public Hearing in the meeting of minutes of SEAC, the committee opines that all projects have been



recommended after due examination of relevant aspects. Thus, SEIAA may take up the applications for their timely disposal.

Approach adopted by SEAC-1 was discussed by SEIAA in meeting no. 597 dated 05.05.2022 and SEAC-1 & SEAC-2 were made aware of the view point of SEIAA. In light of above discussion, SEIAA opined to grant EC to this project along with all the general and specific conditions as suggested by the SEAC-1 adding following specific condition as follows:-

1. Validity period of this EC is 5 year from the date of issue as the Lol has been issued for a period of 5 year or co-terminus with the validity of current mine plan or current lease period whichever is earlier. After this period the EC will become null and void.
2. Directions/suggestions given during public hearing and commitment made by the project proponent should be strictly complied.
3. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Forest (conservation) Act, 1980 and submit before the start of work.
4. The mining lease holders shall, after ceasing mining operations, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora fauna etc.
5. Three tier green shelter belt of 7.5m width should be developed on the periphery of mine lease area. Local and native species should be planted in consultation with Forest/Horticulture Department/Agriculture University.
6. Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.
7. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
8. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 2,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.
9. In consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepared a conservation and management plan for rejuvenation and management of water bodies having total surface area of more than 10 ha. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
10. Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental



components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.

11. Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.
12. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.
13. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, GoI, Lucknow.

Agenda-B:-Replies

1. Non-Agro Warehouse (Industrial Shed) and logistic facility at Khasra No.- 8477, 74, 64, 66, 67, 73, 72, 70, 71, 76, 69, 68, 65 situated in Village-Bani and Khasra No.-313, 314, situated in Village-Saral Shehzadi, Post-Bijnor, Tehsil-Sarojini Nagar, Lucknow., M/s BG Link Infrastructure LLP File No. 6413/ Proposal No. SIA/UP/MIS/214363/2021

SEIAA noted that the above project was taken in its 566th meeting in which SEIAA opined that details of final discharge of treated waste water and bifurcation of solid waste and its disposal should be submitted by the project proponent. The project proponent has submitted his reply vide letter dated 12.04.2022. After reviewing the reply SEIAA found that the reply is unsatisfactory and incomplete. Hence SEIAA opined that the project proponent shall submit complete and satisfactory reply.

2. Affordable (PMAY) Housing Project "Aradhyam" (Plot No.- A,B & C)" at Khasra No.- 291 M, 290 M, 294M, 332, 337, 338, 339, 358M, 462M, 493M, at Village- Pasonda, Ghaziabad, Shri Vijay Kumar., M/s Aradhyam Builders. File No. 6614/Proposal No. SIA/UP/MIS/233015/2021

SEIAA agreed with the recommendations of the SEAC-1 to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC-1 the SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit certificate from Nagar Nigam regarding discharge treatment.
- 2- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 3- The project proponent shall ensure to plant broad leaf trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 4- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be



related to mitigation of Environmental Pollution and awareness for the same.

- 5- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
 - 6- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
 - 7- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge.
 - 8- Under any circumstances untreated sewage shall not be discharged to municipal sewer line.
 - 9- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
 - 10- The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to and water harvesting pits and carbon sequestration parks / designed ecosystems.
 - 11- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Forest (conservation) Act, 1980 and submit before the start of work.
 - 12- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
 - 13- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
 - 14- Provision for charging of electric vehicles as per the guidelines of GoI / GoUP should be submitted within the next 3 months.
3. Proposed "5 Star Hotel" at Plot/Khasra No: 1/2 Ramgarh Tal Pariyojna, Gorakhpur, M/s AD Estate Developers, Gorakhpur, U.P., File No. 6933/Proposal No. SIA/UP/MIS/ 255584/ 2022

SEIAA noted that the above project was taken in its 589th meeting in which SEIAA opined that the project proponent/consultant shall submit details of final discharge point, NOC from wetland Authority and Forest Department, approval from AAI and Ministry of Defense approved building plan from the development authority. The project proponent has submitted his reply vide letter dated 05.05.2022. After reviewing the reply SEIAA agreed with the recommendations of the SEAC-1 to grant the prior Environmental Clearance to the



proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC-1 the SEIAA added following additional specific conditions:-

- 1- Before start of any construction work, PP will take NoC from Uttar Pradesh Wetland Development Authority and will comply with the orders of Honourable NGT issued in this regard.
- 2- Further, before start of construction work PP will take permission from AAI / Ministry of Defense, Gol.
- 3- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 4- The project proponent shall ensure to plant broad leaf trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 5- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
- 6- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 7- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 8- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge.
- 9- Under any circumstances untreated sewage shall not be discharged to municipal sewer line.
- 10- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
- 11- The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to and water harvesting pits and carbon sequestration parks / designed ecosystems.
- 12- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Forest (conservation) Act, 1980 and submit before the start of work.
- 13- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.



- 14- Provision for charging of electric vehicles as per the guidelines of GoI / GoUP should be submitted within the next 3 months.

Agenda D:- 646th SEAC-1 Meeting Dated 21/04/2022

1. **Common Biomedical Waste Treatment Facility (CBWTF) at Khata No.-04, Arazi no.-40, 37, 19/2 Village-Sonephool, Post-Naugarh, District- Chandauli., M/s Environment Welfare Society. File No. 5485/Proposal No. SIA/UP/MIS/50649/2020**

SEIAA agreed with the recommendation of SEAC-2 that the matter shall be discussed after submission of online information on prescribed portal.

2. **Expansion of Affordable Group Housing "Delhi-99" at Khasra No.-2115 M, 2049, 2054 M, 2119, 2117, 2055 M, 2056 M, 2109 M, 2114 M, 2110 M & 2107, Village- Baheta Hajipur, Tehsil-Loni, District-Ghaziabad,U.P., Shri Tarun Kumar Chauhan, M/s M.R. Proview Realtech Pvt. Ltd. File No. 6569/Proposal No. SIA/UP/MIS/224351/2021**

SEIAA agreed with the recommendations of the SEAC-1 to close/ delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal. A letter shall be send to DM, Ghaziabad; MS, SPCB; and VC, GDA that no construction should take place without valid EC and in case construction has been carried out without valid EC then work should be stopped and legal action should be initiated against the PP.

3. **Residential & Non Residential Building of VVIP Security Line at Gata No.- 634 cha, 634 Jaha, Village- Purseni, Pargana & Tehsil- Mohanlalganj, Distt.- Lucknow, U.P., Shri Vijay Kumar, Addl. Director Geni. Of Police (Security), Suraksha Mukhyakaya, U.P., Lucknow. File No. 3928/Proposal No. SIA/UP/NCP/71735/2017**

SEIAA agreed with the recommendations of the SEAC-1 to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC-1 the SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 2- The project proponent shall ensure to plant broad leaf trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 3- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
- 4- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 5- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 6- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and

AP

- maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge.
- 7- Under any circumstances untreated sewage shall not be discharged to municipal sewer line.
 - 8- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
 - 9- The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to and water harvesting pits and carbon sequestration parks / designed ecosystems.
 - 10- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Forest (conservation) Act, 1980 and submit before the start of work.
 - 11- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
 - 12- Provision for charging of electric vehicles as per the guidelines of GoI / GoUP should be submitted within the next 3 months.
4. CBWTF at Khasra No.539/3, Village-Makhiyali, Muzafarnagar., Shri Harpal Singh Chawla, M/s Rudra Waste Management (P) Ltd. File No. 5832/Proposal No. SIA/UP/MIS/56459/2020

SEIAA noted that the above project was taken in its 560th meeting in which SEIAA found that it is not evident from the MoM of SEAC-1 whether entire ToR has been addressed while preparing EIA/EMP report or not, this should be deliberated upon by SEAC-1 and details in tabular form should be submitted. Further, it is not evident from MoM of SEAC-1 whether issues raised during public hearing have been addressed while preparing final EIA-EMP report or not, this should be deliberated upon by SEAC-1 and details in tabular form should be submitted. Hence SEIAA opined to refer back the project to SEAC-1 for review/deliberations.

SEIAA gone through the minutes of 645th SEAC-1 meeting dated 20.04.2022 which states that –

The committee noticed that the SEIAA is referring back few cases with the following remarks –

“SEIAA opined that it is not evident from the MoM of SEAC whether entire ToR has been addressed while preparing EIA/EMP report or not, this should be deliberated upon by SEAC and details in tabular form should be submitted. Further, it is not evident from MoM of SEAC whether issues raised during public hearing have been addressed while preparing final EIA-EMP report or not, this should be deliberated upon by SEAC and details in tabular form should be submitted. Hence SEIAA opined to refer back the project to SEAC for review/deliberations.”

A

Minutes of the 598th Meeting of the SEIAA, UP held on 05.05.2022

Regarding putting in tabular form of the compliance/action taken on TOR/Public Hearing in the meeting of minutes of SEAC, the committee opines that all projects have been recommended after due examination of relevant aspects. Thus, SEIAA may take up the applications for their timely disposal.

Approach adopted by SEAC-1 was discussed by SEIAA in meeting no. 597 dated 05.05.2022 and SEAC-1 & SEAC-2 were made aware of the view point of SEIAA. In light of above discussion, SEIAA opined to grant EC to this project

Further, above matter was taken in 570th SEIAA meeting in which SEIAA gone through the complaint letter of Shri K.P. Singh dated 02.01.2022. SEIAA opined to refer the letter to SEAC-1 but no comments have been received. Hence SEIAA opined to send the complaint to MS, UPPCB for enquiry and submit the report to SEIAA, UP.

5. Residential Plotted Development "Smriti City" at Phase-I Gata No. 141(mi), 148 (mi), 153, 172 (mi), 159 (mi) and Phase-II Gata No. 158 (mi), 159 (mi), 160 (mi), 166 (mi) & 172 (mi) Village: Bhikampur, Sarsaul, G.T. Road, Tehsil: Koil, District: Aligarh., Shri Amit Kumar., M/s Smriti Colonizer & Builders. File No. 6975/Proposal No. SIA/UP/MIS/260767/2022

SEIAA agreed with the recommendations of the SEAC-1 to close/ delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal. A letter shall be send to DM, Aligarh; MS, SPCB; and VC, AKDA that no construction should take place without valid EC and in case construction has been carried out without valid EC then work should be stopped and legal action should be initiated against the PP.

6. Proposed "MAQ Software IT Campus" at Plot No. A-03, Sector 145, Noida., Shri Naveen Kumar Pallayil, M/s MAQ India Pvt. Ltd. File No. 6976/Proposal No. SIA/UP/MIS/261321/2022

SEIAA agreed with the recommendations of the SEAC-1 to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC-1. In addition to the conditions imposed by SEAC-1 the SEIAA added following additional specific conditions:-

- 1- Guidelines issued by CAAQMS for NCR region regarding the use of DG sets during construction and operational phase should be followed.
- 2- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 3- The project proponent shall ensure to plant broad leaf trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 4- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
- 5- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 6- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.



- 7- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge.
 - 8- Under any circumstances untreated sewage shall not be discharged to municipal sewer line.
 - 9- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
 - 10- The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to and water harvesting pits and carbon sequestration parks / designed ecosystems.
 - 11- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Forest (conservation) Act, 1980 and submit before the start of work.
 - 12- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
 - 13- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
 - 14- Provision for charging of electric vehicles as per the guidelines of GoI / GoUP should be submitted within the next 3 months.
7. Group Housing Project "Central Park Apartment" at Arazi No.: 2/3/2, Mauza: Rudra Panchmahal, Tube well Road, Khati Baba, Jhansi, Shri Azad Ahmed Khan. File No. 6983/Proposal No. SIA/UP/MIS/260657/2022
- SEIAA agreed with the recommendations of the SEAC-1 to close/ delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal. A letter shall be send to DM, Jhansi; MS, SPCB; and VC, JDA that no construction should take place without valid EC and in case construction has been carried out without valid EC then work should be stopped and legal action should be initiated against the PP.
8. Expansion of existing products Synthetic Organic Chemicals, at Plot No. A-20, UPSIDC, Phase-2, Industrial Area, Sandila, Hardoi, Shri Rohit Gupta, M/s The Lakshmi Organic Pvt. Ltd. File No. 6594/Proposal No. SIA/UP/IND3/67877/202
- SEIAA agreed with the recommendations of the SEAC-1 to close/ delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal. A letter shall be send to DM, Hardoi; MS, SPCB; and GM, DIC that no expansion of existing production should take place without valid EC and in case



expansion of existing production has been carried out without valid EC then work should be stopped and legal action should be initiated against the PP.

9. Commercial Project "IT ITES offices Building" at Plot No. 04, Tech Zone- 02, Greater Noida, M/s Samragi InfoTech. File No. 6984/6280/Proposal No. SIA/UP/MIS/ 73695/2021

SEIAA agreed with the recommendation of SEAC-1 that the matter shall be discussed after submission of online information on prescribed portal.

10. Soil Excavation at Gata No.-1421, 1428, 1429, Village- Malaha, Tehsil- Malihabad, Lucknow., Shri Gaurav Rajpal, M/s Rajpal Traders and Packagers., Area-1.6503 Ha. File No. 6274/Proposal No. SIA/UP/MIN/ 208001/2021

SEIAA noted the comments of SEAC-1 that the committee discussed the matter and directed the project proponent to submit clarification regarding mismatch in depth of mining mentioned in agreement and Lol, Mining Plan etc. The project proponent should submit corrected documents for further consideration of the matter.

11. Group Housing Project "Excella Kutumb" at Khasra No- 2678/1 2688/2, 2692/1, 2695/1, 2677, 2693, 2694, 2677, 2833/2, 2834, 2837 Sa, 2675 Sa, 2677, Village Bakkas, Tehsil- Mohanlalgaoni, District- Lucknow, Uttar Pradesh, M/s ABC Infra Promoters Pvt. Ltd./Consortium, File No. 6210/Proposal No. SIA/UP/MIS/199015/2021

SEIAA noted that the above project was already taken in 595th meeting. Hence no further action is required.

12. Expansion of Group Housing Project "Express Zenith" at Plot No. 2A, Sector 77, Noida, G.B. Nagar, U.P., M/s Express Builders & Promoters Pvt. Ltd. File No. 6713/Proposal No. SIA/UP/MIS/241391/2021

SEIAA noted the comments of SEAC-1 that the committee observed that the matter is still pending in Hon'ble NGT, New Delhi, therefore, this case may be considered after final decision of Hon'ble NGT.

Assistant Nodal/Nodal Officer

SEIAA, UP

MoA prepared by Secretariat in consultation with
Chairman & Members on the basis of decisions
taken by SEIAA during the meeting



(Ajay Kumar Sharma)
Member-Secretary
SEIAA

(Paras Nath)
Member
SEIAA

(Dr. Rajiv Kumar Garg)
Chairman
SEIAA