

State Level Environment Impact Assessment Authority, Uttar Pradesh

Directorate of Environment, U.P.

Vineet Khand-1, Gomti Nagar, Lucknow - 226 010

Phone : 91-522-2300 541, Fax : 91-522-2300 543

E-mail : docuplko@yahoo.com

Website : www.seiaaup.in

Minutes of the 231th Meeting of the State Level Environment Impact Assessment Authority, UP (SEIAA) held on 20/09/2018

The meeting of 231th State Level Environment Impact Assessment Authority, UP (SEIAA) was held on 20/09/2018 at the Directorate of Environment. The following were present in the meeting:-

- | | |
|------------------------------|------------------------------|
| 1. Prof. Rana Pratap Singh | Chairman, SEIAA, U.P |
| 2. Dr. (Smt.) Madhu Bhardwaj | Member, SEIAA, U.P |
| 3. Sri Ashish Tiwari | Member Secretary, SEIAA, U.P |

Agenda-A; Complaints/Letters

1- Federation of cold storage Association of India

A letter of Secretary, Federation of cold storage Association of India dated 9-9-2018 regarding MoEF&CC letter no. F.No. Q-17012/03/2013-CPA (Part-V) dated 31-01-2018 on "Lifting of ad hoc moratorium on expansion and setting up of new cold storage (Potato units) in TTZ area" was received. SEIAA is of the opinion that the matter be referred to Chairman SEAC for organizing a joint meeting to discuss the matter.


Agenda-B; Replies- Nil

1- मेसर्स तिरुबाला एक्सपोर्ट, ए-3/2 व ए-3/3, जैनपुर औद्योगिक क्षेत्र कानपुर-देहात

A letter from UPPCB dated 11-9-2018 has been received regarding the above project. The SEIAA opined that in view of all the reports/documents received along with the letter dated 11-9-2018, the matter be referred to SEAC to review the case in light of above.

2- Environmental Clearance for the office Building Project at plot no. B-37 B, Sector-132, Noida, District-Gautam Budh Nagar, Uttar Pradesh by M/s Super Pro Mart Pvt.Ltd. (File no.-3064)

SEIAA noted that a query had been raised by SEIAA on 8-6-2016. Project proponent has submitted reply via letter dated 10-9-2018. After reviewing the information submitted by Project proponent, SEIAA agreed with the recommendations of SEAC in its meeting dated 07-02-2016 to grant the prior Environmental Clearance to



RPS:jt
08/10/18

the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition, to the conditions imposed by SEAC. The SEIAA also added following additional specific conditions:-

- 1- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 2- The project proponent shall ensure to plant broad leave trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 3- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
- 4- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 5- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 6- The project proponent shall ensure that waste water is properly treated in STP and maximum reused for gardening, flushing system etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function.
- 7- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
- 8- The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to and water harvesting pits and carbon sequestration parks / designed ecosystems.

3- "Sand Stone (Gitti Pathar/Khandas) Mini" Project at Gata No.-741, khand no. 03, village- Kapuri Badaiya, Tehsil- Meja, Dist.- Allahabad, U.P. (Leased Area : 18.0 Acre/7.28 Ha)(File no.-3021)

The SEIAA noted that the above project was taken in its meeting dated 02-01-2018 in which it was noted that final comprehensive DSR of District-Allahabad was not submitted. The project proponent through the letter dated 06-09-2018 has submitted DSR (Stone Mining) of Allahabad. SEIAA found that the project proponent has applied for Gata no.- 741 of Lease Area 18 Acre, whereas in DSR Gata no-741 का is of Lease Area 38.22 hec as. Hence SEIAA is of the opinion that Project proponent should clarify the matter and submit necessary documents accordingly.


4- Group Housing Project located at plot No. GH-4, sector- B-2, Tajnagari, Phase-II, Agra, M/s Ashoka Housing (File no.-3852).

The SEIAA noted that this case is an expansion of a group housing project. The project has been granted prior E.C. earlier vide letter dated 22-9-2015. The SEIAA noted that the above project was taken in its meeting dated 04-01-2018 wherein project proponent was asked to submit NOC from TTZ Authority and certified compliance report from MOEF. The project proponent has submitted its reply and compliance report through letter dated 7-9-2018. SEIAA also noted that SEAC has recommended to grant the prior Environmental Clearance to the proposed project. Hence, SEIAA agreed with the recommendation of SEAC to grant prior EC along with all the general and specific conditions. In addition to the conditions imposed by SEAC the SEIAA also added following additional specific conditions:-

- 1- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 2- The project proponent shall ensure to plant broad leave trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 3- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
- 4- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 5- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 6- The project proponent shall ensure that waste water is properly treated in STP and maximum reused for gardening, flushing system etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function.
- 7- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
- 8- NOC from Taj Trapezium Zone authority shall be taken before starting any development work/Construction work on the site. This clearance shall be subject to direction of Hon'ble Supreme Court and the Taj Trapezium Zone Authority in the matter of location of industries and allocation of gas in the Taj Trapezium Zone Authority.
- 9- The project proponent shall install micro solar power plants, Toilets in nearby villages, public place or school from CSR fund of the project for which E.C is granted in addition to and water harvesting pits and carbon sequestration parks / designed ecosystems.







Agenda-C; 355th SEAC Meeting Dated 05/09/2018

1. Awadh Vihar Bhoomi Vikas Evam Grasthan Yojana, Sultanpur Road, Village- Devanmau, Sarasvan, Barauli Khalilabad, Brauna, Ghausval Kala, Hariharpur, Sevain, Lucknow. U.P., M/s Avas Vikas Parishad, Lucknow. File No. 4279/ Proposal No. SIA/UP//NCP/25824/2018

The SEIAA agreed with the recommendation of the SEAC to defer the matter in the next SEAC meeting.

2. Proposed Bulk Drug Manufacturing Unit at Plot No.-F-665, 666, Phase-1, UPSIDC Industrial Area, M.G. Road, Tehsil- Hapur, District- Hapur, M/s MGL Pharma & Chemicals Pvt. Ltd. File No. 4323/ Proposal No. SIA/UP/IND2/26201/2018

The SEIAA noted that SEAC has recommended to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. SEIAA gone through the documents/file and agreed with the recommendation of SEAC to grant prior E.C. except for point no.-2 (VII) which should be amended as –

“The National Ambient air Quality Emission Standards (as amended) issued by the Ministry vide G.S.R. no.826 (E) dated 16 November, 2009 shall be complied”.

3. Establishment of 75 KLD capacity Common Effluent Treatment Plant (CETP) at Khasra No. 151/1, 151/2, Industrial Area Lakhapur, Village-Lakhapur, Tehsil-Agra, District-Agra, Uttar Pradesh. Sri Harish Chandra Verma, President, House No: 34/390, Khatipara, Lohamandi, District-Agra. File No. 4363/ Proposal No.SIA/UP/MIS /27717/2018



The SEIAA agreed with the recommendation of the SEAC to defer the matter in the next SEAC meeting.

4. Proposed IT/ITES SEZ "Candor Tech Space" at Plot No.- 20, 21, Sector- 135, Noida, District- Gautam Budh Nagar, U.P., M/s Candor Tech Space. File No. 4368/ Proposal No. SIA/UP/NCP/21472/2018

The SEIAA agreed with the recommendation of SEAC to discuss the matter after receiving online information.

5. Proposal to construct a mounded LPG storage of 3 x 350 MT (120 TMTPA) capacity new LPG Bottling Plant Village-Jankinagar, Jhanjari, Gonda in the existing POL depot land at Gonda (Depot has closed operation), U.P. File No. 4380/ Proposal No. SIA/UP/IND2/28074/2018

The SEIAA agreed with the recommendation of SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC.

   Page 4 of 10

6. Mandola Vihar Yojana Multistoried Residential Flats at Sector- 7A, Delhi- Saharanpur Marg Yojana, Village- Mandola, Ghaziabad, Uttar Pradesh AwamVikasParishad. File No. 4280/ Proposal No. SIA/UP//NCP/25562018


The SEIAA agreed with the recommendation of the SEAC to defer the matter in the next SEAC meeting.

7. Proposed Rajkiya Medical Collage (Allopathic) Village- Rampur, District- Basti U.P. M/s Principal, B.R.D. Medical Collage Gorakhpur, U.P. File No. 4288/ Proposal No.SIA/UP/NCP/74859/2018

The SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following specific conditions:-

- 1- The project proponent shall submit an estimate of quantity of segregated Bio-medical waste of each category, Schedule for training of various categories of employees involved in Bio-medical waste management at various levels of Bio-medical waste generation in hospital along with the name of experts etc. within next 3 months to SEIAA, U.P.
- 2- The project proponent shall engage the agency authorized by UPPCB for Bio-medical waste collection, transportation, treatment and disposal.
- 3- Authorization from UPPCB under Bio-medical waste (Management and Handling) rule, 2016 shall be obtained.
- 4- The facilities for collection, segregation, handling, on site storage and processing of solid waste shall be provided and maintained properly. The collected solid waste shall be segregated at site. Biodegradable waste shall be treated in biogas plant and Non Biodegradable/recyclable solid waste shall be sold out to the authorized vendor's recyclers. The inert solid waste shall be sent to concerned collection Center of integrated municipal solid management facility of the area.
- 5- The project authorities shall strictly comply with the rules and guidelines under Manufacture, Storage and import of Hazardous Chemicals Rules, 1989(as amended) and Hazardous Waste (Management and Handling) Rules, 2016, (as amended) from time to time. Hazardous/Solid Wastes generated during construction and operation phases should be disposed off as prescribed under law. Necessary clearances in this regard shall be obtained.
- 6- E-waste should be disposed off as per rules applicable and with the necessary approval of the UP Pollution control Board.
- 7- The project proponent shall install and operate a sewage treatment plant (STP) and recycle/ reuse the treated sewage. Part the sewage if discharged to sewer line, shall meet the prescribed standards.
- 8- The project proponent shall install and operate a Effluent treatment plant (ETP) for the medical waste liquid effluent. Treated effluent shall meet the prescribed standards.
- 9- For reuse of waste water for green belt, lawns and irrigation propose, sprinkling and



drip irrigation system be installed and maintained as per norms.

- 10- The project proponent will ensure that proper dust control arrangements are made during the construction and proper display system is to be installed at the site to inform the public about the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
- 11- Consent to establishment/operate shall be obtained from UPPCB.
- 12- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less than 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
- 13- The project proponent shall install micro solar power plants in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to toilets and water harvesting pits and carbon sequestration parks / designed ecosystems.

8. Proposed Construction of 2128 No. (G+3),EWS Houses at Sector- 10 B, Village- Sevai, Khasra No.- 95, 90, 84, 83, 87, 89, 88, 79, 80, 53, 81, 82, 85, & 86, Sector- 10 B, Village- Sevai, Tehsil- Sarojani Nagar, District- Lucknow, Avadh Vihar Yojna, Lucknow Under Pradhan Mantri AwasYojna. M/s U.P. Avas Evam Vikas Parishad, Lucknow. File No. 4289/ Proposal No.SIA/UP/NCP/74899/2018



The SEIAA noted that SEAC has recommended to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. SEIAA gone through the documents/file and found that approx. 1627 KLD of waste water will be generated from the project which will be treated through common STP of capacity 35 MLD. Details of common STP including its location/installation/operational status shall be submitted along with a consent letter from competent Authority to discharge the sewage in CSTP for treatment. Approximately 25 KLD of treated waste water has been mentioned to be used for gardening. It is not clear how the disposal of waste water would be done and if the remaining treated water is being proposed to be used in horticulture/ gardening etc, the details of the area available for this propose shall be submitted.

9. Government Medical College, Village- Bahraich Khas, District- Bahraich, U.P. Principal, B.R.D. Medical Collage Gorakhpur, U.P. File No. 4290/ Proposal No. SIA/UP/NCP/74861/2018

The SEIAA agreed with the recommendation of the SEAC to defer the matter.

10. Redevelopment of Gomti Nagar Railway Station, Gomti Nagar, Lucknow, U.P., M/s NBCC (India) Ltd. File No. 4315/ Proposal No. SIA/UP/NCP/ 75109/2018

The SEIAA agreed with the recommendation of SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC.



11. Group Housing Project "Platinum Premier" at Khasra No.- 304, 294, 295 & 296 of Village- Pehladgarhi & Khasra No.-194 of Village- Makanpur Sector- 9, Vaishali Ext., District- Ghaziabad . Shri Surat Singh. File No. 4223/ Proposal No. SIA/UP/NCP/24957/2018

The SEIAA agreed with the recommendation of SEAC to close the file and the matter will be discussed only after submission of online request on prescribed online portal.

12. Group Housing Project at Plot No.-GH-05, Sector - 10, Greater Noida, District-Gautam Budha Nagar, U.P. M/s Greater Noida Industrial Development Authority. File No. 4228/ Proposal No. SIA/UP/NCP/25151/2018

The SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies amending Annexed TOR point no. 7 which should be read as-

"The lab conducting the analysis should be NABL accredited or MoEF&CC approved".

The SEIAA also added the following points to TOR;-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- Copy of all the analysis reports signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
- 3- MOU signed between the project proponent and the consultant should be submitted.

13. Affordable Housing Project at Village- Gohodi Bacheda, Sector Mu-II, Greater Noida, U.P. M/s Greater Noida Industrial Development Authority. File No. 4229/ Proposal No. SIA/UP/NCP/25181/2018

The SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies amending Annexed TOR point no. 7 which should be read as-


"The lab conducting the analysis should be NABL accredited or MoEF&CC approved".

The SEIAA also added the following points to TOR;-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- Copy of all the analysis reports signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
- 3- MOU signed between the project proponent and the consultant should be submitted.







14. Group Housing Project at Plot No.-GH-03A, Sector-Omicron-1, Greater Noida, District-Gautam Budha Nagar, U.P. M/s Greater Noida Industrial Development Authority. File No. 4230/ Proposal No. SIA/UP/NCP/25199/2018

The SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies amending Annexed TOR point no. 7 which should be read as-

“The lab conducting the analysis should be NABL accredited or MoEF&CC approved”.


The SEIAA also added the following points to TOR;-


- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- Copy of all the analysis reports signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
- 3- MOU signed between the project proponent and the consultant should be submitted.

15. Capacity expansion of DSCL Sugar- Hariawan (A Unit of DCM Shriram Ltd.), from 10,000 TCD along with 24 MW Cogeneration power plant to 18,000 TCD along with 70 MW cogeneration power plant at Village- Hariawan, P.O.- Hariawan, Distt.- Hardoi, M/s DSCL Sugar Hariawan. File No. 4015/ Proposal No. SIA/UP/IND2/21726/2018

The SEIAA noted that project proponent has applied for amendment of E.C. wide letter dated 09-08-2018

S.No.	Condition Stipulated in EC	Amendment Requested	Recommendation of Committee	Authority Decision
1	And “Specific Condition 4: 02 continuous ambient air quality monitoring stations, one in upwind and other in predominant wind directions shall be installed immediately once the plant is in operation”	Being a seasonal industry, specific condition no. 4 to be deleted and the PP should follow general condition no. 4 as follows: “At least four ambient air quality monitoring stations should be established in the downward direction as well as where maximum ground level concentration of PM10, PM2.5, SO2 and NOx are anticipated in consultation with the SPCB. Data on ambient air quality and stack	Committee recommended to delete specific condition no. 4 and recommends to follow general condition no. 4.	Authority agreed with the recommendation of SEAC and also added that Ambient Air quality monitoring shall be conducted as per CPCB guidelines.





 Page 8 of 10

Minutes of 231th SEIAA Meeting Dated 20/09/2018

		emission shall be regularly submitted to UPPCB/CPCB and Regional Office, of MoEF at Lucknow once in six months"		
2	Specific condition no.1 of the EC letter which stipulates "As proposed, treated waste water shall be completely recycled and under no circumstances effluent of any kind shall be discharged outside the premises and waste water management shall be ZLD"	PP submitted MoEF&CC notification dated 15.1.2016 wherein MoEF&CC has allowed use of treated effluent from sugar industry for irrigation outside the plant premises. We may be allowed to supply treated effluent to farmers for irrigation	Committee agreed with the PPs submission to modify specific condition as follows: "Treated waste water shall be disposed as per MoEF&CC regulations"	The authority agreed with the recommendation of SEAC.
3	Clause-16 of Specific Conditions, which stipulates apart from others :- "Filter cake shall be sent for bio-composting in the Distillery"	The PP submitted that their distillery unit is based on MEE & Slop fired boiler technology and not based on bio-composting.	Committee recommended to delete clause 16 of specific conditions because it is not applicable to this project	The Authority agreed with the recommendation of SEAC.
4	In point no. 7 (Page no. 2), it has been mentioned that "additional water will be sourced from existing sugar mill"	The PP would require additional water of 1800 KLD in season as fresh water demand for expansion project for which PP will be seeking NOC from CGWA. PP request for permission in EC that we should be allowed to obtain NOC from CGWA for additional water requirement of 1800 KLD for expansion project.	Committee agreed to replace point no. 7 (Page no. 2): "The PP may obtain NOC from CGWA for additional water requirement of 1800 KLD"	The Authority agreed to replace point no.-7. The Authority agreed with the recommendation of SEAC.
5	In para no. 12 of the specific conditions of	The PP submitted that no additional land is required.	Committee agreed to delete	Authority agreed to delete specific

 Page 9 of 10

Minutes of 231th SEIAA Meeting Dated 20/09/2018


EC it is mentioned that "No Additional Land, No Additional Water, No Additional Fuel shall be used for the proposed modernization"	However, additional fuel and water are required for the expansion project.	specific condition 12.	condition 12 except for " No additional land shall be used for the proposed modernization.
--	--	------------------------	--

With the permission of the chairman

1. OA no- 267 of 2018 in NGT order dated 20/10/2018

With the reference to NGT order dated 20/10/2018. The SEIAA nominated shri Meraj Uddin, SEAC member as a member of the committee.


(Shri Ashish Tiwari, IFS)
Member-Secretary
SEIAA


(Dr. (Smt.) Madhu Bhardwaj)
Member
SEIAA


(Prof. Rana Pratap Singh)
Chairman
SEIAA