

State Level Environment Impact Assessment Authority, Uttar Pradesh

Directorate of Environment, U.P.

Vineet Khand-1, Gomti Nagar, Lucknow - 226 010

Phone : 91-522-2300 541, Fax : 91-522-2300 543

E-mail : doeuplko@yahoo.com

Website : www.seiaaup.in

Minutes of the 298th Meeting of the State Level Environment Impact Assessment Authority, UP (SEIAA) held on 01/08/2019

The meeting of 298th State Level Environment Impact Assessment Authority, UP (SEIAA) was held on 01/08/2019 at the Directorate of Environment. The following were present in the meeting:-

1. Prof. Rana Pratap Singh
2. Dr. (Smt.) Madhu Bhardwaj
3. Sri Ashish Tiwari

- Chairman, SEIAA, U.P
Member, SEIAA, U.P
Member Secretary, SEIAA, U.P

Agenda-A; Complaints/Letters- Nil

Agenda-B; Replies- Nil

Agenda-C; 410th SEAC Meeting Dated 11/07/2019

1. Sugar Factory Production Expansion from 10000 TCD to 12500 TCD at Gata No.-471mi, 472/1, 473mi, 474, 476/1, 506/1, 4, L H Sugar Factory, District- Pilibhit U.P., M/s Lalit Hari Sugar Factories Ltd. File No. 4870/4463/Proposal No. SIA/UP/IND2/35031/2018

SEIAA noted that SEAC has recommended EC to the above project. SEIAA also noted that it is an expansion case. After going through file/document SEIAA found that ETP of 2 MLD capacity has been established for 2300 m³ /day waste water generated from existing unit. An Additional 900 m³ /day waste water in mentioned to be generated from the proposed unit for which ETP of 0.7 MLD has been proposed. From the information submitted, it is not clear, whether a separate ETP of 0.7 MLD will be established or the existing ETP will be upgraded to the desired capacity. Project proponent has submitted proposal for the complete recycle/reuse of the treated waste water/effluent and has proposed Zero liquid discharge (ZLD), but the details for how ZLD will be achieved has not been submitted. Copy of Consent to operate from UPPCB submitted by project proponent is not complete and do not have the enclosures. Hence SEIAA opined that the project proponent shall be called for presentation to clarify the above gaps in information.

2. Residential Complex "Gulmohar Residency" at Khasra No.-527/1, 519, Village- Kanawani, Distt.- Ghaziabad, U.P., M/s SVP Builders (I) Ltd. File No. 4881/Proposal No. SIA/UP/MIS/108734/2018

SEIAA noted that SEAC has recommended EC to the above project. SEIAA gone through file/document and found that EC was granted to the above project earlier by SEIAA UP in year 2013. The project proponent has applied for expansion under violation category.




08/08/19

Minutes of the 298th Meeting of the SEIAA held on 01/08/2019

Certified compliance report of previous EC has not been submitted. Waste water generated is mentioned as 165 KLD whereas STP of 100 KLD is being proposed which is under capacity. The water balance for monsoon and non-monsoon season should be recalculated. Information submitted regarding remediation plan and its implementation is not very clear. Structure stability measures taken care for the revision plan is also not clear. Hence SEIAA opined that the project proponent shall be called to make a presentation of the project before SEIAA.

3. Proposed Hotel Project "Holiday Inn" at Khasra No.- 285, 286, 287, 288 of Village- Behsa & Khasra No.-348 of Village- Farukhabad Chilawan, Lucknow. M/s Awasthi Hotels and Resorts Pvt. Ltd. File No. 4832/Proposal No. SIA/UP/MIS/105877/2019

SEIAA noted that SEAC has recommended EC to the above project. SEIAA gone through file/document and found that 196 hotel suits/service apartments have been proposed for which population per service apartment is mentioned as two, which does not seems to be realistic. SEIAA also noted that basis of calculation of population and solid waste generation has not been mentioned. Since this is a hotel project large quantities of solid waste will be generated from the services/activities which will also include waste generation from leftover food/food wastage/expired food etc. Hence, solid waste generation should be recalculated. Total population, waste water generation and its treatment and solid waste generation need to be reconsidered and revised. Hence SEIAA opined that the project proponent shall be called for presentation to clarify the above along with the relevant documents.

4. "Gaur World Street" at Plot No.-C-1A, Sector-16B, Greter Noida, District-Gautam Buddha Nagar. M/s Fastidious Build Mart Pvt. Ltd. File No. 4862/Proposal No. SIA/UP/MIS/107183/2019


SEIAA agreed with the recommendation of SEAC to defer the matter as the project proponent did not appear. The matter will be discussed only after submission of online request on prescribed online portal.


5. Development of Technical Training and Development Center Complex at Plot No.- A 3&4, Sector- 62, Phase-II, Noida, Gautam Budh Nagar. File No. 4869/Proposal No. SIA/UP/MIS/108100/2019

SEIAA agreed with the recommendation of SEAC to defer the matter. The matter will be discussed only after submission of online request on prescribed online portal.

6. Expansion of Tikaula Distillery From 45 KLD to 98 KLD with 3.0 MW Co-gen. Power Plant at Village- Tikaula, Post- Ramraj, Distt.-Muzaffarnagar, U.P. M /s Tikaula Sugar Mills Ltd. File No. 4875/Proposal No.SIA/UP/IND2/37795/2019

SEIAA agreed with the recommendation of SEAC to defer the matter as the project proponent did not appear. The matter will be discussed only after submission of online request on prescribed online portal.

 *RPS*

 *RPS*

7. Proposed Group Housing Scheme "Aarna Apartment" at Khasra No.-139, 143, 144, 145, 146, 147, 2413, at Batawali, Mustakham, Kanth Road, District-Moradabad, U.P. M/s Shail Promoters And Consultants. File No. 4889/Proposal No.SIA/UP/MIS/108571/2019

SEIAA agreed with the recommendation of SEAC to defer the matter as the project proponent did not appear. The matter will be discussed only after submission of online request on prescribed online portal.

8. Group Housing at Plot No.-Gh-2 & 3, Scheme No.-03, Ambedkar Puram, District-Kanpur. M/s Geetika Builders & Developers Pvt. Ltd. File No. 4891/Proposal No.SIA/UP/MIS/108946/2019

SEIAA agreed with the recommendation of SEAC to defer the matter. The matter will be discussed only after submission of online request on prescribed online portal.

9. Expansion of Group Housing Project "Mahagun Mantra- II " at Plot No.- GH- 01/A, Sector-10, Greater Noida,, Tehsil & District - Gautam Buddha Nagar, U.P. File No. 4486/Proposal No. SIA/UP/NCP/79295/2018

SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 2- The project proponent shall ensure to plant broad leave trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 3- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
- 4- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 5- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 6- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharged. Under any circumstances untreated sewage shall not be reused or discharged to municipal sewer line.
- 7- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and





Page 3 of 6


Minutes of the 298th Meeting of the SEIAA held on 01/08/2019

Demolition Waste Management Rules.

- 8- The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to and water harvesting pits and carbon sequestration parks / designed ecosystems.

10. Expansion of Group Housing Project located at Plot No.- GH- 05B, Sector- 16, Greater Noida, District- Gautam Budha Nagar, U.P., M/s Rudhar Buildwell Constructions Pvt. Ltd. File No. 4718/Proposal No. SIA/UP/MIS/97656/2019

SEIAA agreed with the recommendation of SEAC to defer the matter. The matter will be discussed only after submission of online request on prescribed online portal.

11. "Industrial (IT/ITES) Building" at Plot No.- A-10, Sector- 68, District-Gautam Buddh Nagar, U.P. M/s Krishna Computech Internatiol Pvt. Ltd. File No. 4747/Proposal No. SIA/UP/MIS/102340/2019

SEIAA noted that SEAC has recommended EC to the above project. SEIAA gone through file/document and found that form-2 has also been submitted with many cutting/correction on entries in the form, but no signature on corrections have been submitted in the form in print. SEIAA opined that the project proponent should clarify the purpose of submitting form-2 in this case.

12. "Windsor IT Park" located at Plot No.- 1 C, Sector- 126, Noida, District- Gautam Buddha Nagar, M/s Star Propwell Pvt. Ltd. File No. 4775/Proposal No. SIA/UP/MIS/103007/2019

SEIAA noted that SEAC has recommended EC to the above project. SEIAA gone through file/document and found that form-2 has also been submitted with many cutting/correction on entries in the form, but no signature on corrections have been submitted in the form in print. SEIAA opined that the project proponent should clarify the purpose of submitting form-2 in this case.

13. Common Biomedical Waste Treatment Plant at Khasra No.- 906/13, Village-Gadery, District-Mainpur, M/s Green House Waste Management. File No. 4588/Proposal No. SIA/UP/MIS/30136/2018(Referred back by SEIAA to SEAC)

SEIAA agreed with the recommendation of the SEAC that the complainer should be asked to appear in next SEAC meeting along with documentary evidence regarding his complaint.

14. Model Exims (India) Pvt. Ltd., at Gata No-1698, 1726, 1729, 1735, 1736 & 1739, Vill-Banthar, Distt-Unnao, U.P., File No. 3479/Proposal No. SIA/UP/IND/37649/2015

SEIAA agreed with the recommendation of SEAC to extend the validity of ToR letter no. 70/parya/SEAC/3479/2015/ADH dated 03/06/2016 for period of one year i.e 03/06/2019 to 02/06/2020. SEIAA opined that one additional point is to be added:-

1. Proposal using stale of art/ latest technology for the treatment of process waste water to achieve ZLD and for the treatment of salt bearing effluent along with the details of reuse/disposal of the recovered salt shall be submitted in EIA.



Madan Bhadway

Page 4 of 6
RPS

15. Expansion of Production Capacity from 3 MTPA to 4MTPA at Cement Grinding plant at Kundanganj, District-Raebareli, U.P., M/s RCCPL Pvt. Ltd. File No. 4859/Proposal No. SIA/UP/IND/37475/2019

SEIAA agreed with the recommendation of SEAC to defer the matter. The matter will be discussed only after submission of online request on prescribed online portal.

16. Proposed Cement Grinding Unit at Plot No.- D-11, UPSIDE, Shidhwan Industrial Area, District- Jaunpur, U.P., M/s T T S Cement. File No. 4865/Proposal No. SIA/UP/IND/37675/2019

SEIAA agreed with the recommendation of SEAC to issue the additional ToR;s to the title proposal. SEIAA added the following conditions:-

1. Public shall be conducted as per EIA notification 2006 (as amended).
2. Point 8(i) of additional ToR recommended by SEAC shall be read as:-
"Assessment AAQ. Cumulated impact of all sources of emission (including transportation) and also of proposed 2 new cement grinding units in this industrial area. on the AAQ of the area shall be assessed. Details of the..... If any."

17. Proposed Cement Grinding Unit at Plot No.- E-7, UPSIDC, Shidhwan Industrial Area, District- Jaunpur, U.P., M/s Diamond Industries. File No. 4866/Proposal No. SIA/UP/IND/37699/2019

SEIAA agreed with the recommendation of SEAC to issue the additional ToR;s to the title proposal. SEIAA added the following conditions:-

1. Public shall be conducted as per EIA notification 2006 (as amended).
2. Point 8(i) of additional ToR recommended by SEAC shall be read as:-
"Assessment AAQ. Cumulated impact of all sources of emission (including transportation) and also of proposed 2 new cement grinding units in this industrial area. on the AAQ of the area shall be assessed. Details of the..... If any."

18. Proposed Cement Grinding Unit at Plot No.-312, 313 & 314, UPSIDC, Shidhwan Industrial Area, District- Jaunpur, U.P., M/s Avdhesh Cement Industries. File No. 4867/Proposal No. SIA/UP/IND/37711/2019

SEIAA agreed with the recommendation of SEAC to issue the additional ToR;s to the title proposal. SEIAA added the following conditions:-

1. Public shall be conducted as per EIA notification 2006 (as amended).
2. Point 8(i) of additional ToR recommended by SEAC shall be read as:-
"Assessment AAQ. Cumulated impact of all sources of emission (including transportation) and also of proposed 2 new cement grinding units in this industrial area. on the AAQ of the area shall be assessed. Details of the..... If any."

19. Expansion of "Sharda Institutional Area" at Plot No.-32 and 34, Knowledge Park- III, Greater Noida, District- Gautam Budh Nagar, U.P., M/s Sharda Education Trust. File No. 4868/Proposal No. SIA/UP/NCP/37738/2019

SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies.



Madhu Bhadwaj

RPS: PL
08/08/19

20. Revision & Expansion of Commercial Project "Spectrum@Metro-II" Plot No.- A & B, Eco City, Sector- 75, Noida, U.P., M/s AIMS Max Gardenia Developers Pvt. Ltd. File No. 4874/Proposal No. SIA/UP/NCP/37899/2019

SEIAA noted that SEAC has recommended additional ToR to the project. SEIAA gone through the records and noted that M/s AIMS MAX Gardenia Developer Pvt. Ltd. has been granted EC on plot A&B and also on C&D, Eco city, Sector-75, Noida, U.P. earlier and that a court case OA-710/2018 has been filed in Hon'ble NGT regarding the above project. Hence SEIAA opined that the project should be referred back to SEAC to review the project in the light of court case.

21. "Gomti River Front Channelization Project from Harding to Gomti Weir, District- Lucknow, U.P. M/s Irrigation and Water Resource Department. File No. 4576/4206/Proposal No. SIA/UP/MIS/29978/2018


SEIAA agreed with the recommendation of SEAC to defer the matter. The matter will be discussed only after submission of online information on prescribed online portal.


With the permission of the chairman

1. Development of Earthen Bund Protection Work at Ramgarhtal Lke, District- Gorakhpur, U.P. By Shri Ratan Sen Singh, PM, U.P. Jal Nigam, 80-C Sukhnath Kunj, Daudpur, Gorakhpur. File No. 4814/Proposal No. SIA/UP/MIS/105075/2019

SEIAA had granted EC to the above project in its meeting dated 17/07/2019. However, it is noticed that a NOC from UP State wetland authority is required before issuance of EC to such projects. Hence, SEIAA reconsidered the case and opined that project proponent shall submit the NOC form UP State wetland authority and EC to the above project shall be kept in abeyance till the above certificate is submitted


(Shri Ashish Tiwari, IFS) 01/08/19
Member-Secretary
SEIAA


(Dr. (Smt.) Madhu Bhardwaj)
Member
SEIAA


(Prof. Rana Pratap Singh)
Chairman
SEIAA