

State Level Environment Impact Assessment Authority, Uttar Pradesh

Directorate of Environment, U.P.

Vineet Khand-1, Gomti Nagar, Lucknow - 226 010

Phone : 91-522-2300 541, Fax : 91-522-2300 543

E-mail : doeupko@yahoo.com

Website : www.seiaaup.in

Minutes of the 303rd Meeting of the State Level Environment Impact Assessment Authority, UP (SEIAA) held on 22/08/2019

The meeting of 303rd State Level Environment Impact Assessment Authority, UP (SEIAA) was held on 22/08/2019 at the Directorate of Environment. The following were present in the meeting:-

Prof. Rana Pratap Singh
Dr. (Smt.) Madhu Bhardwaj
Sri Ashish Tiwari

Chairman, SEIAA, U.P.
Member, SEIAA, U.P.
Member Secretary, SEIAA, U.P.

Agenda-A; Complaints/Letters-

1. Request for seeking amendment in granted Environmental Clearance as per amended letter of intent of proposed Sand/Morrum Mining Project from Betwa River bed at Khand No.- 24/9, Village- Chikasi, Tehsil- Sarila, District-Hamirpur, U.P., Lease Area-36.437 Ha, M/s Satyam Constructions. File No. 4437/Proposal No. SIA/UP/MIN/28562/2018

SEIAA gone through the letter of Dr. Ritu Pandey, EIA coordinator dated 13-08-2019 regarding the bridge on the water channel bi-secting the lease in between. SEIAA opined that the matter should be referred to SEAC for comments.

2. Ordinary Sand Mining on the Ganga Riverbed at Gata No-1436/22,1437, Khand No 1/3f, Village-Ralpur, Tehsil-Lalganj, District-Raebareli, U.P. (Leased Area: 8.49 Ha) File No. 4877/Proposal No. SIA/UP/MIN/36958/2019

SEIAA noted that the above project was taken in its meeting dated 01-8-2019 in which SEIAA opined that in its meeting dated 04/01/2018 SEIAA has already granted EC to Mr. Ateek Ulla S/o Mr. Babulla at Gata No:- 1436/22 and 1437, Khand-1, Vill.- Ralpur, Tehsil- Lalganj, Raibareli, U.P. (Area 8.49 hac.). The project proponent has informed that the lease area granted to Mr. Ateek Ulla S/o Mr. Babulla has been cancelled by Mining Department. Further the EC was granted under B2 category. At present application is made under B1 category. Hence SEIAA is of the opinion that project proponent shall submit the relevant documents regarding cancellation of lease area from the competent Govt. authority.

[Signature]
07.09

[Signature]
3/9/19

[Signature]
07/09/19



Agenda-B; Replies-

1. Group Housing Project at Plot No-SC-1/B-4, Sector-150, Noida File no- 3599

SEIAA noted that the above project was taken in its meeting dated 15-7-2019 in which SEIAA observed that following documents/clarification are required- 1). Structural stability certificate has been obtained for different number of towers and in presentation different numbers of towers have been shown. It should be clarified. 2). Date embedded digital photographs of the site with some identification proof should be submitted. 3). The environmental monitoring report available in file should be from NABL/MOEF accredited laboratories. The monitoring report submitted has no proof for accreditation for the monitoring laboratory.

SEIAA opined that project proponent should submit the clarification on the above points along with the relevant documents". The project proponent has submitted his reply vide letter dated 07-08-2019. After reviewing the reply SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 2- The project proponent shall ensure to plant broad leave trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 3- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
- 4- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 5- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 6- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharged. Under any circumstances untreated sewage shall not be reused or discharged to municipal sewer line.
- 7- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
- 8- The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to and water harvesting pits and carbon sequestration parks / designed ecosystems.



2. Sand/Morrum Mining Project from Ghaghra River bed at Gata no.-Gha 6/2 Village-Kuti to Devaipar-1, Tehsil-Gola, District-Gorakhpur, Leased Area - 36.423 Ha. File No. 4327/Proposal No. SIA/UP/MIN/26254/2018

SEIAA noted that the above project was taken in its meeting dated 23-7-2019 in which SEIAA observed that "SEAC has recommended to grant EC to the above project. SEIAA gone through file/ document and found that notice for public hearing was published only in one daily newspaper. According to EIA notification 2006 (as amended) appendix-(iv) Procedure for Conduct of Public Hearing para 3.3.1..... "advertise the same in one major national daily and one regional vernacular daily"..... Hence SEIAA opined that nodal SEIAA shall seek the information/clarification from UPPCB in this regards."

The project proponent has submitted his reply vide letter dated 08-08-2019. SEIAA is of the opinion that clarification from UPPCB is must obtained before any decision is taken.

3. Sand/Morrum Mining at Khand No./Gata No.- 11/37 to 11/39, Yamuna River, Village- Engna, Tehsil- Chayal, Kaushambi, Area -16.0 ha File No. 4822/Proposal No. SIA/UP/MIN/36351/2019

SEIAA noted that the above project was taken in its meeting dated 27-7-2019 in which SEIAA opined that clarification regarding address of the lease area in DSR should be submitted. The project proponent has submitted his reply vide letter dated 07-08-2019. After reviewing the reply and letter of ADM (F&R). Kaushambi letter no. 507/khanan shahyak dated 11-06-2019, the SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR;-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- Copy of all the analysis reports signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
- 3- MOU signed between the project proponent and the consultant should be submitted.
- 4- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.

4. Proposed Group Housing Project "Pushp Ganga Exotica" at Araji No.-132(Part), 129(Part), 128(Part), 127(Part), 123, 122(Part), in Village- SulemSarai, Araji No.-376(Part), 375(Part), 374(Part), 373(Part), 324(Part), 325(Part), 371(Part), 372(Part), Village- Harwara, Pargana & Tehsil- Sadar, District- Allahabad, U.P. File No. 4841/Proposal No. SIA/UP/MIS/103018/2019

SEIAA noted that the above project was taken in its meeting dated 17-7-2019 in which SEIAA found that "the treated waste water will be discharged in municipal sewer. From the documents, it is not clear whether municipal sewer line exist in the area. Letter regarding the above or any MoU with Allahabad Development Authority is not present in the file. Hence SEIAA is of the opinion that the project proponent should submit the clarification regarding







above along with the supporting documents". The project proponent has submitted his reply vide letter dated 30-07-2019. After reviewing the reply SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 2- The project proponent shall ensure to plant broad leave trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 3- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
- 4- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 5- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 6- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharged. Under any circumstances untreated sewage shall not be reused or discharged to municipal sewer line.
- 7- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
- 8- The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to and water harvesting pits and carbon sequestration parks / designed ecosystems.

Agenda-C; 413rd SEAC Meeting Dated 25/07/2019

1. Sand/Morrum Mining along Birma River Bed in Gata No.-135, 136, 134, 44, 30, Village-Sikandarpur Gahlod, Tehsil-Kulpahar, District-Mahoba,U.P., M/s Thakur Construction Company,Area-15.00 Ha). File No. 4296/Proposal No. SIA/UP/MIN/26049/2018

SEIAA agreed with the recommendation of SEAC to defer the matter and to discuss it only after submission of online information on prescribed online portal.

2. Sand/Morrum Mining along Yamuna River Bed in Khand No.- 31/8 at Village-Pateora, Tehsil & District-Hamirpur, U.P., (Leased Area-36.437 Ha). File No. 4573/Proposal No. SIA/UP/MIN/29934/2018

SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC adding one specific condition as follows:-"Directions/suggestions given during public hearing and commitment made by the project proponent should be strictly complied".

3. Building Stone (Khanda, Gitti & Boulder) Mine at Gata No.-93, Khand No.-30, at Village-Bari, Tehsil & District- Mahoba, Leased Area-1.012 ha. File No. 4913/Proposal No. SIA/UP/MIN/38629/2019



The SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR;-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- Copy of all the analysis reports signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
- 3- MOU signed between the project proponent and the consultant should be submitted.
- 4- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.

4. Building Stone (Khanda, Gitti & Boulder) Mining at Gata No.-356, Khanda No.-03, at Village-Dudaiyan, Tehsil & District- Mahoba, U.P. (Leased Area -1.214 ha). File No. 4914/Proposal No. SIA/UP/MIN/38633/2019

The SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR;-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- Copy of all the analysis reports signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
- 3- MOU signed between the project proponent and the consultant should be submitted.
- 4- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.



5. Sand/Morrum Mining from Yamuna Riverbed at Gata No.-21/21, 47/9, 58/27, 54/2, 53/2, 52/2, Village-Pailani, Tehsil-Pailani, District- Banda, U.P., (Leased Area : 18.0 Ha), M/s A.V. Mining and Company File No. 4917/Proposal No. SIA/UP/MIN/38718/2019

The SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR;-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- Copy of all the analysis reports signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
- 3- MOU signed between the project proponent and the consultant should be submitted.
- 4- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.

6. Sand Mining from Yamuna Riverbed at Gata No.-2/4, 2/23, 2/24 & 2/28, Khand No.-4, Village-Bendakhadar, District- Banda, U.P. (Leased Area-21.0 ha.) File No. 4918/Proposal No. SIA/UP/MIN/37231/2019



The SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR;-


- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- Copy of all the analysis reports signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
- 3- MOU signed between the project proponent and the consultant should be submitted.
- 4- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.

7. Sand Mining from Yamuna Riverbed, Gata No.- 2/4, 2/23, 2/24 & 2/28, Khand No.- 3, at Village- Bendakhadar, Tehsil & District- Banda, U.P. (Leased Area-21.0 ha.). File No. 4919/Proposal No. SIA/UP/MIN/37265/2019

The SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR;-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.



- 2- Copy of all the analysis reports signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
- 3- MOU signed between the project proponent and the consultant should be submitted.
- 4- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.

8. Sand/Morrum Mining Project at Gata No.- Part of 333/7, 412, 413 & 414, Khand No.- 04, Village- Marauli Khadar, Tehsil- Pailani, District- Banda, U.P., Lease Area-23.0 Ha. File No. 4921/Proposal No. SIA/UP/MIN/38690/2019

The SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR;-


- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- Copy of all the analysis reports signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
- 3- MOU signed between the project proponent and the consultant should be submitted.
- 4- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.

9. "Soil Excavation" at Gata No.-65, Village-Borumau, Tehsil- Bakshi Ka Talab, District- Lucknow, U.P. (Leased Area- 1.727 ha). File No. 4863/Proposal No. SIA/UP/MIN/37436/2019

SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC but the SEIAA replaces the specific conditions no-2 of annexure-2 as "If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate".







10. "Brick Earth Mining", at Village-Harnaut Bhojpur, Tehsil- Atrauli, District- Aligarh, U.P., M/s Rajesh Ent Udyog. Area- 3.414 Ha. File No. 4873/Proposal No. SIA/UP/MIN/33557/2019

SEIAA agreed with the recommendation of SEAC to defer the matter as the project proponent did not appear. The matter will be discussed only after submission of online request on prescribed online portal.

11. "Soil Excavation" at Gata No.-578, 579, in Village- Birura, Tehsil- Sarojnagar, District- Lucknow, U.P., (Leased Area-1.493 Ha). File No. 4878/Proposal No. SIA/UP/MIN/37156/2019

SEIAA agreed with the recommendation of SEAC to defer the matter as the project proponent did not appear. The matter will be discussed only after submission of online request on prescribed online portal.

12. Brick Earth Mining at Gata No.-77 mi, 515 mi, 77 mi, Village- Jijola, Tehsil & District- Shamli, U.P., M/s Shri Balaji Brick Field. File No. 4880/Proposal No. SIA/UP/MIN/32507/2019

SEIAA agreed with the recommendation of SEAC to defer the matter as the project proponent did not appear. The matter will be discussed only after submission of online request on prescribed online portal.

13. Brick Earth Mine Project at Khasra/Gata No.-1 kha, 21, 55, 62, 64 kha, 106, 110k, 139, 210k, Village-Maholi Khera, Rui Sinaura & Shahjadepur, Tehsil- Bhaogaon, Manpuri, M/s D S Maya Bricks Field. File No. 4882/Proposal No. SIA/UP/MIN/37521/2019

SEIAA agreed with the recommendation of SEAC to defer the matter and to discuss it only after submission of online information on prescribed online portal.

14. Earth Mining at Gata No.- 1180, Villge-Fattepur, Tehsil- Bhognipur, District- Kanpur Dehat, U.P., File No. 4883/Proposal No. SIA/UP/MIN/33871/2019

SEIAA agreed with the recommendation of SEAC to defer the matter since the consultant of above project is not accredited by the QCI/MoEF&CC.

15. Brick Earth Mining at Gata No.-1298,2591,2572, 2594, 1221, 1091, 2925, 2902, 2571, 1262, 153, 154, 155, 156, Village- Naugai, Khubariyanpur & Depakpur, Mohammadabad, Tehsil- Bhaogaon, District- Kannauj, (Leased Area: 4.812 Ha) M/s B R Brick Field. File No. 4884/Proposal No. SIA/UP/MIN/35349/2019

SEIAA agreed with the recommendation of SEAC to defer the matter since the consultant of above project is not accredited by the QCI/MoEF&CC.

16. Building Stone (Sand Stone) mine at Gata No./Araji No./Plot NO.-997MI, at Village- Sindhora, Tehsil- Sadar, District- Mirzapur, U.P., M/s Khakhi Baba Construction Company, Leased Area -4.451 ha. File No. 4749/Proposal No. SIA/UP/MIN/34920/2019

SEIAA noted that SEAC has asked SEIAA to examine the report of Shri Meraj Uddin member SEAC dated 25/07/2019, but the inspection report is not available in the file. SEIAA also noted that SEAC has not given recommendation/comments on this report. Hence SEIAA opined that the matter shall be referred back to SEAC for recommendation/comments.

 *Madhu Sood*

R.S. Singh

17. Extraction of Sand/Morrum from Yamuna river bed at Zone No./Gata No/ Khand No.- 8/3 and 8/4, Village- Rushai, Saidpur, Tehsil- Chail, District.- Kaushambi, U.P., Lease Area: 24.28 Ha. File No. 4559/Proposal No. SIA/UP/MIN/29777/2018

SEIAA agreed with the recommendation of SEAC to direct the Secretariat to send a letter to District Magistrate, Kaushambi for providing the factual report regarding Sri Manish Singh, Kaushambi letter dated 31/05/2019. And a copy of the letter should be sent to Director, Geology and Mining Department, Lucknow, Uttar Pradesh for necessary information.

18. Building Stone, Khanda, Gitti & Boulder Mining at Gata No.- 19, Khanda No.-06, Village- Ganj, Tehsil & District- Mahoba. Shri Santosh Kumar Gupta. Leased Area-1.619ha). File No. 4681/Proposal No. SIA/UP/MIN/30574/2019

SEIAA agreed with the recommendation of SEAC to close the file.


19. Building Stone, (Sand Stone) Mining at Araj No.- 997 Mi, Village- Sindhora, Tehsil- Sadar, District- Mirzapur, U.P., (Leased Area-3.03 ha). File No. 4700/Proposal No. SIA/UP/MIN/32294/2019

SEIAA agreed that the case has been disposed.

20. Group Housing Project "IVY County" at Plot GH- 15, Sector-75, Noida, District-Gautam Buddha Nagar, U.P., M/s Perfect Megastructure Pvt. Ltd. File No. 4895/Proposal No. SIA/UP/MIS/109008/2019

SEIAA noted that above project has been recommended for grant EC. SEIAA gone through file/documents and found that a STP of 125 KLD has been proposed and treated waste water will be recycled for flushing and horticulture. Remaining 90 KLD of waste water will be disposed in CSTP of Noida. SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 2- The project proponent shall ensure to plant broad leave trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 3- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
- 4- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 5- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.








Minutes of the 303rd Meeting of the SEIAA, UP held on 22/08/2019

- 6- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharged. Under any circumstances untreated sewage shall not be reused.
- 7- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
- 8- The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to and water harvesting pits and carbon sequestration parks / designed ecosystems.
- 9- The project proponent shall submit a MOU/consent letter from Noida Authority for treatment and disposal of 90 KLD of waste water generated from the project.


07.09.19
(Shri Ashish Tiwari, IFS)
Member-Secretary
SEIAA


(Dr. (Smt.) Madhu Bhardwaj)
Member
SEIAA


09/09/19
(Prof. Rana Pratap Singh)
Chairman
SEIAA