

State Level Environment Impact Assessment Authority, Uttar Pradesh

Directorate of Environment, U.P.

Vineet Khand-1, Gomti Nagar, Lucknow - 226 010

Phone : 91-522-2300 541, Fax : 91-522-2300 543

E-mail : docuplko@yahoo.com

Website : www.seiaaup.com

Minutes of the 804th Meeting of the State Level Environment Impact Assessment Authority, UP (SEIAA) held on 06-03-2024

The meeting of 804th State Level Environment Impact Assessment Authority, UP (SEIAA) was held on-line on 06.03.2024 the Directorate of Environment. The following were present in the meeting:-

1. Smt. Mamta Sanjeev Dubey
2. Shri Paras Nath
3. Shri Sanjeev Kumar Singh

- Chairman, SEIAA, U.P
Member, SEIAA, U.P
Member Secretary, SEIAA, U.P

Agenda-A

1. Sand/Morrum Mining Project along River Betwa at Gata No-240, Khand No-02 at Village - Himanpura, Tehsil- Kalpi, District- Jalaun, Shri Ravi Panjwani, Area- 20.20 ha., 8504/SIA/UP/MIN/452867/2023.

SEIAA gone through the order dated 09.02.2024 of Hon'ble Supreme Court of India in Civil Appeal Diary no. 4379/2024 arising out of impugned final judgment and order dated 27.04.2023 AN no. 07/ 2022 passed by NGT. The issue was deliberated upon in depth and SEIAA noted that the DSRs were being updated by Geology and Mining Department Uttar Pradesh before 4/12/2023 on the basis of extant notifications and guidelines and leases had been auctioned and proposals for ToR had been uploaded on Parivesh portal. These proposals have also been appraised and recommended for grant of ToR by SEAC. As per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. Hence in light of all these facts ToR is being granted to the title proposal for conducting EIA studies. SEIAA added following points to ToR-

- 1- Final order of Hon'ble Supreme Court of India in Civil Appeal Diary no. 4379/2024 shall be binding on Project proponent.
- 2- Since no intimation has been submitted regarding available monitoring data, hence data will be collected after issuance of ToR.
- 3- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 4- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 5- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 6- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 7- Latest KML file for the area and mining lease area should be provided.
- 8- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.

- 9- In case project proponent intends to temporarily store mined out material or any tools, equipment's or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 10- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 11- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
 - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
 - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 12- In case of expansion / renewal of earlier EC, following information should be submitted
 - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, GoI, Lucknow.
 - b. Copy of CTE and CTO issued by SPCB.
 - c. Status of submission of six-monthly compliance report to EC granted earlier
 - d. Court cases, if any.
- 13- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out should be mentioned in EIA-EMP report.
- 14- PP / consultant in compliance to Hon'ble NGT order dated 06.05.2022 in OA no. 141/2021 (With report dated 31.03.2022) Raj Kumar Vs. State of UP and Others and with OA no. 141/2021 Rajkaran Karn Vs. State of UP and Others, will submit replenishment study, duly approved by DGM, along with EIA-EMP report for seeking EC.
- 15- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 21,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Also, the coordinates of area earmarked for plantation should be clearly spelt in the EIA/EMP and polygon should be attached. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
- 16- The project proponent shall ensure that water bodies do not get polluted due to mining activity.
- 17- The project proponent shall ensure that water bodies do not get polluted due to mining activity and in consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepare a conservation and management plan for rejuvenation and management of all water bodies within periphery of 5 km. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
- 18- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.

84

- 19- The project proponent shall submit along with EIA the details of School in the vicinity of project area in which rooftop solar plant, toilets will be constructed specially girl school under CER activities.
- 20- These TORs shall be subject to any order from any court/tribunal or any guidelines issued by MOEFCC.

Agenda-B- Minutes of 830th SEAC-1 Meeting Dated 07/02/2024

1. "Building Stone (Sand Stone)" Project at Gata No.- 428, Village- Dhuria, Tehsil- Chunar, District- Mirzapur, Shri Harilal Prajapati, Area : 1.01 ha., 8613/SIA/UP/MIN/456356/2023.
SEIAA noted the comments of SEAC.

2. Gitti/Boulder (Dolo Stone) Mining project of at Arazi No.- 3575, Hal No.- 7347Ka, Village- Billi Markundi, Tehsil- Robertsganj, District- Sonbhadra, Shri Santosh Kumar Singh & Shri Vijay Bahadur Singh, Area: 0.890 ha, M/s Shahpur Stone Works., 8629/SIA/UP/MIN/456835/2023.
SEIAA noted the comments of SEAC.

3. "Morrum Mining Project" on the riverbed of River Betwa at Khand No. 25/22, Village- Ichchaura Jhitkari, Tehsil- Sarila & District- Hamirpur, Shri Rasmeet Singh Malhotra, Area 17.835 ha., 8631/SIA/UP/MIN/456462/2023.

The issue was deliberated upon in depth and SEIAA noted that the DSRs were being updated by Geology and Mining Department Uttar Pradesh before 4/12/2023 on the basis of extant notifications and guidelines and leases had been auctioned and proposals for ToR had been uploaded on Parivesh portal. These proposals have also been appraised and recommended for grant of ToR by SEAC. As per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. Hence in light of all these facts ToR is being granted to the title proposal for conducting EIA studies. SEIAA added following points to ToR-

- 1- Proposed production per annum shall be as per approved replenishment study report and it should be submitted to SEIAA, UPPCB and IRO, MoEFCC.
- 2- Since no intimation has been submitted regarding available monitoring data, hence data will be collected after issuance of ToR.
- 3- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 4- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 5- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 6- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 7- Latest KML file for the area and mining lease area should be provided.
- 8- Status of leases granted/to be granted in various mining khand along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 9- In case project proponent intends to temporarily store mined out material or any tools, equipment's or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated

Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.

- 10- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 11- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
 - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
 - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 12- In case of expansion / renewal of earlier EC, following information should be submitted
 - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, Gol, Lucknow.
 - b. Copy of CTE and CTO issued by SPCB.
 - c. Status of submission of six-monthly compliance report to EC granted earlier
 - d. Court cases, if any.
- 13- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out should be mentioned in EIA-EMP report.
- 14- PP / consultant in compliance to Hon'ble NGT order dated 06.05.2022 in OA no. 141/2021 (With report dated 31.03.2022) Raj Kumar Vs. State of UP and Others and with OA no. 141/2021 Rajkaran Karn Vs. State of UP and Others, will submit replenishment study, duly approved by DGM, along with EIA-EMP report for seeking EC.
- 15- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 18,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Also, the coordinates of area earmarked for plantation should be clearly spelt in the EIA/EMP and polygon should be attached. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
- 16- The project proponent shall ensure that water bodies do not get polluted due to mining activity.
- 17- The project proponent shall ensure that water bodies do not get polluted due to mining activity and in consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepare a conservation and management plan for rejuvenation and management of all water bodies within periphery of 5 km. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
- 18- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.
- 19- The project proponent shall submit along with EIA the details of School in the vicinity of project area in which rooftop solar plant, toilets will be constructed specially girl school under CER activities.
- 20- These TORs shall be subject to any order from any court/tribunal or any guidelines issued by MOEFCC.

sh

4. (Gitti, Boulders) Mining Project at Araj No- 4509 क, 4510 क, 4581, 4598, 4604 & 4605, Village-Billimarkundi, Tehsil- Robertsganj District-Sonbhadra, Shri Rajesh Kumar Dubey, Area-1.21 Ha., 8633/SIA/UP/MIN/457098/2023.

SEIAA noted the comments of SEAC.

5. "Building Stone (Sand Stone)" Project at Gata No.- 428 (S. No.- 29), Village- Dhuria, Tehsil- Chunar, District- Mirzapur, Shri Prem Shankar Singh Area : 0.809 ha., 8639/SIA/UP/MIN/457222/2023.

The issue was deliberated upon in depth and SEIAA noted that the DSRs were being updated by Geology and Mining Department Uttar Pradesh before 4/12/2023 on the basis of extant notifications and guidelines and leases had been auctioned and proposals for ToR had been uploaded on Parivesh portal. These proposals have also been appraised and recommended for grant of ToR by SEAC. As per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. Hence in light of all these facts ToR is being granted to the title proposal for conducting EIA studies. SEIAA added following points to ToR-

- 1- Since no intimation has been submitted regarding available monitoring data, hence data will be collected after issuance of ToR.
- 2- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 3- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 4- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 5- Detailed Mine Reclamation plan and Plan for using the mine void for productive use in consultation with local administration and gram-panchayat should be submitted along with EIA-EMP.
- 6- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 7- Latest KML file for the area and mining lease area should be provided.
- 8- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 9- In case project proponent intends to temporarily store mined out material or any tools, equipments or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 10- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 11- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
 - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
 - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.

- 12- In case of expansion / renewal of earlier EC, following information should be submitted
 - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, Gol, Lucknow.
 - b. Copy of CTE and CTO issued by SPCB.
 - c. Status of submission of six-monthly compliance report to EC granted earlier
 - d. Court cases, if any.
 - 13- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out should be mentioned in EIA-EMP report.
 - 14- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 1,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Also, the coordinates of area earmarked for plantation should be clearly spelt in the EIA/EMP and polygon should be attached. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
 - 15- The project proponent shall ensure that water bodies do not get polluted due to mining activity.
 - 16- The project proponent shall ensure that water bodies do not get polluted due to mining activity and in consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepare a conservation and management plan for rejuvenation and management of all water bodies within periphery of 5 km. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
 - 17- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.
 - 18- The project proponent shall submit along with EIA the details of School in the vicinity of project area in which rooftop solar plant, toilets will be constructed specially girl school under CER activities.
 - 19- Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
 - 20- Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.
 - 21- Project Proponent in consultation with UPSPCB will establish required number of CAAQMS within a period of one year and submit geo-referenced map of these stations along with data on six-monthly basis.
 - 22- These TORs shall be subject to any order from any court/tribunal or any guidelines issued by MOEFCC.
6. "Building Stone (Khanda, Gitti & Boulder)" Project at Gata No.- 2101/2 Khand No.- 02(New), Village- Sijahri, Tehsil- Mahoba, District- Mahoba, Shri Mohammad Noman, Area : 1.214 ha., 8641/SIA/UP/MIN/457248/2023.
- SEIAA noted the comments of SEAC.

7. "Silica Sand Mine" at Araj No./Plot No./Gata No.- part of 207 and part of 56, at Village – Bankipur, Tehsil- Bara, District- Prayagraj, Smt. Santoshi Singh, M/s Maa Pitambara Traders, Area 23.50 ha., 8373/7130/SIA/UP/MIN/449420/2023.

The issue was deliberated upon in depth and SEIAA noted that the DSRs were being updated by Geology and Mining Department Uttar Pradesh before 4/12/2023 on the basis of extant notifications and guidelines and leases had been auctioned and proposals for EC had been uploaded on Parivesh portal. These proposals have also been appraised and recommended for grant of EC by SEAC. As per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. Hence in light of all these facts EC is being granted to the title proposal.

SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC taking into consideration discussion held in SEIAA meeting no. 597 dated 05.05.2022 regarding reply of SEAC-1 and SEAC-2 for compliance/action taken on TOR/Public hearing and 703th SEIAA meeting regarding replenishment study, adding following specific conditions:-

1. District Mining Officer shall ensure that if mineable quantity mentioned in LOI is amended as per replenishment study report the project proponent shall seek amended/fresh EC.
2. Directions/suggestions given during public hearing and commitment made by the project proponent should be strictly complied with.
3. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam, 2023 and submit before the start of work.
4. The mining lease holders shall ensure to comply with mine reclamation plan as submitted.
5. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
6. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or district plantation committee, for planting at least 24,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Also, the coordinates of area earmarked for plantation should be clearly spelt and polygon should be attached and submitted within a month. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.
7. The project proponent shall ensure that water bodies do not get polluted due to mining activity and in consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepare a conservation and management plan for rejuvenation and management of all water bodies within periphery of 5 km. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
8. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.

84

9. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, GoI, Lucknow.
 10. The project proponent shall install rooftop solar plant in one school in the vicinity of project area and construct toilets especially in girls' school as part of CER activity.
 11. **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**
 12. Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
 13. Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.
 14. Large number of mining projects are ongoing as well as new mining leases are coming up in the district. A reference be sent to DGM and MS, SPCB for preparing mitigation plan for controlling air pollution in the district especially in mining areas.
 15. If the air quality deteriorates due to mining, then District Administration & Directorate of Mining should ensure that mining be stopped immediately. Adequate measures be taken for restoring air quality and mining should commence only when air quality attains the prescribed standards.
 16. This EC shall be subject to any order from any court/tribunal or any guidelines issued by MOEFCC
 17. Next year the project proponent shall submit online replenishment study report along with 06 monthly compliance report.
-
8. **Surrendering of Environmental Clearance for individual unit 'One World Belvedere I' within Integrated Township "One World" at Baghmau Village, Lucknow (U.P.).**
SEIAA noted the comments of SEAC.
 9. **Surrendering of Environmental Clearance for 'One World Shalimar Vista II' within Integrated Township "One World" at Baghmau Village, Lucknow, (U.P.).**
SEIAA noted the comments of SEAC.
 10. **Surrendering of Environmental Clearance 'First Core Tertiary Care Hospital', in "One World" at Baghmau Village, Lucknow, (U.P.).**
SEIAA noted the comments of SEAC.
 11. **नगर पालिका परिषद सिकन्दराराऊ, जनपद- हाथरस में राज्य सैक्टर कार्यक्रम के (पेयजल व्यवस्था) योजना के अन्तर्गत स्वीकृत हुये कार्यों के कराये जाने हेतु पर्यावरणीय क्लेरियन्स के सम्बन्ध में।**
SEIAA noted the comments of SEAC.
 12. **नगर पालिका परिषद हाथरस, जनपद- हाथरस में राज्य कार्यक्रम के (सीवरेज एवं जल निकासी) योजना के अन्तर्गत स्वीकृत हुये कार्यों के कराये जाने हेतु पर्यावरणीय क्लेरियन्स के सम्बन्ध में।**
SEIAA noted the comments of SEAC.



Agenda-C- Minutes of 831st SEAC-1 Meeting Dated 08/02/2024

1. "Ordinary Sand Mine" from Riverbed of Tons River at Village- Shahpur to Kaundi (Tons-Belan Sangam), Khand No.- 41, Tehsil- Meja, District- Prayagraj, Shri Siyaram Prajapati, M/s Om Construction, Area- 5.00 Ha., 8615/SIA/UP/MIN/456401/2023.

The issue was deliberated upon in depth and SEIAA noted that the DSRs were being updated by Geology and Mining Department Uttar Pradesh before 4/12/2023 on the basis of extant notifications and guidelines and leases had been auctioned and proposals for EC had been uploaded on Parivesh portal. These proposals have also been appraised and recommended for grant of EC by SEAC. As per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. Hence in light of all these facts EC is being granted to the title proposal.

SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC taking into consideration discussion held in SEIAA meeting no. 597 dated 05.05.2022 regarding reply of SEAC-1 and SEAC-2 for compliance/action taken on TOR/Public hearing and 703th SEIAA meeting regarding replenishment study, adding following specific conditions:-

1. If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate.
2. District Mining Officer shall ensure that if mineable quantity mentioned in LOI is amended as per replenishment study report the project proponent shall seek amended/fresh EC.
3. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam, 2023 and submit before the start of work.
4. The mining lease holders shall ensure to comply with mine reclamation plan as submitted
5. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
6. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or district plantation committee, for planting at least 5,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Also, the coordinates of area earmarked for plantation should be clearly spelt and polygon should be attached and submitted within a month. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.
7. The project proponent shall ensure that water bodies do not get polluted due to mining activity and in consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepare a conservation and management plan for rejuvenation and management of all water bodies within periphery of 5 km. Funds for the same will be kept in a separate bank account and six monthly

compliance status will be presented by project proponent before the nominated authority in the District.

8. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.
9. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, GoI, Lucknow.
10. The project proponent shall install rooftop solar plant in one school in the vicinity of project area and construct toilets especially in girls' school as part of CER activity.
11. **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**
12. Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
13. Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.
14. Large number of mining projects are ongoing as well as new mining leases are coming up in the district. A reference be sent to DGM and MS, SPCB for preparing mitigation plan for controlling air pollution in the district especially in mining areas.
15. If the air quality deteriorates due to mining, then District Administration & Directorate of Mining should ensure that mining be stopped immediately. Adequate measures be taken for restoring air quality and mining should commence only when air quality attains the prescribed standards.
16. This EC shall be subject to any order from any court/tribunal or any guidelines issued by MOEFCC.
17. Next year the project proponent shall submit online replenishment study report along with 06 monthly compliance report.

2. Ordinary Earth Mine at Gata No.- 1495KH & 1456 K, Village- Saheliya, Tehsil- Nawabganj, Barabanki, Shri Amar Singh, Area- 0.43 ha., 8617/SIA/UP/MIN/456418/2023.

As per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. Hence in light of all these facts EC is being granted to the title proposal.

SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC taking into consideration discussion held in SEIAA meeting no. 597 dated 05.05.2022 regarding reply of SEAC-1 and SEAC-2 for compliance/action taken on TOR/Public hearing, adding following specific conditions:-

1. If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster

- provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate.
2. Validity period of this EC is 3 months from the date of issue as the LoI has been issued for a period of 3 months or co-terminus with the validity of current mine plan or current lease period whichever is earlier. After this period the EC will become null and void.
 3. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam, 2023 and submit before the start of work.
 4. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
 5. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or district plantation committee, for planting at least 1,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Also, the coordinates of area earmarked for plantation should be clearly spelt and polygon should be attached and submitted within a month. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.
 6. The project proponent shall ensure that water bodies do not get polluted due to mining activity and in consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepare a conservation and management plan for rejuvenation and management of all water bodies within periphery of 5 km. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
 7. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.
 8. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, GoI, Lucknow.
 9. The project proponent shall install rooftop solar plant in one school in the vicinity of project area and construct toilets especially in girls' school as part of CER activity.
 10. Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.
 11. This EC shall be subject to any order from any court/tribunal or any guidelines issued by MOEFCC.
3. Ordinary Earth Mine at Gata No. - 556 & 559, Village- Jamoliya, Tehsil- Fatehpur, District- Barabanki, Shri Alok Verma, Area- 1.1945 Ha., 8623/SIA/UP/MIN/456552/2023.

As per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. Hence in light of all these facts EC is being granted to the title proposal.



SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC taking into consideration discussion held in SEIAA meeting no. 597 dated 05.05.2022 regarding reply of SEAC-1 and SEAC-2 for compliance/action taken on TOR/Public hearing, adding following specific conditions:-

1. If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate.
2. Validity period of this EC is 3 months from the date of issue as the LoI has been issued for a period of 3 months or co-terminus with the validity of current mine plan or current lease period whichever is earlier. After this period the EC will become null and void.
3. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhinyam, 2023 and submit before the start of work.
4. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
5. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or district plantation committee, for planting at least 1,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Also, the coordinates of area earmarked for plantation should be clearly spelt and polygon should be attached and submitted within a month. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.
6. The project proponent shall ensure that water bodies do not get polluted due to mining activity and in consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepare a conservation and management plan for rejuvenation and management of all water bodies within periphery of 5 km. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
7. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.
8. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, GoI, Lucknow.
9. The project proponent shall install rooftop solar plant in one school in the vicinity of project area and construct toilets especially in girls' school as part of CER activity.
10. Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per

MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.

11. This EC shall be subject to any order from any court/tribunal or any guidelines issued by MOEFCC.

4. Resort & Hotel project at Khasra No.-29, 30, 27, 23, 19, 18, 17, 16, 26, 20, 22, 25 Mauja Myapur, Fatehabad Road, District- Agra, Shri Puran Chand Dawar, M/s Shree Goverdhan Awas Private Limited., 8645/SIA/UP/INFRA2/457341/2024.

SEIAA noted the comments of SEAC that the project will be discussed in next meeting in presence of NEERI Member.

5. "Gitti, Stone Mining Project in" Gata No.- 35, Khand No.- 05, Village- Sangrampur, Tehsil – Atarra, Banda, Shri Suresh Singh, Area 2.0 Ha., 8125/SIA/UP/MIN/440284/2023.

SEIAA agreed with the recommendations of SEAC to close/delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.

6. Common Biomedical Waste Management treatment storage and disposal facility at C-60 UPSIDA Industrial Area, Orai II, District- Jalaun, Dr. Pranjal Patel, M/s Restorehealth Medicare Private Limited., 7677/SIA/UP/INFRA2/420628/2023.

SEIAA noted the comments of SEAC.

7. "Morrum Mining Project" on the riverbed of River Betwa at Khand No. - 25/18, Village- Ichchaura Jhitkari, Tehsil- Sarila & District- Hamirpur, Shri Chander Shekhar Chaurasia, Area 8.180 ha., 8437/7914/SIA/UP/MIN/451184/2023.

The issue was deliberated upon in depth and SEIAA noted that the DSRs were being updated by Geology and Mining Department Uttar Pradesh before 4/12/2023 on the basis of extant notifications and guidelines and leases had been auctioned and proposals for EC had been uploaded on Parivesh portal. These proposals have also been appraised and recommended for grant of EC by SEAC. As per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. Hence in light of all these facts EC is being granted to the title proposal.

SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC taking into consideration discussion held in SEIAA meeting no. 597 dated 05.05.2022 regarding reply of SEAC-1 and SEAC-2 for compliance/action taken on TOR/Public hearing and 703th SEIAA meeting regarding replenishment study, adding following specific conditions:-

1. District Mining Officer shall ensure that if mineable quantity mentioned in LOI is amended as per replenishment study report the project proponent shall seek amended/fresh EC.
2. Directions/suggestions given during public hearing and commitment made by the project proponent should be strictly complied with.
3. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam, 2023 and submit before the start of work.
4. The mining lease holders shall ensure to comply with mine reclamation plan as submitted.
5. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.

SK

6. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or district plantation committee, for planting at least 9,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Also, the coordinates of area earmarked for plantation should be clearly spelt and polygon should be attached and submitted within a month. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.
7. The project proponent shall ensure that water bodies do not get polluted due to mining activity and in consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepare a conservation and management plan for rejuvenation and management of all water bodies within periphery of 5 km. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
8. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.
9. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, Gol, Lucknow.
10. The project proponent shall install rooftop solar plant in one school in the vicinity of project area and construct toilets especially in girls' school as part of CER activity.
11. **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**
12. Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
13. Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.
14. Large number of mining projects are ongoing as well as new mining leases are coming up in the district. A reference be sent to DGM and MS, SPCB for preparing mitigation plan for controlling air pollution in the district especially in mining areas.
15. If the air quality deteriorates due to mining, then District Administration & Directorate of Mining should ensure that mining be stopped immediately. Adequate measures be taken for restoring air quality and mining should commence only when air quality attains the prescribed standards.
16. This EC shall be subject to any order from any court/tribunal or any guidelines issued by MOEFCC
17. Next year the project proponent shall submit online replenishment study report along with 06 monthly compliance report.



8. "Sand/ Bajri/ Boulder (RBM) Mining Project" at Gata No.- 1 व 1, Village Arazi Zevari Aht, Tehsil – Behat & District - Saharanpur, Smt. Neelam Pundir, Area 13.80 Ha., 8409/SIA/UP/MIN/450544/2023.

SEIAA noted the comments of SEAC.

9. Building Stone/Sand Stone Mining project at Arazi No.- 36/6/5 (Sl. No.- 14) Village- Sonbarsa, Tehsil- Lalganj, District: Mirzapur, Shri Vijay Kumar Singh, Area: 0.8090 ha. 8371/7192/SIA/UP/MIN/447000/2023.

The issue was deliberated upon in depth and SEIAA noted that the DSRs were being updated by Geology and Mining Department Uttar Pradesh before 4/12/2023 on the basis of extant notifications and guidelines and leases had been auctioned and proposals for EC had been uploaded on Parivesh portal. These proposals have also been appraised and recommended for grant of EC by SEAC. As per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. Hence in light of all these facts EC is being granted to the title proposal.

SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC taking into consideration discussion held in SEIAA meeting no. 597 dated 05.05.2022 regarding reply of SEAC-1 and SEAC-2 for compliance/action taken on TOR/Public hearing, adding following specific conditions:-

1. Validity period of this EC is 5 years from the date of issue as the LoI has been issued for a period of 5 years or co-terminus with the validity of current mine plan or current lease period whichever is earlier After this period the EC will become null and void.
2. Directions/suggestions given during public hearing and commitment made by the project proponent should be strictly complied with.
3. Approved explosives and proper technique should only be used for blasting, to avoid loud sound and cracks in nearby buildings.
4. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam, 2023 and submit before the start of work.
5. The mining lease holders shall ensure to comply with mine reclamation plan as submitted.
6. Three tier green shelter belt of 7.5m width should be developed on the periphery of mine lease area. Local and native species should be planted in consultation with Forest/Horticulture Department/Agriculture University.
7. Mine reclamation plan should be prepared for using the mine void for productive use in consultation with local administration and gram-panchayat.
8. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
9. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or district plantation committee, for planting at least 1,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Also, the coordinates of area earmarked for plantation should be clearly spelt and polygon should be attached and submitted within a month. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.

10. The project proponent shall ensure that water bodies do not get polluted due to mining activity and in consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepare a conservation and management plan for rejuvenation and management of all water bodies within periphery of 5 km. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
 11. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.
 12. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, GoI, Lucknow.
 13. The project proponent shall install rooftop solar plant in one school in the vicinity of project area and construct toilets especially in girls' school as part of CER activity.
 14. **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**
 15. Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
 16. Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.
 17. Large number of mining projects are ongoing as well as new mining leases are coming up in the district. A reference be sent to DGM and MS, SPCB for preparing mitigation plan for controlling air pollution in the district especially in mining areas.
 18. If the air quality deteriorates due to mining, then District Administration & Directorate of Mining should ensure that mining be stopped immediately. Adequate measures be taken for restoring air quality and mining should commence only when air quality attains the prescribed standards.
 19. This EC shall be subject to any order from any court/tribunal or any guidelines issued by MOEFCC.
10. Discussion on "Amendment in the Environmental Clearance letter dated 29.09.2008 of M/s Ultratech Cement Limited granted for Julgul Limestone Mine w.r.t Reconciliation of ML Area [(31.383 Ha+333.228 Ha) & 17.555 Ha] with the area given in executed lease to 350.383 Ha (333.228 + 17.155 Ha) located at Villages: Billi, Julgul, Chamarkha and Jharia, Tehsil: Roberstganj, District: Sonbhadra, Uttar Pradesh."
- SEIAA noted the comments of SEAC.
11. Ordinary Sand Mining Project" on Rapti River Bed at Gata No.- RA.14, Village – Rajpurdubi, Tehsil – Sadar, District – Gorakhpur, U.P., (Leased Area: 5.0 Ha.), 7985/SIA/UP/MIN/457756/2024

SEIAA agreed with the recommendation of SEAC to amend the Environmental Clearance Identification no. EC23B001UP168958, dated 05/09/2023 as requested. All the other contents mentioned in environment clearance letter dated 05/09/2023 shall remain the same. SEAC opined that at the time of issuance of Lol geo-coordinates must be demarcated.

Agenda-D- Minutes of 833rd SEAC-2 Meeting Dated 15/02/2024

1. "Morrum Mining" on the riverbed of Sone River at Arazi No.- 15 च, Khand No. 02, Village- Bhagwa, Tehsil- Odra, District- Sonbhadra, Uttar Pradesh, Area 12.146 ha., 8280/7891/SIA/UP/MIN/445239/2023.

SEIAA agreed with the recommendations of SEAC to close/delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.

2. Commercial project at Plot No. Sector-A, Pocket-1, Sushant Golf City Sultanpur Road, Lucknow, M/s Wilmot Infratech Private Limited, Shri Feroz Khan., 8480/SIA/UP/INFRA2/452537/2023.

SEIAA noted that as per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022 SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 2- The project proponent shall ensure to plant broad leaf trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 3- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same like water harvesting pits and carbon sequestration parks / designed ecosystems. At least one school in the vicinity of project area should be provided with rooftop solar plant, toilets in public place or in school of nearby villages and if there is a girl's school then girls toilet properly equipped with overhead water tank should be constructed.
- 4- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 5- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 6- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge.
- 7- Under any circumstances untreated sewage shall not be discharged to municipal sewer line.
- 8- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per air act 1981 (as amended) and the Construction and Demolition Waste Management Rules, CAQM guidelines.
- 9- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam, 2023 and submit before the start of work.
- 10- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid

source and permission from the competent authority shall be obtained to use it.

- 11- Provision for charging of electric vehicles as per the guidelines of GoI / GoUP should be submitted within the next 3 months.
 - 12- PP should display EC granted to them on their website. 6-monthly compliance report should be displayed on their website and to be given every six month to residents / occupants of the building.
 - 13- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
 - 14- The project proponent shall install organic bio converter.
 - 15- Waste water shall not be discharged in any water bodies nearby.
 - 16- **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**
3. "Silica Sand Mine" at Gata No – part of 522, at Village-Aswan (block 01), Tehsil-Bara, District-Prayagraj, Shri Satyadev Mishra, Shree Bajrang Road Lines, Area – 15.75 ha., 8478/7108/SIA/UP/MIN/449808/2023.
SEIAA noted the comments of SEAC.
4. Ordinary Sand Mining From Riverbed of Ghaghra/Saryu River Gata no.- 01 Mi, Village- Majha Fareedpur Tappa Haweli, Tehsil- Alapur, District- Ambedkar Nagar, Shri Bablu, Area- 10.500 Ha., 8242/SIA/UP/MIN/443923/2023
SEIAA noted the comments of SEAC.
5. Building Stone (Khanda-Boulder/GittiBallast), mine at Gata No.- 669, Khand No. -33, Village- Khailar, Tehsil- Sadar, District- Jhansi, Shri Rajkumar Parecha, Area- 2.023 Ha., 8234/6575/SIA/UP/MIN/441321/2023.
SEIAA agreed with the recommendations of SEAC to close/delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.
6. Ordinary Sand Mining From Riverbed of Ghaghra/Saryu River Gata no.- 01 Mi, Village- Majha Fareedpur Tappa Haweli, Tehsil- Alapur, Shri Bablu, Ambedkar Nagar, Area- 10.500 Ha., 8242/7643/SIA/UP/MIN/443923/2023.
SEIAA agreed with the recommendations of SEAC to close/delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.
7. Building Stone (Khanda-Boulder/GittiBallast), mine at Gata No.- 669, Khand No. -33, Village- Khailar, Tehsil- Sadar, District- Jhansi, Shri Rajkumar Parecha, Area- 2.023 Ha., 8234/6575/SIA/UP/MIN/441321/2023.
SEIAA agreed with the recommendations of SEAC to close/delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.
8. Expansion of Township & Area development project "Jaypee Greens Aman" at Sector-151, Noida, District- Gautam Buddha Nagar, Shri Ashok Khera., 7314/7206/SIA/UP/INFRA2/403586/2022.

SEIAA noted that as per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level

Expert Appraisal Committee concerned. In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022 SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 2- The project proponent shall ensure to plant broad leaf trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 3- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same like water harvesting pits and carbon sequestration parks / designed ecosystems .At least one school in the vicinity of project area should be provided with rooftop solar plant, toilets in public place or in school of nearby villages and if there is a girl's school then girls toilet properly equipped with overhead water tank should be constructed.
- 4- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 5- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 6- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge.
- 7- Under any circumstances untreated sewage shall not be discharged to municipal sewer line.
- 8- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per air act 1981 (as amended) and the Construction and Demolition Waste Management Rules, CAQM guidelines.
- 9- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam, 2023 and submit before the start of work.
- 10- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
- 11- Provision for charging of electric vehicles as per the guidelines of GoI / GoUP should be submitted within the next 3 months.
- 12- PP should display EC granted to them on their website. 6-monthly compliance report should be displayed on their website and to be given every six month to residents / occupants of the building.
- 13- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
- 14- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
- 15- DG sets shall be gas based and Guidelines issued by CAAQMS for NCR region regarding the use of DG sets during construction and operational phase should be followed.

- 16- The project proponent shall install organic bio converter.
- 17- Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.

9. Building Stone (Khanda, Boulder, Ballast) Mining Project at Araj No. 669 Mi, Khand No- 05, Village: Khailar, Tehsil: Sadar, District: Jhansi, Shri Abhishek Yadav, Area: 2.00 Ha., 8476/SIA/UP/MIN/452371/2023.

The issue was deliberated upon in depth and SEIAA noted that the DSRs were being updated by Geology and Mining Department Uttar Pradesh before 4/12/2023 on the basis of extant notifications and guidelines and leases had been auctioned and proposals for ToR had been uploaded on Parivesh portal. These proposals have also been appraised and recommended for grant of ToR by SEAC. As per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. Hence in light of all these facts ToR is being granted to the title proposal for conducting EIA studies. SEIAA added following points to ToR-

- 1- Since no intimation has been submitted regarding available monitoring data, hence data will be collected after issuance of ToR.
- 2- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 3- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 4- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 5- Detailed Mine Reclamation plan and Plan for using the mine void for productive use in consultation with local administration and gram-panchayat should be submitted along with EIA-EMP.
- 6- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 7- Latest KML file for the area and mining lease area should be provided.
- 8- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 9- In case project proponent intends to temporarily store mined out material or any tools, equipments or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 10- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 11- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
 - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
 - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.

- 12- In case of expansion / renewal of earlier EC, following information should be submitted
 - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, Gai, Lucknow.
 - b. Copy of CTE and CTO issued by SPCB.
 - c. Status of submission of six-monthly compliance report to EC granted earlier
 - d. Court cases, if any.
 - 13- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out should be mentioned in EIA-EMP report.
 - 14- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 2,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Also, the coordinates of area earmarked for plantation should be clearly spelt in the EIA/EMP and polygon should be attached. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
 - 15- The project proponent shall ensure that water bodies do not get polluted due to mining activity.
 - 16- The project proponent shall ensure that water bodies do not get polluted due to mining activity and in consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepare a conservation and management plan for rejuvenation and management of all water bodies within periphery of 5 km. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
 - 17- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.
 - 18- The project proponent shall submit along with EIA the details of School in the vicinity of project area in which rooftop solar plant, toilets will be constructed specially girl school under CER activities.
 - 19- These TORs shall be subject to any order from any court/tribunal or any guidelines issued by MOEFCC.
10. "Building Stone (Granite Khanda, Boulder, Ballast)" Araj No. -93 (Khand No. 24), Village: Bari, Tehsil: Sadar, District: Mahoba, Smt. Suvasha Singh, Area: 1.012 Ha, 8456/7886/SIA/UP/MIN/451551/2023.
SEIAA noted the comments of SEAC.
11. "Building Stone (Granite Khanda, Boulder, Ballast)" Mining Project at Araj No.- 93 (Khand No. 17) of Village: Bari, Tehsil: Sadar, District: Mahoba, Shri Virendra Singh, Area: 1.012 Ha., 8450/7874/SIA/UP/MIN/451406/2023.
SEIAA noted the comments of SEAC.
12. "Building Stone, Granite or Khanda, Boulder, Ballast (Gitti), Mining Project" at Araj No.: 60, Khand No.:04, Village: Jamala, Tehsil: Kulpahar, District: Mahoba, Shri Shrinivas Budhauriya, Area: 1.012 Ha., 8256/SIA/UP/MIN/444314/2023.
SEIAA noted the comments of SEAC.

SK

13. "Building Stone, Granite or Khanda, Ballast (Gitti), Boulder Mining Project" at Arazi No.: 60, Khand No.:06, Village: Jamala, Tehsil: Kulpahar, District: Mahoba, Shri Sachin Agarwal, Area: 0.708 Ha., 8206/SIA/UP/MIN/442759/2023.

SEIAA noted the comments of SEAC.

14. Building Stone, Khanda, Boulder, Ballast Mining Project at Arazi No. 23, Khand No- 08, Village: Dasna, Tehsil: Moth, District: Jhansi, Shri Shyam Gupta, Area: 2.00 Ha., 8076/SIA/UP/MIN/439488/2023.

SEIAA noted the comments of SEAC.

15. Sand/Morrum Mining Project at Dhasan River, Gata No.- 908 Na, Khand No.- 2, Village: Kharwanch, Tehsil Garautha & District: Jhansi, State: Uttar Pradesh., 5542/SIA/UP/CMIN/307624/202

SEIAA agreed with the recommendation of SEAC that a letter shall be send for factual report from District Magistrate, Jhansi regarding decrease of mining quantity as submitted by project proponent/consultant. If the quantity is reduced matter will be considered accordingly and new Lol will be needed.

16. Sand/Morrum Mining Project at Dhasan River, Gata No.- 1419 Kh, Khand No.- 1, Village: Dhamnaud, Tehsil Garautha & District: Jhansi, State: Uttar Pradesh., 5860/5578SIA/UP/CMIN/307619/2023.

SEIAA agreed with the recommendation of SEAC that a letter shall be send for factual report from District Magistrate, Jhansi regarding decrease of mining quantity as submitted by project proponent/consultant. If the quantity is reduced matter will be considered accordingly and new Lol will be needed.

17. "Sand/ Bajri/ Boulder (RBM) Excavation Project" at Gata No. – 1, Village – Mahmoodpur Nagli Aehatmal, Tehsil – Behat & District - Saharanpur, Shri Mohd Azhar Javed, Area 15.70 Ha., 8460/SIA/UP/MIN/451658/2023.

SEIAA noted that SEAC has commented that the committee discussed the matter and gone through the Hon'ble NGT order dated 08/11/2023 passed in O.A. No. 188/2023 Gaurav Kumar Vs. State of U.P. & Ors. SEAC has recommended to issue the standard terms of reference for the preparation of EIA as annexed at annexure-3 to the minutes, with the remarks that the EC shall be processed after compliance of Hon'ble NGT order dated 08/11/2023. SEIAA opined to refer back the project to SEAC for appraisal and recommendation of DSR strictly as per MoEFCC letter no. F. No. L-11011/13/2021-IA-II (M) dated 04.12.2023.

18. "Sand/ Bajri/ Boulder (RBM) Excavation Project" at Gata No. – 1&1 M village – Nityanandpur Aehatmal, Tehsil – Behat & District - Saharanpur, Shri Bilinder Kumar, Area 17.70 Ha., 8468/SIA/UP/MIN/451992/2023.

SEIAA noted that SEAC has commented that the committee discussed the matter and gone through the Hon'ble NGT order dated 08/11/2023 passed in O.A. No. 188/2023 Gaurav Kumar Vs. State of U.P. & Ors. SEAC has recommended to issue the standard terms of reference for the preparation of EIA as annexed at annexure-3 to the minutes, with the remarks that the EC shall be processed after compliance of Hon'ble NGT order dated 08/11/2023. SEIAA opined to refer back the project to SEAC for appraisal and recommendation of DSR strictly as per MoEFCC letter no. F. No. L-11011/13/2021-IA-II (M) dated 04.12.2023.

19. "Sand/ Bajri/ Boulder (RBM) Excavation Project" at Gata No.-119/1, 120/1, 192/1, 193/1, 225/1, Village-Kaluwala Pahadipur, Tehsil – Behat & District - Saharanpur, Shri Manish Jaiswal, Area 14.90 Ha., 8470/SIA/UP/MIN/452071/2023.

SEIAA noted that SEAC has commented that the committee discussed the matter and gone through the Hon'ble NGT order dated 08/11/2023 passed in O.A. No. 188/2023 Gaurav Kumar Vs. State of U.P. & Ors. SEAC has recommended to issue the standard terms of reference for the preparation of EIA as annexed at annexure-3 to the minutes, with the remarks that the EC shall be processed after compliance of Hon'ble NGT order dated 08/11/2023. SEIAA opined to refer back the project to SEAC for appraisal and recommendation of DSR strictly as per MoEFCC letter no. F. No. L-11011/13/2021-IA-II (M) dated 04.12.2023.

20. "Morrum Mining at Yamuna River Bed at Khand No.- 16/4 to 16/6, Village- Mahewa, Tehsil- Manjhanpur, District- Kaushambi, Smt. Anamika Karwariya, 8434/SIA/UP/MIN/450916/2023.

The issue was deliberated upon in depth and SEIAA noted that the DSRs were being updated by Geology and Mining Department Uttar Pradesh before 4/12/2023 on the basis of extant notifications and guidelines and leases had been auctioned and proposals for EC had been uploaded on Parivesh portal. These proposals have also been appraised and recommended for grant of EC by SEAC. As per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. Hence in light of all these facts EC is being granted to the title proposal.

SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC taking into consideration discussion held in SEIAA meeting no. 597 dated 05.05.2022 regarding reply of SEAC-1 and SEAC-2 for compliance/action taken on TOR/Public hearing and 703th SEIAA meeting regarding replenishment study, adding following specific conditions:-

1. District Mining Officer shall ensure that if mineable quantity mentioned in LOI is amended as per replenishment study report the project proponent shall seek amended/fresh EC.
2. Directions/suggestions given during public hearing and commitment made by the project proponent should be strictly complied with.
3. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam, 2023 and submit before the start of work.
4. The mining lease holders shall ensure to comply with mine reclamation plan as submitted.
5. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
6. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or district plantation committee, for planting at least 10,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Also, the coordinates of area earmarked for plantation should be clearly spelt and polygon should be attached and submitted within a month. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.
7. The project proponent shall ensure that water bodies do not get polluted due to mining activity and in consultation with District Environment Authority or an Authority nominated

sk

- by concerned DM, project proponent will prepare a conservation and management plan for rejuvenation and management of all water bodies within periphery of 5 km. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
8. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.
 9. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, Gol, Lucknow.
 10. The project proponent shall install rooftop solar plant in one school in the vicinity of project area and construct toilets especially in girls' school as part of CER activity.
 11. Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.
 12. This EC shall be subject to any order from any court/tribunal or any guidelines issued by MOEFCC
 13. Next year the project proponent shall submit online replenishment study report along with 06 monthly compliance report.

Agenda-E-Minutes of 835th SEAC-2 Meeting Dated 20/02/2024

1. Shopping Mall "Bliss Emporio" at S.M. Plot No. 331, situated at Mauza – Aidhe, Pargana – Shivpur, Tehsil – Sadar, District – Varanasi, Shri Satya Pandey., 8698/SIA/UP/INFRA2/459336/2024.

SEIAA noted the comments of SEAC to defer the matter and the matter will be discussed only after submission of online request on prescribed portal.

2. Commercial Rukmani Vihar Avasiya Yojna at Plot No.- S-3, Sector-03, Vrindavan Chhatikara Road Vrindavan, District-Mathura, Shri Sunil Kumar, M/s KSONS BUILDWELL LLP., 8700/SIA/UP/INFRA2/459127/2024.

SEIAA agreed with the recommendations of SEAC to close/delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.

3. Building Stone (Sandstone) Mine at Gata no.- 142, Village- Sonpur, Tehsil- Chunar, District- Mirzapur, Shri Nikshay Pandey, Area- 1.01 Ha., 8702/SIA/UP/MIN/459440/2024.

SEIAA agreed with the recommendations of SEAC to close/delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.

4. "Charkakhadar Sand/Morrum Mining Project" on the riverbed of Yamuna River, at Gata No.- 21, Khand No.- 05), Village: Charkakhadar, Tehsil: Baberu, District: Banda, Shri Sanjeev Saxena, Area 11.0 Ha., 8704/SIA/UP/MIN/459458/2024.

The issue was deliberated upon in depth and SEIAA noted that the DSRs were being updated by Geology and Mining Department Uttar Pradesh before 4/12/2023 on the basis of extant notifications and guidelines and leases had been auctioned and proposals for ToR had been uploaded on Parivesh portal. These proposals have also been appraised and recommended for grant of ToR by SEAC. As per para 8(ii) of EIA notification 2006 -The

regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. Hence in light of all these facts ToR is being granted to the title proposal for conducting EIA studies. SEIAA added following points to ToR-

- 1- Since no intimation has been submitted regarding available monitoring data, hence data will be collected after issuance of ToR.
- 2- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 3- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 4- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 5- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 6- Latest KML file for the area and mining lease area should be provided.
- 7- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 8- In case project proponent intends to temporarily store mined out material or any tools, equipment's or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 9- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 10- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
 - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
 - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 11- In case of expansion / renewal of earlier EC, following information should be submitted
 - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, GoI, Lucknow.
 - b. Copy of CTE and CTO issued by SPCB.
 - c. Status of submission of six-monthly compliance report to EC granted earlier
 - d. Court cases, if any.
- 12- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out should be mentioned in EIA-EMP report.
- 13- PP / consultant in compliance to Hon'ble NGT order dated 06.05.2022 in OA no. 141/2021 (With report dated 31.03.2022) Raj Kumar Vs. State of UP and Others and with OA no. 141/2021 Rajkaran Karn Vs. State of UP and Others, will submit replenishment study, duly approved by DGM, along with EIA-EMP report for seeking EC.
- 14- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 11,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of

the lease area along with provision for maintenance for 5 years. Also, the coordinates of area earmarked for plantation should be clearly spelt in the EIA/EMP and polygon should be attached. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.

- 15- The project proponent shall ensure that water bodies do not get polluted due to mining activity.
 - 16- The project proponent shall ensure that water bodies do not get polluted due to mining activity and in consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepare a conservation and management plan for rejuvenation and management of all water bodies within periphery of 5 km. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
 - 17- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.
 - 18- The project proponent shall submit along with EIA the details of School in the vicinity of project area in which rooftop solar plant, toilets will be constructed specially girl school under CER activities.
 - 19- Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
 - 20- Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.
 - 21- These TORs shall be subject to any order from any court/tribunal or any guidelines issued by MOEFCC.
5. Group Housing "Unitech Habitat" at Plot No.- 09, Sector PI-2, Alistonia Estate, Greater Noida, District- Gautam Budh Nagar, Shri Nadeem Khan, M/s Unitech Ltd. Pvt., 8706/8361/SIA/UP/INFRA2/459401/2024.

SEIAA agreed with the recommendations of SEAC to close/delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.

6. Building Stone (Sandstone) Mine at Gata No.- 180/2 Village- Bhagauti Dei, Tehsil- Chunar, District- Mirzapur, Shri Shyamji Singh, Area -1.011 Ha., 8708/7968/SIA/UP/MIN/459588/2024.

The issue was deliberated upon in depth and SEIAA noted that the DSRs were being updated by Geology and Mining Department Uttar Pradesh before 4/12/2023 on the basis of extant notifications and guidelines and leases had been auctioned and proposals for EC had been uploaded on Parivesh portal. These proposals have also been appraised and recommended for grant of EC by SEAC. As per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. Hence in light of all these facts EC is being granted to the title proposal.



SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC taking into consideration discussion held in SEIAA meeting no. 597 dated 05.05.2022 regarding reply of SEAC-1 and SEAC-2 for compliance/action taken on TOR/Public hearing, adding following specific conditions:-

1. Validity period of this EC is 5 years from the date of issue as the Lol has been issued for a period of 5 years or co-terminus with the validity of current mine plan or current lease period whichever is earlier After this period the EC will become null and void.
2. Directions/suggestions given during public hearing and commitment made by the project proponent should be strictly complied with.
3. Approved explosives and proper technique should only be used for blasting, to avoid loud sound and cracks in nearby buildings.
4. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam, 2023 and submit before the start of work.
5. The mining lease holders shall ensure to comply with mine reclamation plan as submitted.
6. Three tier green shelter belt of 7.5m width should be developed on the periphery of mine lease area. Local and native species should be planted in consultation with Forest/Horticulture Department/Agriculture University.
7. Mine reclamation plan should be prepared for using the mine void for productive use in consultation with local administration and gram-panchayat.
8. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
9. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or district plantation committee, for planting at least 2,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Also, the coordinates of area earmarked for plantation should be clearly spelt and polygon should be attached and submitted within a month. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.
10. The project proponent shall ensure that water bodies do not get polluted due to mining activity and in consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepare a conservation and management plan for rejuvenation and management of all water bodies within periphery of 5 km. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
11. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.
12. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, GoI, Lucknow.
13. The project proponent shall install rooftop solar plant in one school in the vicinity of project area and construct toilets especially in girls' school as part of CER activity.

14. Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.
 15. Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
 16. Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.
 17. Large number of mining projects are ongoing as well as new mining leases are coming up in the district. A reference be sent to DGM and MS, SPCB for preparing mitigation plan for controlling air pollution in the district especially in mining areas.
 18. If the air quality deteriorates due to mining, then District Administration & Directorate of Mining should ensure that mining be stopped immediately. Adequate measures be taken for restoring air quality and mining should commence only when air quality attains the prescribed standards.
 19. This EC shall be subject to any order from any court/tribunal or any guidelines issued by MOEFCC.
7. **"Riverbed Sand/Morrum Mining from Riverbed of Ken River" at Gata No.99/3, 99/22, 100/7, 101/5, 103/10, 104/2 and 104/5, Village: Sindhan Kalan, Tehsil: Pailani, District: Banda, Shri Shashank Shekhar Shukla, Area: 18.21 Ha., 8710/SIA/UP/MIN/459616/2024.**

The issue was deliberated upon in depth and SEIAA noted that the DSRs were being updated by Geology and Mining Department Uttar Pradesh before 4/12/2023 on the basis of extant notifications and guidelines and leases had been auctioned and proposals for ToR had been uploaded on Parivesh portal. These proposals have also been appraised and recommended for grant of ToR by SEAC. As per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. Hence in light of all these facts ToR is being granted to the title proposal for conducting EIA studies. SEIAA added following points to ToR-

- 1- Since no intimation has been submitted regarding available monitoring data, hence data will be collected after issuance of ToR.
- 2- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 3- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 4- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 5- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 6- Latest KML file for the area and mining lease area should be provided.
- 7- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 8- In case project proponent intends to temporarily store mined out material or any tools, equipment's or other material outside mine lease area then NOC from competent



- authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 9- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
 - 10- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
 - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
 - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
 - 11- In case of expansion / renewal of earlier EC, following information should be submitted
 - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, Gol, Lucknow.
 - b. Copy of CTE and CTO issued by SPCB.
 - c. Status of submission of six-monthly compliance report to EC granted earlier
 - d. Court cases, if any.
 - 12- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out should be mentioned in EIA-EMP report.
 - 13- PP / consultant in compliance to Hon'ble NGT order dated 06.05.2022 in OA no. 141/2021 (With report dated 31.03.2022) Raj Kumar Vs. State of UP and Others and with OA no. 141/2021 Rajkaran Karn Vs. State of UP and Others, will submit replenishment study, duly approved by DGM, along with EIA-EMP report for seeking EC.
 - 14- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 19,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Also, the coordinates of area earmarked for plantation should be clearly spelt in the EIA/EMP and polygon should be attached. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
 - 15- The project proponent shall ensure that water bodies do not get polluted due to mining activity.
 - 16- The project proponent shall ensure that water bodies do not get polluted due to mining activity and in consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepare a conservation and management plan for rejuvenation and management of all water bodies within periphery of 5 km. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
 - 17- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.
 - 18- The project proponent shall submit along with EIA the details of School in the vicinity of project area in which rooftop solar plant, toilets will be constructed specially girl school under CER activities.

- 19- Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
- 20- Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.
- 21- These TORs shall be subject to any order from any court/tribunal or any guidelines issued by MOEFCC.

8. Ordinary Earth Mine at Gata No.- 870 (K, Kh, G, Gh), Village- Patupur, Tehsil- Bikapur & District- Ayodhya, Shri Abhishek Singh, Area- 0.382 ha., 8712/SIA/UP/MIN/457506/2024.

As per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. Hence in light of all these facts EC is being granted to the title proposal.

SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC taking into consideration discussion held in SEIAA meeting no. 597 dated 05.05.2022 regarding reply of SEAC-1 and SEAC-2 for compliance/action taken on TOR/Public hearing, adding following specific conditions:-

1. If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate.
2. Validity period of this EC is 3 months from the date of issue as the Lol has been issued for a period of 3 months or co-terminus with the validity of current mine plan or current lease period whichever is earlier. After this period the EC will become null and void.
3. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam, 2023 and submit before the start of work.
4. The mining lease holders shall ensure to comply with mine reclamation plan as submitted
5. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
6. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or district plantation committee, for planting at least 1,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Also, the coordinates of area earmarked for plantation should be clearly spelt and polygon should be attached and submitted within a month. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.
7. The project proponent shall ensure that water bodies do not get polluted due to mining activity and in consultation with District Environment Authority or an Authority



nominated by concerned DM, project proponent will prepare a conservation and management plan for rejuvenation and management of all water bodies within periphery of 5 km. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.

8. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.
9. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, GoI, Lucknow.
10. The project proponent shall install rooftop solar plant in one school in the vicinity of project area and construct toilets especially in girls' school as part of CER activity.
11. Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.
12. This EC shall be subject to any order from any court/tribunal or any guidelines issued by MOEFCC.

9. Ganeshpur Gang Sand Mining project on Ganga Riverbed at Gata No.- 19, Village- Ganeshpur Gang, Tehsil- Atrauli, District: Aligarh, Shri Kavindra Rastogi , Area: 16.0 Ha., 8716/7838/SIA/UP/MIN/459599/2024.

SEIAA agreed with the recommendations of SEAC to close/delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.

10. Housing Project "Eiffel Palm Vista" of located at Khasra No.-91, 92, 93, 101, 102, village Kanchanpur Matiyari Deva Road, Tehsil and District – Lucknow, Shri Devmitra Pandey, M/s Eiffel Infradevelopers Pvt. Ltd. & Vivaan Eiffel Infradevelopers Pvt. Ltd., 8718/SIA/UP/INFRA2/460046/2024.

SEIAA agreed with the recommendations of SEAC to close/delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.

11. Ordinary Sand Mining from Riverbed of Ghaghra River, Village- Mahuapaar Khurd, Gata No.- 391क/ 67, Tehsil- Basti Sadar, District - Basti, Shri Santosh Kumar, Shri Santosh Kumar, M/s Maa Aadi Shakti Enterprises, Area- 10.00 ha., 8722/SIA/UP/MIN/460184/2024.

SEIAA agreed with the recommendations of SEAC to close/delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.

12. Manufacturing of synthetic organic chemicals for the existing production capacity of 1 TPD Crotonaldehyde under Violation Category at Plot No.- A-20, UPSIDC, Phase-2, Industrial Area Sandila, District- Hardoi, Shri Rohit Gupta, M/s The Lakshmiiji Organics Pvt. Ltd., 8724/7282/SIA/UP/IND3/460219/2024.

SEIAA agreed with the recommendations of SEAC to close/delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.

SK

13. Manufacturing of Formaldehyde (300 MT/day) at Plot No: A - 1/4, Sector - 26, GIDA, Tehsil – Sahjanwa, Gorakhpur, Shri Rajesh Jain, M/s Taru Formalin Pvt. Ltd., 8728/SIA/UP/IND3/460247/2024

SEIAA agreed with the recommendation of SEAC to grant of environmental clearance to the proposal adding following conditions:-

1. No effluent should be discharged outside the premises.
2. The project proponent shall seek relevant permission for Chemical maintenance and storage.

14. Microsoft IT Campus at Sector- 145, Noida, District- Gautam Buddha Nagar Shri Chandrababu, M/s Microsoft India (R & D) Private Limited, File No. 8730/SIA/UP/INFRA2/460272/2024.

SEIAA noted that as per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022 SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit within 01 months details of STP.
- 2- The project proponent shall follow E- Waste (Management) Rules, 2022.
- 3- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 4- The project proponent shall ensure to plant broad leaf trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 5- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same like water harvesting pits and carbon sequestration parks / designed ecosystems .At least one school in the vicinity of project area should be provided with rooftop solar plant, toilets in public place or in school of nearby villages and if there is a girl's school then girls toilet properly equipped with overhead water tank should be constructed.
- 6- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 7- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 8- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge.
- 9- Under any circumstances untreated sewage shall not be discharged to municipal sewer line.
- 10- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per air act 1981 (as amended) and the Construction and Demolition Waste Management Rules, CAQM guidelines.
- 11- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam, 2023 and submit before the start of work.
- 12- If the proposed project is situated in notified area of ground water extraction, where


Minutes of the 804th Meeting of the SEIAA, UP held on 06.03.2024

- creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
- 13- Provision for charging of electric vehicles as per the guidelines of GoI / GoUP should be submitted within the next 3 months.
 - 14- PP should display EC granted to them on their website. 6-monthly compliance report should be displayed on their website and to be given every six month to residents / occupants of the building.
 - 15- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
 - 16- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
 - 17- DG sets shall be gas based and Guidelines issued by CAAQMS for NCR region regarding the use of DG sets during construction and operational phase should be followed.
 - 18- The project proponent shall install organic bio converter.
 - 19- **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**

**Nodal Officer
SEIAA, UP**

MoM prepared by Secretariat in consultation with
Chairman & Members on the basis of decisions
taken by SEIAA during the meeting.

(Smt. Mamta Sanjeev Dubey)
Chairman
SEIAA


(Sanjeev Kumar Singh)
Member-Secretary
SEIAA

(Paras Nath)
Member
SEIAA