

# State Level Environment Impact Assessment Authority, Uttar Pradesh

## Directorate of Environment, U.P.

Vineet Khand-1, Gomti Nagar, Lucknow - 226 010

Phone : 91-522-2300 541, Fax : 91-522-2300 543

E-mail : doeuplko@yahoo.com

Website : www.seiaaup.com

### Minutes of the 472<sup>nd</sup> Meeting of the State Level Environment Impact Assessment Authority, UP (SEIAA) held on 03.06.2021

The meeting of 472<sup>nd</sup> State Level Environment Impact Assessment Authority, UP (SEIAA) was held on 03.06.2021 at the Directorate of Environment. The following were present in the meeting:-

1. Prof. Rana Pratap Singh

2. Dr. (Smt.) Madhu Bhardwaj

3. Sri Ashish Tiwari

Chairman, SEIAA, U.P

Member, SEIAA, U.P

Member Secretary, SEIAA, U.P

#### Agenda-A: -Complaints/letters –Nil

#### Agenda-B: -Reply- Nil

#### Agenda-C: - (1) Minutes of 536<sup>th</sup> SEAC Meeting Dated 06/04/2021

1. (16) श्री अजीत गुप्ता पुत्र श्री पी0आर0 गुप्ता, म0 नं0 568के/191, कृष्णा पल्ली, आलमबाग, लखनऊ के पत्र दिनांक 10.12.2020 (राजकीय मेडिकल कालेज, बांदा के सम्बन्ध में शिकायती पत्र) पर समिति द्वारा विचार-विमर्श।


SEIAA agreed with the recommendation of SEAC that the reminder letter should be sent to RO, UPPCB, Banda for providing the factual report regarding Rajkiya Medical College, Banda within 15 days after the receipt of the reminder. The copy of the letter should also be sent to MS UPPCB and also to Project Proponent and Shri Ajit Gupta, S/o Shri P.R. Gupta for information.


#### Agenda-C: - (2) Minutes of 537<sup>th</sup> SEAC Meeting Dated 07/04/2021

1. Expansion of Integrated Paint Plant at Khasra No.-735, 718, 720, 721, 719, 722, & 723, Village- Vishunpur, Post- Choubeypur- Bithoor Road, Kanpur., Shri Promod Kumar Khanna, M/s P.R. Coatings Pvt. Ltd. File No. 6208/5368/Proposal No. SIA/UP/IND2/60240/2020

The SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC adding following specific condition:-

1. "Directions/suggestions given during public hearing and Commitment made by the project proponent should be strictly complied".
2. All possible efforts shall be made to control the volatile organic compounds (VoC's) and keep it within permissible limit in the ambient Air Environment.





 11/06/21

2. Group Housing "Excella Kutumb" at Khasra No.- 2678/1, 2688/2, 2692/1, 2695/1, 2677, 2693, 2694, 2677, 2833/2, 2834, 2837 Sa, 2677, Village- Bakkas, Tehsil- Mohanlalganj, Lucknow, U.P., Shri Kishori Lal Goel, M/s ABC Infra promoters Pvt. Ltd. File No. 6210/Proposal No. SIA/UP/MIS/199015/2021

SEIAA agreed with the recommendations of the SEAC to defer the matter as the project proponent did not circulate the documents to the members of SEAC on time. Hence it will be taken after submission of online request on prescribed portal.

3. Shipora Cement Plant at Plot No.- 170/1 & 170m, Village- Khor Near Industrail Area Amanwan Road, Raebareli., Shri Mukes Kumar Gupta, M/s Shipora Cement Works Pvt. Ltd. File No. 6214/Proposal No. SIA/UP/IND/61010/2021

SEIAA agreed with the recommendations of the SEAC to defer the matter as the project proponent did not circulate the documents to the members of SEAC on time. Hence it will be taken after submission of online request on prescribed portal.

4. Common Biomedical Waste Treatment Facility at Khasra No.- 220, Gram-Ambehta Chand, Tehsil-Rampur Maniharan, Saharanpur., Shri Nitin Garg, M/s Greenlee Environmental Solutions. File No. 5507/Proposal No. SIA/UP/MIS/50972/2019

SEIAA agreed with the recommendation of SEAC that the matter shall be discussed after submission of online information on prescribed portal.

5. Establishment of standalone clinker grinding unit with cement production of 200 TPD ( 60000 TPA) at Plot No.- E-7, UPSIDE, Shidhwan Industrial Area, District- Jaunpur, U.P., Shri Faiyaz Ali Siddique, M/s Diamond Industries. File No. 4866/Proposal No. SIA/UP/IND/37699/2019

The SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC adding one specific condition- "Directions/suggestions given during public hearing and Commitment made by the project proponent should be strictly complied".

6. Up gradation of Existing District Hospital at Village- Dubeypur, Tehsil- Sadar, Sultanpur., Dr. S.C. Kaushal, CMS, District Hospital Sultanpur. File No. 6223/Proposal No. SIA/UP/MIS/201759/2021

SEIAA noted that the above project has already been taken on 05.05.21. Hence no further action is required.

7. Construction of Government Medical College at Village- Dubeypur, Tehsil- Sadar, Sultanpur., Dr. S.C. Kaushal, CMS, District Hospital Sultanpur, U.P. File No. 6224/Proposal No. SIA/UP/MIS/201721/2021

The SEIAA agreed with the recommendations of the SEAC to close the file as the project proponent has withdrawn the above environmental clearance application

8. Establishment of New Molasses/Cane Juice/ Grain based Distillery having Capacity:100 KLD along with 4.5 MW co-gen power at Plot No.-A, UPSIDA, Usar Bazar, Tehsil- Rudrapur, Deoria., Shri Manish Kedia, M/s Forever Distillery Pvt. Ltd. File No. 5948/Proposal No. SIA/UP/IND/57557/2020

SEIAA noted that the above project has already been taken on 31.05.21. Hence no further action is required.

*[Signature]*

*Madhu Bhandari*

*RPS:ph*



9. Proposed of Institutional Building at Plot No.-A-09, Sector-132, Noida, U.P., M/s Wellgrow Infotech Pvt. Ltd. File No. 6242/Proposal No. SIA/UP/MIS/204856/2021

SEIAA noted that SEAC has recommended to grant EC to the above project. SEIAA gone through the file and documents and found that the ETP proposed is of inadequate capacity. Water balance submitted for monsoon and non-monsoon season also does not seem correct. Hence SEIAA opined that the project proponent shall submit revised proposal for ETP and water balance for monsoon/non-monsoon season.

10. Discussion on M/s ACC Ltd. Letter dated 13/03/2021 regarding Extension of Validity period of EC. File No. 446

SEIAA noted that the environmental clearance letter dated 31/03/2012 is valid up to 30/03/2022. Hence, no action is required.

11. Integrated Township "Aditya World City" at Village-Shahpur, Bamheta, Dasna, District-Ghaziabad., M/s Agarwal Associates (Promoters) Ltd. File No. 1602/Proposal No. SIA/UP/MIS/99976/2021

The SEIAA agreed with the recommendations of the SEAC to extend the validity of Environmental Clearance letter dated 07/10/2013 for the period of 03 years i.e. 07/10/2020 to 06/10/2023. All the contents mentioned in Environmental Clearance letter no. 1555/PARYA/SEAC/ 1602/2012/DD(D) dated 07/10/2013 shall remain same.

12. Integrated Township Park Town, at Village-Shahpur, Bamheta and Mehrauli, Dasna, District- Ghaziabad, U.P., M/s Utility Estate Pvt. Ltd. File No. 1240/Proposal No. SIA/UP/MIS/200101/2021


The SEIAA agreed with the recommendations of the SEAC to extend the validity of Environmental Clearance letter dated 12/10/2013 for the period of 03 years i.e. 12/10/2020 to 11/10/2023. All the contents mentioned in Environmental Clearance letter no. 1997/PARYA/SEAC/1240/2011/DDY dated 12/10/2013 shall remain same.


13. Amendment in Environmental Clearance for Group Housing Project-3 at Kanpur Road, Lucknow, U.P. M/s Paarth Infrabuild Pvt. Ltd. File No. 2664/Proposal No. SIA/UP/MIS/206943/2021


SEIAA agreed to the recommendation of SEAC that the project proponent to submit entire documents such as khasra map, khatauni, rakba, cadastral map, land transfer /mutation documents and KML file etc. regarding the project. The committee also decided that a site visit shall be undertaken by the members of SEAC for spot verification.

14. Up gradation & Expansion of Existing District Hospital at Village –Kadipur, Tehsil – Manjhanpur, District-Kaushambi. Dr. Dipak Seth, CMS, Govt. District Hospital Kaushambi. File No. 6197/Proposal No. SIA/UP/MIS/198357/2021

SEIAA noted that the above project has already been taken on 05.05.21. Hence no, further action is required.









**Agenda-C: - (3) Minutes of 539<sup>th</sup> SEAC Meeting Dated 13/04/2021**

1. **(19) मै0 नेचर क्लीन बायो मेडिकल वेस्ट मैनेजमेंट, खसरा नं0-256, ग्राम ढोलाहेडी, चिलकाना गंडेवर रोड, सहारनपुर को निर्गत टी0ओ0आर0 के सम्बन्ध में उ0 प्र0 प्रदूषण नियंत्रण बोर्ड के पत्र संख्या-जी-34759, दिनांक 25.01.2021 पर विचार-विमर्श।**

SEIAA noted that SEAC has commented that UP Pollution Control Board may like to proceed for public hearing after assessing the revised guidelines for Common Bio-Medical Waste Treatment and Disposal Facilities, 2016 issued by CPCB for establishment of new Common Bio-medical Waste Treatment and Disposal Facilities.

**Agenda-C: - (4) Minutes of 540<sup>th</sup> SEAC Meeting Dated 16/04/2021**

1. **(17) Shipora Cement Plant at Plot No.- 170/1 & 170m, Village- Khor Near Industrial Area Amanwan Road, Raebareli., Shri Mukes Kumar Gupta, M/s Shipora Cement Works Pvt. Ltd. File No. 6214/Proposal No. SIA/UP/IND/61010/2021**


SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR;-


- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- Copy of all the analysis reports duly signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
- 3- MOU signed between the project proponent and the consultant should be submitted.
- 4- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 and submit along with EIA.
- 5- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 6- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 7- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.

**Agenda-C: - (5) Minutes of 541<sup>st</sup> SEAC Meeting Dated 20/04/2021**

1. **Up Gradation of District Hospital Lakhimpur Kheri from 140 to 500 Bedded at Lakhimpur. Dr. R.C. Agrawal, Chief Medical Superintendent, Police Line Road, Mohammdi, LakhimpurKheri. File No. 6140/Proposal No. SIA/UP/MIS/195183/2021**

SEIAA noted that the above project has already been taken on 05.05.21. Hence no further action is required.

 R.C. Agrawal

 RPS



2. Up Gradation of Existing District Hospital, Sonbhadra from 210 Bedded to 330 Bedded at Sonbhadra., C.M.S., District Hospital, Robertsganj, Sonbhadra, U.P. File No. 6146/Proposal No. SIA/UP/MIS/195999/2021

SEIAA noted that the above project has already been taken on 05.05.21. Hence no further action is required.

3. Up-gradation of District Hospital upto 500 Beds at Bulandshahar, U.P. Dr. Rajeev Prasad, Chief Medical Superintendent Govt. Hospital, Bulandshahr. File No. 6154/Proposal No. SIA/UP/MIS/196317/2021

SEIAA noted that the above project has already been taken on 05.05.21. Hence no further action is required.

4. Up-gradation & Expansion of Existing District Hospital at Gonda, Dr. Ghanshyam Singh, Chief Medical Superintending, Gonda, U.P. File No. 6182/Proposal No. SIA/UP/MIS/197384/2021

SEIAA noted that the above project has already been taken on 05.05.21. Hence no further action is required.

5. Up gradation & Expansion of Existing District Hospital at Kaushambi. Dr. Dipak Seth, CMS, Govt. District Hospital Kaushambi. File No. 6197/Proposal No. SIA/UP/MIS/198357/2021

SEIAA noted that the above project has already been taken on 05.05.21. Hence no further action is required.

6. Up gradation & Expansion of District Hospital Chanduali from 200 bedded to 500 bedded Hospital at Chanduali., Chief Medical Superintending, Chanduali. File No. 6253/Proposal No. SIA/UP/MIS/206025/2021

SEIAA noted that the above project has already been taken on 05.05.21. Hence no further action is required.

7. Up gradation & Expansion of District Hospital Pilibhit from 300 bedded to 500 bedded Hospital at Pilibhit, U.P., Chief Medical Superintending, Pilibhit. File No. 6254/Proposal No. SIA/UP/MIS/206110/2021




SEIAA noted that the above project has already been taken on 05.05.21. Hence no further action is required.

8. Up gradation of District Referral Hospital from 200 bedded to 500 bedded Hospital at District- Etah. Principal Medical College, Etah. File No. 6258/Proposal No. SIA/UP/MIS/206555/2021

SEIAA noted that the above project has already been taken on 05.05.21. Hence no further action is required.

9. Up gradation existing District Referral Hospital from 200 bedded to 500 beds Hospital at Auraiya., Chief Medical Superintending, Auraiya. File No. 6267/Proposal No. SIA/UP/MIS/207541/2021

SEIAA noted that the above project has already been taken on 05.05.21. Hence no further action is required.





10. **(14) Establishment of New Clinker Grinding Unit Capacity 12,00,000 TPA (3636 TPD) AT Plot No.- AL-5A, Sector- 23, GIDA, Tehsil- Sahjanwa, District-Gorakhpur, U.P., M/s Gallantt Industry Pvt. Ltd. File No. 6249/Proposal No. SIA/UP/IND/62209/2021**

SEIAA noted that SEAC has commented that the standard terms of reference has already been issued through online parivesh portal , hence no action is required. SEIAA opined to refer back the project to SEAC, since it is not clear whether any other additional ToR are to be added or not.

11. **(15) Group Housing "Excella Kutumb" at Khasra No.- 2678/1, 2688/2, 2692/1, 2695/1, 2677, 2693, 2694, 2677, 2833/2, 2834, 2837 Sa, 2677, Village- Bakkas, Tehsil- Mohanlalganj, Lucknow, U.P., Shri Kishori Lal Goel, M/s ABC Infra promoters Pvt. Ltd. File No. 6210/Proposal No. SIA/UP/MIS/199015/2021**

SEIAA agreed with the recommendations of the SEAC to defer the matter as the project proponent did not circulate the documents to the members of SEAC on time. Hence it will be taken after submission of online request on prescribed portal.

12. **(16) Common Biomedical Waste Management Treatment facility (CBWTF) at Arazi No.- 14, Village-Dakahi, Tehsil-Naugarh, District- Chandauli, U.P., M/s VRBA Bio Waste Solution Pvt. Ltd. File No. 5661/Proposal No. SIA/UP/MIS/203729/2021**


SEIAA agreed with the recommendation of the SEAC to amend the terms of reference letter no. 194/Parya/SEAC/5661/2018 dated 08/07/2020 as per above project details. Adding one condition


1. The unit shall strictly comply with the CPCB guidelines for setting up the Common Bio-Medical Waste Treatment Facility (CBWTF).


Rest all other contents and conditions mentioned in letter no. 194/Parya/SEAC/5661/2018 dated 08/07/2020 will remain same.

13. **(17) Group Housing "Elite Golf Green" at Land Parcel S.C.-01/D-4, Sector-79, Noida, Gautam Budha Nagar, U.P., M/s Golf Green Mansions Pvt. Ltd. File No. 1748/Proposal No. SIA/UP/MIS/204893/2021**

SEIAA agreed with the recommendations of the SEAC to extend the validity of Environmental Clearance letter dated 12/10/2013 for the period of 03 years i.e. 12/10/2020 to 11/10/2023. All the contents mentioned in Environmental Clearance letter no. 2055/PARYA/SEAC/1748/2012/AD(Sub) dated 12/10/2013 shall remain same.

  
11/06/2021  
(Shri Ashish Tiwari, IFS)  
Member-Secretary  
SEIAA

  
(Dr. (Smt.) Madhu Bhardwaj)  
Member  
SEIAA

  
11/06/21  
(Prof. Rana Pratap Singh)  
Chairman  
SEIAA