

**PROCEEDINGS OF THE MEETING OF STATE LEVEL EXPERT APPRAISAL
COMMITTEE, ODISHA HELD ON 03TH JULY, 2020**

The SEAC met on 03th July, 2020 at 03:00 PM in the Conference Hall of Odisha State Pollution Control Board, Bhubaneswar under the Chairmanship (working) of Dr. D. Swain. The following members were present in the meeting.

- | | | |
|-----------------------------|---|--------------------|
| 1. Dr. D. Swain | - | Chairman (Working) |
| 2. Prof. (Dr.) P.K. Mohanty | - | Member |
| 3. Sri. J. K. Mahapatra | - | Member |
| 4. Prof.(Dr.) B.K. Satpathy | - | Member |
| 5. Prof. (Dr.) H.B. Sahu | - | Member |
| 6. Er. K.R. Acharya | - | Member |
| 7. Dr. K.C.S Panigrahi | - | Member |

A. CONSIDERATION OF MINOR MINERAL PROPOSALS (22 NOS.):

The committee verified 22 nos. of minor mineral proposals forwarded by the SEIAA, Odisha on the basis of MoEF&CC, Govt. of India OM no. F. No. L-I 1011/175/2018-IA-II (M), dated 12.12.2018. The case-wise proceedings and observations of the committee are detailed in Table as per **Annexure – A**. The proposals of following categories are:

Total no. of proposals	Type of proposals	No. of proposal	Decisions of the committee
22	Stone Quarries and others (15)	01	The committee considered the proposals as B2 category and recommended for Environmental Clearance.
		14	Clarification to be sought from the concerned Tahasildar.
	River Sand (07)	01	The committee considered the proposals as B2 category and recommended for Environmental Clearance.
		05	Clarification to be sought from the concerned Tahasildar.
		01	Returned to SEIAA.

B. CONSIDERATION OF COUNTRY LIQUOR PROPOSALS (COMPLIANCE RECEIVED - 01 NO.):

The committee verified the documents furnished along with checklist of 01 no of country liquor proposal. The case-wise proceedings and observations of the committee are detailed in Table as per **Annexure – B**. The recommendations of the committee are as follows:

No. of proposal	Recommendation of the committee
01	The SEAC recommended for transfer of EC.

C. CONSIDERATION OF OLD PROPOSALS:

1. PROPOSAL FOR ENVIRONMENTAL CLEARANCE FOR PROPOSED EXPANSION OF RESIDENTIAL CUM COMMERCIAL COMPLEX 'MANI TRIBHUVAN' (FORMERLY KNOWN AS "MANI TIRUMALA") AT MOUZA-KALARAHANGA, PS CHANDRASEKHARPUR, NANDAN KANNAN ROAD, DIST- KHORDHA OVER TOTAL BUILTUP AREA OF 1,46,550.86M² (EXISTING : 76050.80 + PROPOSED EXPANSION : 70500.06 M²) – SUBMITTED UNDER VIOLATION CASE. (TOR)

1. Mani Tirumala Projects Pvt. Ltd., the project proponent is intending to take up expansion of the residential complex "MANI TRIBHUVAN" (Previously known as "MANI TIRUMALA") at Plot Nos.13, 15, 21 To 31, 33, 35, 37, 39, 28/2573, 40 To 49, 58, 59 & 125 (Part) Mouza: Kalarahanga, P.S: Chandrasekharpur, Nandan Kannan Road, District Khurda, Odisha. The Geographical coordinate of the project site is: Latitude - 20° 22' 8.08" N & Longitude - 85° 50' 3.35" E.
2. The project proponent under existing part of the project had constructed 11 Blocks of Building of G+14 configuration comprising of 525 dwelling units on 9.83 acres (as sanctioned)
3. Environmental Clearance for the existing project was already granted by the SEIAA, Odisha on dated 02.04.2011. The proponent has also obtained Consent to Establish from the State Pollution Control Board, Odisha vide OM no. 6448/ IND-III/NOC-5402, dated 16.04.2011.
4. The project proponent now intends to take-up an expansion programme as follows, under which Tower-12 (A & B) of configuration B+G+27 will be constructed. In addition, 11 blocks of Duplex of configuration G+6 & G+7 will be constructed. 154 residential units will be accommodated in the proposed Tower - 12 and there will be 71 units in the Duplex blocks.

Existing project	Expansion project
<ul style="list-style-type: none">• 11 Blocks, B+G+14• 503 units	<ul style="list-style-type: none">• 22 units in 11 Towers of Phase-1.• Tower 12 (twin tower with common podium) having 154 units of a total height of 91 mtrs.• 3 nos. single storied utility shops have been proposed at the ground floor of Tower 12 to cater to the population of the development• Duplex low rise bungalows:• 5 nos. G+7 duplex bungalow. Each bungalow is of 23.95 mtr. Height having 7 units each. Hence 5 bungalow buildings are having 35 units in total• 6 nos. G+6 duplex bungalow. Each bungalow is of 20.95 mtr height having 6 units each. Hence 6 bungalows buildings are having 36 units in total.
Built-up Area - 76050.80 m ²	• Built up Area - 70500.06 m ²

5. The proposed expansion activity is covered under category B of item 8 (a) of Schedule to the EIA Notification, 2006, and requires prior EC from the SEIAA in Odisha based on the appraisal by SEAC.

6 Proposed Land Use:

Sl. No.		phase -1 (block 1-11)	Phase -1 (block 12 and single storied shops)	Phase -2 (duplex)	Total: extension	Total: overall	Overall percentage of the entire project
1	2	3	4	5	4 + 5 = 6	3 + 6 = 7	8
		Area (sqm)	Area (sqm)	Area (sqm)	Area (sqm)	Area (sqm)	%
1	Gross Land Area					52325.42	
2	Ground Coverage	17745.4	3279.21	3110.9	6390.11	24135.51	46.12
3	Total Green Area					18448.895	35.26
	Tree Plantation Area	8007.40	714.41	2106.07	2820.48	10827.88	20.7
	Other Green Area	861.15		1131.67	1131.67	1992.82	
	50% of Semipaved area & parking areas	1671.63	1113.54	2843.025	3956.565	5628.195	
4	Total Paved Area					8741.015	18.61
	Road area at stilt level	3665.50	-	-	-	3,665.50	
	50% of Semi Paved Area/open parking	1671.63	1113.54	2843.025	3956.565	5628.195	
	Other hard paved areas					447.32	
5	TOTAL (Ground covered + total green area+ Hard paving area)					52,325.42	100%

7. Water Supply, Wastewater Generation, Recycling and Discharge:

Total water demand for the proposed expansion part of the Residential Complex project during operation stage will be around 219.03 KLD. Daily fresh water requirement to the tune of 123.56 KLD will be sourced from BDA Water Supply System and groundwater abstraction shall be done. Relevant permission from the respective authorities has already been obtained. In addition, treated wastewater to the tune of 95.47 KLD will be utilized in non-critical purposes like toilet flushing, landscaping, car washing, etc.

8. WASTE WATER:

A. WASTE WATER GENERATION FOR TOWER 12

Sl. No.	Category	Water requirement (kld)		Waste water to the STP (kld)
		Fresh Water (kld)	Treated Wastewater (kld)	
1.	Residential Population	89.65	34.30	83.16
2	Floating Population	0.38	0.77	0.92
3	O & M Population	2.32	1.14	2.77
4	Club	7.56	1.89	7.56
5	Irrigation		4.51	-
6	Car Wash (nos.)		7.12	7.12
	TOTAL	79.91	49.74	101.54
	- Raw Wastewater to S.T.P.		INPUT	101.54
	- Treated Wastewater from S.T.P.		OUTPUT	99.00
	- Treated Wastewater to REUSE			49.74
	- Treated Wastewater disposal			49.25

B. WASTE WATER GENERATION FOR DUPLEX

Sl. No.	Category	Water requirement (KLD)		Waste water to the STP (KLD)
		Fresh Water (KLD)	Treated Wastewater (KLD)	
1	Residential Population	32.11	15.82	38.34
2	Floating Population	0.18	0.36	0.43
3	O & M Population	1.07	0.53	1.28
4	Irrigation		17.24	-
5	Car Wash(nos)		5.88	5.68
	TOTAL	33.36	39.62	45.72
	• Raw Wastewater to S.T.P.		INPUT	45.72
	• Treated Wastewater from S.T.P.		OUTPUT	44.58
	• Treated Wastewater to REUSE			39.62
	• Treated Wastewater disposal			4.96

C. WASTE WATER GENERATION FOR ADDITIONAL 22 UNITS IN THE 11 TOWERS OF THE EXISTING UNIT

Sl. No.	Category	Water requirement		Waste water to the STP (Kld)
		Fresh Water (Kld)	Treated Waste water (Kld)	
1	Residential Population	9.9	4.95	11.88
2	Floating Population	0.06	0.11	0.136
3	O&M Population	0.33	0.17	0.4
4	Car Wash	-	0.88	0.88
	Total	10.29	6.11	13.30
			Raw Wastewater to S.T.P	13.3
			Treated Wastewater from S.T.P.	12.97

Sl. No.	Category	Water requirement		Waste water to the STP (Kld)
		Fresh Water (Kld)	Treated Waste water (Kld)	
			Treated Wastewater for Reuse	6.11
			Treated Wastewater for disposal	6.86

9. Wastewater Treatment

2 STPs based on SBR (Sequential Batch Reactor) Technology of capacities 100 KL & 50 KL shall be set up for the Towers and the Duplex respectively i.e. for expansion part of the project. Wastewater from the additional 22 flats in 11 Towers of existing project shall be treated in the existing STPs with existing part of the project. Treated water, meeting the relevant norms, to the tune of 95.47 KLD, will be used for non-critical purposes like toilet flushing, car washing & irrigation purposes, etc. within the complex. Treated wastewater in excess (61.08 KLD) will be discharged into the public sewer system.

10. Municipal Solid Waste Generation and Its Management:

During Construction phase, discarded cement bags, waste paper and cardboard packing material etc. will be sold off to recyclers. Unusable steel bits and pieces will be collected at site and sold to the recyclers. Construction debris and excavated earth will be used for land development purposes within the project site.

Solid waste generated during operational phase of expansion part of the project (around 674.8 kg/day) will be domestic in nature. These solid wastes will be segregated into biodegradable and non-biodegradable wastes and collected in separate bins. The non-biodegradable recyclable wastes will be sold to recyclers and the biodegradable and non-biodegradable inert / unusable wastes will be collected by BDA for final disposal on regular basis.

11. Rain Water Harvesting:

Rain Water Recharging pits are being proposed for artificial rain water recharge within the project premises. 5 nos. of rainwater recharge pits have been proposed.

12. Storm Water Management

A well-designed storm drainage system will be constructed in the complex. Storm drains of the complex will collect and convey the rain water into the adjacent public sewer / drainage system. While designing the internal drainage system, invert level of the public rain in-front of the project site will be given due consideration to avoid any floods or water logging in the site.

13. Electricity, DG sets, Stack height

Electricity will be supplied by CESU. The connected load will be about 1503 KVA. Electricity will be sourced from CESJ. The expansion part of the project shall be provided with 2 DG sets of 500 KVA capacity each. The emission from DG sets will be discharged through a 4.5 meter stack for each DG set above the roof of the building. Low sulphur diesel will be used.

14. **Project Cost:** Estimated Project cost is around 80 Crores.

15. **Plantation / greenbelt:** 20.7 % has been earmarked for greenbelt area.

16. The proponent had started construction work on site without prior Environmental Clearance under EIA Notification 2006. 22 additional flats have been constructed in phase – I. In phase – II excavation work has been started for duplex low rise bungalow nos. 1,8,9,10,11. Raft foundation has been completed and tie beam work is going on for duplex low rise bungalow nos. 2,3,4,5,6,7. Hence, this a violation case.
17. The proponent submitted the proposal to MoEF&CC, Govt. of India on 12.09.2017 as violation case as per MoEF&CC, Govt. of India Notification S.O. 804 (E) dated 14.03.2017.
18. The MoEF&CC, Govt. of India had issued Office Memorandum No. Z-11013/22/2017-IA-II (M), dated 15.03.2018, which stipulates that all the proposals of category 'B' projects/activities pertaining to different sectors, received within six months only i.e. up to 13th September, 2017 on the MoEF&CC, Govt. of India portal, but yet not considered by the EAC of MoEF&CC, Govt. of India, shall be transferred online to the SEAC/SEIAAs in the respective States/UTs.
19. This proposal was not considered by the EAC of MoEF&CC, Govt. of India. Hence, the MoEF&CC, Govt. of India had transferred the proposal to SEIAA, Odisha for consideration as per MoEF&CC, Govt. of India Notification S.O. 804 (E) dated 14.03.2017.
20. The proponent along with the consultant Envirotech East Pvt. Ltd. UNF-13, Unnayan Commercial Complex, 1050/1, Survey Park, Kolkata-700075 made a detailed presentation before the SEAC.
21. The SEAC on its meeting held on 10-08-2018 after detailed deliberations on the proposal in terms of the provisions of the MoEF&CC, Govt. of India Notification dated 14th March, 2017, confirmed the case to be of violation of the EIA Notification, 2006 and recommended to take decision on the proposal after receipt of the following. A site visit to the existing project also to be conducted by the Sub-Committee of SEAC to verify the present development.
 - a) Detailed construction status of existing project for which Environmental Clearance obtained including greenbelt, drainage system, STP and Solid Waste Management
 - b) Details of the proposed project along with modified approval of BDA for the proposed project.
 - c) Details of construction already done for the proposed project for which the case has been considered as a violation case whether the section of column of foundation is sufficient for proposed extension of project.
 - d) Status of clearance from Water Resources Department, Govt. of Odisha for drawal of water for existing project.
 - e) Greenbelt area of 20% to be justified for the existing as well as proposed project.
 - f) Solid waste management plan for the proposed project.
 - g) Detailed water balance of existing as well as proposed project.
22. The Sub-Committee of SEAC had visited the site on 17-08-2018. The Committee observed the following during the visit:

- a) Construction work for the proposed project is going on.
- b) Greenbelt in the existing complex is found missing / not available except decorative plants.
- 23 The Sub-Committee recommended that the construction of any nature should be immediately stopped forthwith by appropriate authority.
- 24 The SEAC in its meeting held on 29-09-2018 decided to request the SEIAA, Odisha to issue direction to the proponent to stop construction activity immediately and accordingly the SEIAA, Odisha was requested vide letter no. 859/SEAC-59, 22-10-2018 to issue direction to the proponent.
- 25 Now the project proponent has furnished compliances in hard copy as desired by the committee vide letter dated 06.12.2019 as follows. The proponent has not uploaded the information / documents as sought for in online portal and same is showing pending at the proponent level.

Sl. No.	Information Sought by SEAC	Compliance furnished by the proponent
(i)	Detailed construction status of existing project for which Environmental Clearance obtained including greenbelt, drainage system, STP and Solid Waste Management.	<ul style="list-style-type: none"> Greenbelt development has already been initiated at site. 788 numbers of trees have already been planted at site. Additional 400 trees are under plantation. Total 1186 number of trees shall be there at site. The details of plantation are as per Annexure -1. The project premises has an efficient drainage system which has been designed taking into consideration the ground profile and the different drainage channels in the neighborhood and it has been ensured that there is no water logging within the premises. As such, no impact on the natural drainage pattern of the area is envisaged due to operation of this project. Two STPs of 330 KL capacity (for Block -1 to 8) and 100 KL capacity (Block -9 to 11) have already been installed at site. STP details and related documents have been provided in Annexure -2A & 2B. 2 Garbage rooms adding up to 1700.75 sqft. area has been provided for segregation of municipal solid waste. Agreement with a private agency has been already done for collection and disposal of MSW. So as to keep the

Sl. No.	Information Sought by SEAC	Compliance furnished by the proponent
(ii)	Details of the proposed project along with modified approval of BDA for the proposed project.	<p>development in line with the modern day requirements, additionally 2 Nos. of composter plants of 250 Kg capacity for Block 9 -11 and 750Kg capacity for Blocks 1-8 have been ordered for management of organic waste. Attached offer letter and order copy of composters – Annexure -3. This will be at site within the next 5-8 weeks.</p> <ul style="list-style-type: none"> MSW collection agreement has been provided in Annexure – 4. <p>Modified approval of BDA for the proposed project has been presented in Annexure - 5</p>
(iii)	Details of construction already done for the proposed project for which the case has been considered as a violation case whether the section of column of foundation is sufficient for proposed extension of project.	Additional 22 flats have been built in the 11 blocks of Phase 1, details in Annexure - 6 . Status report of expansion (Phase -2) is attached as Annexure -7 . Structural Stability Certificate for 22 additional flats have been attached as Annexure – 8 .
(iv)	Status of clearance from Water Resources Department, Govt. of Odisha for drawal of water for existing project.	Ground Water Clearance letter no. 21-4(276)/CGWA/SER/2010-2547 Dated 5 th Nov, 2010, by Central Ground Water Authority has been presented in Annexure - 9
(v)	Greenbelt area of 20% to be justified for the existing as well as proposed project.	Greenbelt area has been considered based on the total land area and the land use plan. Calculation for the number of trees has been done taking into consideration 700 trees / hectare. Greenbelt details have been provided in Annexure -1
(vi)	Solid waste management plan for the proposed project.	2 Garbage rooms adding up to 1700.75 sqft Area has been provided for segregation of municipal solid waste. Agreement with a private agency has been already done for collection and disposal of MSW. 2 nos of composter plants of capacity 250 Kg capacity for Blocks 9-11 and 750 kg capacity for Blocks 1-8 have been ordered for management of organic waste. MSW garbage collection agreement has been provided in Annexure – 4 . Order copy composter plants are provided in Annexure - 3

Sl. No.	Information Sought by SEAC	Compliance furnished by the proponent
(vii)	Detailed water balance for existing as well as proposed project	Detailed water balance for existing as well as proposed project has been provided in Annexure -10

26. The SEAC in its meeting held on 24.12.2019, recommended the following:

- (i) The SEIAA, Odisha may be requested to intimate the status of direction if any issued to the proponent as requested vide letter no. 659/SEAC-59, dated 22.10.2018.
- (ii) The proponent may be requested to upload the information / documents as sought for by the SEAC vide letter no. 743(2)/SEAC-Misc.28, dated 10.09.2018 in online portal for further processing of the application of the proponent.

27. The SEIAA, Odisha has already issued direction to the proponent vide letter no. 8455/SEIAA, dated 19.06.2020 to stop all construction activities. However, the proponent has not yet uploaded the information / documents as sought for by the SEAC in the online portal.

After detailed discussion, the SEAC decided to issue a reminder to the proponent to upload information / documents as sought for by the SEAC vide letter no. 743(2)/SEAC-Misc.28, dated 10.09.2018 in the online portal.

II. PROPOSAL FOR ENVIRONMENTAL CLEARANCE OF PROPOSED MULTI STORIED RESIDENTIAL PROJECT AT MOUZA – RAGHUNATHPUR JALI, BHUBANESWAR, DISTRICT – KHORDHA OF KRJ PROJECT LLP & OTHERS WITH TOTAL BUILT-UP AREA 27,636.66 SQM. – EC

1. The proposal is for Environmental Clearance for KRJ Project LLP & Others for proposed Multi Storied Residential Project at Mouza – Raghunathpur Jali, Bhubaneswar, District – Khordha with total built-up area 27,636.66 m².
2. The project falls under Category "B", Project or Activity 8 (a) as per schedule of EIA Notification dated 14th Sep, 2006, as amended from time to time.
3. The total project area is 7405.75 m² or 1.83 acres. The coordinates of the area is Latitude - 20°22'47.52"N and Longitude - 85°49'29.14"E. The Project is located at Plot No. 317/2403, 318, 319, 320/2139, 322, 320, 321/2493, 325/1863, 326, 326/1851, Mouza- Raghunathpur Jali, Bhubaneswar, District- Khordha, Odisha. Among main connecting links to the Project site, Nandan- Kanan Road is adjacent to project site. The nearest railway station is Bhubaneswar Railway Station approx. 1.12 km in E direction from the project site and Biju Patnaik International Airport is at a distance of approx. 14.5 km in SSW direction from the project site. Nandankanan Wildlife Sanctuary lies at a distance of Approx. 0.72 km (NW) and Chandaka Dampara Wildlife Sanctuary lies at a distance of Approx. 2.65 km (NW).
4. The Detailed Area Statement of the project is mentioned in the table:

Sl. No.	PARTICULARS	AREA (M ²)
(a)	Total Plot area	7405.75
(b)	Permissible Ground coverage (@35%)	2592.0125
(c)	Proposed Ground coverage @ 19.5 % of plot area	1447.36

Sl. No.	PARTICULARS	AREA (M ²)
(d)	Permissible F.A.R @ 3	22,217.25
(e)	Proposed F.A.R @ 2.89	21,409.66
	a. Residential F.A.R	20,264.86
	b. Community building	1,145.80
(f)	Proposed Non F.A.R	6,227.00
(g)	a. Basement non F.A.R area (Lobby, Maintenance room, UGT, STP etc.)	5,286.89
	b. Tower's non F.A.R area (Meter room, fire command center, mummy, water tank etc.)	305.11
	c. Others non F.A.R area (Still, Guard room, Panel room, Community building etc.)	635.2
(h)	Total Built-up Area	27,636.66
(i)	Maximum Height of the Building (B+G+14)	44.5 m
(j)	Landscape area (22.09 % of total plot area)	1636.54

5. Total power requirement for the proposed project will be 660kVA; Source: CESU which will be sourced from Odisha Power Transmission Corporation Limited. 2 DG sets =500 kVA (2 x 250 kVA) will be installed for backup power.
6. The total water requirement is approx.112 KLD, out of which total domestic water requirement is 107 KLD. The total fresh water requirement is approx. 75 KLD.
7. **Wastewater Generation:** The project will generate approx. 92 KLD of wastewater. The wastewater will be treated in an onsite STP of 110 KLD capacity. 73.5 KLD of treated wastewater will be recycled (32 KLD for flushing, 5 KLD for gardening, 36.5 KLD will be discharged into nearby construction/ plantation purpose/into drain after getting Sewer permission).
8. **Solid waste Generation:** The project will generate approx. 437.5 kg/day of solid waste which will be collected from household units as domestic waste in coloured bins. The local vendors will be hired to provide separate coloured bins for dry recyclable and Bio-Degradable waste. Litter bin will also be provided in open areas like parks etc. Biodegradable waste will be composted in Organic Waste Converter and Non-biodegradable Waste generated will be disposed through Govt./CPCB approved vendors.
9. Adequate parking (7,105.24 m²) provision will be kept for vehicles parking in the project. Besides this, internal road of adequate width within the project will facilitate smooth traffic movement. The total proposed parking for the Multi-storied residential project is 248 ECS (Approx.).
10. Proposed energy saving measures would save about- Led lights, Solar panels, Energy Saving devices will be implemented. Solar based lightening will be done in common areas, Stair cases, landscape areas, signage, entry gates and boundary walls (5% from total power load). Total Energy saved – 132 kVA which will be 20 %
11. A detailed traffic survey has been conducted following PCUs as per IRC – 106:1990 in the area to evaluate the impacts of the increased traffic due to the proposed activity.
12. 6 nos. of Rain water harvesting pits had been proposed under Rain water harvesting

system.

13. Firefighting installations will be installed as per recommendation of the Firefighting Officer, Odisha and as per the guideline of NBC (part-4). Fire NOC had been obtained.
14. The total estimated population of the project will be 1088 persons (including fixed + floating).
15. The total estimated cost of the project is approximately INR ₹ 55 Crores including land and construction.
16. The consultant M/s **Grass Roots Research & Creation India (P) Ltd. Noida (UP)** along with the proponent have made a detailed presentation on the EIA/EMP report.
17. The SEAC in its meeting held on 18.12.2019 decided to take decision on the proposal after the proponent submits the following information/ documents followed by visit by the Sub Committee of SEAC to the project site
18. Now the project proponent has furnished compliances as desired by the committee vide letter dated 14.02.2020 as follows:

Sl. No.	Information Sought by SEAC	Compliance furnished by the proponent
(i)	Supporting documents regarding land schedule and kissam of land.	Kissam of land is Gharabari. Land Documents are enclosed in Annexure-I
(ii)	Status of Wildlife Clearance along with copy of the application submitted for Wildlife Clearance (if any) as the project is located within 10 km (default) from the boundary of Nandan Kanan Sanctuary.	Project Proponent have already applied for NBWL. Copy of the online submission acknowledgement is enclosed as Annexure-II .
(iii)	Certificate from the concerned DFO about exact distance of the project location from the boundary of notified Eco-Sensitive Zone of Chandaka-Dampada Wildlife Sanctuary.	DFO clearance for Chandaka Dampada Wildlife Sanctuary is enclosed as Annexure-III .
(iv)	Stack height of DG set, location and its specifications and design with stack height calculation.	Details of stack height of DG set, location and its specifications and design with stack height calculation is enclosed as Annexure-IV (a) IV (b) .
(v)	Detailed calculation for generation of waste water and its management during monsoon and non-monsoon.	Detailed calculation for generation of waste water and its management during monsoon and non-monsoon is enclosed as Annexure-V .
(vi)	NOC from drainage department for discharge of treated water to readymade municipality drain provided near proposed location.	Project Proponent has applied for NOC from drainage department for discharge of treated water. Copy of the same is enclosed as Annexure-VI .
(vii)	Exploring the possibility of treatment and usage of Roof Rain Water to minimise ground water usage.	Project Proponent confirmed that they will explore the possibility of roof rain water after primary treatment to minimize ground water. Details are enclosed as Annexure-VII .
(viii)	Traffic Density Study to be carried out for 10 years and report to be	Traffic Density Study Report for 10 years is enclosed as Annexure-VIII .

Sl. No.	Information Sought by SEAC	Compliance furnished by the proponent
	submitted.	
(ix)	Breakup percentage of green belt and landscape with detailed plan and layout.	The breakup percentage of green belt and landscape is as follows : ✓ Total green area is 1636.54 sqm (22.1 %) ✓ Green area on ground floor-1104.28 sqm (14.81%) ✓ Green area on podium-532.26 sqm (7.19%) Detailed landscape plan is enclosed as Annexure-IX .
(x)	Proposal to increase the percentage of solar energy to 5% with detailed plan.	Details of increased percentage of solar energy to 5% with detailed plan is enclosed as Annexure-X .
(xi)	Details of rainwater harvesting proposed in the project and amount compensated towards water requirement/recharging as well.	Detailed are enclosed as Annexure-V & Annexure-VII .
(xii)	Detailed ECS calculation.	Detailed ECS calculation is enclosed as Annexure-XI .
(xiii)	Status of building plan approval	Project Proponent has applied for building plan approval. Copy of the same is enclosed as Annexure-XII . Once they get the approval letter, they will submit to the SEAC.
(xiv)	Permission from Airport Authority for building height of 44.5 meter.	Project Proponent has applied for permission from Airport Authority. Copy of the same is enclosed as Annexure-XIII . NOC from AAJ enclosed as Annexure-XIII A .

19. The SEAC in its meeting held on 04.03.2020 decided to take decision on the proposal after a site visit by the Sub-Committee of SEAC. The Sub-Committee of SEAC visited the site on 18.03.2020. The proponent needs to comply the following within 30 days from the date of issue of clarification letter as per recommendations of the sub-Committee to take decision on grant of Environmental Clearance for the proposal:

- (i) There exists a drain on the entry side of the site adjacent to the main road which is connected to "Budhi Nala" located approximately 14 km from the site. The project proponent stated that they will discharge the excess effluent after treatment and storm / run off water of their operating project to the above said drain.

The drain at present is found to be dry, very narrow and filled with debris in between.

As per standard Environmental Clearance conditions in there of clause III (XVII) for Building Project Activity, even no treated effluent / water shall be disposed in to municipality drain. However, the project proponent needs to confirm the following:

- (a) To indicate the starting point of the drain and the exact distance of the site to "Budhi Nala".
 (b) To estimate the excess discharge (pre and post monsoon) after treatment and submit the report.

- (c) To estimate the storm / run-off water if any, proposed to be discharged to the same drain and submit the report.
 - (d) To obtain the permission from the concerned authority to discharge the liquid waste as estimated above to the 'Budhi nala' through the existing drain i.e. the competent authority of the drain and "Nala" as well.
- (ii) The entry gate is 9m wide and a 47 m road connects the main development area of the site to the gate.
- A comprehensive mobility plan must be prepared with:
- (a) Hierarchy of roads with proper segregation of vehicular and pedestrian traffic.
 - (b) Proper design of entry and exit points.
- (iii) A detailed Traffic Management Plan and traffic congestion plan with traffic density study by a reputed Govt. organization of national repute must be done and plan must be drawn up to ensure that the current level of service of the road from Governor's house to Cuttack via Trisulia is maintained and improved upon after the implementation of the project. The study and the plan should be based on cumulative impact of the traffic due to development and increased habitation for atleast next 10 years.
- (iv) This Traffic Management Plan shall be duly validated and certified by the State Concerned Competent Authority and shall have also their consent.
- (v) Solid Waste Management Plan need to be spelt out in detail and report be submitted.
- (vi) Result of ECS be provided.
- (vii) Since bore well will be used for drinking water purposes, necessary permission from the Concerned Authorities be submitted.
- (viii) But once the Municipality water supply is made available to that area, the bore wells (except one number) should be abandoned and intimated to Water Resources Authority and one number bore well may remain operational as standby domestic water source.
- (ix) Alternate source of renewable energy be indicated and its percentage be mentioned w.r.t total power requirement.
- (x) The project site was found to be a very low lying area. So the base should be at a suitable level, above the public road in consultation with the Architect to avoid water logging during monsoon.
- (xi) A buffer of minimum 10m is maintained between the entry / exit gate and the road to avoid traffic congestion.
- (xii) Distance of the site from Eco-Sensitive Zone, Nandanakanan Sanctuary be confirmed and a letter from the concerned authority be produced to this effect.
20. The SEAC in its meeting held on 03.06.2020 decided to take decision on the proposal after receipt of certain information / documents. Now, the project proponent has

furnished the compliance and the SEAC verified the same as follows:

Sl. No.	Information Sought by SEAC	Compliance furnished by the proponent	Views of the SEAC
(i)	<p>There exists a drain on the entry side of the site adjacent to the main road which is connected to "Budhi Nala", located approximately 14 km from the site. The project proponent stated that they will discharge the excess effluent after treatment and storm/run off water of their operating project to the above said drain.</p> <p>The drain at present is found to be dry very narrow and filled with debris in between.</p> <p>As per standard Environment Clearance conditions in there of clause III (XVI) for Building project activity, even no treated effluent/water shall be disposed into municipality drain. However the project proponent needs to confirm the following :</p>	<p>The drain exists adjacent to the site which is connected to "Budhi Nala" located approximately 1.5 km from the site.</p>	—
(a)	To indicate the starting point of the drain and the exact distance of the site to the "Budhi Nala".	Map showing starting point of the drain which is 1.5 km in SE direction from the site is enclosed as Annexure- I .	—
(b)	To estimate the excess discharge (Pre and Post monsoon) after treatment and submit the report.	<p>The excess treated water will be as follows:</p> <p>During pre-monsoon season-36.5 KLD During monsoon season-41.5 KLD During post monsoon season-38.5 KLD</p> <p>Excess treated water will be discharged to the drain only after getting the permission from the concerned authority.</p> <p>Waste water treatment report is enclosed as Annexure-II.</p>	<p>Conditions to be stipulated in the EC to obtain permission from the concerned authority for discharge of excess treated water to the drain To be mentioned as a specific condition. The proponent has to renovate the existing drain to accommodate the discharge and maintain it</p>

Sl. No.	Information Sought by SEAC	Compliance furnished by the proponent	Views of the SEAC
			perennially. To this effect the proponent has to give a legal affidavit.
(c)	To estimate the storm/runoff water if any, proposed to be discharged to the same drain and submit the report.	The storm water will not be discharged to the drain. Rain Water collection tank and RWH pits will be installed for proper management for the same. Rain Water management plan is enclosed as Annexure-III . The permission from competent authority will be obtained to discharge the excess storm water to drain if any.	Conditions to be stipulated in the EC to obtain permission from competent authority to discharge the excess storm water to drain if any. To be mentioned as a specific condition. The proponent has to renovate the existing drain to accommodate the discharge and maintain it perennially. To this effect the proponent has to give a legal affidavit.
(d)	To obtain the permission from the concerned authority to discharge the liquid waste as estimated above to the "Budhi Nala" through the existing drain i.e. the competent authority of the drain and "Nala" as well.	We will submit a copy of the permission issued from the concerned authority to discharge the liquid waste to the "Budhi Nala" through the existing drain i.e. the competent authority of the drain and "Nala" before commencement of any activity at the project site. An undertaking for the same is enclosed as Annexure-IV .	Conditions to be stipulated in the EC to obtain permission from the concerned authority to discharge the liquid waste to the "Budhi Nala" through the existing drain i.e. the competent authority of the drain and "Nala" before commencement of any activity at the project site. An undertaking to be submitted in form of a legal affidavit. To be incorporated in the specific condition.
(ii)	The entry gate is 9 m wide and a 47 m road connects the main development area of the site to the gate.	The following provisions will be adopted to smoothen the better flow of traffic: • Vehicles hired for bringing construction material to	Conditions to be stipulated in the EC.

Sl. No.	Information Sought by SEAC	Compliance furnished by the proponent	Views of the SEAC
	<p>A comprehensive mobility plan must be prepared with ;</p> <p>(a) Hierarchy of roads with proper segregation of vehicular and pedestrian traffic</p> <p>(b) Proper design of entry and exit points.</p>	<p>the site will be in good condition and will have a pollution check certificate conforming to the applicable air and noise emission standards and will be operated only during non-peak hours.</p> <ul style="list-style-type: none"> • A dedicated entry/exit and parking will be provided commercial activities. • Barricades will be provided around project boundary. • Speed of the vehicles will be restricted upto 15 kmph by erecting speed bumps at regular intervals at project site and proper signage will be provided for guided vehicular movement and speed restrictions. • Parking will be prohibited on the access road to the proposed project site. • Footpath will be seamless with sufficient width • No vehicles will be allowed to stop and stand in front of the gate on main access. <p>Traffic Circulation Plan is as Annexure-V (a).</p> <p>At present project gate is 9m wide and as per site plan it clearly indicates that as per Bhubaneswar CMP plan approach road i.e Nandankanan Road shall be expanded to become 60m wide road from present 30m road With road expansion an additional entry & exit route shall be available for entry & exit point. Site plan as per our submission to</p>	

Sl. No.	Information Sought by SEAC	Compliance furnished by the proponent	Views of the SEAC
		entry & exit point. Site plan as per our submission to BDA for sanction is enclosed as Annexure-V (b) .	
(iii)	A detailed Traffic Management Plan with traffic congestion plan with traffic density study by a reputed Govt. organization of national repute must be done and plan must be drawn up to ensure that the current level of service of the road from Governor's house to Cuttack via Trisulia is maintained and improved upon after the implementation of the project. The study and the plan should be based on cumulative impact of the traffic due to development and increased habitation for atleast next 10 years.	<p>Traffic study has been carried out based on cumulative impacts of the traffic due to proposed development and increased habitation of next 10 years. The Traffic Study Report has been validated and certified by the College of Engineering & Technology (A constituent College of BPUT, Odisha-Rourkela) vide letter no. 798/CET dated 29.06.2020.</p> <p>The certified letter is on the name of Environment Consultant. Being an Environment Consultant (GRC India (P) Ltd.), this study was carried out by the associating agency and as required by the SEAC, Odisha.</p> <p>The certified letter with detailed traffic study is enclosed as Annexure-VI for your ready reference.</p> <p>The attached traffic study have detailed traffic Management Plan and traffic congestion plan.</p> <p>The Operation Research Guidelines developed by IIT-Kharagpur has also been considered for analyzing of the data.</p>	<p>Conditions to be stipulated in the EC as specific condition.</p> <p>To be incorporated in EC.</p>
(iv)	This Traffic Management Plan shall be duly validated and certified by the State Concerned Competent Authority and shall have also their consent.	Traffic Management Plan has been validated and certified by the College of Engineering & Technology (A constituent College of BPUT, Odisha-Rourkela) vide letter no. 798/CET dated 29.06.2020. Letter is enclosed as Annexure-VI .	To be stipulated as specific condition that the CA for validation is BMC / Works Deptt. of the Govt. of Odisha. To this effect, they have to submit a legal affidavit.


Sl. No.	Information Sought by SEAC	Compliance furnished by the proponent	Views of the SEAC
(v)	Solid Waste Management plan need to be spelt out in detail and report be submitted.	Solid Waste will be treated in Organic Waste Converter within the premises. Management Plan is enclosed as Annexure-VII	Conditions to be stipulated in the EC
(vi)	Result of ECS be provided.	Parking details are enclosed as Annexure-VIII .	Conditions to be stipulated in the EC
(vii)	Since bore well will be issued for drinking water purposes, necessary permission from the Concerned Authorities be submitted.	<p>An application for the abstraction of groundwater has been submitted to CGWA and the same is under process. A copy of the acknowledgement is enclosed as Annexure-IX.</p> <p>Further, we invite kind attention to the Para i. of OM No. 21-103/2015-IA.III dated 2nd November 2018 which is read as:</p> <p>"In the projects where ground water is proposed as water source, the project proponent shall apply to the Central Ground Water Authority (CGWA)/ State Ground Water Authority (SGWA), as the case may be, for obtaining No Objection Certificate (NOC), if applicable, the MoEF&CC/SEAC may ensure that such an application has been made".</p> <p>Copy of the OM no. 21-103/2015- IA.III dated 2nd November, 2018 is enclosed is Annexure-X.</p> <p>It is ensured that the requisite permission form CGWA will be obtained before abstraction of groundwater for the aforesaid project.</p>	Conditions to be stipulated in the EC
(viii)	But once the Municipality water supply is made available to that area, the bore wells (Except one number) should be abandoned and intimated to Water Resources	One bore well has been proposed for which an application has been submitted to CGWA. This bore well will be as standby domestic water source once municipal water supply is	Conditions to be stipulated in the EC


Sl. No.	Information Sought by SEAC	Compliance furnished by the proponent	Views of the SEAC
	operational as standby domestic water source.		
(ix)	Alternate source of renewable energy be indicated and its percentage be mentioned w.r.t total power requirement.	<p>We will save total 20% (132 kVA) energy of total power load (660 kVA). Breakup of the same is as follows:</p> <p>5% (33 kVA) energy of total power load will solar based i.e lightening in common areas, stair cases, landscape areas, signages, entry gates and boundary walls.</p> <p>10 % (66 kVA) will be through CFL/LED in all dwelling units.</p> <p>5 % (33 kVA) will also be through LED in outdoor and common areas.</p> <p>Undertaking regarding 5% solar based energy of the total power load is enclosed as Annexure-XI.</p>	Conditions to be stipulated in the EC
(x)	The project site was found to be a very low lying area. So, the base should be at a suitable level, above the public road in consultation with the architect to avoid water logging during monsoon.	Project site is generally 2 m below the adjoining Nandankanan road. Project has been planned as Basement + 14 floors structures with basemnt level being kept at existing ground level and ground floor apartment have been kept at 2.3 m above the road. Basement shall be provided with RCC structure to withstand any ingress of moisture or water from sides.	Conditions to be stipulated in the EC
(xi)	A buffer of minimum 10 m is maintained between the entry/exit gate and the road to avoid traffic congestion.	A buffer of minimum 10 m will be maintained.	Conditions to be stipulated in the EC
(xii)	Distance of the site from EcoSensitive Zone, Nandankanan Sanctuary be confirmed and a letter from the concerned authority be produced to this effect.	NOC from Nandankanan Zoological Park, Khorda, Odisha vide letter no. 1598/3F dated 19/05/2020 is enclosed as Annexure-XII .	Conditions to be stipulated in the EC


Considering the information / documents furnished by the proponent and presentation made by the consultants **M/s Grass Roots Research & Creation India (P) Ltd. Noida (UP)**, the SEAC recommended for grant of Environmental Clearance for the project valid for a period of 7 years with stipulated conditions as per **Annexure -C** in addition to following conditions:


- (i) The site is required to be revisited by the same sub-Committee of SEAC after one year of issue of Environmental Clearance order by SEIAA, Odisha to assess the status of implementation of commitment by the project proponent and conditions of Environmental Clearance order.
- (ii) BDA to obtain status of implementation of conditions of Environmental Clearance from SEIAA, Odisha before issue of occupancy certificate.


DR. D. SWAIN
MEMBER, SEAC



SRI. J. K. MOHAPATRA
MEMBER, SEAC


PROF. (DR.) P.K. MOHANTY
MEMBER, SEAC


ER. K.R. ACHARYA
MEMBER, SEAC


DR. K.C.S PANIGRAHI
MEMBER, SEAC


PROF. (DR.) B.K. PATPATHY
MEMBER, SEAC


PROF. (DR.) H.B. SAHU
MEMBER, SEAC

APPROVED


CHAIRMAN (WORKING), SEAC

TABLE

DECISION ON MINOR MINERAL PROJECTS WITH LEASE AREA LESS THAN 5 HA. ON 03.07.2020

Sl. No	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (In m ³)	Recommendation of the SEAC
1.	SIAVO R/MIN/15015 3/2020	Sri Dhoba Patra (Owner) M/s 2nd Dhepaguda Road Metal Quarry At - Tileswar, Po- Moulabhanja, Ps - Digapahandi Dist - Ganjam (Odisha) Pin - 761012 E-mail - rajeshkuttikat1994@gmail.com	Ganjam	Road Metal	Proposal for Environmental Clearance for Proposal for 2nd Dhepaguda Road Metal Quarry over an area 0.7226 ha at village- Dhepaguda, Tahasil- Sarakhemundi, Dist- Ganjam of Sri Dhoba Patra (Earlier EC Granted by DEIAA vide	FY 2020-21 to 2021-22 upto 31.08.2021	Nil (As per Checklist)	<ol style="list-style-type: none"> 1. Furnished filed in Form-I, pre-feasibility report and check list as endorsed / submitted by the Tahasilidar. 2. DSR has been submitted, which reveals that there are 15 other stone quarries located in the same Tahasil. 3. Topo sheet indicating location of the mine has been furnished. 4. EMP has been submitted. 5. Mining plan approved by the Deputy Director of 	No	1512	The SEAC decided to take decision on the proposal after receipt of the following from the concerned Tahasilidar: a) Detailed certificate that there is no other mines located within 500 meters from the periphery of the proposed mine lease area as DSR reveals that there are 15 other stone



Nodal Officer, SEAC

Sl. No	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (in m ³)	Recommendation of the SEAC
					letter no. 1347/DEIA A Dt.14.07.2016) (EC)			<p>Geology, O/o The Joint Director of Geology, (South Zone), Berhampur.</p> <p>6. No forest land involved in lease area</p> <p>7. There is no protected areas i.e. National Park, Sanctuary, Habitat for Migratory Birds, Tiger Reserve, Protected Monuments, Inter-State boundary and critically polluted area as identified by CPCB etc. located within 5 km radius of the mine lease area.</p> <p>8. There is no court case / litigation pending.</p> <p>9. Previous EC granted on vide letter no:</p>			<p>cuaries located in the same Tahasil.</p> <p>b) Detailed compliance report to the conditions stipulated in earlier EC.</p> <p>c) Copy of original mining plan basing on which earlier EC was granted.</p>


Nodal Officer, SEAC

Sl. No	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (In m ³)	Recommendation of the SEAC
								<p>DEIAA/1347, Dt: 14.07.2016.</p> <p>10. Now the proponent applied for extension of EC for a period of 2020-21 to 2021-22 upto 31.08.2021 for annual production capacity of 1512 m³.</p> <p>11. Lease permission letter is attached (Tahasildar).</p> <p>12. Earlier approved previous Mining plan for which EC has been granted has not been submitted.</p>			
2.	SIA/O R/MIN/155955/2023	Sri Jayanta Kumar Jona (Owner) M/s. Brundadelpur Sand quarry	Jajpur	Sand	Proposal for Environmental Clearance for Proposal	FY 2015-16 to 2019-20(Extn. 01.04.2020 up to 29.05.2022)	Nil (As per Checklist)	1. Furnished filled in Form-I, pre-feasibility report and check list as endorsed / submitted by the Tahasildar.	NO	4032	The Committee observed the following: (i) The MoEF&CC, Govt. of India OM no.


Nodal Officer, SEAC

Sl. No	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (in m ³)	Recommendation of the SEAC
		At/Po. Marjitapur, Ps – Dharmasala Dist – Jajpur Odisha			for Brundadeipur Sand Quarry of Sri Jayanta Kumar Jena over an area of 5.058ha at Village-Brundadeipur, Tahasil-Dharmasala, Dist – Jajpur of Sri Jayanta Kumar Jena over river Brahmani (EC)			<p>2. DSR has been submitted, which reveals that there are 4 other sand quarries located in the same Tahasil.</p> <p>3. Topo sheet indicating location of the mine has been furnished.</p> <p>4. EMP has been submitted.</p> <p>5. Mining plan approved by the Mining Officer, Deputy Director of Mines, Jajpur Road.</p> <p>6. No forest land involved in lease area</p> <p>7. There is no protected areas i.e. National Park, Sanctuary, Habitat for Migratory Birds, Tiger Reserve,</p>			<p>F. No L-1011/175/2018-IA-II (M), dated 12.12.2018 stipulates that only mining of minor mineral with lease area 0-5 ha. will be considered as category B2 project and grant of EC for the same will be considered by the SEIAA.</p> <p>(ii) Any modification in EC, extension of validity period of EC and</p>


 Nodal Officer, SEAC

Sl. No	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (in m ³)	Recommendation of the SEAC
								<p>Protected Monuments, Inter-State boundary and critically polluted area as identified by CPCB etc. located within 5 km radius of the mine lease area.</p> <p>8. There is no court case / litigation pending.</p> <p>9. Previous EC granted on vide letter no: SEIAA/1347, Dt: 14.07.2016.</p> <p>10. Now the proponent applied for extension of EC for a period of 01.04.2020 to 29.05.2022 for production capacity of 4435 m³.</p> <p>11. Lease permission letter is attached</p>			<p>enhancement of production capacity with lease area 0-5 ha. can be considered by the SEIAA as B2 category.</p> <p>(iii) This is a proposal for mining lease area 5.058 ha. and the proponent has requested for extension of validity period of earlier EC for another one year with same production capacity for which EC</p>



Nodal Officer, SEAC

Sl. No	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (in m ³)	Recommendation of the SEAC
								(Tahasildar). 12. Earlier approved previous Mining plan for which EC has been granted was 4435 (max)/annum.			granted earlier. (iv) As per the OM no. F. No. L-1 1011/175/20 18-IA-II (M), dated 12.12.2018, lease area more than 5 ha will be considered as category B1 project. After detailed discussion, the SEAC recommended to return the proposal to SEIAA with a request to ask the proponent to apply afresh as B1 category project.

Sl. No.	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist.	Whether general condition apply	Maximum annual production capacity (in m ³)	Recommendation of the S. AC
3.	SEIAA - 157/05 -2020	Sri Om Prakash Pradhan (Owner) M/s. Chhotakunjari Sand Quarry At - Adapani Po - Chandibhat a Ps - Jharbandh Dist - Bargarh (Odisha) Pin - 768042	Bargarh	Sand	Proposal for Environmental Clearance for Chhotakunjari Sand Quarry over an area of 12.30 acres or 4.977 ha. at village Chhotkunjari Tahasil Jharbandh in the district of Bargarh of Sri Om Prakash Pradhan over river ONG (EC)	FY 2018-19 to 2022-23	Nil (As per Checklist)	<ol style="list-style-type: none"> 1. Furnished filled in Form-I, pre-feasibility report and check list as endorsed / submitted by the Tahasildar. 2. DSR has been submitted, which reveals that there are 9 other sand quarries located in the same Tahasil. 3. Topo sheet indicating location of the mine has been furnished. 4. EMP has been submitted. 5. Mining plan approved by the Deputy Director of Geology, Directorate of Geology, Bhubaneswar. 6. No forest land 	No	2200	<p>The SEAC decided to take decision on the proposal after receipt of the following from the concerned Tahasildar:</p> <p>a) Detailed certificate that there is no other mines located within 500 meters from the periphery of the proposed mine lease area as DSR reveals that there are 9 other sand quarries located in the same</p>


Nodal Officer, SEAC

Sl. No	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (in m ³)	Recommendation of the SEAC
								involved in lease area 7. There is no protected areas i.e. National Park, Sanctuary, Habitat for Migratory Birds, Tiger Reserve, Protected Monuments, Inter-State boundary and critically polluted area as identified by CPCB etc. located within 5 km radius of the mine lease area. 8. There is no court case / litigation pending.			Tahasil. b) Exact distance of the boundary of the mine from the river bridge. A certificate to this effect shall be submitted. c) Copy of Environmental Clearance, if granted by DEIAA/SEIAA earlier.
4.	SEIAA - 158/05-2020	Sri Akash Kumar Agrawal (Owner) M/s. Rengali Stone Quarry At/Po/P.s - Rengali.	Sambalpur	Stone	Proposal for Environmental Clearance for Rengali Stone Quarry over an area of	5 Years	Nil (As per Checklist)	1. Furnished filled in Form-I, pre-feasibility report and check list as enclosed / submitted by the Tahasildar. 2. DSR has been	No	11400	The SEAC decided to take decision on the proposal after receipt of the following from the concerned Tahasildar.


Nodal Officer, SEAC

Sl. No	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (in m ³)	Recommendation of the SEAC
		Dist - Sambalpur (Odisha) Pin: 768212			4.95 acres or 2.003 ha. at village Rengali Tahasil Rengali in the district of Sambalpur. of Sri Akash Kumar Agrawal (EC)			<p>submitted, which reveals that there are 6 other stone quarries located in the same Tahasil.</p> <p>3. Topo sheet indicating location of the mine has been furnished.</p> <p>4. EMP has been submitted.</p> <p>5. Mining plan approved by the Joint Director of Geology, Zonal Survey, Sambalpur.</p> <p>6. No forest land involved in lease area</p> <p>7. There is no protected areas i.e. National Park, Sanctuary, Habitat for Migratory Birds, Tiger Reserve, Protected</p>			<p>a) Detailed certificate that there is no other mines located within 500 meters from the periphery of the proposed mine lease area as DSR reveals that there are 3 other stone quarries located in the same Tahasil.</p> <p>b) Certificate from the concerned DFO that there is no DLC land involved in lease area as requested by the SEIAA, Odisha vide</p>


Nodal Officer, SEAC

Sl. No	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (in m ³)	Recommendation of the SEAC
								<p>Monuments, Inter-State boundary and critically polluted area as identified by CPCB etc. located within 5 km radius of the mine lease area.</p> <p>B. There is no court case / litigation pending.</p> <p>9. SEIAA in its meeting held on Dt: 10.06.2020 (vide letter no: 8431/SEIAA, Dated 17-06-2020) decided to ask DFO, Jharsuguda to verify status of the lease area from DLC Report.</p>			<p>letter no. 8431/SEIAA dated 17.06.2020.</p> <p>c) Copy of Environmental Clearance, if granted by DEIAA/SEIAA earlier</p>
5.	SEIAA - 159/05 -2020	Tahasildar Keonjhar (Owner) M/s. Kathabauns uli Stone	Keonjhar	Stone	Proposal for Environmental Clearance for Kathabauns	FY 2018-19 to 2022-23	Nil (As per Checklist)	1. Furnished filled in Form-I, pre-feasibility report and check list as endorsed / submitted by the	No	1000	The SEAC decided to take decision on the proposal after receipt of the following from the concerned


Nodal Officer, SEAC

Sl. No	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (in m ³)	Recommendation of the SEAC
		Quarry At/Po. Keonjhar Tahasil Dist Keonjhar (Odisha)			uli Stone Quarry No-1 over an area of 8.32 acres or 2.557 ha. at village Kathabauns uli Tahasil Keonjhar in the district of Keonjhar of Tahasildar Keonjhar (EC)			<p>Tahasildar.</p> <p>2. DSR has been submitted, which reveals that there is 1 other stone quarry located in the same Tahasil.</p> <p>3. Topo sheet indicating location of the mine has been furnished.</p> <p>4. FVP has been submitted.</p> <p>5. Mining plan approved by the Mining Officer, Keonjhar Circle, Keonjhar.</p> <p>6. No forest land involved in lease area</p> <p>7. There is no protected areas i.e. National Park, Sanctuary, Habitat for Migratory Birds,</p>			<p>Tahasildar:</p> <p>a) Detailed certificate that there is no other mines located within 500 meters from the periphery of the proposed mine lease area as DSR reveals that there is 1 other stone quarry located in the same Tahasil.</p> <p>b) Certificate from the concerned DFO that there is no DLC land involved in lease area as requested by the SEIAA.</p>


Nodal Officer, SEAC

Sl. No	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (in m ³)	Recommendation of the SEAC
								<p>Tiger Reserve, Protected Monuments, Inter-State boundary and critically polluted area as identified by CPCB etc. located within 5 km radius of the mine lease area.</p> <p>8. There is no court case / litigation pending.</p> <p>9. SEIAA in its meeting held on 10.06.2020 (vide letter no: 8433/SEIAA, Dated 17-06-2020) decided to ask DFO, Keonjhar to verify status of the lease area from DLC Report.</p>			<p>Odisha vide letter no. 8433/SEIAA dated 17.06.2020.</p> <p>c) Copy of Environmental Clearance, if granted by DEIAA/SEIAA earlier</p>
6	SEIAA 180/06-2020	Sri Sangram Keshari Nayak (Owner)	Koraput	Stone	Proposal for Environmental Clearance	FY – 2019-20 to 2023-24	Nil (As per Checklist)	1. Furnished filled in Form-I, pre-feasibility report and check list as endorsed /	No	787.00	The SEAC decided to take decision on the proposal after receipt of the

Sl. No	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (in m ³)	Recommendation of the SEAC
		M/s. Kunturkhal Stone Quarry At/Po. Daringbadi Dist - Kandhamal, Odisha			for Kunturkhal Stone Quarry over an area of 0.40 acres or 0.161 ha. at village Kunturkhal Tahasil Jeypore in the district of Koraput. of Sri Sangram Keshari Nayak (EC)			<p>submitted by the Tahasildar.</p> <p>2. DSR has been submitted, which reveals that there are 19 other stone quarries located in the same Tahasil.</p> <p>3. Topo sheet indicating location of the mine has been furnished.</p> <p>4. EMP has been submitted.</p> <p>5. Mining plan approved by the Joint Director Geology, Zonal Survey, Koraput.</p> <p>6. No forest land involved in lease area</p> <p>7. There is no protected areas i.e. National Park, Sanctuary, Habitat</p>			<p>following from the concerned Tahasildar:</p> <p>a) Detailed certificate that there is no other mines located within 500 meters from the periphery of the proposed mine lease area as DSR reveals that there are 19 other stone quarries located in the same Tahasil.</p> <p>b) Certificate from the concerned DFO that there is no DLC land involved in lease area as</p>


Nodal Officer, SEAC

Sl. No	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (in m ³)	Recommendation of the SEAC
								<p>for Migratory Birds, Tiger Reserve, Protected Monuments, Inter-State boundary and critically polluted area as identified by CPCB etc. located within 5 km radius of the mine lease area.</p> <p>8. There is no court case / litigation pending.</p> <p>9. SEIAA in its meeting held on Dt: 10.06.2020 (vide letter no: 8429/SEIAA, Dated 17-06-2020) decided to ask DFO, Jeypore to verify status of the lease area from DLC Report.</p>			<p>requested by the SEIAA, Odisha vide letter no. 8429/SEIAA dated 17.06.2020.</p> <p>c) Copy of Environmental Clearance, if granted by DEIA/SEIAA earlier.</p>
7.	SEIAA - 161/06-2020	Sri Sangram Keshari Nayak (Owner)	Koraput	Stone	Proposal for Environmental	FY – 2019-20 to 2023-24	Nil (As per Checklist)	1. Furnished filled in Form-I, pre-feasibility report and check list as	No	720	The SEAC decided to take decision on the proposal after

Sl. No	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (in m ³)	Recommendation of the SEAC
		M/s Balijodi Stone Quarry At/Po. Daringbadi Dist - Kandhamal, Odisha			Clearance for Balijodi Stone Quarry over an area of 0.50 acres or 0.202 ha. at village Balijod Tahasi Jeypore in the district of Koraput of Sri Sangram Keshari Nayak (EC)			<p>endorsed / submitted by the Tahasildar.</p> <p>2. DSR has been submitted, which reveals that there are 19 other stone quarries located in the same Tahasil.</p> <p>3. Topo sheet indicating location of the mine has been furnished.</p> <p>4. EMP has been submitted.</p> <p>5. Mining plan approved by the Joint Director of Geology, Zonal Survey, Koraput.</p> <p>6. No forest land involved in lease area</p> <p>7. There is no protected areas i.e. National Park,</p>			<p>receipt of the following from the concerned Tahasildar:</p> <p>a) Detailed certificate that there is no other mines located within 500 meters from the periphery of the proposed mine lease area as DSR reveals that that there are 19 other stone quarries located in the same Tahasil.</p> <p>b) Certificate from the concerned DFO that there is no DLC land involved in</p>


Nodal Officer, SEAC

Sl. No	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (in m ³)	Recommendation of the SEAC
								<p>Sanctuary, Habitat for Migratory Birds, Tiger Reserve, Protected Monuments, Inter-State boundary and critically polluted area as identified by CPCB etc. located within 5 km radius of the mine lease area.</p> <p>8. There is no court case / litigation pending.</p> <p>9. SEIAA in its meeting held on Dt: 10.06.2020 (vide letter no: 8429/SEIAA, Dated 17-06-2020) decided to ask DFO, Jeypore to verify status of the lease area from DLC Report.</p>			<p>lease area as requested by the SEIAA, Odisha vide letter no. 8429/SEIAA dated 17.06.2020.</p> <p>c) Copy of Environmental Clearance if granted by DEIAA/SEIAA earlier</p>

Sl. No	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (In m ³)	Recommendation of the SEAC
B.	SEIAA - 182/08 -2020	Sri Sangram Keshari Nayak (Owner) M/s. Mahallaput Stone Quarry At/Po. Daringhadi Dist - Kandhamal, Odisha	Koraput	Stone	Proposal for Environmental Clearance for Mahaliaput Stone Quarry over an area of 2.00 acres or 0.809 ha at village Mahaliaput Tahasi Jeypore in the district of Koraput. of Sri Sangram Keshari Nayak (EC)	FY - 2019-20 to 2023-24	Nil (As per Checklist)	<ol style="list-style-type: none"> 1. Furnished filled in Form-I, pre-feasibility report and check list as endorsed / submitted by the Tahasildar. 2. DSR has been submitted, which reveals that there are 19 other stone quarries located in the same Tahasil. 3. Topo sheet indicating location of the mine has been furnished. 4. EMP has been submitted. 5. Mining plan approved by the Joint Director of Geology, Zonal Survey, Koraput. 6. No forest land involved in lease 	No	2160	<p>The SEAC decided to take decision on the proposal after receipt of the following from the concerned Tahasildar.</p> <p>a) Detailed certificate that there is no other mines located within 500 meters from the periphery of the proposed mine lease area as DSR reveals that there are 19 other stone quarries located in the same Tahasil.</p> <p>b) Certificate from the concerned</p>

Handwritten signature

Nodal Officer, SEAC

Sl. No.	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (in m ³)	Recommendation of the SEAC
								<p>area</p> <p>7. There is no protected areas i.e. National Park, Sanctuary, Habitat for Migratory Birds, Tiger Reserve, Protected Monuments, Inter-State boundary and critically polluted area as identified by CPCB etc. located within 5 km radius of the mine lease area.</p> <p>8. There is no court case / litigation pending.</p> <p>9. SEIAA in its meeting held on 10.06.2020 (vide letter no: 8429/SEIAA, Dated 17-06-2020) decided to ask DFO, Jeypore to verify status of the</p>			<p>DFO that there is no DLC land involved in lease area as requested by the SEIAA, Odisha vide letter no. 8429/SEIAA dated 17.06.2020.</p> <p>c) Copy of Environmental Clearance if granted by DEIAA/SEIAA earlier.</p>

Sl No	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (in m ³)	Recommendation of the SEAC
								lease area from DLC Report.			
9.	SEIAA - 183/08-2020	Sri Susatya Sitakanta Samal (Owner) M/s. San - Thelakudar Stone Quarry P.A holder of M/s. KMC - RKD (JV) At/Po. B-20 Chandaka Industrial Estate, Patia Bhubaneswar Dist - Khordha	Sundargarh	Stone	Proposal for Environmental Clearance for San-Thelakudar Stone Quarry over an area of 9.009 acres or 3.645 ha. at village San-Thelakudar Tahasil Korda in the district of Sundargarh of Sri Susatya Sitakanta Samal (EC)	FY 2019-20 to 2023-24	Nil (As per Checklist)	1. Furnished filled in Form-I, pre-feasibility report and check list as endorsed / submitted by the Tahasildar. 2. DSR has been submitted. 3. Topo sheet indicating location of the mine has been furnished. 4. EMP has been submitted. 5. Mining plan approved by the Deputy Director of Mines, Koira Mining Circle, Koira. 6. No forest land involved in lease area 7. There is no	No	86299	The SEAC decided to take decision on the proposal after receipt of the following from the concerned Tahasildar: a) Detailed certificate that there is no other mines located within 500 meters from the periphery of the proposed mine lease area. b) Certificate from the concerned DFO that there is no DLC land involved in



Nodal Officer, SEAC

Sl. No	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (In m ³)	Recommendation of the SEAC
								<p>protected areas i.e. National Park, Sanctuary, Habitat for Migratory Birds, Tiger Reserve, Protected Monuments, Inter-State boundary and critically polluted area as identified by CPCB etc. located within 5 km radius of the mine lease area.</p> <p>8. There is no court case / litigation pending.</p> <p>9. SEIAA in its meeting held on 10.06.2020 (vide letter no: 8442/SEIAA, Dated 17-06-2020) decided to ask DFO, Bonai to verify status of the lease area from DLC Report.</p>			<p>lease area as requested by the SEIAA, Odisha vide letter no. 8442/SEIAA dated 17.06.2020.</p> <p>c) Copy of Environmental Clearance if granted by DEIAA/SEIAA earlier</p>

Sl. No	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (in m ³)	Recommendation of the SEAC
10.	SEIAA - 154/06-2020	Sri Laveti Veera Prasad M/s. Boriput Stone Quarry At: Godia Dhobi Street Po - Jeypore, Dist - Koraput (Odisha) Pin - 764001 Mob: 9437102366	Koraput	Stone	Proposal for Environmental Clearance for Boriput Stone Quarry over an area of 1.00 acres or 0.405 ha. at village Boriput Tahasil Jeypore in the district of Koraput of Sri Laveti Veera Prasad (EC)	FY 2019-20 to 2023-24	Nil (As per Checklist)	<ol style="list-style-type: none"> 1. Furnished filed in Form-I, pre-feasibility report and check list as endorsed / submitted by the Tahasildar. 2. DSR has been submitted, which reveals that there are 19 other stone quarries located in the same Tahasil. 3. Topo sheet indicating location of the mine has been furnished. 4. EMP has been submitted. 5. Mining plan approved by the Deputy Director of Mines, Koraput Circle, Koraput. 6. No forest land involved in lease 	No	1782	<p>The SEAC decided to take decision on the proposal after receipt of the following from the concerned Tahasildar:</p> <p>a) Detailed certificate that there is no other mines located within 500 meters from the periphery of the proposed mine lease area as the DSR reveals that there are 19 other stone quarries located in the same Tahasil.</p> <p>b) Copy of Environmental Clearance if</p>


Nodal Officer, SEAC

Sl. No	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (in m ³)	Recommendation of the SEAC
								<p>area</p> <p>7. There is no protected areas i.e. National Park, Sanctuary, Habitat for Migratory Birds, Tiger Reserve, Protected Monuments, Inter-State boundary and critically polluted area as identified by CPCB etc. located within 5 km radius of the mine lease area.</p> <p>8. There is no court case / litigation pending.</p> <p>9. SEIAA in its meeting held on 10.06.2020 (vide letter no: 8429/SEIAA, Dated 17-06-2020) decided to ask DFO, Jeypore to verify status of the</p>			granted by DEIAA/SEIAA earlier



Nodal Officer, SEAC

Sl. No	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (in m ³)	Recommendation of the SEAC
								lease area from DLC Report. 10. The DFO, Jeypore has intimated that the lease area is not included in the DLC report.			
11.	SEIAA - 165/06 -2020	Sri Dhana Khora (Owner) M/s. Sandhagura Stone Quarry At - Dongaguda, Po - Jeypore. Dist - Koraput (Odisha) Pin : 764001	Koraput	Stone	Proposal for Environmental Clearance for Sandhagura Stone Quarry over an area of 1.00 acres or 0.405 ha. at village Sandhagura Tahasil Jeypore in the district of Koraput of Sri Dhana Khora (EC)	FY - 2019-20 to 2023-24	Nil (As per Checklist)	1. Furnished filled in Form-I, pre-feasibility report and check list as endorsed / submitted by the Tahasildar. 2. DSR has been submitted, which reveals that there are 4 other stone quarries located in the same Tahasil. 3. Topo sheet indicating location of the mine has been furnished. 4. EMP has been submitted.	NO	3888	The SEAC decided to take decision on the proposal after receipt of the following from the concerned Tahasildar: a) Detailed certificate that there is no other mines located within 500 meters from the periphery of the proposed mine lease area as the DSR reveals that there are


Nodal Officer, SEAC

Sl. No	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (in m ³)	Recommendation of the SEAC
								<p>5. Mining plan approved by the Deputy Director of Mines (I/c), Koraput Circle, Koraput.</p> <p>6. No forest land involved in lease area</p> <p>7. There is no protected areas i.e. National Park, Sanctuary, Habitat for Migratory Birds, Tiger Reserve, Protected Monuments, Inter-State boundary and critically polluted area as identified by CPCB etc. located within 5 km radius of the mine lease area.</p> <p>8. There is no court case / litigation pending.</p>			<p>4 other stone quarries located in the same Tahasil.</p> <p>b) Copy of Environmental Clearance, if granted by DEIAA/SEIAA earlier.</p>

Sl. No	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (in m ³)	Recommendation of the SEAC
								<p>9. SEIAA in its meeting held on Dt: 10.06.2020 (vide letter no: 8429/SEIAA, Dated 17-06-2020) decided to ask DFO, Jeypore to verify status of the lease area from DLC Report.</p> <p>10. The DFO, Jeypore has intimated that the lease area is not included in the DLC report.</p>			
12.	SEIAA - 186/06-2020	Sri Bijay Kumar Sahoo (Owner) (Sri Durga Condev Pvt Ltd); M/s. Ankura (KA) Stone Quarry At - Kairapati,	Keonjhar	Stone	Proposal for Environmental Clearance for Ankura (KA) Stone Quarry over an area of 10.72 acres or 4.338 ha. at village	FY 2019-20 to 2023-24	Nil (As per Checklist)	<p>1. Furnished filled in Form-I, pre-feasibility report and check list as endorsed / submitted by the Tahasildar.</p> <p>2. DSR has been submitted, which reveals that there are 23 other stone quarries located in</p>	NO	27700	The SEAC decided to take decision on the proposal after receipt of the following from the concerned Tahasildar: d) Detailed certificate that there is no other mines


Nodal Officer, SEAC

Sl. No	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (in m ³)	Recommendation of the SEAC
		Po. Kotasahi (Tangi), Dist. Cuttack, Odisha Pin 755008 E-mail: sridurgamin.es20@gmail.com Mob: 9438070995			Ankura Tahasil Patna in the district of Keonjhar of Sri Bijay Kumar Sahoo (EC)			<p>the same Tahasil and 1 stone quarry in same village.</p> <p>3. Topo sheet indicating location of the mine has been furnished.</p> <p>4. EMP has been submitted.</p> <p>5. Mining plan approved by the Joint Director Geology, Keonjhar.</p> <p>6. No forest land involved in lease area</p> <p>7. There is no protected areas i.e. National Park, Sanctuary, Habitat for Migratory Birds, Tiger Reserve, Protected Monuments, Inter-State boundary and critically polluted</p>			<p>located within 500 meters from the periphery of the proposed mine lease area as DSR reveals that there are 23 other stone quarries located in the same Tahasil and 1 stone quarry in same village.</p> <p>e) Certificate from the concerned DFO that there is no DLC land involved in lease area as requested by the SEIAA, Odisha vide letter no.</p>


 Nodal Officer, SEAC

Sl. No	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (in m ³)	Recommendation of the SEAC
								<p>area as identified by CPCB etc. located within 5 km radius of the mine lease area.</p> <p>8. There is no court case / litigation pending.</p> <p>9. SEIAA in its meeting held on 10.06.2020 (vide letter no: 8444/SEIAA, Dated 17-06-2020) decided to ask DFO, Keonjhar to verify status of the lease area from DLC Report.</p>			8444/SEIAA dated 17.06.2020. f) Copy of Environmental Clearance, if granted by DEIAA/SEIAA earlier
13.	SEIAA - 167/06-2020	Sri Pravat Kumar Sahu (Owner) M/s Erendei Sand Quarry At/Po/ Ps - Turumunga, Dist -	Keonjhar	Sand	Proposal for Environmental Clearance for Erendei Sand Quarry over an area of 2.90 acres	5 Years	Nil (As per Checklist)	<p>1. Furnished filled in Form-I, pre-feasibility report and checklist as endorsed / submitted by the Tahasildar.</p> <p>2. DSR has been submitted, which</p>	NO	8000	The SEAC decided to take decision on the proposal after receipt of the following from the concerned Tahasildar: a) Detailed


Nodal Officer, SEAC

Sl. No	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (in m ³)	Recommendation of the SEAC
		Keonjhar (Odisha) Pin - 758046 E-mail - pravat76ps@gmail.com Tel: 9938696680			or 1.173 ha. at village Erendei Tahasil Patna in the district of Keonjhar of Sri Pravat Kumar Sahu over river Baitarani (EC)			<p>reveals that there are 26 other sand quarries located in the same Tahasil.</p> <p>3. Topo sheet indicating location of the mine has been furnished.</p> <p>4. EMP has been submitted.</p> <p>5. Mining plan approved by the Joint Director Geology, Keonjhar.</p> <p>6. No forest land involved in lease area</p> <p>7. There is no protected areas i.e. National Park, Sanctuary, Habitat for Migratory Birds, Tiger Reserve, Protected Monuments, Inter-State boundary and</p>			<p>certificate that there is no other mines located within 500 meters from the periphery of the proposed mine lease area as DSR reveals that there are 26 other sand quarries located in the same Tahasil.</p> <p>b) Exact distance of the boundary of the mine from the river bridge. A certificate</p>



Nodal Officer, SEAC

Sl. No	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist.	Whether general condition apply	Maximum annual production capacity (in m ³)	Recommendation of the SEAC
								critically polluted area as identified by CPCB etc. located within 5 km radius of the mine lease area. 8. There is no court case / litigation pending.			to this effect shall be submitted. c) Copy of Environmental Clearance, if granted by DEIA/SEIAA earlier.
14.	SEIAA - 168/08 -2020	Sri Pravat Kumar Sahu (Owner) M/s. Kainda Sand Quarry At/Po/ Ps - Turumunga, Dist - Keonjhar (Odisha) Pin - 758046 E-mail - pravat76ps@gmail.com Tel: 9938686680	Keonjhar	Sand	Proposal for Environmental Clearance for Kainda Sand Quarry over an area of 2.050 acres or 0.830 ha at village Kainda Janasil Patna in the district of Keonjhar of Sri Pravat	5 Years	Nil (As per Checklist)	1. Furnished filed in Form-I, pre-feasibility report and check list as endorsed / submitted by the Tahasildar. 2. DSR has been submitted, which reveals that there are 26 other sand quarries located in the same Tahasil. 3. Topo sheet indicating location of the mine has been furnished.	NO	3000	The SEAC decided to take decision on the proposal after receipt of the following from the concerned Tahasildar: a) Detailed certificate that there is no other mines located within 500 meters from the periphery of


Nodal Officer, SEAC

Sl. No	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (in m ³)	Recommendation of the SEAC
					Kumar Sahu over Naki Nala (EC)			<p>4. EMP has been submitted.</p> <p>5. Mining plan approved by the Joint Director Geology, Keonjhar</p> <p>6. No forest land involved in lease area</p> <p>7. There is no protected areas i.e. National Park, Sanctuary, Habitat for Migratory Birds, Tiger Reserve, Protected Monuments, Inter State boundary and critically polluted area as identified by CPCB etc. located within 5 km radius of the mine lease area.</p> <p>8. There is no court case / litigation pending</p>			<p>the proposed mine lease area as DSR reveals that there are 26 other sand quarries located in the same Tahasil.</p> <p>b) Exact distance of the boundary of the mine from the river bridge. A certificate to this effect shall be submitted.</p> <p>c) Exact distance of lease area from Kendeiposhi - Koinda</p>


Nodal Officer, SEAC

Sl. No	SEIAA File No	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (in m ³)	Recommendation of the SEAC
								9. Koinda Road Bridge is approachable to the lease area. 10. Kendeiposhi - Koinda Road is approachable to the lease area.			Road d) Copy of Environment Clearance, if granted by DEIAA/SEIAA earlier.
15.	SEIAA 169/06-2020	Sri Jubraj Hati (Owner) M/s Kaimati Laterite Stone Quarry At Ichhadeipur (Gudianali) Po/Dist - Dhenkanal Pin : 759001 Tel: 9437147108	Dhenkanal	Laterite Stone	Proposal for Environmental Clearance for Kaimati Laterite Stone Quarry over an area of 2.43 acres or 0.98 ha. at village Kaimati Tahasil Dhenkanal in the district of Dhenkanal of Sri Jubraj	5 Years	Nil (As per Checklist)	1. Furnished filled in Form-I, pre-feasibility report and check list as endorsed / submitted by the Tahasilidar. 2. DSR has been submitted, which reveals that there are 13 other Laterite Stone quarries located in the same Tahasil. 3. Topo sheet indicating location of the mine has been furnished 4. EMP has been	NO	3024	The SEAC decided to take decision on the proposal after receipt of the following from the concerned Tahasilcar: a) Detailed certificate that there is no other mines located within 500 meters from the periphery of the proposed mine lease area as DSR reveals that


Nodal Officer, SEAC

Sl. No.	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (in m ³)	Recommendation of the SEAC
					Hati (EC)			<p>submitted.</p> <p>5. Mining plan approved by the Joint Director of Geology, Zonal Survey, Dhenkanal.</p> <p>6. No forest land involved in lease area</p> <p>7. There is no protected areas i.e. National Park, Sanctuary, Habitat for Migratory Birds, Tiger Reserve, Protected Monuments, Inter-State boundary and critically polluted area as identified by CPCB etc. located within 5 km radius of the mine lease area.</p> <p>8. There is no court case / litigation pending</p>			<p>there are 13 other Laterite Stone quarries located in the same Tahasil.</p> <p>b) Certificate from the concerned DFO that there is no DLC land involved in lease area as requested by the SEIAA, Odisha vide letter no. 8440/SEIAA dated 17.06.2020.</p> <p>c) Copy of Environmental Clearance, if granted by DEIAA/SEIAA earlier</p>


 Nodal Officer, SEAC

Sl. No	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (in m ³)	Recommendation of the SEAC
								9. SEIAA on its meeting held on Dt: 10.06.2020 (vide letter no: 8440/SEIAA, Dated 17-06-2020) decided to ask DFO, Dhenkanal to verify status of the lease area from DLC Report.			
16.	SEIAA - 170/06-2020	Sri Prakash Kumar Pati (Owner) M/s. Kamaning Laterite Stone Quarry At Deulasahi Po/Dist - Dhenkanal Pin - 759001	Dhenkanal	Laterite Stone	Proposal for Environmental Clearance for Kamaning Laterite Stone Quarry over an area of 3.70 acres or 1.50 ha at village Kamaning Tahasil Dhenkanal in the	5 Years	Nil (As per Checklist)	1. Furnished filled in Form-I, pre-feasibility report and check list as endorsed / submitted by the Tahasilcar. 2. DSR has been submitted, which reveals that there are 13 other Laterite stone quarries located in the same Tahasil and 1 other quarry in same village.	No.	2343	The SEAC decided to take decision on the proposal after receipt of the following from the concerned Tahasilidar: a) Detailed certificate that there is no other mines located within 500 meters from the periphery of the proposed


Nodal Officer, SEAC

Sl. No	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (in m ³)	Recommendation of the SEAC
					district of Dhenkanal of Sri Prakash Pati (EC)			<p>3. Topo sheet indicating location of the mine has been furnished.</p> <p>4. EMP has been submitted.</p> <p>5. Mining plan approved by the Joint Director of Geology, Zonal Survey, Dhenkanal.</p> <p>6. No forest land involved in lease area.</p> <p>7. There is no protected areas i.e. National Park, Sanctuary, Habitat for Migratory Birds, Tiger Reserve, Protected Monuments, Inter-State boundary and critically polluted area as identified by CPCB etc.</p>			<p>mine lease area as DSR reveals that there are 13 other Laterite stone quarries located in the same Tahasil and 1 other quarry in same village.</p> <p>b) Certificate from the concerned DFO that there is no DLC land involved in lease area as requested by the SEIAA, Odisha vide letter no. 8440/SEIAA dated 17.06.2020.</p> <p>c) Copy of Environmental</p>


 Nodal Officer, SEAC

Sl. No	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (in m ³)	Recommendation of the SEAC
								located within 5 km radius of the mine lease area 8. There is no court case / litigation pending. 9. SEIAA in its meeting held on Dt: 10.06.2020 (vide letter no: 8440/SEIAA, Dated 17-06-2020) decided to ask DFO, Dhenkanal to verify status of the lease area from DLC Report.			Clearance, if granted by DEIAA/SEIAA earlier
17	SEIAA - 171/06 -2020	Sri Prashant Kumar Rout (owner) M/s. Padmalavpur Laterite Stone Quarry At - Khamar Sahi,	Dhenkanal	Laterite Stone	Proposal for Environmental Clearance for Padmalavpur Laterite Stone Quarry over an area of	5 Years	Nil (As per Checklist)	1. Furnished filled in Form-I, pre-feasibility report and check list as endorsed / submitted by the Tahasildar. 2. DSR has been submitted, which reveals that there	No	2385	The SEAC decided to take decision on the proposal after receipt of the following from the concerned Tahasildar: a) Detailed certificate that


Nodal Officer, SEAC

Sl. No	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (in m ³)	Recommendation of the SEAC
		Po/Dist Dhenkanal Pin 759001			1.45 acres or 0.59 ha. at village Padmalavpur Tahasil Dhenkanal in the district of Dhenkanal of Sri Prashant Kumar Rout (EC)			<p>are 13 other Laterite stone quarries located in the same Tahasil</p> <p>3. Topo sheet indicating location of the mine has been furnished.</p> <p>4. EMP has been submitted.</p> <p>5. Mining plan approved by the Joint Director of Geology, Zonal Survey, Dhenkanal.</p> <p>6. No forest land involved in lease area</p> <p>7. There is no protected areas i.e. National Park, Sanctuary, Habitat for Migratory Birds, Tiger Reserve, Protected</p>			<p>there is no other mines located within 500 meters from the periphery of the proposed mine lease area as DSR reveals that there are 13 other Laterite stone quarries located in the same Tahasil.</p> <p>b) Certificate from the concerned DFO that there is no DLC land involved in lease area as requested by the SEIAA Odisha vide letter no. 8440/SEIAA</p>


Nodal Officer, SEAC

Sl. No	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (in m ³)	Recommendation of the SEAC
								<p>Monuments, Inter State boundary and critically polluted area as identified by CPCB etc. located within 5 km radius of the mine lease area.</p> <p>8. There is no court case / litigation pending.</p> <p>9. SEIAA In its meeting held on 10.06.2020 (vide letter no: 8440/SEIAA, Dated 17-06-2020) decided to ask DFO, Dhenkanal to verify status of the lease area from DLC Report.</p>			<p>dated 17.06.2020.</p> <p>c) Copy of Environmental Clearance, if granted by DEIAA/SEIAA earlier</p>



Nodal Officer, SEAC

Sl. No	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (in m ³)	Recommendation of the SEAC
18.	SEIAA - 172/06 -2020	Sri Nabin Kumar Mishra (Owner) M/s. Sabara Sand Quarry At- Kumbharapara (Golbazar) Po/Dist - Sambalpur Dist - Odisha Pin - 768001	Sundargarh	Sand	Proposal for Environmental Clearance for Sabara Sand Quarry over an area of 6.00 acres or 2.428 ha. at village Sabara Tahasil Bonai in the district of Sundargarh of Sri Nabin Kumar Mishra over river Brahmani (EC)	FY 2019-20 to 2023-24	Nil (As per Checklist)	<ol style="list-style-type: none"> 1. Furnished filled in Form-I, pre-feasibility report and check list as endorsed / submitted by the Tahasildar. 2. DSR has been submitted. 3. Topo sheet indicating location of the mine has been furnished. 4. EMP has been submitted. 5. Mining plan approved by the Deputy Director of Mines, Koira Mines Circle, Koira. 6. No forest land involved in lease area 7. There is no protected areas i.e. National Park. 	No	15840	<p>The SEAC decided to take decision on the proposal after receipt of the following from the concerned Tahasildar:</p> <ol style="list-style-type: none"> a) Detailed certificate that there is no other mines located within 500 meters from the periphery of the proposed mine lease area. b) Exact distance of the boundary of the mine from the


Nodal Officer, SEAC

Sl. No.	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (In m ³)	Recommendation of the SEAC
								Sanctuary, Habitat for Migratory Birds, Tiger Reserve, Protected Monuments, Inter-State boundary and critically polluted area as identified by CPCB etc. located within 5 km radius of the mine lease area. 8. There is no court case / litigation pending.			river bridge A certificate to this effect shall be submitted. c) Copy of Environmental Clearance, if granted by DEIAA/SEIAA earlier.
18.	SEIAA - 173/06-2020	Sri Umesn Mahakur (Owner) M/s, Tertuligaon Sand Quarry At - Ainlasari Po - Sauntpur Dist - Bolangir	Bolangir	Sand	Proposal for Environmental Clearance for Tertuligaon Sand Quarry over an area of 12.355 acres or 5.00 ha at	5 Years	Nil (As per Checklist)	1. Furnished filled in Form-I, pre-feasibility report and check list as endorsed / submitted by the Tahasildar. 2. DSR has been submitted, which reveals that there are 3 other sand quarries located in the same	No	8000	The SEAC decided to take decision on the proposal after receipt of the following from the concerned Tahasildar: a) Detailed certificate that there is no other mines



Nodal Officer, SEAC

Sl. No	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-1, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (in m ³)	Recommendation of the SEAC
					village Tentuligaon Tahasil Agalpur in the district of Bolangir of Sri Umesh Mahakur over ONG river (EC)			<p>Tahasil</p> <p>3. Topo sheet indicating location of the mine has been furnished.</p> <p>4. EMP has been submitted.</p> <p>5. Mining plan approved by the Joint Director of Geology, Zonal Survey, Bolangir.</p> <p>6. No forest land involved in lease area</p> <p>7. There is no protected areas i.e. National Park, Sanctuary, Habitat for Migratory Birds, Tiger Reserve, Protected Monuments, Inter-State boundary and critically polluted area as identified</p>			<p>located within 500 meters from the periphery of the proposed mine lease area as DSR reveals that there are 3 other sand quarries located in the same Tahasil</p> <p>b) Exact distance of the boundary of the mine from the river bridge A certificate to this effect shall be submitted.</p> <p>c) Copy of</p>


 Nodal Officer, SEAC

Sl. No	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (in m ³)	Recommendation of the SEAC
								by CPCB etc. located within 5 km radius of the mine lease area. 8. There is no court case / litigation pending.			Environmental Clearance, if granted by DEIAA/SEIAA earlier.
20	SEIAA - 174/06-2020	Tahasildar, Koraput (Owner) M/s Ambagaon Morrum Quarry At - Tahasildar Koraput Dist - Koraput (Odisha) Pin - 764020. Email - tah.koraput@nic.in. Tel: 06852-250206	Koraput	Morrum	Proposal for Environmental Clearance for Ambagaon Morrum Quarry over an area of 5.00 acres or 2.024 ha. at village Ambagaon Tahasil Koraput in the district of Koraput of Tahasildar, Koraput.	5 Years	Nil (As per Checklist)	1. Furnished filled in Form-I, pre-feasibility report and check list as endorsed / submitted by the Tahasildar. 2. DSR has been submitted, which reveals that there are 7 other morrum quarries located in the same Tahasil 3. Topo sheet indicating location of the mine has been furnished. 4. EMP has not	No	10,080	The SEAC decided to take decision on the proposal after receipt of the following from the concerned Tahasildar: a) Detailed certificate that there is no other mines located within 500 meters from the periphery of the proposed


Nodal Officer, SEAC

Sl. No	SEIAA File No	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (in m ³)	Recommendation of the SEAC
					(EC)			<p>been submitted</p> <p>5. Mining plan approved by the Joint Director of Geology, Zonal Survey, Koraput.</p> <p>6. No forest land involved in lease area</p> <p>7. There is no protected areas i.e. National Park, Sanctuary, Habitat for Migratory Birds, Tiger Reserve, Protected Monuments, Inter-State boundary and critically polluted area as identified by CPCB etc located within 5 km radius of the mine lease area.</p> <p>8. There is no court case / litigation</p>			<p>mine lease area as DSR reveals that there are 7 other morum quarries located in the same Tahasil.</p> <p>b) Certificate from the concerned DFO that there is no DLC land involved in lease area as requested by the SEIAA, Odisha vide letter no. 8435/SEIAA dated 17.06.2020</p> <p>c) Copy of Environment</p>


 Nodal Officer, SEAC

Sl No	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (in m ³)	Recommendation of the SEAC
								<p>pending.</p> <p>9. SEIAA in its meeting held on 10.06.2020 (vide letter no: 8435/SEIAA, Dated 17-06-2020) decided to ask DFO, Koraput to verify status of the lease area from DLC Report.</p>			al Clearance, if granted by DEIAA/SEIAA earlier.
21	SEIAA-76/33-2020	Tahasildar, Patna Tahasil, Patna (Owner); M/s. Changuapada Sand Quarry, Changuapada A1 - Patna P/ Ps - Swampatna, Dist - Keonjhar.	Keonjhar	Sand	Proposal for Environmental Clearance for Changuapada Sand Quarry over an area of 8.00 acres or 3.237 ha. at village Changuapada Tahasil Patna in the	5 years (As per checklist) (Temporary Permit as per mining plan)	Nil (As per checklist)	<p>1. Furnished filled in Form-I, Pre-feasibility report and check list forwarded by Tahasildar.</p> <p>2. DSR has been submitted, which reveals that there are other seven sand mines located in the same Tahasil.</p> <p>3. Topo shoot indicating location of the mine has been</p>	No	11200	The SEAC recommended to grant EC valid from the date of FC accorded upto the lease period (5 years).



Nodal Officer, SEAC

Sl. No	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (In m ³)	Recommendation of the SEAC
		Odisha Pin 758030			district of Keonjhar of Tahasildar, Patna Tahasil, Patna (Baitarini River)			<p>furnished.</p> <p>4. EMP has been submitted.</p> <p>5. Mining plan approved by the Joint Director Geology, Keonjhar.</p> <p>6. No forest land involved in lease area</p> <p>7. There is no protected areas i.e. National Park, Sanctuary, Habitat for Migratory Birds, Tiger Reserve, Protected Monuments, Inter-State boundary and critically polluted area as identified by CPCB etc. located within 5 km radius of the mine lease area.</p> <p>8. There is no court case / litigation</p>			

Sl. No	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (in m ³)	Recommendation of the SEAC
								<p>pending</p> <p>9. The SEAC in its meeting held on 03.06.2020 decided to take decision on the proposal after receipt of the following from the concerned Tahasildar:</p> <p>a) Detailed certificate that there is no other mines located within 500 meters from the periphery of the proposed mine lease area as DSR reveals that there are other seven sand mines located in the same Tahasil.</p> <p>b) Lease period of the sand mine as check list reveals lease period is 5</p>			



Nodal Officer, SEAC

Sl. No	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (in m ³)	Recommendation of the SEAC
								<p>years and mining plan reveals temporary permit.</p> <p>10. Now, Tahasildar, Patna has replied vide letter no: 1468/Touzi/Dated:20.06.2020 and clarified that :</p> <p>(i) Certified that there is no other mines located within 500 meters from the periphery of the proposed mine lease area though there exists seven sand mines located in the same Tahasil as mentioned in DSR.</p> <p>(ii) The Mining Plan is prepared for Temporary Permit under Government Projects and is valid for five years.</p>			

Sl. No	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (In m ³)	Recommendation of the SEAC
22	SEIAA-77/03-2020	Sri Girija Ranjan Mishra (Owner) M/s. Tangarpada (Kha) Stone Quarry (Road Metal) At - Swambirajayagobindapur Ps - Patna Dist - Keonjhar Odisha PIN: 758030	Keonjhar	Stone	Proposal for Environmental Clearance for Tangarpada (Kha) Stone Quarry over an area of 0.99 acres or 0.40 ha. at village Tangarpada Tahasil Patna in the district of Keonjhar of Sri Girija Ranjan Mishra (EC)	FY 2017-18 to 2021-22	Nil (As per checklist)	<ol style="list-style-type: none"> 1. Furnished filled in Form-I, Pre-feasibility report and check list forwarded by Tahasilidar. 2. DSR has been submitted, which reveals that there are other 24 stone quarries located in the same Tahasil and 1 stone quarry in same village 3. Topo sheet indicating location of the mine has been furnished. 4. EMP has been submitted. 5. Mining plan approved by the Deputy Director Geology, O/o Joint Director Geology, Keonjhar. 6. No forest land 	No	840	The SEAC recommended to grant EC valid from the date of EC accorded upto the lease period.



Nodal Officer, SEAC

Sl. No	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area.	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (in m ³)	Recommendation of the SEAC
								involved in lease area. 7. There is no protected areas i.e. National Park, Sanctuary, Habitat for Migratory Birds, Tiger Reserve, Protected Monuments, Inter-State boundary and critically polluted area as identified by CPCB etc. located within 5 km radius of the mine lease area. 8. There is no court case / litigation pending. 9. SEAC in its meeting held on 03.06.2020 decided to take decision on the proposal after receipt of the following from the concerned			

Sl. No	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (in m ³)	Recommendation of the SEAC
								<p>Tahasildar.</p> <p>a) Detailed certificate that there is no other mines located within 500 meters from the periphery of the proposed mine lease area as DSR reveals that there are other 24 stone quarries located in the same Tahasil and 1 stone quarry in same village.</p> <p>10. Now, Tahasildar, Patna has replied vide letter no: 1466/Touzi/Dated:2 0.06.2020 and clarified that :</p> <p>(i) Certified that</p>			

Sl. No	SEIAA File No.	Name & Address of the proponent	District	Type of Mineral	Name of the project	Mining lease period	Details of other mines including lease area located within 500 m from the periphery of the proposed mine lease area	Observation of SEAC based on Form-I, Pre-feasibility report, approved mining plan and checklist	Whether general condition apply	Maximum annual production capacity (in m ³)	Recommendation of the SEAC
								there is no other mines located within 500 meters from the periphery of the proposed mine lease area though there exists 24 stone quarries located in the same Tahasil as mentioned in DSR.			

Secretary, SEAC


Chairman (Working), SEAC


Nodal Officer, SEAC

CONSIDERATION OF THE COUNTRY LIQUOR PROPOSALS WHICH ARE GENERATING WASTE WATER LESS THAN 100 KLD IN THE SEAC MEETING HELD ON 03.07.2020

Sl. No.	SEIAA File No.	Name and address of the Country liquor project	Licensed production capacity in KLD (Approved capacity)	Production capacity in KLD applied for EC	Waste water generation (in KLD) as per approved capacity	Solid waste generation (in TPD) as per approved capacity	Observation of the SEAC based on Form-I, Prefeasibility Report and Checklist	Whether general condition apply	Recommendation of the SEAC
1.	SIA/OR/ND2/480/32/2019	Sri. Subash Chandra Agrawal (Licensee) M/s Bhatialguda Main Out Still Liquor Shop At- Bhatialguda (Nabarangapur) Mouza/Tahasil/ Dist Nabarangapur E-mail: ghagruliosshop@gmail.com	8.91	5.51	16.067	2.875	<ol style="list-style-type: none"> 1. Furnished filled in Form-I, pre-feasibility report and check list counter signed by Excise Superintendent. 2. Process flow sheet has been furnished. 3. Design and specification of O.S. (Pot) has been furnished 4. Plant layout map indicating plant facilities product and raw material storage area has been furnished. 5. Copy of excise license of Competent Authority has been furnished, which is valid upto 31.03.2020. 6. No forest land involved in project area. 	No	The SEAC recommended transfer of EC from Sri. Girish Singh to Sri Subash Chandra Agrawal

Sl No.	SEIAA File No.	Name and address of the Country liquor project.	Licenced production capacity in KLD (Approved capacity)	Production capacity in KLD applied for EC	Waste water generation (in KLD) as per approved capacity	Solid waste generation (in TPD) as per approved capacity	Observation of the SEAC based on Form-I, Prefeasibility Report and Checklist	Whether general condition apply	Recommendation of the SEAC
							<p>7. There is no protected areas i.e National Park, Sanctuary, Habitat for Migratory Birds, Tiger Reserve, Protected Monuments, Inter-State boundary and critically polluted area as identified by CPCB etc. located within 5 km radius of the project area.</p> <p>8. Land documents furnished.</p> <p>9. Previous EC granted vide letter no. 5314/SEIAA, dated 26.07.2018 for capacity 9.918 KLD in name of Sri Girish Singh.</p> <p>10. This is a new proposal for transfer of EC from Sri. Girish Singh to Sri Subash Chandra Agrawal.</p> <p>11. The khata no is not matching with khatiyan (i.e. Khata no: 323) and lease agreement (i.e.</p>		

Sl. No.	SEIAA File No.	Name and address of the Country liquor project.	Licenced production capacity in KLD (Approved capacity)	Production capacity in KLD applied for EC	Waste water generation (in KLD) as per approved capacity	Solid waste generation (in TPD) as per approved capacity	Observation of the SEAC based on Form-I, Prefeasibility Report and Checklist	Whether general condition apply	Recommendation of the SEAC
							<p>Khata no: 142) as mentioned.</p> <p>12. SEAC in its meeting held on 17.03.2020 decided to take decision on the proposal after receipt of following clarification from the proponent:</p> <p>a) The khata no is not matching with khatiyani (i.e. Khata no: 323) and land lease agreement (i.e. Khata no: 142) as mentioned. This may be clarified.</p> <p>13. Now the project proponent clarified that the sale deed of land lord regarding the plot no-687 & 688 and khata no- 142 (corresponding to sabak khata no – 201 and plot no-760) details of previous record. But, after issuing of ROR copy the khata no has changed to 323 instead of 142 and plot no. has remaining same which has been mentioned in</p>		

Sl. No.	SEIAA File No.	Name and address of the Country liquor project.	Licensed production capacity in KLD (Approved capacity)	Production capacity in KLD applied for EC	Waste water generation (in KLD) as per approved capacity	Solid waste generation (in TPD) as per approved capacity	Observation of the SEAC based on Form-I, Prefeasibility Report and Checklist	Whether general condition apply	Recommendation of the SEAC
							lease deed. Both the khata and plot no is same for the mentioned land.		



Chairman (Working), SEAC



Nodal Officer, SEAC

CONDITIONS TO BE STIPULATED IN ENVIRONMENTAL CLEARANCE FOR PROPOSED MULTI STORIED RESIDENTIAL PROJECT AT MOUZA – RAGHUNATHPUR JALI, BHUBANESWAR, DISTRICT – KHORDHA OF KRJ PROJECT LLP & OTHERS WITH TOTAL BUILT-UP AREA 27,636.66 SQM

PART A - SPECIFIC CONDITIONS:

1. Consent to Establish / Operate for the project shall be obtained from the State Pollution Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of Pollution) Act, 1974
2. The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of fire fighting equipment etc. as per National Building Code including protection measures from lightning etc.
3. The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.
4. The project proponent shall ensure that the guidelines for building and construction projects issued vide this Ministry's OM NO.19-2/2013-IA.III dated 9th June, 2015, are followed to ensure sustainable environmental management.
5. The proponent shall obtain prior clearance from the Standing Committee of the National Board for Wild Life if the project will be located within any Eco-Sensitive Zone of Wild Life Sanctuary.
6. The site is required to be revisited by the same sub-Committee of SEAC after one year of issue of Environmental Clearance order by SEIAA, Odisha to assess the status of implementation of commitment by the project proponent and conditions of Environmental Clearance order.
7. BDA to obtain status of implementation of conditions of Environmental Clearance from SEIAA, Odisha before issue of occupancy certificate

TOPOGRAPHY AND NATURAL DRAINAGE

8. The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape and other Sustainable Urban Drainage Systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water. Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.
9. The permission from competent authority will be obtained to discharge the excess storm water to drain if any. The proponent shall renovate the existing drain to accommodate the discharge and maintain it perennially. To this effect the proponent has to give a legal affidavit before going for construction activity
10. The project site was found to be a very low lying area. So, the base shall be at a suitable level, above the public road in consultation with the architect to avoid water logging during monsoon.


Nodal Officer, SEAC

WATER REQUIREMENT, CONSERVATION, RAIN WATER HARVESTING, AND GROUND WATER RECHARGE

11. As proposed, fresh water requirement from ground water shall not exceed 75 m³ per day.
12. A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed, the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.
13. The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC and SEIAA, Odisha along with six monthly Monitoring reports.
14. Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc. and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.
15. Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc.) for water conservation shall be incorporated in the building plan.
16. Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done.
17. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
18. The local bye-law provisions on rain water harvesting should be followed. If local bye-law provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. Rain water harvesting recharge pits of adequate nos. shall be provided.
19. Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering. The proponent shall also obtain permission from Water Resources Department, Govt. of Odisha for drawal of water.
20. The proponent shall keep one bore well as standby domestic water source once municipal water supply is made available in the project area.

SOLID WASTE MANAGEMENT

21. The provisions of the Solid Waste (Management) Rules, 2016, E-Waste (Management) Rules, 2016, and the Plastics Waste (Management) Rules, 2016 shall be followed.
22. Disposal of muck during construction phase shall not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
23. Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials. Wet garbage shall be composted in Organic Waste Converter. Adequate area


Nodal Officer, SEAC

shall be provided for solid waste management within the premises which will include area for segregation, composting. The inert waste from group housing project will be sent to dumping site.

24. Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.
25. A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the Municipal Solid Waste generated from project shall be obtained

SEWAGE TREATMENT PLANT

26. Sewage shall be treated in STP of capacity 110 KLD. The treated effluent from STP shall be recycled/re-used for flushing and gardening.
27. Excess treated water shall be discharged to the drain only after getting the permission from the concerned authority. The proponent shall renovate the existing drain to accommodate the discharge and maintain it perennially. To this effect the proponent has to give a legal affidavit before going for construction activity.
28. A certificate from the competent authority shall be obtained for discharging treated effluent/ untreated effluents into the Public sewer/disposal/drainage systems along with the final disposal point.
29. Separate large recharge pits shall be constructed inside the project area to accommodate the rainwater in case the housing project period and the CDP of the Govt. does not synchronize with reference to construction of road and drain.
30. No sewage or untreated effluent water would be discharged through storm water drains.
31. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the SE/AA, Odisha before the project is commissioned for operation. Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP.
32. Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.
33. The proponent shall obtain permission from the concerned authority to discharge the liquid waste to the "Budhi Nala" through the existing drain i.e. the competent authority of the drain and "Nala" before commencement of any activity at the project site. An undertaking to be submitted in form of a legal affidavit before going for construction activity.

ENERGY

34. Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC. Outdoor and common area lighting shall be LED. Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be


Nodal Officer, SEAC

incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications.

35. Energy conservation measures like installation of CFLs / LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning. Used CFLs, TFL and LED shall be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination.
36. Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 5% of the demand load or as per the state level/ local building bye-laws requirement, whichever is higher. Follow super ECBC requirement of ECBC 2017 and provide compliance report.
37. Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.
38. Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, compressed earth blocks, and other environment friendly materials. Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003 and 25th January, 2016. Ready mixed concrete must be used in building construction.
39. A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project shall be submitted.

AIR QUALITY AND NOISE

40. Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3 meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murrum and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site. Sand, murrum, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution. Wet jet shall be provided for grinding and stone cutting. Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.
41. All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Rules, 2016. All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.



Nodal Officer, SEAC

42. Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.
43. The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms
44. For indoor air quality the ventilation provisions as per National Building Code of India shall be provided
45. Ambient noise levels shall conform to residential standard both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB.

GREEN COVER

46. No tree cutting/transplantation of existing trees has been proposed in the instant project. A minimum of 1 tree for every 80 m² of land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping. As proposed 1636.54 sqm (22.1 %) of plot area shall be provided for green area development.

TOP SOIL PRESERVATION AND REUSE

47. Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.

TRANSPORT

48. A comprehensive mobility plan, as per Ministry of Urban Development best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria.
 - Hierarchy of roads with proper segregation of vehicular and pedestrian traffic.
 - Traffic calming measures
 - Proper design of entry and exit points
 - Parking norms as per local regulation
49. A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project.
50. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic

management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.

- 51 Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours.
- 52 A dedicated entry/exit and parking shall be provided for commercial activities.
- 53 Barricades shall be provided around project boundary.
- 54 Speed of the vehicles shall be restricted upto 15 kmph by erecting speed bumps at regular intervals at project site and proper signage shall be provided for guided vehicular movement and speed restrictions.
- 55 Parking shall be prohibited on the access road to the proposed project site.
- 56 Footpath shall be seamless with sufficient width.
- 57 No vehicles shall be allowed to stop and stand in front of the gate on main access.
- 58 A buffer of minimum 10 m shall be maintained between the entry/exit gate and the road to avoid traffic congestion.
- 59 The Traffic Management Plan prepared by the proponent shall be duly validated and certified by the State Concerned Competent Authority and shall have also their consent before implementation. The Competent Authority for validation is BMC / Works Deptt. of the Govt. of Odisha. To this effect, they have to submit a legal affidavit before going for construction activity.

ENVIRONMENT MANAGEMENT PLAN

- 60 An Environmental Management Plan (EMP) shall be prepared and implemented to ensure compliance with the environmental conditions specified above. A dedicated Environment Monitoring Cell with defined functions and responsibility shall be put in place to implement the EMP. The environmental cell shall ensure that the environment infrastructure like Sewage Treatment Plant, Landscaping, Rain Water Harvesting, Energy efficiency and conservation, water efficiency and conservation, solid waste management, renewable energy etc. are kept operational and meet the required standards. The environmental cell shall also keep the record of environment monitoring and those related to the environment infrastructure.

OTHERS

- 61 Provisions shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- 62 A First Aid Room shall be provided in the project both during construction and operations of the project.
- 63 The company shall draw up and implement corporate social Responsibility plan as per the Company's Act of 2013.


Nodal Officer, SEAC

84 As per the MoEF&CC, Govt. of India Office Memorandum F.No.22-85/2017-IA.III dated 1st May 2018, the project proponent is required to prepare and implement Corporate Environment Responsibility (CER) Plan. As per para 6(II) of the said O.M. appropriate funds shall be earmarked for the activities such as infrastructure creation for drinking water supply, sanitation, health, education, skill development, roads, cross drains, electrification including solar power, solid waste management facilities, scientific support and awareness to local farmers to increase yield of crop and fodder, rain water harvesting, soil moisture conservation works, avenue plantation, plantation in community areas etc. The activities proposed under CER shall be restricted to the affected area around the project. The entire activities proposed under the CER shall be treated as project and shall be monitored. The monitoring report shall be submitted to the regional office as a part of half yearly compliance report, and to the District Collector. It should be posted on the website of the project proponent.

PART B – GENERAL CONDITIONS

1. A copy of the Environmental Clearance letter shall also be displayed on the website of the concerned State Pollution Control Board. The EC letter shall also be displayed at the Regional Office, District Industries centre and Collector's Office/ Tehsildar's office for 30 days.
2. The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year-wise expenditure shall be reported to the SEIAA, Odisha and MoEF&CC, Govt. of India and its concerned Regional Office.
3. Officials from the Regional Office of MoEF&CC, Bhubaneswar who would be monitoring the implementation of environmental safeguards should be given full cooperation, facilities and documents/data by the project proponents during their inspection.
4. In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by the SEIAA, Odisha.
5. The SEIAA, Odisha reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
6. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, the Forest Conservation Act, 1980 and the Wildlife (Protection) Act, 1972 etc. shall be obtained, as applicable by project proponents from the respective competent authorities.
7. These stipulations would be enforced among others under the provisions of the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and the EIA Notification, 2006.
8. The project proponent shall advertise in at least two local Newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the State Pollution Control Board and may also be seen on the website of the SEIAA, Odisha. The advertisement shall be made within Seven days from the date of receipt of


Nodal Officer, SEAC

the Clearance letter and a copy of the same shall be forwarded to the Regional Office of MoEF&CC, Bhubaneswar.

9. Any appeal against this clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
10. A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zilla Parishad / Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the company by the proponent.
11. The proponent shall submit/upload six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF&CC, Govt. of India, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
12. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF&CC, Govt. of India by E-mail.