

AGENDA & MINUTES SEVENTY FOURTH MEETING OF THE STATE LEVEL EXPERT APPRAISAL COMMITTEE (SEAC), TAMILNADU, CHENNAI-15 HELD ON 26th FEBRUARY 2016

26th FEBRUARY 2016			
Item No.	File No	Agenda	Minutes
1.	(a)	Confirmation of the minutes of 73 rd SEAC meeting held on 12.02.2016 & 13.02.2016	The Chairman welcomed the Members of the SEAC for the 74 th meeting. The minutes of 73 rd SEAC meeting were discussed and confirmed
2.	1571	Proposed construction of residential development with a Built up area of 2,86,171.63 Sq.m at S.No. 310/1, 310/2, etc. Nedungunram Village, Chengalpattu Taluk, Kancheepuram District under Category "B2" and Schedule S.No. 8(b) by M/s. SSM Builders and Promoters- EIA submission	<p>The Proponent M/s.SSM Builders and Promoters has submitted application Form1, Form 1A for obtaining Environment Clearance for the Proposed Residential complex at Survey No. 310/1, 310/2 etc., Nedungunram villages, Chengalpattu Taluk, Kancheepuram District on 24.07.2013 with built up area of 2,86,171.63 sq.m.</p> <p>The subject was placed in the 43rd SEAC meeting and the committee decided to issue ToR for the preparation of EIA report. The EIA report was submitted to SEIAA-TN.</p> <p>The EIA report was appraised by the Committee in the 74th SEAC meeting. Based on the presentation made by the proponent and the documents furnished, the Committee decided to recommend the proposal for the grant of EC to SEIAA with the following conditions along with the Suggestions made by the Expert committee constituted by the Hon'ble NGT, Principal Bench, New Delhi (as stated in the Annexure):</p> <ol style="list-style-type: none"> 1. Excess treated water shall be disposed to the nearest Perungudi STP after obtaining necessary permission. 2. Ground water quality to be checked for potability and if necessary RO plant shall be provided. 3. STP sludge is not completely treated, hence the Proponent shall take care of environmental problems due to its usage in gardening. 4. Details of Flood occurrence and also certificate stating that the proposed site not encroached any water body (rivers, canals, lakes, ponds, tanks etc.,) from its original boundary shall be obtained from PWD and Revenue department. <p>The Proponent shall furnish the biannual report for the compliance of the points raised by the Expert committee constituted by the Hon'ble NGT and the Environmental Clearance conditions stipulated by SEIAA-TN during the construction phase to the Regional office, MoEF & CC and also SEIAA-TN, forward the compliance report obtained from Regional office, MoEF & CC.</p>

Agenda Item

The SEAC appraised the following project proposals Granite & Rough Stone ; 28 Nos along with approved mining plans, Pre-feasibility reports and other supporting documents in detail. These proposals are for seeking Environmental Clearance for mining of minor minerals. The SEAC while appraising in detail, the Project proposals furnished by the proponent, took into consideration of the impact on pollution that is possible in these types of activities and after verification of the details furnished by the proponent recommended the proposals subject to the verification of the following:

1. The distance between the mining area and interstate border, wherever necessary.
2. The distance between the mining area and the boundary of Western Ghats, Prohibited area wherever necessary.
3. One month base line data be collected to ensure the pollution within the limits.

The following should be incorporated as conditions in EC.

1. Free silica test should be conducted and reported
2. Air Sampling at intersection point should be conducted and reported
3. Bunds to be provided at the boundary of the project site.
4. Ground water quality monitoring should be conducted once in 3 Months
5. Transportation of the quarried materials shall not cause any hindrance to the Village people/Existing Village road.
6. Rainwater shall be pumped out Via Settling Tank only
7. The project proponent shall undertake plantation/afforestation work by planting the native species on all side of the lease area
8. Atleast 10 neem trees should be planted around the boundary of the quarry site.
9. Floor of excavated pit to be levelled and sides to be sloped with gentle slope (Except for granite quarries) in the mine closure phase.
10. Earthen bunds and barbed wire fencing around the pits with green belt all along the boundary shall be developed and maintained.
11. The Project Proponent shall ensure a minimum of 2.5% of the annual turn over will be utilized for the CSR Activity
12. The Project Proponent shall provide solar lighting system to the nearby villages
13. The Project Proponent shall comply the mining and other relevent rules and regulations where ever applicable.
14. GPS coordinates for ground water table is to be provided.
15. The mined out pits should be backfilled where warranted and area should be suitably landscaped to prevent environmental degradation. The mine closure plan as furnished in the proposal shall be strictly followed with back filling and tree plantation.
16. Safty distance of 50m has to be provided incase of railway, reservoiar, canal/odai
17. As per MoEF&CC, GoI, Office Memorandum dated 30.03.2015, prior clearance from Forestry & Wild Life angle including clearance from obtaining committee of the National Board for Wild life as applicable shall be obtained before starting the quarring operation, if the project site is located within 10KM from National Park and Sanctuaries.
18. Safety equipments to be provided to all the employees.
19. The quarrying activity shall be stopped if the entire quantity indicated in the Mining plan is quarried even before the expiry of the quarry lease period and the same shall be monitored by the District Authorities.

MINOR MINERALS - Rough Stone /Blue Metal(28 Nos) 26.02.2016

Sl. No.	F.No	Name of the proponent	Extent in ha.	SF.No	Recommendation of the Committee
1	3650	Thiru K. Senthilkumar 2/74, Vazhukkuparai Otthakalmandapam Coimbatore - 32	1.98.5	S.F.No. 112 Kuthiraiyalampalayam Village, Kinathukadavu Taluk	Recommended
2	3727	Thiru K. Selvakumar No. 26C/4B, Savadi Street Ramaburamputhur Namakkal - 637 001	2.00.0	S.F.No. 141/6(P) Kalappanaickenpatti Village, Namakkal Taluk	Recommended

3	3728	Thiru K. Selvakumar No. 26C/4B, Chavadi Street R.P.Pudur Namakkal - 637 001	0.63.5	S.F.No. 141/3, 4 & 5 Kalappanaickenpatti Village, Namakkal Taluk	Recommended	
4	3804	Tmt.C.Rajamani W/o. R.V.Chandrasekaran, Aattukaragoundar Thottam, Chinnakallipatti (Post), Mettupalayam Taluk, Coimbatore District	1.59.5	S.F.No. 74/2A, 74/2B,74/2C, etc., Chinna Kallipatti Village, Mettupalayam Taluk	Recommended	
5	3899	Thiru S.Kumaresan 77, Sunnalampatti Village, Uthangarai Post & Taluk, Krishnagiri District - 635 109	1.98.0	S.F.No. 35/2A, 35/2B & 35/2C Katteri Village, Uthangarai Taluk	Recommended	
6	3978	M/s. Malligai Magalir Sangam Vadakku Theru T. Rajagopalanpatti Andipatti Theni	2.00.0	S.F.No. 1432/3 (P) Timmarasanaickanur Bit-II Village, Andipatti Taluk	Recommended	
7	3992	Thiru. G. Nagesh Thonaparai Village Rajakuppam Post Kudiyatham Taluk Vellore District - 635803	0.55.5	S.F.No. 662(PART - 2) (Government Poramboke Land) Pogalur Village, Gudiyatham Taluk	Recommended	
8	3999	Tmt. Meenal No.7/48, Mathukoil Street Virachilai Thirumayam Pudukkottai	0.66.0	S.F.No. 276/9 Neikkonam Village, Thirumayam Taluk	Recommended	
9	4041	M/s. New Five Star CrusherS. ThottampattiNadanthai (South) VillageAravakurichi Taluk,Karur	4.98.5	S.F.No. 719, 720, 732 (P) & 733 (P)Nadanthai (South) Village,Aravakurichi Taluk	Recommended	
10	4068	Thiru. Rajavadivu Poruppumettupatti Sindupatti Usilampatti Taluk, Madurai	2.86.5	S.F.No. 88/1, 88/2A, 88/2B & 88/3A Poruppu Mettupatti Village, Usilampatti Taluk	Recommended	
11	4320	Thiru. V. Paneer Selvam South Street Thennamanadu Orathanadu Taluk Thanjavur 614925	1.00.0	S.F.No 10/1 (Block-22) Padalur (East) Village Alathur (Old Perambalur) Taluk	Recommended	
12	4380	Thiru. D. Sakthivel No.73, West Car Street Thirupparankundram Madurai	2.83.5	S.F.No 67/2 Mangulrevu Village Peraiyur Taluk	Recommended	
13	4413	Thiru.H.Rajaram No.5/2 Sriram Nagar 3rd Street ,Polur Main Road Tiruvannamalai	2.00.0	S.F.No 21 Veraiyur Village Village Tiruvannamalai Taluk	Recommended	

14	4768	Thiru. R. Gopi No.4/75B, Veerapathiran Kovil Street Vijayappanur Irayandapuram Thandrapattu Tiruvannamalai	1.71.0	S.F.No 2/1, 2/2A & 2/3 Varagur Village Thandrapattu Taluk	Recommended
15	4884	Thiru. Sakthi Periyakumaran N.5/132, Velavan Illam Ex. VM Street Koodankulam Radhapuram Tirunelveli-627106	4.16.5	S.F.No 432, 437/3A & 438/3 Vijayapathy Village Radhapuram Taluk	Recommended
16	4928	Thiru. R. Manoharan No.436, Inathukkanpatti Thanjavur	4.37.0	252/3, 253/2A, 253/2B, 253/7, 253/8, 253/9, 253/10, 253/11 Manganur Village Gingee Taluk	Recommended
17	4971	Thiru. A. Aji Kumar No. 19-195, Kuzhinjan Vilai Soorya Code Kanyakumari - 629 190	1.40.0	483/1 (Patta Land) Mocode Kalkulam	Recommended
18	4765	Thiru. P. Rajendran No.18-7-23, Kamaraj Nagar Surandai Veerakeralampudur Tirunelveli	0.85.0	S.F.No 281/6 & 281/8 Kulaiyaneri Village Veerakeralampudur Taluk	Recommended
19	4805	M/s. Sri R.R. Construction No.4D, N.C.C. Office Road Vishalatchipuram Madurai	2.72.5	S.F.No 372/1A, 372/1B, 372/2A, 372/2B, 372/2C, 372/2D, 372/2E, 378/1B 378/1C & 378/2 Timmarasanaickanur Bit-I Village Andipatti Taluk	Recommended
20	4828	M/s. Blue Metal CompanyNo.250/1-1,Tiruchendur RoadKumbikulamRadhapuram Tirunelveli-627112	3.09.5	S.F.No 1047Kottaikarunkulam Part-1 VillageRadhapuram Taluk	Recommended
21	4933	Thiru. M. Maheswaran No.3/53, Dharmathuppatty Viruveedu Nilakkottai Dindigul 624202	1.47.5	464 Pullimankombai Village Andipatti Taluk	Recommended
22	4801	Tmt. B. Lakshmi Rajam Ramana Bhavan No.36, South Street Melagaram Tenkasi Tirunelveli-627818	2.59.0	S.F.No 1519/4, 1519/5, 1519/6E, 1519/8, 1519/9, 1519/10A, 1519/10B & 1519/12 Vengadampatti Part - 2 Village Alangulam Taluk	Recommended
23	4884	Thiru. Sakthi Periyakumaran N.5/132, Velavan Illam Ex. VM Street Koodankulam Radhapuram Tirunelveli-627106	4.16.5	S.F.No 432, 437/3A & 438/3 Vijayapathy Village Radhapuram Taluk	Recommended

24	4831	Thiru. Boopal Gounder Guruvammappettai Endiyur Tindivanam Villupuram- 604002	0.41.5	S.F.No 69/1 Keelারণunam Village Tindivanam Taluk	Recommended
25	4200	Tmt. Pandiselvi Thaiyenipatti Villathupatti Pudukkottai	1.50.0	S.F.No. 94 (Part) (Q.No.3 South) Sithannavasal Village, Illuppur Taluk	Recommended
26	4571	Tmt. C. Arulmozhi Karungalakudi Melur Madurai	1.10.5	S.F.No 387 (P) Ayyapatti Village Melur Taluk	Recommended
27	4572	Thiru. V. Senthilraja No.5/88, Ottakovilpatty Ayyapatti Melur Dindigul - 626103	0.91.5	S.F.No 407/4 & 408 Sirukudi Village Natham Taluk	Recommended
28	4932	Thiru. P. Madhavadhas, Chukankadai, Kanniyakumari- 629807	1.00.0	10/4A (P), Aloor Village, Kalkulam Taluk,	Recommended

Agenda Item

The SEAC appraised the following project proposals 1. Savudu/Gravel/Saral/Earth/Brick Earth -1 Nos.; along with approved mining plans, Pre-feasibility reports and other supporting documents in detail. These proposals are for seeking Environmental Clearance for mining of minor minerals. The SEAC while appraising in detail, the Project proposals furnished by the proponent, took into consideration of the impact on pollution that is possible in these types of activities and after verification of the details furnished by the proponent recommended the proposals subject to the verification of the following:

1. The distance between the mining area and interstate border, wherever necessary.
 2. The distance between the mining area and the boundary of Western Ghats, Prohibited area wherever necessary.
 3. One month base line data be collected to ensure the pollution within the limits.
- The following should be incorporated as conditions in EC.
1. Free silica test should be conducted and reported
 2. Air Sampling at intersection point should be conducted and reported
 3. Bunds to be provided at the boundary of the project site.
 4. Ground water quality monitoring should be conducted once in 3 Months
 5. Transportation of the quarried materials shall not cause any hindrance to the Village people/Existing Village road.
 6. Rainwater shall be pumped out Via Settling Tank only
 7. The project proponent shall undertake plantation/afforestation work by planting the native species on all side of the lease area
 8. Atleast 10 neem trees should be planted around the boundary of the quarry site.
 9. Floor of excavated pit to be levelled and sides to be sloped with gentle slope (Except for granite quarries) in the mine closure phase.
 10. Earthen bunds and barbed wire fencing around the pits with green belt all along the boundary shall be developed and maintained.
 11. The Project Proponent shall ensure a minimum of 2.5% of the annual turn over will be utilized for the CSR Activity
 12. The Project Proponent shall provide solar lighting system to the nearby villages
 13. The Project Proponent shall comply the mining and other relevent rules and regulations where ever applicable.
 14. As per MoEF&CC, GoI, Office Memorandum dated 30.03.2015, prior clearance from Forestry & Wild Life angle including clearance from obtaining committee of the National Board for Wild life as applicable shall be obtained before starting the quarring operation, if the project site is located within 10KM from National Park and Sanctuaries.

15. The quarrying activity shall be stopped if the entire quantity indicated in the Mining plan is quarried even before the expiry of the quarry lease period and the same shall be monitored by the District Authorities.

MINOR MINERALS - Brick Earth, Savudu, Gravel (1 Nos)-26.02.2016

Sl. No	F.No	Name of the proponent	Extent in ha.	SF.No	Recommendation of the Committee
1	4962	Thiru. S. Bharathiraja Kothumuttipalayam Arachalur Mukasi Anuman Palli Erode - 638101	1.64.0	50/2 Pethampalayam Village Perundurai Taluk	Recommended