

Level Environment Impact Assessment Authority, Uttar Pradesh

Directorate of Environment, U.P.

Vineet Khand-1, Gomti Nagar, Lucknow - 226 010

Phone : 91-522-2300 541, Fax : 91-522-2300 543

E-mail : docuplko@yahoo.com

Website : www.sciaaup.com

Minutes of the 790th Meeting of the State Level Environment Impact Assessment Authority, UP (SEIAA) held on 10-01-2024

The meeting of 790th State Level Environment Impact Assessment Authority, UP (SEIAA) was held on-line on 10.01.2024 the Directorate of Environment. The following were present in the meeting:-

1. Smt. Mamta Sanjeev Dubey,
2. Shri Paras Nathi,
3. Shri Sanjeev Kumar Singh

Chairman, SEIAA, U.P.
Member, SEIAA, U.P.
Member Secretary, SEIAA, U.P.

Agenda-A - Minutes of 814th SEAC-2 Meeting Dated 06/12/2023

1. "Novotel Hotel" project at Khasra No.- 2021, 2041 Mauza Basai Mustkil, Tajganj, Tehsil & District: Agra. Shri Rishi Goyal, M/s Pyramid Estates Private Limited., 8422/SIA/UP/INFRA2/450796/2023.

SEIAA noted that SEAC has recommended to grant EC to the above project. SEIAA gone through file and documents and found that the above project false in TTZ area. Hence SEIAA opined that clarification may be sought from UPPCB regarding categorization of the project as per CPCB guidelines. SEIAA opined that the project proponent shall submit approved building plans and land ownership documents.

2. Commercial Building Project "Purvanchal Skyline Vista" at Plot No. - 01A, Sector- 94, Noida, District- Gautam Buddha Nagar, Shri Jauhar Abbas, M/s Purvanchal Projects Pvt Ltd., 8424/SIA/UP/INFRA2/450853/2023.

SEIAA noted that SEAC has recommended to grant EC to the above project. SEIAA gone through file and documents and found that the consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Paramarsh (Servicing Environment and Development), Lucknow, U.P. whereas further in MoM it is mentioned that the consultant (EIA Coordinator) also submitted an affidavit dated 14/11/2023 mentioning is as follows:

1. I, Tarun Saharan, S/o Shri Ranveer Saharan is EIA Coordinator of M/s Ambient Global Private Limited.
2. I have prepared EIA/EMP report for the proposal SIA/UP/INFRA2/443091/2023 of proposed Group Housing Project "Irish Platinum" at Plot No. GH-04A, Sector-10, Greater Noida, Gautam Buddha Nagar, Uttar Pradesh, M/s Irish Buildcon Pvt. Ltd. with my team.

Hence SEIAA opined to refer back the project to SEAC because of casual approach of recommendation because of which ECs are being delayed.

3. "Sand/ Bajri/ Boulder (RBM) Excavation Project" at Gata No. – 1, Village – Abboo Talabpur Garh, Tehsil – Behat & District - Saharanpur, Shri Pradeep Singh, Area- 37.0 Ha., 8426/SIA/UP/MIN/450914/2023.

SEIAA noted that SEAC has commented that the committee discussed the matter and gone through the Hon'ble NGT order dated 08/11/2023 passed in O.A. No. 188/2023 Gaurav Kumar Vs. State of U.P. & Ors. SEAC has recommended to issue the standard terms of reference for the preparation of EIA as annexed at annexure-3 to the minutes, with the remarks that the EC will not be granted till the disposal of the said order. SEIAA opined to refer back the project to SEAC for appraisal and recommendation of DSR strictly as per MoEFCC letter no. F. No. L-11011/13/2021-IA-II (M) dated 04.12.2023.

4. Expansion of "Building Stone Khanda, Boulders, Gitti Mining Project" located at Gata No. 1370, Khand No. - 08, Village- Kulpahar, Tehsil- Kulpahar & District- Mahoba, Shri Devendra Shrivharey, Area- 2.024 Ha., 8428/SIA/UP/MIN/448634/2023.

SEIAA agreed with the recommendation of SEAC to issue additional ToR to the title proposal for conducting EIA studies. SEIAA added following points to ToR-

- 1- Since no intimation has been submitted regarding available monitoring data, hence data will be collected after issuance of ToR.
- 2- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 3- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 4- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 5- Detailed Mine Reclamation plan and Plan for using the mine void for productive use in consultation with local administration and gram-panchayat should be submitted along with EIA-EMP.
- 6- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 7- Latest KML file for the area and mining lease area should be provided.
- 8- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 9- In case project proponent intends to temporarily store mined out material or any tools, equipments or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 10- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 11- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
 - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.

- (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 12- In case of expansion / renewal of earlier EC, following information should be submitted
- a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, GoI, Lucknow.
 - b. Copy of CTE and CTO issued by SPCB.
 - c. Status of submission of six-monthly compliance report to EC granted earlier
 - d. Court cases, if any.
- 13- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out should be mentioned in EIA-EMP report.
- 14- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 3,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Also, the coordinates of area earmarked for plantation should be clearly spelt in the EIA/EMP and polygon should be attached. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
- 15- The project proponent shall ensure that water bodies do not get polluted due to mining activity and in consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepare a conservation and management plan for rejuvenation and management of all water bodies within periphery of 5 km. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
- 16- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.
- 17- Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
- 18- Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.
- 19- Project Proponent in consultation with UPSPCB will establish required number of CAAQMS within a period of one year and submit geo-referenced map of these stations along with data on six-monthly basis.

sk

5. Riverbed Sand/Morrum mining g River Yamuna in Gata No- 110, 111, 112 at Village – Lilra, Tehsil- Fatehpur, District- Fatehpur, U.P., Shri Rajesh Mishra, M/s Rajesh Mishra Construction & Suppliers, Area- 10.958 Ha., 8430/7507/SIA/UP/MIN/451016/2023.

SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC taking into consideration discussion held in SEIAA meeting no. 597 dated 05.05.2022 regarding reply of SEAC-1 and SEAC-2 for compliance/action taken on TOR/Public hearing and 703th SEIAA meeting regarding replenishment study, adding following specific conditions:-

1. District Mining Officer shall ensure that if mineable quantity mentioned in LOI is amended as per replenishment study report the project proponent shall seek amended/fresh EC.
2. Directions/suggestions given during public hearing and commitment made by the project proponent should be strictly complied with.
3. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhinyam, 2023 and submit before the start of work.
4. The mining lease holders shall ensure to comply with mine reclamation plan as submitted.
5. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
6. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or district plantation committee, for planting at least 11,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Also, the coordinates of area earmarked for plantation should be clearly spelt and polygon should be attached and submitted within a month. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.
7. The project proponent shall ensure that water bodies do not get polluted due to mining activity and in consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepare a conservation and management plan for rejuvenation and management of all water bodies within periphery of 5 km. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
8. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.
9. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, GoI, Lucknow.

10. The project proponent shall install rooftop solar plant in one school in the vicinity of project area and construct toilets especially in girls' school as part of CER activity.

6. **Commercial Project "The Crown" at Plot No.- 38, B Block, Sector-132, Noida, District- Gautam Buddha Nagar, Shri Yashu Singh, M/s Abhimanyu Infradevelopers Pvt. Ltd., 8432/SIA/UP/INFRA2/439467/2023.**

SEIAA noted the comments of SEAC to defer the matter in next SEAC meeting scheduled on 28/12/2023.

7. **"Morrum Mining at Yamuna River Bed at Khand No.- 16/4 to 16/6, Village- Mahewa, Tehsil-Manjhanpur, District- Kaushambi, Smt. Anamika Karwariya., 8434/SIA/UP/MIN/450916/2023.**

SEIAA noted that SEAC has recommended to grant EC to the above project. SEIAA gone through file and documents and found that in mine plan approval letter no. 2022/7/27/143686 dated 26.12.2022 at point no. N it is mentioned that:-

1. बेंच की ऊँचाई अधिकतम 01 मी० एवं चौड़ाई न्यूनतम 10 मी० होनी चाहिए। खनन कार्य अधिकतम 1.11 मी० की गहराई तक या पानी के तल जो भी कम हो तक किया जायेगा। खनन कार्य जीरो लेवल से ऊपर की ओर किया जायेगा।
2. खनन कार्य अधिकतम 03 मी० की गहराई तक या पानी निकलने के तल, जो भी कम हो तक किया जायेगा।

Reason for mentioning bench height in morrum mining project is not clear. In point no. 1 it is mentioned that mining will be done till maximum depth of 1.11 m whereas at point no. 2 it is mentioned that mining will be done till maximum depth of 3 m. Hence SEIAA opined to refer back the project to SEAC.

8. **Gitti/Boulder (Dolostone) Mining Project at Arazi No.- 5374, 5375 Mi, 5377 Mi, 5378 Mi, Village- Billi Markundi, Tehsil-Obra, District- Sonbhadra, Shri Ashok Kumar Yadav, Area: 1.13 Ha., 8436/SIA/UP/MIN/451163/2023.**

SEIAA agreed with the recommendation of SEAC to issue additional ToR to the title proposal for conducting EIA studies. SEIAA added following points to ToR-

- 1- Since no intimation has been submitted regarding available monitoring data, hence data will be collected after issuance of ToR.
- 2- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 3- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 4- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 5- Detailed Mine Reclamation plan and Plan for using the mine void for productive use in consultation with local administration and gram-panchayat should be submitted along with EIA-EMP.
- 6- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 7- Latest KML file for the area and mining lease area should be provided.



- 8- Status of leases granted/to be granted in various mining khandas along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 9- In case project proponent intends to temporarily store mined out material or any tools, equipments or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 10- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 11- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and
 - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
 - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 12- In case of expansion / renewal of earlier EC, following information should be submitted
 - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, GoI, Lucknow.
 - b. Copy of CTE and CTO issued by SPCB.
 - c. Status of submission of six-monthly compliance report to EC granted earlier
 - d. Court cases, if any.
- 13- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out should be mentioned in EIA-EMP report.
- 14- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 2,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Also, the coordinates of area earmarked for plantation should be clearly spelt in the EIA/EMP and polygon should be attached. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
- 15- The project proponent shall ensure that water bodies do not get polluted due to mining activity and in consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepare a conservation and management plan for rejuvenation and management of all water bodies within periphery of 5 km. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
- 16- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP



report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.

- 17- Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
 - 18- Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.
 - 19- Project Proponent in consultation with UPSPCB will establish required number of CAAQMS within a period of one year and submit geo-referenced map of these stations along with data on six monthly basis.
9. "Silica Sand Mine" at Khasra/Gata no - part of 1436, part of 1433, part of 1437, part of 1438, part of 1439, part of 1440, part of 1441, part of 1391 (Khand No. 05) at Village - Pardawan, Tehsil- Mau, District- Chitrakoot, Shri Brijendra Kumar Chawla (Partner), M/s Maa Kamakhya Minerals, Area – 23.60 ha., 8438/SIA/UP/MIN/451204/2023.

SEIAA agreed with the recommendation of SEAC to issue additional ToR to the title proposal for conducting EIA studies. SEIAA added following points to ToR-

- 1- Proposed production per annum shall be as per approved replenishment study report.
- 2- Since no intimation has been submitted regarding available monitoring data, hence data will be collected after issuance of ToR.
- 3- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 4- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 5- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 6- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 7- Latest KML file for the area and mining lease area should be provided.
- 8- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 9- In case project proponent intends to temporarily store mined out material or any tools, equipment's or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 10- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.

sk

- 11- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
 - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
 - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 12- In case of expansion / renewal of earlier EC, following information should be submitted
 - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, GoI, Lucknow.
 - b. Copy of CTE and CTO issued by SPCB.
 - c. Status of submission of six-monthly compliance report to EC granted earlier
 - d. Court cases, if any.
- 13- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out should be mentioned in EIA-EMP report.
- 14- PP / consultant in compliance to Hon'ble NGT order dated 06.05.2022 in OA no. 141/2021 (With report dated 31.03.2022) Raj Kumar Vs. State of UP and Others and with OA no. 141/2021 Rajkaran Karn Vs. State of UP and Others, will submit replenishment study, duly approved by DGM, along with EIA-EMP report for seeking EC.
- 15- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 24,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years Also, the coordinates of area earmarked for plantation should be clearly spelt in the EIA/EMP and polygon should be attached. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
- 16- The project proponent shall ensure that water bodies do not get polluted due to mining activity and in consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepare a conservation and management plan for rejuvenation and management of all water bodies within periphery of 5 km. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
- 17- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.
- 18- Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.



- 19- Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.

10. Gitti/ Boulder, Dolo Stone Mining Project at Arazi/Gata No.- 4823, 4821, 4814, 4847, 4848, 4849, 4850, 4851, 4860 Mi, 4771, 4772, 4780, 4782, 4784, 4845, 4815 Mi, 4816 Mi, 4817 Mi, 4818 Mi, 4853 Mi & 4820 Mi near Village- Billi Markundi, Tehsil –Obra, District – Sonbhadra, Shri Madhusudan Singh & Shri Dilip Keshri, Area- 3.55 Ha., 8440/SIA/UP/MIN/451225/2023.

SEIAA agreed with the recommendation of SEAC to issue additional ToR to the title proposal for conducting EIA studies. SEIAA added following points to ToR-

- 1- Since no intimation has been submitted regarding available monitoring data, hence data will be collected after issuance of ToR.
- 2- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 3- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 4- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 5- Detailed Mine Reclamation plan and Plan for using the mine void for productive use in consultation with local administration and gram-panchayat should be submitted along with EIA-EMP.
- 6- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 7- Latest KML file for the area and mining lease area should be provided.
- 8- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 9- In case project proponent intends to temporarily store mined out material or any tools, equipments or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 10- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 11- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
 - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
 - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 12- In case of expansion / renewal of earlier EC, following information should be submitted

sk

- a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, Gol, Lucknow.
 - b. Copy of CTE and CTO issued by SPCB.
 - c. Status of submission of six-monthly compliance report to EC granted earlier
 - d. Court cases, if any.
- 13- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out should be mentioned in EIA-EMP report.
- 14- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 4,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Also, the coordinates of area earmarked for plantation should be clearly spelt in the EIA/EMP and polygon should be attached. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
- 15- The project proponent shall ensure that water bodies do not get polluted due to mining activity and in consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepare a conservation and management plan for rejuvenation and management of all water bodies within periphery of 5 km. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
- 16- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.
- 17- Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
- 18- Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.
- 19- Project Proponent in consultation with UPSPCB will establish required number of CAAQMS within a period of one year and submit geo-referenced map of these stations along with data on six-monthly basis.
- 11. Redevelopment and Expansion of 800 bedded S. N. Medical College & Hospital Phase-1 at the campus of Lady Loyal Women's Hospital Campus, Agra, U.P. Dr. Prashant Gupta Principal., 8442/SIA/UP/INFRA2/450255/2023.**

SEIAA noted the comments of SEAC to defer the matter in next SEAC meeting scheduled on 28/12/2023.



12. Gitti, Boulder (Dolo Stone) Mining Project at Gata No. 4419 Kha, 4419 Ga, 4422 Ka Mi, 4416Ka, 7576, 7577 Kha, 4420 Mi, Village- Billi Markundi, Tehsil- Obra, Sonbhadra, Shri Chandra Bhushan Gupta & Shri Shafiq Ahmad, Area 1.967 Ha., 8444/SIA/UP/MIN/451343/2023.

SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC taking into consideration discussion held in SEIAA meeting no. 597 dated 05.05.2022 regarding reply of SEAC-1 and SEAC-2 for compliance/action taken on TOR/Public hearing, adding following specific conditions:-

1. If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate.
2. Validity period of this EC is 5 years from the date of issue as the Lol has been issued for a period of 5 years or co-terminus with the validity of current mine plan or current lease period whichever is earlier. After this period the EC will become null and void.
3. Approved explosives and proper technique should only be used for blasting, to avoid loud sound and cracks in nearby buildings.
4. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam, 2023 and submit before the start of work.
5. The mining lease holders shall ensure to comply with mine reclamation plan as submitted.
6. Three tier green shelter belt of 7.5m width should be developed on the periphery of mine lease area. Local and native species should be planted in consultation with Forest/Horticulture Department/Agriculture University.
7. Mine reclamation plan should be prepared for using the mine void for productive use in consultation with local administration and gram-panchayat.
8. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
9. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or district plantation committee, for planting at least 2,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Also, the coordinates of area earmarked for plantation should be clearly spelt and polygon should be attached and submitted within a month. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.

10. The project proponent shall ensure that water bodies do not get polluted due to mining activity and in consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepare a conservation and management plan for rejuvenation and management of all water bodies within periphery of 5 km. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
 11. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.
 12. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, GoI, Lucknow.
 13. The project proponent shall install rooftop solar plant in one school in the vicinity of project area and construct toilets especially in girls' school as part of CER activity.
 14. Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
 15. Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.
 16. Large number of mining projects are ongoing as well as new mining leases are coming up in the district. A reference be sent to DGM and MS, SPCB for preparing mitigation plan for controlling air pollution in the district especially in mining areas.
 17. If the air quality deteriorates due to mining, then District Administration & Directorate of Mining should ensure that mining be stopped immediately. Adequate measures be taken for restoring air quality and mining should commence only when air quality attains the prescribed standards.
13. **"Sand/Morrum Mining" on the riverbed of River Dhasan at Gata No.- 523, Village- Khakaura, Tehsil- Mauranipur, District- Jhansi, Dr. Kunal Singh, Area 20.0 Ha., 8446/SIA/UP/MIN/451259/2023.**
- SEIAA agreed with the recommendation of SEAC to issue additional ToR to the title proposal for conducting EIA studies. SEIAA added following points to ToR-
- 1- Since no intimation has been submitted regarding available monitoring data, hence data will be collected after issuance of ToR.
 - 2- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
 - 3- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.

- 4- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 5- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 6- Latest KML file for the area and mining lease area should be provided.
- 7- Status of leases granted/to be granted in various mining khandas along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 8- In case project proponent intends to temporarily store mined out material or any tools, equipment's or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 9- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 10- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
 - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
 - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 11- In case of expansion / renewal of earlier EC, following information should be submitted
 - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, Gol, Lucknow.
 - b. Copy of CTE and CTO issued by SPCB.
 - c. Status of submission of six-monthly compliance report to EC granted earlier
 - d. Court cases, if any.
- 12- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out should be mentioned in EIA-EMP report.
- 13- PP / consultant in compliance to Hon'ble NGT order dated 06.05.2022 in OA no. 141/2021 (With report dated 31.03.2022) Raj Kumar Vs. State of UP and Others and with OA no. 141/2021 Rajkaran Karn Vs. State of UP and Others, will submit replenishment study, duly approved by DGM, along with EIA-EMP report for seeking EC.
- 14- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 20,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years Also, the coordinates of area earmarked for plantation should be clearly spelt in the EIA/EMP and polygon should be attached. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
- 15- The project proponent shall ensure that water bodies do not get polluted due to mining activity and in consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepare a conservation and

management plan for rejuvenation and management of all water bodies within periphery of 5 km. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.

- 16- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.
- 17- Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
- 18- Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.

14. "Sand/ Morrum Mining" Project at Gata No.- 58, 107, 108, 109, 110, 111, & 114, Village- Madauli Khurd Khadar, Tehsil- Pailani, District- Banda, Shri Yaduvanshi Vikas Singh, Area : 7.053 Ha., 8452/SIA/UP/MIN/451434/2023.

SEIAA agreed with the recommendation of SEAC to issue additional ToR to the title proposal for conducting EIA studies. SEIAA added following points to ToR-

- 1- ToR is being granted subject to any order of any court.
- 2- Proposed production per annum shall be as per approved replenishment study report.
- 3- Since no intimation has been submitted regarding available monitoring data, hence data will be collected after issuance of ToR.
- 4- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 5- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 6- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 7- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 8- Latest KML file for the area and mining lease area should be provided.
- 9- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 10- In case project proponent intends to temporarily store mined out material or any tools, equipment's or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.

- 11- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 12- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
 - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
 - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 13- In case of expansion / renewal of earlier EC, following information should be submitted
 - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, GoI, Lucknow.
 - b. Copy of CTE and CTO issued by SPCB.
 - c. Status of submission of six-monthly compliance report to EC granted earlier
 - d. Court cases, if any.
- 14- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out should be mentioned in EIA-EMP report.
- 15- PP / consultant in compliance to Hon'ble NGT order dated 06.05.2022 in OA no. 141/2021 (With report dated 31.03.2022) Raj Kumar Vs. State of UP and Others and with OA no. 141/2021 Rajkaran Karn Vs. State of UP and Others, will submit replenishment study, duly approved by DGM, along with EIA-EMP report for seeking EC.
- 16- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 8,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years Also, the coordinates of area earmarked for plantation should be clearly spelt in the EIA/EMP and polygon should be attached. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
- 17- The project proponent shall ensure that water bodies do not get polluted due to mining activity and in consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepare a conservation and management plan for rejuvenation and management of all water bodies within periphery of 5 km. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
- 18- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.
- 19- Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of

environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.

- 20- Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.

15. Morrum Mining Project at Gata No.-824 kha, Khand- 02, Village- Aghori khas, Tehsil Obra, District Sonbhadra, Shri Rasmeet Singh Malhotra, M/s Malhotra Brothers (Area - 16.194 ha.), 6506/SIA/UP/MIN/66751/2021.

The Public Hearing

SEIAA noted that the Terms of Reference in the matter were issued by SEIAA, U.P vide Letter No. 338/Parya/SEIAA/6506/2021, dated 30/11/2021, public hearing was organized on 30/05/2022. Final EIA report submitted by the project proponent on 07/07/2022. EIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC taking into consideration discussion held in SEIAA meeting no. 597 dated 05.05.2022 regarding reply of SEAC-1 and SEAC-2 for compliance/action taken on TOR/Public hearing and 703th SEIAA meeting regarding replenishment study, adding following specific conditions:-

1. District Mining Officer shall ensure that if mineable quantity mentioned in LOI is amended as per replenishment study report the project proponent shall seek amended/fresh EC.
2. Directions/suggestions given during public hearing and commitment made by the project proponent should be strictly complied with.
3. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam, 2023 and submit before the start of work.
4. The mining lease holders shall ensure to comply with mine reclamation plan as submitted.
5. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
6. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or district plantation committee, for planting at least 17,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Also, the coordinates of area earmarked for plantation should be clearly spelt and polygon should be attached and submitted within a month. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.
7. The project proponent shall ensure that water bodies do not get polluted due to mining activity and in consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepare a conservation and

management plan for rejuvenation and management of all water bodies within periphery of 5 km. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.

8. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.
 9. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, GoI, Lucknow.
 10. The project proponent shall install rooftop solar plant in one school in the vicinity of project area and construct toilets especially in girls' school as part of CCR activity.
 11. Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
 12. Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.
 13. Large number of mining projects are ongoing as well as new mining leases are coming up in the district. A reference be sent to DGM and MS, SPCB for preparing mitigation plan for controlling air pollution in the district especially in mining areas.
 14. If the air quality deteriorates due to mining, then District Administration & Directorate of Mining should ensure that mining be stopped immediately. Adequate measures be taken for restoring air quality and mining should commence only when air quality attains the prescribed standards.
16. "Ordinary Soil Excavation Project" at Gata No.- 2026, located in village Ashakhera, Tehsil Hasanganj, District Unnao, Shri Shirish Pratap Singh, Area- 0.530 Ha., 8286/SIA/UP/MIN/445326/2023.

SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC taking into consideration discussion held in SEIAA meeting no. 597 dated 05.05.2022 regarding reply of SEAC-1 and SEAC-2 for compliance/action taken on TOR/Public hearing, **but EC will be issued only after submission of notarized affidavit between lease holder and land owner, and NoC from bank since land is mortgaged**, adding following specific conditions:-

1. If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate.



2. Validity period of this EC is 3 months from the date of issue as the Lol has been issued for a period of 3 months or co-terminus with the validity of current mine plan or current lease period whichever is earlier. After this period the EC will become null and void.
 3. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam, 2023 and submit before the start of work.
 4. The mining lease holders shall ensure to comply with mine reclamation plan as submitted
 5. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
 6. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or district plantation committee, for planting at least 1,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Also, the coordinates of area earmarked for plantation should be clearly spelt and polygon should be attached and submitted within a month. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.
 7. The project proponent shall ensure that water bodies do not get polluted due to mining activity and in consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepare a conservation and management plan for rejuvenation and management of all water bodies within periphery of 5 km. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
 8. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.
 9. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, GoI, Lucknow.
 10. The project proponent shall install rooftop solar plant in one school in the vicinity of project area and construct toilets especially in girls' school as part of CER activity.
17. "Sand/Morrum Mining Project" at Gata No. - 950 & 966, Village - Mailwara, Tehsil - Mauraipur & District - Jhansi, Shri Ashu Singh Bhati, Area 14.164 Ha., 8218/7656/SIA/UP/MIN/443192/2023.

SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC taking into consideration discussion held in SEIAA meeting no. 597 dated 05.05.2022 regarding reply

of SEAC-1 and SEAC-2 for compliance/action taken on TOR/Public hearing and 703th SEIAA meeting regarding replenishment study, adding following specific conditions:-

1. District Mining Officer shall ensure that if mineable quantity mentioned in LOI is amended as per replenishment study report the project proponent shall seek amended/fresh EC.
2. Directions/suggestions given during public hearing and commitment made by the project proponent should be strictly complied with.
3. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam, 2023 and submit before the start of work.
4. The mining lease holders shall ensure to comply with mine reclamation plan as submitted.
5. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
6. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or district plantation committee, for planting at least 15,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Also, the coordinates of area earmarked for plantation should be clearly spelt and polygon should be attached and submitted within a month. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.
7. The project proponent shall ensure that water bodies do not get polluted due to mining activity and in consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepare a conservation and management plan for rejuvenation and management of all water bodies within periphery of 5 km. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
8. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.
9. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, GoI, Lucknow.
10. The project proponent shall install rooftop solar plant in one school in the vicinity of project area and construct toilets especially in girls' school as part of CER activity.
11. Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.

12. Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.
 13. Large number of mining projects are ongoing as well as new mining leases are coming up in the district. A reference be sent to DGM and MS, SPCB for preparing mitigation plan for controlling air pollution in the district especially in mining areas.
 14. If the air quality deteriorates due to mining, then District Administration & Directorate of Mining should ensure that mining be stopped immediately. Adequate measures be taken for restoring air quality and mining should commence only when air quality attains the prescribed standards.
18. "Nihalpur Syodha Sand/Morrum Mining Project at Riverbed of River Ken, at Gata No492/13, Village-Nihalpur Syodha, Tehsil Naraini, District Banda, Shri Vinod Sharma, Area- 24.0 ha., 8410/SIA/UP/MIN/450566/2023.
- SEIAA agreed with the recommendations of SEAC to close/delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.
19. T-5 Commercial Project at Plot No. 5(T-5) at International Business Bay-1, Sushant Golf city, Hi-Tech Township, Sultanpur Road, District- Lucknow, Shri Sunil Miglani, M/s SJP Hotel & Resort Pvt. Ltd., 8002/7401/SIA/UP/INFRA2/433987/2023
- SEIAA noted that SEAC has recommended to grant EC to the above project under violation category. SEIAA also gone through OM F. No. IA3-3/4/2024-IA.III (E230791) dated 08.01.2024 which states that:-
5. However, the Hon'ble Supreme Court in W.P (C) no 1394/2023 title Vanashakti vs. Union of India has stayed the operation of both OMs dated 07.07.2021 and 28th January 2022.
- Hence SEIAA opined that EC can not be granted in light of the above and a letter may be send to MoEFCC regarding guideline for disposal of violation cases where ToR has been granted or penalty/ bank guarantee has been submitted by project proponent, since SEIAA UP was not the party to the above court case and violation cases were being dealt by SEIAA till now.
20. Sand/Morrum Mine from Riverbed of Yamuna River, Village- Patyora, Khand No.- 31/3, Tehsil- Hamirpur, District- Hamirpur, Shri Sharad Pratap Singh, M/s Sharad Enterprises, Area- 36.437 ha., 8157/SIA/UP/MIN/441455/2023.
- SEIAA agreed with the recommendations of SEAC to close/delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.
21. परियोजना प्रस्ताव Integrated construction of M/s Shiv Nadar Institution of Eminence Deemed to be University ग्राम- चितेहरा, तहसील- दादरी, जनपद गौतमबुद्धनगर, उ०प्र० का संयुक्त समिति द्वारा किये गये स्थल निरीक्षण दिनांक 25.10.2023 की आख्या। File No. 7456/ Proposal No. SIA/UP/INFRA2/410776/2022.
- In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022 SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the

general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 2- The project proponent shall ensure to plant broad leaf trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 1- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same like water harvesting pits and carbon sequestration parks / designed ecosystems .At least one nearby village should be adopted and Environment friendly development work should be done like water harvesting, solar panel etc.
- 2- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 3- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 4- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge.
- 5- Under any circumstances untreated sewage shall not be discharged to municipal sewer line.
- 6- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per air act 1981 (as amended) and the Construction and Demolition Waste Management Rules, CAQM guidelines.
- 7- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam,2023 and submit before the start of work.
- 8- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
- 9- Provision for charging of electric vehicles as per the guidelines of Gol / GoUP should be submitted within the next 3 months.
- 10- PP should display EC granted to them on their website. 6-monthly compliance report should be displayed on their website and to be given every six month to residents / occupants of the building.
- 11- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
- 12- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
- 13- DG sets shall be gas based and Guidelines issued by CAAQMS for NCR region regarding

sk

the use of DG sets during construction and operational phase should be followed.
14- The project proponent shall install organic bio converter.

22. Group Housing Project "The Vasundhara Grand" at Plot no. -15/Commercial-02, Vasundhara, District- Ghaziabad, Shri Sudhir Kumar Rai, M/s Nandini Build Home Consortium Pvt. Ltd., 8414/7207/SIA/UP/INFRA2/450632/2023

SEIAA noted that SEAC has recommended to grant EC to the above project under violation category. SEIAA also gone through OM F. No. IA3-3/4/2024-IA.III (E230791) dated 08.01.2024 which states that:-

5. However, the Hon'ble Supreme Court in W.P (C) no 1394/2023 title Vanashakti vs. Union of India has stayed the operation of both OMs dated 07.07.2021 and 28th January 2022.

Hence SEIAA opined that EC can not be granted in light of the above and a letter may be send to MoEFCC regarding guideline for disposal of violation cases where ToR has been granted or penalty/ bank guarantee has been submitted by project proponent, since SEIAA UP was not the party to the above court case and violation cases were being dealt by SEIAA till now.

Agenda-B

1. Amendment of IT/ITES Park "Infosys- Noida Campus" at plot no . A-01 to A-06, Sector- 85, Noida, Dist-Gautam Budha Nagar, Shri Guruprakash Sastry, M/s Infosys Ltd., File No. 4620/4419/ Proposal No. SIA/ UP/ MIS/298034/2023.

SEIAA noted that the above project was taken 730th meeting in which SEIAA opined that project proponent should submit certified compliance report, condition and current status of the building and modified sanction plan. The project proponent has submitted his reply vide letter dated 28.11.2023. Hence SEIAA opined to amend the environmental clearance letter no. 721/Parya/SEAC/4620-4419/2019, dated 07/03/2019 as requested adding one conditions:-

1. Non-complied point mentioned in CCR report dated 09.11.2023 should be complied.

2. "Group Housing/Villa/Club and Commercial Project" at plot no. 26, Block no. 11, Village-Gawaltoli, District- Kanpur Nagar, U.P., M/s Nilansh Buildcon Pvt. Ltd. Shri Raghvendra Seth., 7892/SIA/UP/INFRA2/429307/2023.

SEIAA noted that the above project was taken 785th meeting in which SEIAA opined that the project proponent shall submit documents from RLDA clarifying commercial development of lease land or permission from RLDA for commercial development. The project proponent has submitted his reply vide letter dated 27.12.2023. In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022 SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 2- The project proponent shall ensure to plant broad leaf trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 3- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. The CER activities should be related to mitigation of Environmental Pollution and awareness

for the same like water harvesting pits and carbon sequestration parks / designed ecosystems .At least one school in the vicinity of project area should be provided with rooftop solar plant, toilets in public place or in school of nearby villages and if there is a girl's school then girls toilet properly equipped with overhead water tank should be constructed.

- 4- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 5- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 6- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge.
- 7- Under any circumstances untreated sewage shall not be discharged to municipal sewer line.
- 8- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per air act 1981 (as amended) and the Construction and Demolition Waste Management Rules, CAQM guidelines.
- 9- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam, 2023 and submit before the start of work.
- 10- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
- 11- Provision for charging of electric vehicles as per the guidelines of GoI / GoUP should be submitted within the next 3 months.
- 12- PP should display EC granted to them on their website. 6-monthly compliance report should be displayed on their website and to be given every six month to residents / occupants of the building.
- 13- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
- 14- The project proponent shall install organic bio converter.

3. **Commercial Residential Project "Shalimar Sky Garden" at Plot No. TC-47 & 48, Vibhuti Khand, Gomti Nagar, Lucknow, Shri Sheo Janam Chaudhari,, M/s Supreme Real Estate Developers Pvt. Ltd., 8297/SIA/UP/INFRA2/445106/2023.**

SEIAA gone through mail of dated 19.12.2023 regarding reply to the query raised in 771th SEIAA meeting. SEIAA found that although it has been mentioned that NoC from Forest Department has been submitted it is not submitted hence no action is required.

SK

4. Transfer of EC of Institutional Building at Plot No.- 51 & 52, Sector- 136, Noida, District- Gautam Budh Nagar, U.P. in the name of M/s GGG Realty Pvt. Ltd. from M/s EEE Realty Pvt. Ltd. File No. 5800/Proposal No. SIA/UP/MIS/170583/2020

SEIAA gone through the letter of authorized signatory of M/s GGG Realty Pvt. Ltd regarding the above subject along with merger order dated 13.10.2020 passed by National Company Law Tribunal, Bench IV, New Delhi. Hence SEIAA agreed to Transfer EC of Institutional Building at Plot No.- 51 & 52, Sector- 136, Noida, District- Gautam Budh Nagar, U.P issued vide letter no. 430/parya/SEAC/5800/2019 dated 15.10.2020 from M/s EEE Realty Pvt. Ltd to M/s GGG Realty Pvt. Ltd. Rest all the conditions shall remain same.

5. Commercial complex at Plot No.- 08, Sushant Golf City, Ansal API, Tehsil – Sarojini Nagar, District- Lucknow, Shri Ravi Bansal, M/s Urbanac Developers & Co., 8346/SIA/UP/INFRA2/447435/2023.

SEIAA noted that the above project was taken 779th meeting in which SEIAA found that fire NoC is given in the name of Chinmay whereas EC is applied for Urbanac Developers. Further the project proponent shall submit layout plan mentioning the location of STP and discharge point details, agreement between project proponent and Ansal Water supply for fresh water. The project proponent has submitted his reply vide letter dated 19.11.2023 but reply is not satisfactory. Hence SEIAA opined that the project proponent should submit relevant and complete information.

Nodal Officer

SEIAA, UP

MoM prepared by Secretariat in consultation with Chairman & Members on the basis of decisions taken by SEIAA during the meeting.

(Smt. Mamta Sanjeev Dubey)
Chairman
SEIAA

sk 16/1/24
(Sanjeev Kumar Singh)
Member-Secretary
SEIAA

(Paras Nath)
Member
SEIAA