

MINUTES OF THE 60th GOA STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY (GOA-SEIAA) MEETING HELD ON 03/08/2021 AT 10.30 AM. IN THE CONFERENCE ROOM, 4th FLOOR, DEMPO TOWER, PATTO, PANAJI-GOA.

The sixtieth meeting of the Goa-SEIAA (*hereinafter referred as ‘Authority’*) was held on 03rd August 2021 at 10.30 am. in the conference room, 4th floor, Dempo Tower, Patto, Panaji. The list of members present during the meeting is annexed (*refer Annexure – 1*).

At the outset, Chairman welcomed Authority members and briefed about the agenda items (*refer Annexure – 2*) to be taken up for discussion / deliberations and suitable decisions. Accordingly, the same were considered as detailed below –

1. To decide on application for **(ToR)** for building and construction (8a) project received from **All India Institute of Ayurveda (AIIA)** located at Dhargal, Pernem – Goa.
Project specific details submitted by the pp are as follows:

S.No	Description	Details
1.	Name of the project Proponent	Dr. Tanuja Manoj Nesari Director
2.	Address for Communication	Gautampuri, Sarita Vihar, Mathura Road, New Delhi -110076
3.	Name & location of the project	Proposed All India Institute of Ayurveda “AIIA Goa” at Dhargal in Pernem Taluka, Goa By All India Institute of Ayurveda (AIIA)
4.	Plot Area	2,00,000 Sqm
5.	Net plot Area	2,00,000 Sqm
6.	FSI Area Non-FSI Area Total construction Area Building configuration & Height of the building	47,483.165Sqm - 47,483.165Sqm 16.6mtrs
7.	No. of shops	0
8.	Total water requirement (Construction/operation phase)	During Construction Phase Total water requirement – 1,310.725ML Fresh water required - 6.75KLD During Operational Phase Total water requirement – 614 KLD Fresh water required - 298KLD
9.	Sewage generation	352KLD
10.	STP Capacity / Proposed Technology	STP Capacity - 335KLD [STP 1- 225 KLD, STP 2- 110 KLD] ETP Capacity - 30KLD MBR
11.	Total Solid Waste Quantities	1218.32 Kg/day
12.	Energy Efficiency	15-20 % total demand load of renewal energy

13.	Parking 4 W and 2W	4 Wheeler - 470 2 Wheeler - 4* 25 is four wheeler - 100 Ambulance - 6
14.	Power requirement	4,103.53KW
15.	D.G set Capacity	3*1010 kVA each, 1*625 kVA, 1*500 kVA
16.	RWH tank capacity	20
17.	EMP cost (including DMP cost)	402 Capital Cost (Rs. In Lakhs) 100.5 Recurring Cost/Annum (Rs. Lakhs)
18.	No. of tress on site	0
19.	No. of trees to be cut	0
20.	No. of tress to be planted on site	2,600 (Proposed)
21.	CRZ status	NA

Project proponent presented detailed presentation of the proposed project.

The Authority perused an application and documents submitted by the project proponent and the presentation done by PP. After scrutinizing the application and documents submitted by the project proponent, the Authority sought compliances with respect to the following conditions to be complied by the PP.

- i) Plantation of (Indigenous/ medicinal value) to be carried out within the campus premises in consultation to Goa State Biodiversity Board and submit the list.
- ii) Detailed EIA report to be submitted by the PP to the Authority.
- iii). PP has to make provision for installation of Solar panels within the premises.
- iv) Emergency exit gate to be shown on the proposed site plan.
- v. PP has to submit Contour plan of the proposed site.

Decision: Further the authority decided to inspect the proposed site on 17th August 2021 to check site specific conditions.

2. Project Minor Mineral proposal received from Dr. Prafulla R. Hede, Plot/Survey/Khasra No. 29/2, Village Collem, Tehsil-Dharbandora-Sanguem, South-Goa dated 19th March 2021 on Parivesh.

After viewing the committee's recommendation and scrutinizing the application and documents submitted by PP, the Authority noted that there is a violation of environment under EIA Notification 2006 which is released by MoEF&CC so that the proponent has to apply for ToR under violation category as per the successive Notifications issued by the MoEF&CC dated 14th March 2017 and 8th March 2018 respectively.

Meeting concluded with a vote of thanks to the chair.

Sd/-
Smt.Reshma Mathew
Member,Goa-SEIAA

Sd/-
Prof. Suhas Godse
Chairman,Goa-SEIAA

Sd/-
(Dasharath M. Redkar)
Member Secretary,Goa-SEIAA

Place: Patto-Panaji

Date: 03rdAugust 2021.