

Minutes of the


331st MEETING

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY


Date: 09.08.2018

**MINUTES OF THE 331st MEETING OF THE STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT
AUTHORITY HELD ON 09.08.2018**


Agenda No.	Description	File No.	Minutes
a)	Confirmation of the minutes of the 328 th meeting of the Authority held on 07.08.2018		The minutes of the 328 th meeting of the Authority held on 07.08.2018 was confirmed.
b)	The Action taken on the decisions of the 328 th meeting of the Authority held on 07.08.2018		The Member Secretary tabled the action taken report on the decisions of the 328 th meeting and discussed.
1.	To consider the proposal for the grant of Environmental Clearance Under EIA Notification 2006 for the proposed construction of 640 Tenements by M/S. Tamil Nadu Slum Clearance Board (TNSCB) at S.No. 382/1 Pt, Nehru Nagar, Thoranakkalpatty Village, Karur Taluk & District.	6483	<p>Discussed in detail, the Authority decided to recommend the proposal for the grant of Environmental Clearance subject to the following additional condition in addition to the normal conditions:</p> <ol style="list-style-type: none"> 1. The proponent shall allocate play area of 2000 sq.m and the same shall be earmarked in the plan in consultation with Department of Youth Affair and Sports, Govt of Tamil Nadu considering the population of the project activity. 2. The EMP cost of Rs. 123 Lakhs shall be deposited in a nationalized bank by opening separate account and the head wise expenses statement shall be submitted to TNPCB with a copy to SEIAA annually. 3. The project proponent has to provide rain water collection tank of 830 cu.m capacity in order to recover and reuse the rain water during normal rains in addition to other structure proposed for rain


MEMBER SECRETARY


MEMBER


CHAIRMAN


			<p>water harvesting.</p> <p>4. The proponent shall provide dual plumping to utilize the treated sewage for toilet flushing.</p> <p>5. The proponent shall provide lift facility for the benefit of aged and sick persons.</p> <p>6. The proponent shall ensure that the OSR area should not utilized for any other purpose.</p>
2.	To consider the proposal for grant of Environmental Clearance under violation for the construction of multi storied residential apartments by M/s. Jones Foundation Pvt. Ltd at S.F. No. 170/1C2, 1A1F2, 2C2, 2B, 1D, 2C1, 172, 173/1D, 1A1, 1A2, 1B1, 1B2, 1E2 & 1C in Pallikarani Village, Sholinganallur Taluk, Kanchipuram District.	2244	<p>Discussed in detail, the Authority decided to accept the recommendation of SEAC and direct the proponent to</p> <p>a) Furnish bank guarantee to Tamil Nadu Pollution Control Board as recommended by the SEAC and furnish an affidavit stating that the CER amount of Rs. 56 Lakhs shall not be claimed at any point of time from the environmental compensation remitted to the TNPCB as per the NGT direction.</p> <p>b) TNPCB shall utilise the amount of Rs. 56 Lakhs earmarked for CER by SEIAA-TN for CER of government activities / projects.</p>
3.	To consider the proposal for grant of Environmental Clearance under violation for the Construction of Residential Complex by M/s. Anand Estates at S.F.No. 140/1A, 2A, 2B, 141/1, 141/2, 145/2, 146/3B1, 151/1 & 151/2, Perungudi Village, Tambaram Taluk, Kancheepuram District, Tamil Nadu.	2554	<p>Discussed in detail, the Authority decided to accept the recommendation of SEAC and direct the proponent to furnish bank guarantee to Tamil Nadu Pollution Control Board as recommended by the SEAC and furnish the copy of the receipt and furnish the details so as to take further action.</p>


MEMBER SECRETARY


MEMBER


CHAIRMAN

4.	To consider the proposal for grant of Terms of Reference (ToR) under violation for the Constructed Hospital & Educational building by M/s. Srinivasan Health & Educational Trust at S.F.No. 97/3, 4, 5A, 5B, 6, 9A/1, 2,3 , 4, 5, 6, 7, 8, 9, 10, 100/1, 2B, 2C, 2D, 3, 4A, 4B, 4C, 4D, 101/2, 3, 4, 5, 6, 7, 8, 102/3, 4, 5, 6,7, 8, 104/1A, 1B, 1C, 1D, 1E, 1F, 1G, 1H, 2, 3, 107/4, 5, 113/2, 3, 4, 5, 114/1A, 1B, 1C, 1D, 2, 4, 237/2, 3, 4, 5, 6, 12, 13, 14A & 14B of Samaiyapuram Village, Manachanallur Taluk, Trichy District.	528	Discussed in detail, the Authority decided to recommend the proposal for the issue of standard ToR for the preparation of EIA Report along with the additional ToR as prescribed by SEAC in addition to the following: <ol style="list-style-type: none"> 1. A detailed study on water bodies and impact of construction to be furnished. 2. Impact on agriculture and livelihood to provide by conducting detailed studies. 3. Detailed Biodiversity study to be conducted by BSI, (Botanical survey of India) or some accredited agencies. 4. Detailed study on soils, their physical, Biochemical and biological features to be furnished. 5. The EIA study report shall include impact on water bodies. 6. The proponent shall allocate play area of 10000 sq.m and the same shall be earmarked in the plan. 7. The project proponent has to furnish the certificate stating that the proposed site had not encroached any water body (rivers, canals, lakes, ponds, tanks, etc) from its original boundary shall be obtained from the competent authority.
----	---	-----	--


MEMBER SECRETARY


MEMBER


CHAIRMAN

5.	To consider the proposal for grant of Terms of Reference (ToR) under violation for the Constructed Hospital building by M/s. PSG Hospitals at S.F.No. 298, 300/2, 306, 307 pt, 308 pt, 499, 500, 501 & 502 pt, Sowripalayam Village, Coimbatore South Taluk, Coimbatore District	613	<p>Discussed in detail, the Authority decided to recommend the proposal for the issue of standard ToR for the preparation of EIA Report along with the additional ToR as prescribed by SEAC in addition to the following:</p> <ol style="list-style-type: none"> 1. A detailed study on water bodies and impact of construction to be furnished. 2. Impact on agriculture and livelihood to provide by conducting detailed studies. 3. Detailed Biodiversity study to be conducted by BSI, (Botanical survey of India) or some accredited agencies. 4. Detailed study on soils, their physical, Biochemical and biological features to be furnished. 5. The EIA study report shall include impact on water bodies. 6. The proponent shall allocate play area of 10000 sq.m and the same shall be earmarked in the plan. 7. The project proponent has to furnish the certificate stating that the proposed site had not encroached any water body (rivers, canals, lakes, ponds, tanks, etc) from its original boundary shall be obtained from the competent authority.
----	--	-----	---



MEMBER SECRETARY



MEMBER



CHAIRMAN


6.	To consider the proposal for grant of Terms of Reference (ToR) under violation for the Residential Development Project "TULIPS" by M/s. Vascon Pricol Infrastructure Limited at S.F No.555/1, 555/2, 555/4, 556/1D, 556/1E, 557/3 & 560/3 of Sowripalayam Village, Coimbatore South Taluk, Coimbatore District.	1621	<p>Discussed in detail, the Authority decided to recommend for the issue of standard ToR for the preparation of EIA Report along with the additional ToR as prescribed by SEAC in addition to the following:</p> <ol style="list-style-type: none"> 1. A detailed study on water bodies and impact of construction to be furnished. 2. Impact on agriculture and livelihood to provide by conducting detailed studies. 3. Detailed Biodiversity study to be conducted by BSI, (Botanical survey of India) or some accredited agencies. 4. Detailed study on soils, their physical, Biochemical and biological features to be furnished. 5. The EIA study report shall include impact on water bodies. 6. The proponent shall allocate play area of 10000 sq.m and the same shall be earmarked in the plan. 7. The project proponent has to furnish the certificate stating that the proposed site had not encroached any water body (rivers, canals, lakes, ponds, tanks, etc) from its original boundary shall be obtained from the competent authority.
----	---	------	--


MEMBER SECRETARY


MEMBER


CHAIRMAN

7.	To consider the proposal for grant of Environmental Clearance for the proposed construction of Residential Development project by M/s. Globus Arima Builders LLP at S.F. No. 334/2, 3, 4, 335/2, 336/1 to 6A, T.S.No. 38(P) of Krishnarayapuram Village, Coimbatore North Taluk, Coimbatore District.	5535	<p>Discussed in detail, the Authority decided to seek the following details:</p> <ol style="list-style-type: none"> 1. A detailed study of Sangapur stream ecology is essential. The biodiversity of Sangapur stream should be carried out by BSI, Coimbatore or Bharathiyar University or some accredited agencies. 2. A coloured google map showing the surroundings of the project site for 1km radius and 5km radius in A1/A0 size. 3. Impact of conservation on the Sangapur stream biodiversity. 4. The EMP shall be revised as per actual considering all the components. 5. The proponent shall allocate play area of 4000 sq.m and the same shall be earmarked in the plan. 6. Necessary certificate and permission should be obtained from Tamil Nadu Forest Department and PWD for taking up construction in the site. 7. The project proponent has to furnish the certificate stating that the proposed site had not encroached any water body (rivers, canals, lakes, ponds,
----	---	------	--


MEMBER SECRETARY


MEMBER


CHAIRMAN

			tanks, etc) from its original boundary shall be obtained from the competent authority.
8.	To consider the proposal for the grant of Environmental Clearance under EIA Notification 2006 for the project by M/s Dugar Housing Limited. Residential Building Complex located at S.Nos: 117/1 & 119 of Ayanambakkam Village, Ambattur Taluk, Thiruvallur District, Tamil Nadu under Category "B2" and Schedule S.No. 8(a) Building and Construction Projects.	1196	Discussed in detail, the Authority decided to recommend the proposal for the grant of Environmental Clearance subject to the following additional condition in addition to the normal conditions: <ol style="list-style-type: none"> 1. The proponent shall allocate play area of 2000 sq,m and the same shall be earmarked in the plan. 2. The EMP cost of Rs. 130 Lakhs shall be deposited in a nationalized bank by opening separate account and the head wise expenses statement shall be submitted to TNPCB with a copy to SEIAA annually. 3. The project proponent has to provide rain water collection tank of 150cu.m capacity in order to recover and reuse the rain water during normal rains in addition to other structure proposed for rain water harvesting
9.	To consider the proposal for the issue of Environmental Clearance for the Construction of Hospital Building for institution of Medical science & Research Centre by M/s. Karpaga Vinayaga Educational Trust at S.F.No. 42/4A, 43/4, 49/1, 49/2, 50/1, etc, Palayanoor & Chinnakolampakkam Village & 109/1A, 2A1, etc of Mossivakkam Village, Madhuranthagam	440	Discussed in detail, the Authority decided to recommend the proposal for the grant of Environmental Clearance subject to the following additional condition in addition to the normal conditions: <ol style="list-style-type: none"> 1. The EMP cost of Rs. 563 Lakhs shall be deposited in a nationalized bank by opening


MEMBER SECRETARY


MEMBER


CHAIRMAN


	<p>Taluk, Kancheepuram District</p>	<p>separate account and the head wise expenses statement shall be submitted to TNPCB with a copy to SEIAA annually.</p> <ol style="list-style-type: none"> 2. The project proponent has to provide rain water collection tank of 6250 cu.m capacity in order to recover and reuse the rain water during normal rains in addition to other structure proposed for rain water harvesting. 3. The Biodiversity identified should be protected and conserved by creating baseline data. Annual studies to be conducted on biodiversity and check list of all species of flora and fauna to be maintained. 4. The students should be involved in species assessment and awareness created on ecology of the campus. 5. The NCC, NSS, Green Corps students should be involved in creation of water bodies and conservation of the Natural water sources within the campus. 6. The project proponent shall have alternative options for disposal of excess treated sewage by identified the water bodies in consultation with competent authority.
--	-------------------------------------	--


MEMBER SECRETARY


MEMBER


CHAIRMAN

10.	To consider the proposal for the issue of Environmental Clearance for the construction of 1280 Slum tenements by M/s. Tamil Nadu Slum Clearance Board at S.F.No. 482/1A, 2A & 2B Keeranatham Village, Annur Taluk, Coimbatore District.	2942	<p>Discussed in detail, the Authority decided to recommend the proposal for the grant of Environmental Clearance subject to the following conditions in addition to the normal conditions:</p> <ol style="list-style-type: none"> 1. The project proponent shall explore the possibility of disposal of excess treated sewage into the nearby water bodies after getting prior permission from the competent authority. 2. The proponent shall propose lift facility for the benefit of aged and sick person for each block. 3. The proponent shall propose dual plumbing system to utilize the treated sewage for toilet flushing. 4. The proponent shall allocate play area in consultation with Department of Youth Affair and Sports, Govt of Tamil Nadu considering the population of the project activity. 5. The EMP cost of Rs. 195 Lakhs shall be deposited in a nationalized bank by opening separate account and the head wise expenses statement shall be submitted to TNPCCB with a copy to SEIAA annually. 6. The project proponent has to provide rain water collection tank of 1700 cu.m capacity in order to
-----	---	------	---


MEMBER SECRETARY


MEMBER


CHAIRMAN

			recover and reuse the rain water during normal rains in addition to other structure proposed for rain water harvesting.
11.	To consider the proposal for the issue of Environmental Clearance for the construction of 1440 Slum tenements by M/s. Tamil Nadu Slum Clearance Board at S.F.No. 195/2, Malumichampatti Nagar, Malumichampatti Village, Madhukarai Taluk, Coimbatore District.	2943	Discussed in detail, the Authority decided to recommend the proposal for the grant of Environmental Clearance subject to the following conditions in addition to the normal conditions: <ol style="list-style-type: none"> 1. The project proponent shall explore the possibility of disposal of excess treated sewage into the nearby water bodies after getting prior permission from the competent authority. 2. The proponent shall propose lift facility for the benefit of aged and sick person for each block. 3. The proponent shall propose dual plumping system to utilize the treated sewage for toilet flushing. 4. The proponent shall allocate play area in consultation with Department of Youth Affair and Sports, Govt of Tamil Nadu considering the population of the project activity. 5. The EMP cost of Rs. 205 Lakhs shall be deposited in a nationalized bank by opening separate account and the head wise expenses statement shall be submitted to TNPCB with a copy to SEIAA annually. 6. The project proponent has to


MEMBER SECRETARY


MEMBER


CHAIRMAN

			provide rain water collection tank of 1750 cu.m capacity in order to recover and reuse the rain water during normal rains in addition to other structure proposed for rain water harvesting.
12.	To consider the proposal for the issue of Environmental Clearance for the construction of 960 Slum tenements by M/s. Tamil Nadu Slum Clearance Board at S.F.No. 950/3, Anna Nagar, Madukkarai Village & Taluk, Coimbatore District.	2944	<p>Discussed in detail, the Authority decided to recommend the proposal for the grant of Environmental Clearance subject to the following conditions in addition to the normal conditions:</p> <ol style="list-style-type: none"> 1. The project proponent shall explore the possibility of disposal of excess treated sewage into the nearby water bodies after getting prior permission from the competent authority. 2. The proponent shall propose lift facility for the benefit of aged and sick persons for each block. 3. The proponent shall propose dual plumping system to utilize the treated sewage for toilet flushing. 4. The proponent shall allocate adequate play area in consultation with Department of Youth Affair and Sports considering the population of the project activity and accordingly the layout plan


MEMBER SECRETARY


MEMBER


CHAIRMAN

			<p>shall be revised.</p> <p>5. The EMP cost of Rs. 205 Lakhs shall be deposited in a nationalized bank by opening separate account and the head wise expenses statement shall be submitted to TNPCB with a copy to SEIAA annually.</p> <p>6. The project proponent has to provide rain water collection tank of 1750 cu.m capacity in order to recover and reuse the rain water during normal rains in addition to other structure proposed for rain water harvesting.</p>
13.	To consider the proposal for the grant of Terms of Reference under violation for the Existing Multi-Coloured Granite Quarrying in at S.F No. 498 of Arasiramani Bit-II Village, Sankari Taluk, Salem District by Tvl. Imperial Granites Private Limited.	5520	<p>Discussed in detail, the Authority decided to issue ToR for the preparation of EIA Report along with additional ToR as recommended by SEAC in addition to the following:</p> <ol style="list-style-type: none"> 1. Issue of ToR is considered for the mining period 2018-19 onwards only. 2. Excess quantity mined during the mining period shall be furnished to assess the ecological and other damages from the Department of Mining & Geology. 3. The EIA study report shall provide details of proposed and actual mined quantity for the entire mining plan period from the


MEMBER SECRETARY


MEMBER


CHAIRMAN


			<p>competent Authority.</p> <p>4. The project proponent shall enclose the approved District Survey Report (DSR) as directed by MoEF & CC in the letter dated 26.05.2018 addressed to Chief Secretaries of all States vide Lr.No. F.No.L-11011/26/2018-IA-II (M) Dated 22.05.2018 along with the EIA study report.</p> <p>5. As per the order of the Hon'ble Madras High Court dated 13.10.2017 in WP.No.11189 of 2017, public hearing is mandatory for all violation proposals.</p> <p>6. The ToR is issued subject to the outcome of the Appeal made by SEIAA-TN in Hon'ble Supreme Court of India vide Dairy No. 41473/2017.</p>
14.	To consider the proposal for the grant of Terms of Reference under violation for the existing project for mining Limestone over an extent of 2.06.5 Ha at S.F. No. 450/4, 451/1, 2A, 2B, 2C Nadumandalalm Village, Natham Taluk, Dindigul District by M/s. R.K.N. and Company.	6168	<p>Discussed in detail, the Authority decided to issue ToR for the preparation of EIA Report along with additional ToR as recommended by SEAC in addition to the following:</p> <ol style="list-style-type: none"> 1. Issue of ToR is considered for the mining period 2018-19 onwards only. 2. Excess quantity mined during the mining period shall be furnished to assess the ecological and other damages from the Department of Mining & Geology.


MEMBER SECRETARY



MEMBER


CHAIRMAN

			<p>3. The EIA study report shall provide details of proposed and actual mined quantity for the entire mining plan period from the competent Authority.</p> <p>4. The project proponent shall enclose the approved District Survey Report (DSR) as directed by MoEF & CC in the letter dated 26.05.2018 addressed to Chief Secretaries of all States vide Lr.No. F.No.L-11011/26/2018-IA-II (M) Dated 22.05.2018 along with the EIA study report.</p> <p>5. As per the order of the Hon'ble Madras High Court dated 13.10.2017 in WP.No.11189 of 2017, public hearing is mandatory for all violation proposals.</p>
15.	<p>To consider the proposal for the grant of Terms of Reference under violation for the existing project for mining Limestone over an extent of 1.74.5 Ha at S.F. No. 454/1, 454/2, 454/3A, 454/3B, 455/1, Nadumandalam Village, Natham Taluk, Dindigul district, Tamilnadu. by Thiru. K. Dhanapal.</p>	6201	<p>Discussed in detail, the Authority decided to issue ToR for the preparation of EIA Report along with additional ToR as recommended by SEAC in addition to the following:</p> <ol style="list-style-type: none"> 1. Issue of ToR is considered for the mining period 2018-19 onwards only. 2. Excess quantity mined during the mining period shall be furnished to assess the ecological and other damages from the Department of Mining & Geology. 3. The EIA study report shall provide


MEMBER SECRETARY


MEMBER


CHAIRMAN

			<p>details of proposed and actual mined quantity for the entire mining plan period from the competent Authority.</p> <p>4. The project proponent shall enclose the approved District Survey Report (DSR) as directed by MoEF & CC in the letter dated 26.05.2018 addressed to Chief Secretaries of all States vide Lr.No. F.No.L-11011/26/2018-IA-II (M) Dated 22.05.2018 along with the EIA study report.</p> <p>5. As per the order of the Hon'ble Madras High Court dated 13.10.2017 in WP.No.11189 of 2017, public hearing is mandatory for all violation proposals.</p>
16.	<p>To consider the proposal for the grant of Terms of Reference under violation for the existing project for the mining of Magnesite and Dunite over an extent of 1.62.0 Ha at S.F. No. Unsurveyed Block 1 (Part) Naraikinaru Village, Rasipuram Taluk, Namakkal District by M/s. Sun Minerals and Chemicals.</p>	6302	<p>Discussed in detail, the Authority decided to issue ToR for the preparation of EIA Report along with additional ToR as recommended by SEAC in addition to the following:</p> <ol style="list-style-type: none"> 1. Issue of ToR is considered for the mining period 2018-19 onwards only. 2. Excess quantity mined during the mining period shall be furnished to assess the ecological and other damages from the Department of Mining & Geology. 3. The EIA study report shall provide details of proposed and actual


MEMBER SECRETARY


MEMBER


CHAIRMAN

			<p>mined quantity for the entire mining plan period from the competent Authority.</p> <p>4. The project proponent shall enclose the approved District Survey Report (DSR) as directed by MoEF & CC in the letter dated 26.05.2018 addressed to Chief Secretaries of all States vide Lr.No. F.No.L-11011/26/2018-IA-II (M) Dated 22.05.2018 along with the EIA study report.</p> <p>5. As per the order of the Hon'ble Madras High Court dated 13.10.2017 in WP.No.11189 of 2017, public hearing is mandatory for all violation proposals.</p>
17.	<p>To consider the proposal for the grant of Terms of Reference under violation for the existing project for the mining of Silica sand over an extent of 4.28.5 Ha at S.F. No.80/1, 2, 90/1A2, 2A, 91/1, 2A, 2C, 2D, 3, 4 & 96/13, Sendhirakillai Village, Bhuvanagiri Taluk, Cuddalore District by Tmt S. Lavanya.</p>	6352	<p>Discussed in detail, the Authority decided to issue ToR for the preparation of EIA Report along with additional ToR as recommended by SEAC in addition to the following:</p> <ol style="list-style-type: none"> 1. Issue of ToR is considered for the mining period 2018-19 onwards only. 2. Excess quantity mined during the mining period shall be furnished to assess the ecological and other damages from the Department of Mining & Geology. 3. The EIA study report shall provide details of proposed and actual mined quantity for the entire


MEMBER SECRETARY


MEMBER


CHAIRMAN

			<p>mining plan period from the competent Authority.</p> <p>4. The project proponent shall enclose the approved District Survey Report (DSR) as directed by MoEF & CC in the letter dated 26.05.2018 addressed to Chief Secretaries of all States vide Lr.No. F.No.L-11011/26/2018-IA-II (M) Dated 22.05.2018 along with the EIA study report.</p> <p>5. As per the order of the Hon'ble Madras High Court dated 13.10.2017 in WP.No.11189 of 2017, public hearing is mandatory for all violation proposals.</p>
18.	<p>To consider the proposal for the grant of Terms of Reference under violation for the existing project for the mining of Black Granite over an extent of 1.76.5 Ha at S.F. No. 169/7A, 169/8 & 170/1, Karasanur Village, Vanur Taluk, Villupuram District by M/s.Kattima.</p>	6536	<p>Discussed in detail, the Authority decided to issue ToR for the preparation of EIA Report along with additional ToR as recommended by SEAC in addition to the following:</p> <ol style="list-style-type: none"> 1. Issue of ToR is considered for the mining period 2018-19 onwards only. 2. Excess quantity mined during the mining period shall be furnished to assess the ecological and other damages from the Department of Mining & Geology. 3. The EIA study report shall provide details of proposed and actual mined quantity for the entire mining plan period from the


MEMBER SECRETARY


MEMBER


CHAIRMAN

			<p>competent Authority.</p> <p>4. The project proponent shall enclose the approved District Survey Report (DSR) as directed by MoEF & CC in the letter dated 26.05.2018 addressed to Chief Secretaries of all States vide Lr.No. F.No.L-11011/26/2018-IA-II (M) Dated 22.05.2018 along with the EIA study report.</p> <p>5. As per the order of the Hon'ble Madras High Court dated 13.10.2017 in WP.No.11189 of 2017, public hearing is mandatory for all violation proposals.</p>
19.	To consider the proposal for the grant of Terms of Reference under violation for the existing project for the mining of Black Granite Quarry over an extent of 24.30.0 Ha. at S.F. Nos. 1193/1 (Part) of Kodakkal Village, Walajah Taluk, Vellore District, by M/s. Tamil Nadu Minerals Ltd.	6573	<p>Discussed in detail, the Authority decided to issue ToR for the preparation of EIA Report along with additional ToR as recommended by SEAC in addition to the following:</p> <ol style="list-style-type: none"> 1. Issue of ToR is considered for the mining period 2018-19 onwards only. 2. Excess quantity mined during the mining period shall be furnished to assess the ecological and other damages from the Department of Mining & Geology. 3. The EIA study report shall provide details of proposed and actual mined quantity for the entire mining plan period from the competent Authority.


MEMBER SECRETARY


MEMBER


CHAIRMAN

			<p>4. The project proponent shall enclose the approved District Survey Report (DSR) as directed by MoEF & CC in the letter dated 26.05.2018 addressed to Chief Secretaries of all States vide Lr.No. F.No.L-11011/26/2018-IA-II (M) Dated 22.05.2018 along with the EIA study report.</p> <p>5. As per the order of the Hon'ble Madras High Court dated 13.10.2017 in WP.No.11189 of 2017, public hearing is mandatory for all violation proposals.</p>
20.	To consider the proposal for the grant of Terms of Reference under violation for the existing project for the mining of Silica sand over an extent of 2.59.5 Ha at S.F. No. 300/7, 300/8 (P), 300/9(P), 300/10, 301/1A, 301/1B (P) & 301/1C (P), Vadamazhai Manakkadu Village, Vedaranyam Taluk, Nagappattinam District by M/s. Sri Ram Mines & Minerals.	6574	<p>Discussed in detail, the Authority decided to issue ToR for the preparation of EIA Report along with additional ToR as recommended by SEAC in addition to the following:</p> <ol style="list-style-type: none"> 1. Issue of ToR is considered for the mining period 2018-19 onwards only. 2. Excess quantity mined during the mining period shall be furnished to assess the ecological and other damages from the Department of Mining & Geology. 3. The EIA study report shall provide details of proposed and actual mined quantity for the entire mining plan period from the competent Authority. 4. The project proponent shall enclose the approved District


MEMBER SECRETARY


MEMBER


CHAIRMAN


			<p>Survey Report (DSR) as directed by MoEF & CC in the letter dated 26.05.2018 addressed to Chief Secretaries of all States vide Lr.No. F.No.L-11011/26/2018-IA-II (M) Dated 22.05.2018 along with the EIA study report.</p> <p>5. As per the order of the Hon'ble Madras High Court dated 13.10.2017 in WP.No.11189 of 2017, public hearing is mandatory for all violation proposals.</p>
21.	To consider the proposal for the grant of Terms of Reference under violation for the existing project for the mining of Silica sand over an extent of 0.92.5 Ha at S.F. No. 158/6B-1A, 6B-2A, 10B, 14A & 20, Vandhuvanchery Village, Vedaranyam Taluk, Nagappattinam District by M/s. Sri Ram Mines & Minerals.	6575	<p>Discussed in detail, the Authority decided to issue ToR for the preparation of EIA Report along with additional ToR as recommended by SEAC in addition to the following:</p> <ol style="list-style-type: none"> 1. Issue of ToR is considered for the mining period 2018-19 onwards only. 2. Excess quantity mined during the mining period shall be furnished to assess the ecological and other damages from the Department of Mining & Geology. 3. The EIA study report shall provide details of proposed and actual mined quantity for the entire mining plan period from the competent Authority. 4. The project proponent shall enclose the approved District Survey Report (DSR) as directed by MoEF & CC in the letter dated


MEMBER SECRETARY


MEMBER


CHAIRMAN

			<p>26.05.2018 addressed to Chief Secretaries of all States vide Lr.No. F.No.L-11011/26/2018-IA-II (M) Dated 22.05.2018 along with the EIA study report.</p> <p>5. As per the order of the Hon'ble Madras High Court dated 13.10.2017 in WP.No.11189 of 2017, public hearing is mandatory for all violation proposals.</p>
22.	To consider the proposal for the grant of Terms of Reference under violation for the existing project for the mining of Existing Grey Granite Quarry over an extent of 1.95.5 Ha at S.F. Nos. 133/1, 133/5, Kondappanayanapalli Village, Krishnagiri Taluk & District by M/s. S.M. Exports.	6591	<p>Discussed in detail, the Authority decided to issue ToR for the preparation of EIA Report along with additional ToR as recommended by SEAC in addition to the following:</p> <ol style="list-style-type: none"> 1. Issue of ToR is considered for the mining period 2018-19 onwards only. 2. Excess quantity mined during the mining period shall be furnished to assess the ecological and other damages from the Department of Mining & Geology. 3. The EIA study report shall provide details of proposed and actual mined quantity for the entire mining plan period from the competent Authority. 4. The project proponent shall enclose the approved District Survey Report (DSR) as directed by MoEF & CC in the letter dated 26.05.2018 addressed to Chief


MEMBER SECRETARY


MEMBER


CHAIRMAN


			<p>Secretaries of all States vide Lr.No. F.No.L-11011/26/2018-IA-II (M) Dated 22.05.2018 along with the EIA study report.</p> <p>5. As per the order of the Hon'ble Madras High Court dated 13.10.2017 in WP.No.11189 of 2017, public hearing is mandatory for all violation proposals.</p>
23.	To consider the grant of Environmental Clearance under EIA Notification 2006 for the proposed construction of multi-storeyed residential flats at S.F. No.: 343 pt, 350 pt, etc. of Sholinganallur Village, Sholinganallur Taluk, Kancheepuram District by Tamil Nadu Housing Board - Sl. No 8(a) of the Schedule - Building and Large Construction projects	6654	<p>Discussed in detail, the Authority decided to call for the following details:</p> <ol style="list-style-type: none"> 1. Detailed biodiversity and impact studies required from accredited agencies of the site and surroundings from BSI. 2. What will be the impact of the project on Pudicherry Keni kulam/Buckingham canal and Sholinganallur Lake? 3. Necessary permission should be obtained from PWD/Wetland Authority, Tamil Nadu to commence such a project very close to the wetlands. 4. Does this project impact migratory birds and fish population? 5. The proponent shall allocate play area of 2000 sq.m and the same shall be earmarked in the plan in consultation with Department of Youth Affair and Sports, Govt of Tamil Nadu considering the population of the project activity. 6. The project proponent has to


MEMBER SECRETARY


MEMBER


CHAIRMAN

			provide rain water collection tank of 1500 KL capacity in order to recover and reuse the rain water during normal rains in addition to other structure proposed for rain water harvesting.
24.	To consider the proposal for the grant of Terms of Reference under violation for the existing project for the mining of Limestone Mine over an extent of 4.32.5 Ha at S.F. Nos. 253/5, 253/6, 263/2, 263/3, 263/4, 263/5, & 263/8 of Kurunthamadam Village, Aruppukottai Taluk, Virudhunagar District, by Thiru. S. Vijayakumar.	6587	Discussed in detail, the Authority decided to issue ToR for the preparation of EIA Report along with additional ToR as recommended by SEAC in addition to the following: <ol style="list-style-type: none"> 1. Issue of ToR is considered for the mining period 2018-19 onwards only. 2. Excess quantity mined during the mining period shall be furnished to assess the ecological and other damages from the Department of Mining & Geology. 3. The EIA study report shall provide details of proposed and actual mined quantity for the entire mining plan period from the competent Authority. 4. The project proponent shall enclose the approved District Survey Report (DSR) as directed by MoEF & CC in the letter dated 26.05.2018 addressed to Chief Secretaries of all States vide Lr.No. F.No.L-11011/26/2018-IA-II (M) Dated 22.05.2018 along with the EIA study report.


MEMBER SECRETARY


MEMBER


CHAIRMAN


			5. As per the order of the Hon'ble Madras High Court dated 13.10.2017 in WP.No.11189 of 2017, public hearing is mandatory for all violation proposals
25.	To consider the grant of Environmental Clearance under EIA Notification 2006 for the project by M/s. Saveetha Medical & Educational Trust. Institutional Campus Project "Saveetha University" at S. Nos: 78/3, 79, 80, 81, 82/1, 82/2, 83/1A, 83/2, 84, 85/2, 86/4B, 299 of Mevalurkuppam Village and S.Nos. 300, 301, 302, 303/1 to 303/6, 303/8 to 303/10, 304/1 to 304/12, 305/3B, 305/4, 306, 308 of Chettipedu Village, Sriperumbudur Taluk, Kancheepuram District, Tamil Nadu under Category "B2" and Schedule S.No. 8(b) Townships and Area Development Projects	505	Discussed in detail, the authority decided to recommend the proposal for the grant of Environmental Clearance subject to the following additional condition in addition to the normal conditions: <ol style="list-style-type: none"> 1. The project proponent has to provide rain water collection tank of 13100 cu.m capacity in order to recover and reuse the rain water during normal rains in addition to other structure proposed for rain water harvesting. 2. The EMP cost of Rs. 372 Lakhs shall be deposited in a nationalized bank by opening separate account and the head wise expenses statement shall be submitted to TNPCCB with a copy to SEIAA annually 3. The Biodiversity identified should be protected and conserved by creating baseline data. Annual studies to be conducted on biodiversity and check list of all species of flora and fauna to be maintained. 4. The students should be involved in species assessment and



MEMBER SECRETARY


MEMBER


CHAIRMAN

		<p>awareness created on ecology of the campus.</p> <p>5. The NCC, NSS, Green Corps students should be involved in creation of water bodies and conservation of the Natural water sources within the campus.</p> <p>6. The project proponent shall have alternative options for disposal of excess treated sewage by identified the water bodies in consultation with competent authority.</p>
--	--	---


MEMBER SECRETARY


MEMBER


CHAIRMAN