

**State Environment Impact Assessment Authority (SEIAA)  
West Bengal**

**38<sup>th</sup> meeting of SEIAA (Reconstituted on 17.05.2023)**

**AGENDA**

**Venue:** Conference Room of Environment Department, Prani Sampad Bhavan, 5<sup>th</sup> Floor, LB Block, Sector III, Salt Lake, Kolkata 700106.

Please Check MoEF&CC Website at [www.parivesh.nic.in](http://www.parivesh.nic.in) for details and updates

**From Date:** 19 April 2024

**To Date:** 19 April 2024

**Time :** 2.00 P.M. onwards

**CONSIDERATION/RECONSIDERATION OF ENVIRONMENTAL CLEARANCE**

S.No	Proposal						
(1)	Proposed project of Shree Kolkata Cement Plant (Clinker Grinding Unit) with cement production capacity of 2.5 Million TPA (OPC, PPC, PSC, Composite Cement, SRC & RHPC) D.G. sets of 1250 kVA (1000 kVA or 2 x 500 kVA & 250 kVA) along with Railway siding at Village & Mouza: Kaijuri & Rauta, Near Birshibpur Railway Station, PS: Uluberia - I Taluka: Uluberia, District: Howrah, West Bengal by <b>M/s. Shree Cement North Private Limited.</b>						
	<table border="1" style="width: 100%;"> <thead> <tr> <th style="text-align: center;">S. No.</th> <th style="text-align: center;">State</th> <th style="text-align: center;">District</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">(1.)</td> <td style="text-align: center;">West Bengal</td> <td style="text-align: center;">Howrah</td> </tr> </tbody> </table>	S. No.	State	District	(1.)	West Bengal	Howrah
S. No.	State	District					
(1.)	West Bengal	Howrah					
	<b>[SIA/WB/IND1/404126/2022, EN/T-II-1/011/2022]</b>						

**MISCELLANEOUS**

1. Complaint received from Mr. Ankur Sharma against filling of wetlands and flouting of environmental norms at “ <b>Arrjavv Dankuni Industrial Township</b> ” Durgapur Expressway, near Dankuni Coal Complex, Dankunibil, Hooghly, PIN – 712310, West Bengal.
2. Complaint received from Mr. Ankur Sharma against illegal sanction of building plan of the high rise building at “ <b>The Varanda</b> ” 145, Jessore Road, Ward No. 30, South Dum Dum Municipality, P.S. Lake Town, North 24 Parganas – 700089.
3. Complaint received from Mr. Ankur Sharma against filling of water bodies/ponds and flouting of environmental norms at “ <b>Swarnamani</b> ” Holding No. 33A, Canal Circular Road, Ward No. 31, P.S. – Maniktala, Kolkata – 700054.

**Discussion on any other item with permission of the Chair.**

**Important Note:**

**1. The project proponents are requested to send the proposals in respect of establishment/identification of violation**

1/506895/2024

**(by SEIAA/MoEF&CC) in the format as per Annexure-I, Annexure-II, Annexure-III & Annexure-IV.**

- (1) The project proponents should submit the Form-1, Pre-feasibility report for TOR along with other requisite documents, Environment Impact Assessment Report, public hearing report, queries subsequently raised by the Ministry, if any including details of the court matters/Orders of the Court pertaining to the project if any, in original, duly signed by the company authorized signatory for Environmental Clearance, well in advance before meeting to Ministry's project section or utmost at the time of presentation, without which the proposal will not be considered.

**Note: Submit a copy of each of above documents - Hard and Soft Copies (CD) to the Member secretary, Violation (Note: Not by Name) by speed post so as to reach well in time.**

- (ii) Compliance Report from Regional Office, MoEF&CC (Applicable for projects already having EC).
- (iii) ***The KML/Shape files should be emailed to mentioned at para No. 7 below at least 5 days prior to the meeting.***
- (iv) The above all documents are required to be forwarded to the Chairman/Members of the Expert Appraisal Committee along with soft copy.
- 2 All the documents including the hard copy of the presentation material should be legible and printed on both sides on ordinary paper. **In case the members of the Expert Appraisal Committee do not receive the proposals/documents before the meeting, the Committee will not consider the project.**
- 3 The Project Proponent or his or her authorized representative /consultant should avoid delivery of documents by hand and seeking meeting with Chairman/Members. Members are also requested to discourage/ avoid the meeting with the PP/ consultants.
- 4 Further, it is requested that the project proponent or his/her authorized representative should attend the presentation meeting of EAC. They may also depute senior officers from the company (preferably not more than two representatives) who can make a presentation on their behalf on the salient features of the project, the related environmental issues, proposed Environmental Management Plan and also respond to the queries/suggestions of the Committee.
- 5 Any changes/modification with respect to the Agenda, Venue etc., would be indicated in Ministry's website. You are also requested to keep track of the status of your project from the Ministry/s Website i.e., [www.envfor.nic.in](http://www.envfor.nic.in) / [www.envclearance.nic.in](http://www.envclearance.nic.in).
- 6 Distribution of writing pads, pens, plastic folders and unnecessary stationery items during the meeting is not permitted. Distribution of colour print out may be avoided unless it is stated specifically.
- 7 No consultant is permitted into the meeting who has no accreditation with Quality Council of India (QCI)/National Accreditation Board of Education and Training (NABET) according to the MoEF OM dated 2nd December, 2009

**Date : 18/04/2024**

Copy forwarded to:-

1. The Additional Chief Secretary, Department of Environment for kind information.
2. The Member Secretary, West Bengal Pollution Control Board.
3. Dr. Ashit Kumar Mukherjee, Chairman, State Level Environment Impact Assessment Authority.
4. Dr. Nilangshu Bhusan Basu, Member, State Level Environment Impact Assessment Authority.
5. Shri Debashis Sarkar, Chief Engineer, West Bengal Pollution Control Board

Member Secretary, SEIAA